

## REFERENCES

- AARESTRUP, F. M. (2004) Monitoring of antimicrobial resistance among food animals: principles and limitations. *J Vet Med B Infect Dis Vet Public Health*, 51, 380-388.
- AARESTRUP, F. M. (2005) Veterinary drug usage and antimicrobial resistance in bacteria of animal origin. *Basic Clin Pharmacol Toxicol*, 96, 271-281.
- AARESTRUP, F. M., SEYFARTH, A. M., EMBORG, H. D., PEDERSEN, K., HENDRIKSEN, R. S. & BAGER, F. (2001) Effect of abolishment of the use of antimicrobial agents for growth promotion on occurrence of antimicrobial resistance in fecal enterococci from food animals in Denmark. *Antimicrob Agents Chemother*, 45, 2054-2059.
- AJIBOYE, R. M., SOLBERG, O. D., LEE, B. M., RAPHAEL, E., DEBROY, C. & RILEY, L. W. ( 2009) Global spread of mobile antimicrobial drug resistance determinants in human and animal Escherichia coli and Salmonella strains causing community-acquired infections. *Clin. Infect. Dis.*, 49, 365-371.
- ALEXANDER, T. W., YANKE, L. J., TOPP, E., OLSON, M. E., READ, R. R., MORCK, D. W. & MCALLISTER, T. A. (2008) Effect of subtherapeutic administration of antibiotics on the prevalence of antibiotic-resistant Escherichia coli bacteria in feedlot cattle. *Appl Environ Microbiol*, 74, 4405-4416.
- ANGULO, F. J., NUNNERY, J. A. & BAIR, H. D. (2004) Antimicrobial resistance in zoonotic enteric pathogens. *Rev. Sci. Tech.*, 23 485-496.

ANONYMOUS Mechanisms of Action of Antimicrobial Agents.

[http://www.courses.ahc.umn.edu/pharmacy/6124/remmel\\_notes/introduction.pdf](http://www.courses.ahc.umn.edu/pharmacy/6124/remmel_notes/introduction.pdf)

BARKEMA, H. W., SCHUKKEN, Y. H. & ZADOKS, R. N. (2006) Invited Review: The role of cow, pathogen, and treatment regimen in the therapeutic success of bovine *Staphylococcus aureus* mastitis. *J Dairy Sci*, 89, 1877-1895.

BARLOW, J. (2011) Antimicrobial Resistance and the Use of Antibiotics in the Dairy Industry: Facing Consumer Perceptions and Producer Realities. *WCDS Advances in Dairy Technology* <http://www.wcds.ca/proc/2011/Manuscripts/Barlow.pdf>, 23, 47-58.

BELL, C. & KYRIAKIDES, A. ( 2002) Pathogenic *Escherichia coli*. In: BLACKBURN, C.W. & MCCLURE, P.J. (Eds.). Foodborne pathogen: hazard, risk analysis and control. Cambridge: Woodhead pub.

BENNETT, P. M. (1999) Integrons and gene cassettes: a genetic construction kit for bacteria. *J Antimicrob Chemother*, 43, 1-4.

BLAKE, D. P., HILLMAN, K., FENLON, D. R. & LOW, J. C. (2003) Transfer of antibiotic resistance between commensal and pathogenic members of the Enterobacteriaceae under ileal conditions. *J Appl Microbiol*, 95, 428-436.

BRADFORD, P. A. (2001) Extended-spectrum beta-lactamases in the 21st century: characterization, epidemiology, and detection of this important resistance threat. *Clin Microbiol Rev*, 14, 933-951.

BRADLEY, A., GREEN, M. & (2005) Farm Animal Practice: Use and interpretation of somatic cell count data in dairy cows *Journal of the British Veterinary Association*, 27, 310-315.

- BRUMBAUGH, G. W. (1990) Perioperative antimicrobial considerations for gastrointestinal surgery of cattle. *Vet Clin North Am Food Anim Pract*, 6, 307-333.
- BSNABC (2013) Proposal of Research Report on Application of Antibiotics in China Animal Husbandry Industry. *Beijing Shennong Kexin Agribusiness Consulting Co., Ltd.* <http://www.bjsn110.com/upload/CaseData/bxite-SP2013061416580001.pdf>.
- BYARUGABA, D. K. (2004) A view on antimicrobial resistance in developing countries and responsible risk factors. *Int J Antimicrob Agents*, 24, 105-110.
- BYARUGABA, D. K. (2009) Mechanisms of Antimicrobial Resistance. A. de J. Sosa et al. (eds.), *Antimicrobial Resistance in Developing Countries*, DOI 10.1007/978-0-387-89370-9\_2, Springer Science+Business Media, LLC 2009, 15-25.
- BYWATER, R., DELUYKER, H., DEROOVER, E., DE JONG, A., MARION, H., MCCONVILLE, M., ROWAN, T., SHRYOCK, T., SHUSTER, D., THOMAS, V., VALLE, M. & WALTERS, J. (2004) A European survey of antimicrobial susceptibility among zoonotic and commensal bacteria isolated from food-producing animals. *J Antimicrob Chemother*, 54, 744-754.
- CDC (2013) *E. coli* Infection and Food Safety. *Centers for Disease Control and Prevention.* <http://www.cdc.gov/features/ecoliinfection/>.
- CDSY (2003-2009) *China Dairy Statistical Yearbook*. Beijing: China Agricultural Publisher.
- CHAUDHARY, U. & AGGARWAL, R. (2004) Extended spectrum -lactamases (ESBL) - an emerging threat to clinical therapeutics. *Indian J Med Microbiol*, 22, 75-80.

CLSI (2012) Performance Standards for Antimicrobial Susceptibility Testing; Twenty-Second Informational Supplement.

DRILLICH, M., ARLT, S., KERSTING, S., BERGWERFF, A. A., SCHERPENISSE, P. & HEUWIESER, W. (2006) Ceftiofur derivatives in serum, uterine tissues, cotyledons, and lochia after fetal membrane retention. *J Dairy Sci*, 89, 3431-3438.

DUAN, R. S., SIT, T. H., WONG, S. S., WONG, R. C., CHOW, K. H., MAK, G. C., YAM, W. C., NG, L. T., YUEN, K. Y. & HO, P. L. (2006) Escherichia coli producing CTX-M beta-lactamases in food animals in Hong Kong. *Microb Drug Resist*, 12, 145-148.

EU (2005) Ban on antibiotics as growth promoters in animal feed enters into effect.  
*EU Commission,http://europa.eu/rapid/press-release\_IP-05-1687\_en.htm.*

FAO/WHO/OIE. (2008) Report of the FAO/WHO/OIE Expert meeting. Joint FAO/WHO/OIE Expert Meeting on Critically Important Antimicrobials. FAO, Rome, Italy, 26–30 November 2007.

FDA (2012) Judicious Use of Antimicrobials for Dairy Cattle Veterinarians.  
<http://www.fda.gov/AnimalVeterinary/SafetyHealth/AntimicrobialResistance/JudiciousUseofAntimicrobials/>.

FRIESE, A., SCHULZ, J., LAUBE, H., VON SALVIATI, C., HARTUNG, J. & ROESLER, U. (2013) Faecal occurrence and emissions of livestock-associated methicillin-resistant *Staphylococcus aureus* (laMRSA) and ESbl/AmpC-producing *E. coli* from animal farms in Germany. *Berl Munch Tierarztl Wochenschr*, 126, 175-180.

GALLOIS, M., ROTHKOTTER, H. J., BAILEY, M., STOKES, C. R. & OSWALD, I. P. (2009) Natural alternatives to in-feed antibiotics in pig production: can immunomodulators play a role? *Animal*, 3, 1644-1661.

GAO, Q. (2006) Development of Dairy Industry in China. *Contributed paper presented to the 45th Annual Conference of the Australian Agricultural and Resource Economics Society.*  
<http://ageconsearch.umn.edu/bitstream/125637/2/Gao.pdf>.

GESER, N., STEPHAN, R. & HACHLER, H. (2012) Occurrence and characteristics of extended-spectrum beta-lactamase (ESBL) producing Enterobacteriaceae in food producing animals, minced meat and raw milk. *BMC Vet Res*, 8, 21.

GUARDABASSI, L. & KRUSE, H. (2009) Principles of prudent and rational use of antimicrobials in animals. Guide to antimicrobial use in animals. *Oxford: Blackwell Publishing, Ltd.*

HORNIK, K. (2013) The R FAQ.

HU, D. (2009) China: Dairy product quality as the new industry driver. *Smallholder dairy development - Lessons learned in Asia.*  
<http://www.fao.org/docrep/011/i0588e/i0588e04.htm>.

HUNTER, P. A., DAWSON, S., FRENCH, G. L., GOOSSENS, H., HAWKEY, P. M., KUIJPER, E. J., NATHWANI, D., TAYLOR, D. J., TEALE, C. J., WARREN, R. E., WILCOX, M. H., WOODFORD, N., WULF, M. W. & PIDDOCK, L. J. (2010) Antimicrobial-resistant pathogens in animals and man: prescribing, practices and policies. *J Antimicrob Chemother*, 65 Suppl 1, i3-17.

HUTCHINSON, C. R., BORELL, C. W., DONOVAN, M. J., KATO, F., MOTAMEDI, H., NAKAYAMA, H., OTTEN, S. L., RUBIN, R. L., STREICHER, S. L., STUTZMAN-ENGWALL, K. J. & ET AL. (1991) Drug development through the genetic engineering of antibiotic-producing microorganisms. *Ann NY Acad Sci*, 646, 78-93.

KIRK, J. H. (2011) Commonly Used Antibiotics on Dairies  
<http://www.docstoc.com/docs/80220348/Commonly-Used-Antibiotics-on-Dairies>.

KOSSAIBATI, M. A. & ESSLEMONT, R. J. (1997) The costs of production diseases in dairy herds in England. *Vet J*, 154, 41-51.

KREAUSUKON, K. (2011) Usage of Antimicrobials on 60 Dairy Farms in Northern Germany and Characterization of Methicillin-Resistant *Staphylococcus aureus* (MRSA) and Extended-spectrum Beta-Lactamases Producing *Escherichia coli* (ESBLs-producing *E. coli*) Isolated from Bulk Tank Milk Samples. *Dissertation, Freie Universität Berlin*.

LAUBE, H., FRIESE, A., VON SALVIATI, C., GUERRA, B., KASBOHRER, A., KREIENBROCK, L. & ROESLER, U. (2013) Longitudinal Monitoring of Extended-Spectrum-Beta-Lactamase/AmpC-Producing *Escherichia coli* at German Broiler Chicken Fattening Farms. *Appl Environ Microbiol*, 79, 4815-4820.

LESTER, S. C., DEL PILAR PLA, M., WANG, F., PEREZ SCHAEEL, I., JIANG, H. & O'BRIEN, T. F. (1990) The carriage of *Escherichia coli* resistant to antimicrobial agents by healthy children in Boston, in Caracas, Venezuela, and in Qin Pu, China. *N Engl J Med*, 323, 285-289.

LEWIS, G. S. (1997) Uterine health and disorders. *J Dairy Sci*, 80, 984-994.

LI, J. (2009) Pulsed Field Gel Electrophoresis TyPing of *stophytococcus aureus* Isolated from Bovine Mastitis, and the Main Virulence Faetors and Antibiotie Resistanee. *Dissertation, Zhejiang University*, v-ix.

- LIEBANA, E., BATCHELOR, M., HOPKINS, K. L., CLIFTON-HADLEY, F. A., TEALE, C. J., FOSTER, A., BARKER, L., THRELFALL, E. J. & DAVIES, R. H. (2006) Longitudinal farm study of extended-spectrum beta-lactamase-mediated resistance. *J Clin Microbiol*, 44, 1630-1634.
- LIU, J. H., WEI, S. Y., MA, J. Y., ZENG, Z. L., LU, D. H., YANG, G. X. & CHEN, Z. L. (2007) Detection and characterisation of CTX-M and CMY-2 beta-lactamases among Escherichia coli isolates from farm animals in Guangdong Province of China. *Int J Antimicrob Agents*, 29, 576-581.
- LU, Y. Q. (2013) Potential for improve milk yield of dairy cows in Beijing: development and countermeasures. *Proceedings for the 1st fine management for dairy cow symposium & dairy cow fine breeding key technology and equipment workshop*.
- MA, H., LIU, W. & OXLEY, L. (2012) PRODUCTIVITY GROWTH AND POLICY IMPLICATIONS FOR CHINA'S DAIRY FARMS. *China Economic Policy Review*, © World Scientific Publishing Company Vol. 1, No. 1 (2012) 1250004 (20 pages)
- MARSHALL, B. M., OCHIENG, D. J. & LEVY, S. B. (2009) Commensals: Underappreciated Reservoir of Antibiotic Resistance  
<http://www.bioquest.org/summer2010/wp-content/blogs.dir/files/2010/02/Commensals.pdf>. *Microbe* Volume 4.
- MARTIN, B. S., CAMPOS, L., BRAVO, V., ADASNE, M. & BORIE, C. ( 2005) Evaluation of antimicrobial resistance using indicator bacteria isolated from pigs and poultry in Chile. *Int. J. Appl. Res. Vet. Med.*, 3, 171-178.
- MCEWEN, S. A., BLACK, W. D. & MEEK, A. H. (1991) Antibiotic residue prevention methods, farm management, and occurrence of antibiotic residues in milk. *J Dairy Sci*, 74, 2128-2137.

- MCKELLAR, Q. A. (1998) Antimicrobial resistance: a veterinary perspective. Antimicrobials are important for animal welfare but need to be used prudently. *BMJ*, 317, 610-611.
- MEAD, G. C. (2007) Faecal indicator organisms for red meat and poultry. In: MEAD, G.C. (Ed.). *Microbiological analysis of red meat, poultry and eggs*. Cambridge: Woodhead pub, pp. 83-100.
- MENG, J. & SCHROEDER, C. M. (2007) Escherichia coli. In: SIMJEE, S. (Ed.). *Infectious disease: foodborne disease*. Tontowa: Human press., pp. 1-25.
- MITCHELL, J. M., GRIFFITHS, M. W., MCEWEN, S. A., MCNAB, W. B. & YEE, A. J. (1998) Antimicrobial drug residues in milk and meat: causes, concerns, prevalence, regulations, tests, and test performance. *J Food Prot*, 61, 742-756.
- MURRAY, B. E. (1992) Problems and dilemmas of antimicrobial resistance. *Pharmacotherapy*, 12, 86S-93S.
- NATHISUWAN, S., BURGESS, D. S. & LEWIS, J. S., 2ND (2001) Extended-spectrum beta-lactamases: epidemiology, detection, and treatment. *Pharmacotherapy*, 21, 920-928.
- NUNAN, C. & YOUNG, R. (2012) *E. coli* superbugs on farms and food. <http://www.soilassociation.org/LinkClick.aspx?fileticket=yCT9su5iViQ%3d&t a bid=313>.
- OLIVER, S. P., ALMEIDA, R. A., GILLESPIE, B. E., IVEY, S. J., MOOREHEAD, H., LUNN, P., DOWLEN, H. H., JOHNSON, D. L. & LAMAR, K. C. (2003) Efficacy of extended pirlimycin therapy for treatment of experimentally induced *Streptococcus uberis* intramammary infections in lactating dairy cattle. *Vet Ther*, 4, 299-308.

- OLIVER, S. P., GILLESPIE, B. E., HEADRICK, S. J., MOOREHEAD, H., LUNN, P., DOWLEN, H. H., JOHNSON, D. L., LAMAR, K. C., CHESTER, S. T. & MOSELEY, W. M. (2004) Efficacy of extended ceftiofur intramammary therapy for treatment of subclinical mastitis in lactating dairy cows. *J Dairy Sci*, 87, 2393-2400.
- OWENS, W. E., RAY, C. H., WATTS, J. L. & YANCEY, R. J. (1997) Comparison of success of antibiotic therapy during lactation and results of antimicrobial susceptibility tests for bovine mastitis. *J Dairy Sci*, 80, 313-317.
- PASSANTINO, A. (2007) Ethical aspects for veterinarians regarding antimicrobial drug use in Italy. *Int J Antimicrob Agents*, 29, 240-244.
- PATERSON, D. L. & BONOMO, R. A. (2005) Extended-spectrum beta-lactamases: a clinical update. *Clin Microbiol Rev*, 18, 657-686.
- PIEPER, L. (2011) Effect of feeding and genetics on animal health and clinical laboratory parameters in an organic dairy operation. *Fachbereich Veterinärmedizin, Freien Universität Berlin*, Dissertation, pp.159.
- POL, M. & RUEGG, P. L. (2007) Treatment practices and quantification of antimicrobial drug usage in conventional and organic dairy farms in Wisconsin. *J Dairy Sci*, 90, 249-261.
- POOLE, K. (2002) Mechanisms of bacterial biocide and antibiotic resistance. *J Appl Microbiol*, 92 Suppl, 55S-64S.
- PRENDIVILLE, R., PIERCE, K. M. & BUCKLEY, F. (2010) A comparison between Holstein-Friesian and Jersey dairy cows and their F1 cross with regard to milk yield, somatic cell score, mastitis, and milking characteristics under grazing conditions. *J Dairy Sci*, 93, 2741-2750.

PYORALA, S. (2009) Treatment of mastitis during lactation. *Ir Vet J*, 62 Suppl 4, S40-44.

RAVD (2004) Regulations on Administration of Veterinary Drugs. The state council of the people's Republic of China

RAYMOND, M. J., WOHRLE, R. D. & CALL, D. R. (2006) Assessment and promotion of judicious antibiotic use on dairy farms in Washington State. *J Dairy Sci*, 89, 3228-3240.

ROLLINS, D. M. & JOSEPH, S. W. (2000) Basic Mechanisms of Antibiotic Action and Resistance.

<http://www.life.umd.edu/classroom/bsci424/Chemotherapy/AntibioticMechanisms.htm>.

RUEGG, P. L. (2005) Relationship between bulk tank milk somatic cell count and antibiotic residues. *Proc. 44th Annual Meeting Natl. Mastitis Council*, pp. 28-35.

RUEGG, P. L. (2010) The application of evidence based veterinary medicine to mastitis therapy. In *Updates on ruminant production medicine. XXVI. World Buiatrics Congress 2010 Santiago de Chile, Chile*. 78-93.

RUEGG, P. L. & TABONE, T. J. (2000) The relationship between antibiotic residue violations and somatic cell counts in Wisconsin dairy herds. *J Dairy Sci*, 83, 2805-2809.

SAWANT, A. A., SORDILLO, L. M. & JAYARAO, B. M. (2005) A survey on antibiotic usage in dairy herds in Pennsylvania. *J Dairy Sci*, 88, 2991-2999.

SCENIHR (2009) Assessment of the Antibiotic Resistance Effects of Biocides-  
Scientific Committee on Emerging and Newly Identified Health Risks.  
*European Commission*  
[http://ec.europa.eu/health/ph\\_risk/committees/04\\_scenihr/docs/scenihr\\_o\\_021.pdf](http://ec.europa.eu/health/ph_risk/committees/04_scenihr/docs/scenihr_o_021.pdf).

SCHWARZ, S. & CHASLUS-DANCLA, E. (2001) Use of antimicrobials in veterinary medicine and mechanisms of resistance. *Vet Res*, 32, 201-225.

SCHWARZ, S., KEHRENBERG, C. & WALSH, T. R. (2001) Use of antimicrobial agents in veterinary medicine and food animal production. *Int J Antimicrob Agents*, 17, 431-437.

SINGER, R. S., PATTERSON, S. K. & WALLACE, R. L. (2008) Effects of therapeutic ceftiofur administration to dairy cattle on Escherichia coli dynamics in the intestinal tract. *Appl Environ Microbiol*, 74, 6956-6962.

SKOVGAARD, N. (2007) New trends in emerging pathogens. *Int J Food Microbiol*, 120, 217-224.

SNOW, L. C., WARNER, R. G., CHENEY, T., WEARING, H., STOKES, M., HARRIS, K., TEALE, C. J. & COLDHAM, N. G. (2012) Risk factors associated with extended spectrum beta-lactamase Escherichia coli (CTX-M) on dairy farms in North West England and North Wales. *Preventive Veterinary Medicine*, 106, 225-234.

SNOW, L. C., WEARING, H., STEPHENSON, B., TEALE, C. J. & COLDHAM, N. G. (2011) Investigation of the presence of ESBL-producing Escherichia coli in the North Wales and West Midlands areas of the UK in 2007 to 2008 using scanning surveillance. *Vet Rec*, 169, 656.

- SOL, J., SAMPIMON, O. C., BARKEMA, H. W. & SCHUKKEN, Y. H. (2000) Factors associated with cure after therapy of clinical mastitis caused by *Staphylococcus aureus*. *J Dairy Sci*, 83, 278-284.
- SPICER, H. M., GOONEWARDENE, L. A., MCNEIL, A. O. & SLACK, W. L. (1994) Alberta dairy farm survey response. *J Dairy Sci*, 77, 3460-3472.
- TAN, X., JIANG, Y. W., HUANG, Y. J. & HU, S. H. (2009) Persistence of gentamicin residues in milk after the intramammary treatment of lactating cows for mastitis. *J Zhejiang Univ Sci B*, 10, 280-284.
- TEALE, C. J., BARKER, L., FOSTER, A. P., LIEBANA, E., BATCHELOR, M., LIVERMORE, D. M. & THRELFALL, E. J. (2005) Extended-spectrum  $\beta$ -Lactamases detected in *E. coli* recovered from calves in Wales. *Veterinary Record*, 156, 186-187.
- TENHAGEN, B. A., KOSTER, G., WALLMANN, J. & HEUWIESER, W. (2006) Prevalence of mastitis pathogens and their resistance against antimicrobial agents in dairy cows in Brandenburg, Germany. *J Dairy Sci*, 89, 2542-2551.
- TENOVER, F. C. (2006) Mechanisms of antimicrobial resistance in bacteria. *Am J Infect Control*, 34, S3-10; discussion S64-73.
- THOMSON, K., RANTALA, M., HAUTALA, M., PYORALA, S. & KAARTINEN, L. (2008) Cross-sectional prospective survey to study indication-based usage of antimicrobials in animals: results of use in cattle. *BMC Vet Res*, 4, 15.
- TIAN, G. B., WANG, H. N., ZOU, L. K., TANG, J. N., ZHAO, Y. W., YE, M. Y., TANG, J. Y., ZHANG, Y., ZHANG, A. Y., YANG, X., XU, C. W. & FU, Y. J. (2009) Detection of CTX-M-15, CTX-M-22, and SHV-2 extended-spectrum beta-lactamases (ESBLs) in *Escherichia coli* fecal-sample isolates from pig farms in China. *Foodborne Pathog Dis*, 6, 297-304.

- TIAN GUOBAO, W. H., ZHANG ANYUN, ZHANG YI, YANG XIN, XU CHANGWEN (2011) Detection of resistance to  $\beta$ -lactams and characterization of extended-spectrum lactamases in *Escherichia coli* isolates from swine. *Chinese Journal of Preventive Veterinary Medicine.*, , 33, 776-780.
- TOLLEFSON, L. & MILLER, M. A. (2000) Antibiotic use in food animals: controlling the human health impact. *J AOAC Int*, 83, 245-254.
- USDA (2008) Antibiotic Use on U.S. Dairy Operations, 2002 and 2007. *Veterinary Services*.[http://www.cvmbs.colostate.edu/ilm/proinfo/cdn/2008/Dairy2007\\_antimicrobial-1.pdf](http://www.cvmbs.colostate.edu/ilm/proinfo/cdn/2008/Dairy2007_antimicrobial-1.pdf).
- VAN DEN BOGAARD, A. E. & STOBBERINGH, E. E. (2000) Epidemiology of resistance to antibiotics. Links between animals and humans. *Int J Antimicrob Agents*, 14, 327-335.
- WAGHELA, S. D. (2004) Pathogenic *Escherichia coli*. In: BEIER, R.C., PILLAI, S.D. & PHILLIPS, T.D. (Eds.). *Preharvest and postharvest food safety: contemporary issues and future directions*. Iowa: Blackwell Publishing and the Institute of Food Technologists, pp.13-35.
- WANGLER, A. (2010) Milchkuhfütterung und Tiergesundheit. Was kostet un seine geringe Lebensleistung? . *Sächsischer Futtertag. 17 March 2010. Nossen.*
- WHITE, D. G. & MCDERMOTT, P. F. (2001) Emergence and transfer of antibacterial resistance *J. Dairy Sci.*, 84, E151-E155.
- WHITE, S. L., BENSON, G. A., WASHBURN, S. P. & GREEN, J. T., JR. (2002) Milk production and economic measures in confinement or pasture systems using seasonally calved Holstein and Jersey cows. *J Dairy Sci*, 85, 95-104.

WHO (2011) Tackling antibiotic resistance from a food safety perspective in Europe.

[http://www.euro.who.int/\\_\\_data/assets/pdf\\_file/0005/136454/e94889.pdf](http://www.euro.who.int/__data/assets/pdf_file/0005/136454/e94889.pdf)

WHO (2013) Antimicrobial resistance.

<http://www.who.int/mediacentre/factsheets/fs194/en/>

XIAO, Y. H., GISKE, C. G., WEI, Z. Q., SHEN, P., HEDDINI, A. & LI, L. J. (2011) Epidemiology and characteristics of antimicrobial resistance in China. *Drug Resist Updat*, 14, 236-250.

XU, J.-Y., LIU, J.-L., LI, X.-B., HUO, S.-D. & YANG, Z.-Q. (2012) Characterization and Antibiotic Resistance of Ninety-five Strains of Escherichia coli Isolated from Bovine with Mastitis in Some Regions of China. *Journal of Agricultural Biotechnology*, 20, 1035-1041.

YAO QIONGFEN, CHEN XIAOJIE, TIAN WEI, DENG YUTING, ZHENG GONGQING & JIANHUA, L. (2011) Comparison study of difference of drug resistance of E.coli from pig farm and dairy farm. *Chinese Journal of Veterinary Medicine*, 47, 32-34.

YUAN, L., LIU, J. H., HU, G. Z., PAN, Y. S., LIU, Z. M., MO, J. & WEI, Y. J. (2009) Molecular characterization of extended-spectrum beta-lactamase-producing Escherichia coli isolates from chickens in Henan Province, China. *J Med Microbiol*, 58, 1449-1453.

ZWALD, A. G., RUEGG, P. L., KANEENE, J. B., WARNICK, L. D., WELLS, S. J., FOSSLER, C. & HALBERT, L. W. (2004) Management practices and reported antimicrobial usage on conventional and organic dairy farms. *J Dairy Sci*, 87, 191-201.