

REFERENCES

- ARGUELLO, H., ALVAREZ-ORDONEZ, A., CARVAJAL, A., RUBIO, P. & PRIETO, M. 2013. Role of slaughtering in *Salmonella* spreading and control in pork production. *Journal Food Protection*, 76, 899-911.
- ARGUELLO, H., CARVAJAL, A., COLLAZOS, J. A., GARCÍA-FELIZ, C. & RUBIO, P. 2012. Prevalence and serovars of *Salmonella enterica* on pig carcasses, slaughtered pigs and the environment of four Spanish slaughterhouses. *Food Research International*, 45, 905-912.
- AZANZA, M. P. V. 2006. Philippine Foodborne-Disease Outbreaks (1995–2004). *Journal of Food Safety*, 92-102.
- BAI 2011. Bureau of Animal Industry Animal Health Yearbook 2008-2010. 9-12.
- BANWART, G. J. 1998. Indicator Organisms. *Basic Food Microbiology*, 371 - 392.
- BAPTISTA, F. M., DAHL, J. & NIELSEN, L. R. 2010. Factors influencing *Salmonella* carcass prevalence in Danish pig abattoirs. *Preventive Veterinary Medicine*, 231–238.
- BARROS, M. D. A. F., NERO, L. A., MONTEIRO, A. A. & BELOTI, V. 2007. Identification of main contamination points by hygiene indicator microorganisms in beef processing plants. *Food Science and Technology (Campinas)*, 27, 856-862.
- BAS 2012. Bureau of Agricultural Statistics Swine Industry Performance Report January-December 2011.

- BERENDS, B. R., VAN KNAOPEN, F., SNIJDERS, J. M. A. & MOSSEL, D. A. A. 1997. Identification and quantification of risk factors regarding *Salmonella* spp. on pork carcasses. *International Journal of Food Microbiology*, 36, 199-206.
- BLACKBURN, C. D. & MCCLURE, P. J. E. 2002. *Foodborne Pathogens: Hazards, Risk Analysis and Control*, Cambridge, UK, Woodhead Publishing.
- BLOOD, R. M. & CURTIS, G. D. W. 1995. Media for 'total' Enterobacteriaceae, coliforms and *Escherichia coli*. *International Journal of Food Microbiology*, 26, 93-115.
- BOONMAR, S., MARKVICHITR, K., CHAUNCHOM, S., CHANDA, C., BANGTRAKULNONTH, A., PORNRUNANGWONG, S., YAMAMOTO, S., SUZUKI, D., KOZAWA, K., KIMURA, H. & MORITA, Y. 2008. *Salmonella* Prevalence in slaughtered buffaloes and pigs and antimicrobial susceptibility of isolates in Vientiane, Lao People's Democratic Republic. *Journal of Veterinary Medical Science*, 70, 1345-1348.
- BORCH, E., NESBAKKEN, T. & CHRISTENSEN, H. 1996. Hazard identification in swine slaughter with respect to foodborne bacteria. *International Journal of Food Microbiology*, 30, 9-25.
- BOTTELDOORN, N., HEYNDRICKX, M., RIJPENS, N., GRIJSPEERDT, K. & HERMAN, L. 2003. *Salmonella* on pig carcasses: positive pigs and cross contamination in the slaughterhouse. *Journal of Applied Microbiology*, 95, 891-903.
- BUNCIC, S. & SOFOS, J. 2012. Interventions to control *Salmonella* contamination during poultry, cattle and pig slaughter. *Food Research International*, 45, 641-655.

CAC 2005. CAC/RCP 58-2005 Code of Hygienic Practice for Meat.

CATELO, M. A. O., NARROD, M. A. & TIONGCO, M. M. 2008. Structural changes in the Philippine pig industry and their environmental implications. *IFPRI Discussion Paper 00781*.

CHANTONG, W. 2005. *Salmonella Isolation from Slaughter Pigs and Carcasses in a Slaughterhouse in Chiang Mai, Thailand*. Msc Thesis, Joint CMU-FUB.

COSTALES, A. C., DELGADO, C., CATELO, M. A. O., LAPAR, L., TIONGCO, M., EHUI, S. & BAUTISTA, A. Z. 2007. Scale and access issues affecting smallholder hog producers in an expanding peri-urban market: Southern Luzon, Philippines. *IFPRI Research Report Series No. 151*.

DOH 1976. Presidential Decree No. 856 The Code on Sanitation of the Philippines 13-14.

DOH 1998. Implementing Rules and Regulations of Chapter IV "Markets and Abattoirs" of the Code on Sanitation of the Philippines (P.D.856).

DOH. 2013. *Food and Waterborne Diseases Prevention and Control Program* [Online]. Available: <http://www.doh.gov.ph/node/361.html> [Accessed 9 August 2013].

DORN-IN, S., FRIES, R., PADUNG TOD, P., KYULE, M. N., BAUMANN, M. P. O., SRIKITJAKARN, L., CHANTONG, W., SANGUANGIAT, A. & ZESSIN, K. H. 2009. A cross-sectional study of *Salmonella* in pre-slaughter pigs in a production compartment of northern Thailand. *Preventive Veterinary Medicine*, 88, 15-23.

DVS 2007. *Meat Inspectors Manual: Abattoir Hygiene*, South Africa, National Department of Agriculture.

EDBERG, S. C., RICE, E. W., KARLIN, R. J. & ALLEN, M. J. 2000. *Escherichia coli*: the best biological drinking water indicator for public health protection. *Symposium Series (Society for Applied Microbiology)*, 29, 106S-116S.

EFSA 2010. The Community Summary Report on Trends and Sources of Zoonoses, Zoonotic Agents and Food-borne Outbreaks in the European Union in 2008. *EFSA Journal*, 8, 1496.

ENGELKIRK, P. G. & ENGELKIRK, J. D. 2007. *Laboratory Diagnosis of Infectious Diseases. Essentials of Diagnostic Microbiology.*, Lippincott Williams & Wilkins.

ENVIRONMENTAGENCY 2002. The microbiology of drinking water. Part 1 – water quality and public health. *Methods for the Examination of Waters and Associated Materials.*

FAO 2004a. *Good Practices for the Meat Industry*, Rome, Editorial Production and Design Group Publishing Management Service.

FAO. Foodborne Disease Monitoring and Surveillance Systems. FAO/WHO Regional Conference on Food Safety for Asia and Pacific, 24-27 May 2004
2004b Seremban, Malaysia

FORSYTHE, S. J. 2010. *The Microbiology of Safe Food*, Wiley-Blackwell.

FORSYTHE, S. J. & HAYES, P. R. 1998. *Food Hygiene, Microbiology and HACCP*, Gaithersburg, Maryland, Aspen Publishers, Inc.

- GILL, C. O., DUSSAULT, F., HOLLEY, R. A., HOUDE, A., JONES, T., RHEAULT, N., ROSALES, A., & QUESSY, S. 2000. Evaluation of the hygienic performances of the processes for cleaning, dressing and cooling pig carcasses at eight packing plants. . *International Journal of Food Microbiology*, 58, 65-72.
- GUIBOURDENCHE, M., ROGENTIN, P., MIKOLEIT, M., FIELDS, P. I., BOCKEMÜHL, J., GRIMONT, P. A. D. & WEILL, F.-X. 2010. Supplement 2003–2007 (No. 47) to the White-Kauffmann-Le Minor scheme. *Research in Microbiology*, 161, 26-29.
- HALLER, L., POTÉ, J., LOIZEAU, J.-L. & WILDI, W. 2009. Distribution and survival of faecal indicator bacteria in the sediments of the Bay of Vidy, Lake Geneva, Switzerland. *Ecological Indicators*, 9, 540-547.
- HEINZ, G. 2008. Abattoir Development. Options and Designs for Hygienic Basic and Medium-sized abattoirs. *FAO-APHCA RAP Publication*, 2008/1.
- HEINZ, G. & HAUTZINGER, P. 2007. *Meat Processing Technology for Small- to Medium-Scale Producers*, Bangkok, Food and Agriculture Organization of the United Nations Regional Office for Asia and the Pacific.
- HENDRIKSEN, R. 2007. *Global epidemiology of non-typhoidal Salmonella infections in humans*. PhD Thesis, Technical University of Denmark.
- HUYNH, T. T. T., AARNIK, A. J. A., DRUCKER, A. & VERSTEGEN, M. W. A. 2006. Pig production in Cambodia, Laos, Philippines, and Vietnam: A review. *Asian Journal of Agriculture and Development*, Vol. 4, No. 1.
- ISO 1990. ISO 9308-2:1990(E) Water quality -- Detection and enumeration of coliform organisms, thermotolerant coliform organisms and presumptive *Escherichia coli* -- Part 2: Multiple tube (most probable number) method.

ISO 2002. ISO 6579:2002(E) International standard on horizontal method for detection of *Salmonella* spp.

ISO 2003. ISO 4833:2003(E) Horizontal method for enumeration of organisms – Colony-count technique at 30°C.

ISO 2004a. ISO 18593:2004(E) International standard on microbiology of food and animal feeding stuffs – Horizontal methods for sampling for surfaces using contact plates and swabs.

ISO 2004b. ISO 21528-2:2004 International standard for horizontal methods for detection and enumeration of *Enterobacteriaceae*.

JASSON, V., JACXSENS, L., LUNING, P., RAJKOVIC, A. & UYTTENDAELE, M. 2010. Alternative microbial methods: An overview and selection criteria. *Food Microbiology*, 27, 710-730.

LARSEN, S. T., MCKEAN, J. D., HURD, H. S., ROSTAGNO, M. H., GRIFFITH, R. W. & WESLEY, I. V. 2003. Impact of commercial preharvest transportation and holding on the prevalence of *Salmonella enterica* in cull sows. *Journal of Food Protection*, 1134–1138.

LE BAS, C., HANH, T. T., THANH, N. T., THUONG, D. D. & THUY, N. C. 2006. Prevalence and epidemiology of *Salmonella* spp. in small pig abattoirs of Hanoi, Vietnam. *Annals of the New York Academy of Sciences*, 1081, 269-272.

LONG, P. T., FRIES, R. & SRIKITJAKARN, L. 2009. Hygienic conditions of pig slaughterhouses in Hanoi, Vietnam. *Proceedings of the Food Safety and Zoonoses Symposium for Asia Pacific*.

- MARANAN, R. F. R., PARASO, M. G. V., ALCANTARA, A. J., ESPALDON, M. V. O., ALAIRA, S. A., SEVILLA, C. C. & VALDEZ, C. A. 2008. Operations and waste management of slaughterhouses in the province of Laguna. *Journal of Environmental Science and Management*, 11, 32-41.
- MOSSEL, D. A. A. 1982. Marker (index and indicator) organisms in food and drinking water. Semantics, ecology, taxonomy and enumeration. *Antonie van Leeuwenhuk* 48, 609-611.
- NEWELL, D. G., KOOPMANS, M., VERHOEF, L., DUIZER, E., AIDARA-KANE, A., SPRONG, H., OPSTEEGH, M., LANGELAAR, M., THREFALL, J., SCHEUTZ, F., DER GIJSEN, J. V. & KRUSE, H. 2010. Food-borne diseases — The challenges of 20 years ago still persist while new ones continue to emerge. *International Journal of Food Microbiology*, 139, Supplement, S3-S15.
- NMIS 2008. Guidelines on assessment of microbiological quality of fresh, chilled and frozen meat. In: AGRICULTURE, D. O. (ed.).
- NMIS 2010. Handbook on the Compilation of 2010 DA-NMIS Approved Issuances. In: AGRICULTURE, D. O. (ed.).
- PARUCH, A. M. & MÆHLUM, T. 2012. Specific features of *Escherichia coli* that distinguish it from coliform and thermotolerant coliform bacteria and define it as the most accurate indicator of faecal contamination in the environment. *Ecological Indicators*, 23, 140-142.
- PIDSR 2011. Philippine Integrated Disease Surveillance and Response Annual Report. In: HEALTH, D. O. (ed.). Manila, Philippines: Public Health Surveillance and Informatics Division, National Epidemiology Center.

POPOFF, M. Y., BOCKEMÜHL, J. & GHEESLING, L. L. 2004. Supplement 2002 (no. 46) to the Kauffmann-White scheme. *Research in Microbiology*, 155, 568-70.

PUI, C. F., WONG, W. C., CHAI, L. C., TUNUNG, R., JEYALETCHUMI, P., NOOR HIDAYAH, M. S., UBONG, A., FARINAZLEEN, M. G., CHEAH, Y. K. & SON, R. 2011. *Salmonella*: A foodborne pathogen. *International Food Research Journal*, 18, 465-473.

QUINN, P. J., MARKEY, B. K., LEONARD, F. C., FITZPATRICK, E. S., FANNING, S. & HARTIGAN, P. J. 2012. *Veterinary Microbiology and Microbial Disease*, Wiley-Blackwell.

REUTER, G. 1998. Disinfection and hygiene in the field of food of animal origin. *International Biodeterioration and Biodegradation*, 41, 209-215.

SANGUANKIAT, A., PINTHONG, R., PADUNG TOD, P., BAUMANN, M. P., ZESSIN, K. H., SRIKITJAKARN, L. & FRIES, R. 2010. A cross-sectional study of *Salmonella* in pork products in Chiang Mai, Thailand. *Foodborne Pathogens and Disease*, 7, 873-8.

SINELL, H.-J. 1995. Control of food-borne infections and intoxications. *International Journal of Food Microbiology*, 25, 209-217.

SOFOS, J. N. & GEORNARAS, I. 2010. Overview of current meat hygiene and safety risks and summary of recent studies on biofilms, and control of *Escherichia coli* O157:H7 in nonintact, and *Listeria monocytogenes* in ready-to-eat, meat products. *Meat Science*, 86, 2-14.

STRINGER, M. 2005. Summary report: Food safety objectives—role in microbiological food safety management. *Food Control*, 16, 775-794.

SWANENBURG, M., URLINGS, H. A. P., SNIJDERS, J. M. A., KEUZENKAMP, D. A. & VAN KNAPEN, F. 2001. *Salmonella* in slaughter pigs: prevalence, serotypes and critical control points during slaughter in two slaughterhouses. *International Journal of Food Microbiology*, 70, 243-254.

THAI, N. P. 2007. *Prevalence of Salmonella on pig carcasses at a slaughterhouse in Hanoi, Vietnam*. MVPH Thesis, Joint CMU-FUB.

VAN HOEK, A. H. A. M., DE JONGE, R., VAN OVERBEEK, W. M., BOUW, E., PIELAAT, A., SMID, J. H., MALORNY, B., JUNKER, E., LÖFSTRÖM, C., PEDERSEN, K., AARTS, H. J. M. & HERES, L. 2012. A quantitative approach towards a better understanding of the dynamics of *Salmonella* spp. in a pork slaughter-line. *International Journal of Food Microbiology*, 153, 45-52.

WHO 2002. Global surveillance of foodborne disease: Developing a strategy and its interaction with risk analysis. *WHO Consultation*. World Health Organization.

ZWEIFEL, C., BALTZER, D. & STEPHAN, R. 2005. Microbiological contamination of cattle and pig carcasses at five abattoirs determined by swab sampling in accordance with EU Decision 2001/471/EC. *Meat Science*, 69 559–566.