References

- Ainsworth, P. and Plunkett, A., *Reducing salt in snack products*, Kilcast, D., Angus, F., editors. Reducing salt in foods: Practical strategies. Cambridge, UK: Woodhead, 2007, pp. 296-315.
- Akal, U.K., Delilbasi, C., Yilmaz, T., Redzep, E. and Sertkaya D., "Evaluation of some factors affecting taste perception," Journal of Oral Health and Dental Management, 2, 2003, pp. 33-37.
- Aldag, L. and Tinsley, A., "A comparison of focus group interviews to in-depth interviews in determining food choice influences," Journal of Agricultural & Food Information, 2, 3, 1994, pp. 89-96.
- Anderson, C. A. M., Appel, L. J., Okuda, N., Brown, I. J., Chan, Q., Zhao, L., et al. Dietary Sources of sodium in China, Japan, the United Kingdom, and the United States, women and men aged 40 to 59 years: The intermap study. Journal of the American Dietetic Association, 110, 5, 2010, pp. 736-745.
- Angus, F., Phelps, T., Clegg, S., Narain, C., Ridder, den C. and Kilcast, D., Salt in Processed Foods, Collaborative Research Project, 2005, Leatherhead Food International.
- ASTM, Committee E-18, *Guidelines for the Selection and Training of Sensory Panel Members*, American Society for Testing and Materials, Philadelphia, 1981.
- ASTM International, ASTM Manual 13: Manual on descriptive analysis testing for sensory evaluation, 1992, West Conshohocken, PA, USA.
- ASTM International, E679-04: Standard Practice for Determination of Odor and Taste Threshold by a Forced-Choice Ascending Concentration Series Method of Limits, 2011, Philadelphia, PA, USA.
- Basch, C., "Focus group interview: an under-utilized research technique for improving theory and practice in health education," Health Education Quarterly, 14, 4, 1987, pp. 411-418.
- Batenburg, M. and van der Velden, R., "Saltiness enhancement by savory aroma compounds," Journal Food Science, 76, 5, 2011, pp. S280-S288.

- Bayram, O.Z., Bayram M. and Tekin, A.R., "Spray drying of sumac flavor using sodium chloride, sucrose, glucose and starch as carriers," Journal of Food Engineering, 69, 2, 2005, pp. 253-260.
- Bensafi, M., Rinck, F., Schaal, B. and Rouby, C., "Verbal cues modulate hedonic perception of odors in 5-year-old children as well as in adults," Chem Senses, 32, 2007, pp. 855-862.
- Berg, B.L., Qualitative research methods for the social sciences, 4th ed., Boston, Allyn and Bacon, 2001.
- Beriain, M.J. 2011. "The effects of olive oil emulsified alginate on the physicochemical, sensory, microbial, and fatty acid profiles of low-salt, inulin-enriched sausages," Meat Science, 88, 1, pp. 189-197.
- Boakes, R.A. and Hemberger, H., "Odour-modulation of Taste Ratings by Chefs," Food Quality and Preference, 25, 2, 2012, pp. 81-86.
- Bogardus, Emory S., "The Group Interview," Journal of Applied Sociology 10, 1926, pp.372-382.
- Bolhuis, D.P., Temme, E.H., Koeman, F.T., Noort, M.W., Kremer, S., Janssen, A.M., "A salt reduction of 50% in bread does not decrease bread consumption or increase sodium intake by the choice of sandwich fillings," *Journal of Nutrition*, 141, 12, 2011, pp. 1-7.
- Botezatu A. and Pickering G.J., "Determination of ortho- and retronasal detection thresholds and odor impact of 2,5-dimethyl-3-methoxypyrazine in wine," Journal Food Science, 77, 11, 2012, pp. S394-398.
- Bunick, F.J. Luo, S.J. Shaw, J.J. and Hellman. S.R., *Salt substitute granule and method of making same*, U.S. Patent 5094862, March 10, 1992.
- Bureau of information, Office of the permanent secretary, 2010, "The information and public relations office ministry of public health," Website http://www. moph.go.th/ops/iprg/include/admin_hotnew/show_hotnew.php?idHot_new= 45 23, 29 August 2012, (in Thai).
- Bureau of Nutrition, Department of Health, 2010, "Thailand salt reduction policy," Website http://nutrition.anamai.moph.go.th/temp/who/files/2.pdf, 19 April 2011, (in Thai).

- Bureau of Nutrition, Department of Health, Manual of reduced sweet, fat, salt, overweight/obesity and diseases for Thai people, 2011, The War Veterans Organization of Thailand Publisher, 2011, Bangkok. (in Thai).
- Burseg, K.M.M., Brattinga C., Kok P.M.T. and Bult J.H.F. Sweet taste enhancement through pulsatile stimulation depends on pulsation period not on conscious pulse perception, Physiology & Behavior, 100, 4, 2010, pp. 327-331.
- Cameron, J., Focussing on the Focus Group, Hay, I., editors. Qualitative Research Methods in Human Geography, 2nd ed., Oxford University Press, Melbourne, 2005, pp. 156-174.
- Campagnol, P.C.B., dos Santos, B.A., Wagner, R., Terra, N.N., and Pollonio, M.A.R. "The effect of yeast extract addition on quality of fermented sausages at low NaCl content," Meat Science, 87, 3, 2011, pp. 290-298.
- Cardello, A.V. and Schutz, H.G., "Numerical scale-point locations for constructing the LAM (labeled affective magnitude) scale," Journal of Sensory Studies, 19, 4, 2004, pp. 341-346.
- Carraro, C. I., Machado, R., Espindola, V., Campagnol, P. C. B. and Pollonio, M.A.R., "The effect of sodium reduction and the use of herbs and spices on the quality and safety of bologna sausage," Ciência e Tecnologia de Alimentos, 32, 2, 2012, pp. 289-297.
- Cerf-Ducastel, B. and Murphy, C., "Validation of a stimulation protocol suited to the investigation of odor-taste interactions with fMRI," Physiology and Behavior, 81, 3, 2004, pp. 389-396.
- Chandrashekar, J., Hoon, M.A., Ryba, N.J., and Zuker, C.S. "The receptors and cells for mammalian taste," Nature, 444, 2006, pp. 288-294.
- Charlton, K.E., MacGregor, E., Vorster, N.H., Levitt, N.S. and Steyn, K. "Partial replacement of NaCl can be achieved with K, Mg and Ca salts in brown bread," International Journal of Food Sciences and Nutrition, 58, 7, 2007, pp. 508-521.
- Chigurupati, S.R., Low-Sodium Salt Compositions, US 2011/0244103 A1. October 6, 2011.
- Chrea, C., Valentin, D., Sulmont-Rossé, C., Ly, M.H., Hoang, N.D. and Abdi, H., Culture and odor categorization: Agreements between cultures depend upon the odors," Food Quality and Preference, 15, 2004, pp. 669-679.

- Clark, C.C. and Lawless, H.T., "Limiting response alternatives in time-intensity scaling: An examination of the halo-dumping effect," Chemical Senses, 19, 1994, pp. 583-594.
- Claro, R.M., Linders, H.C., Ricardo, Z., Legetic, B. and Campbell, N.R.C., "Consumer attitudes, knowledge, and behavior related to salt consumption in sentinel countries of the Americas," Revista Panamericana de Salud Pública, 32, 2012, pp. 265-273.
- Cometto-Muñiz, J.E. and Cain, W.S. "Relative sensitivity of the ocular trigeminal, nasal trigeminal and olfactory systems to airborne chemicals," Chem Senses, 20, 2, 1995, pp.191-198.
- Cook, D.J., Linforth, R.S. and Taylor, A.J., "Effects of hydrocolloid thickeners on the perception of savory flavors," Journal Agricultural and Food Chemistry, 51, 10, 2003, pp. 3067-3072.
- Dalton, P., Doolittle, N., Nagata, H. and Breslin, P., "Merging of the senses: Subthreshold integration of taste and smell," Nature Neuroscience, 3, 5, 2000, pp. 431-432.
- de Araujo, I.E.T., Rolls, E.T., Kringelbach, M.L., McGlone, F. and Phillips, N., "Tasteolfactory convergence, and the representation of the pleasantness of flavour, in the human brain," European Journal of Neuroscience, 18, 7, 2003., pp. 2059-2068.
- Desmond, E., "Reducing salt: a challenge for the meat industry," Meat Science, 74, 1, 2006, pp. 188-196.
- Djordjevic, J., Lundstrom, J. N., Clément, F., Boyle, J. A., Pouliot, S., and Jones-Gotman, M., "A rose by any other name: Would it smell as sweet?," Journal of Neurophysiology, 99, 2008, pp. 386-393.
- Djordjevic, J., Zatorre, R.J. and Jones-Gotman, M., "Odor-induced changes in taste perception," Experimental Brain Research, 159, 3, 2004, pp. 405-408.
- Doyle, M.E., and Glass, K. A., "Sodium reduction and its effect on food safety, food quality, and human health," Comprehensive Reviews in Food Science and Food Safety, 9, 1, 2010, pp. 44-56.

- Drake, S.L. and Drake, M.A. "Comparison of salty taste and time intensity of sea and land salts from around the world," Journal of Sensory Studies, 26, 1, 2011, pp. 25-34.
- Edwards, A., "Salt, salt substitutes, and seasoning alternatives," Journal of Renal Nutrition, 18, 6, 2008, pp. e23-e25.
- Eldeghaidy, S., Marciani, L., Pfeiffer, J.C., Hort, J., Head, K., Taylor, A.J., et al., "Use of an Immediate Swallow Protocol to Assess Taste and Aroma Integration in fMRI Studies," Chemosens Percept, 4, 4, pp. 163-174.
- Ertem, M.E., Engin, V.T. and Ertem, H.I., "Salt in Turkey," *Proceedings of the* 17th international mining congress *and* exhibition of Turkey, June 19-22, 2001, pp. 75-83.
- Ferdenzi, C., Roberts, S.C., Schirmer, A., Delplanque, S., Cekic, S., Porcherot, C., Cayeux, I., Sander, D. and Grandjean, D., "Variability of affective responses to odors : Culture, gender and olfactory knowledge, " Chemical Senses, 38, 2013, pp. 175-186.
- Food and Drug Administration Thailand. *Reduced sodium prolongs the life*, 1st Ed.,
 K. Wantanee eds., War Veterans Organization Printing, Bangkok, Thailand, 2012.
- Food Control Division, Exploring the use of food labeling of Thai people in 2009, Food and Drug Administration Thailand, Bangkok, Thailand, 2010.
- Fernstrom, J.D. Health issues relating to monosodium glutamate use in the diet, Kilcast, D., Angus, F., editors. Reducing salt in foods: Practical strategies. Cambridge, UK: Woodhead, 2007, pp. 55-76.
- Frank, R.A., Ducheny, K. and Mize, S.J.S., "Strawberry odor, but not red color, enhances the sweetness of sucrose solutions," *Chemical Senses*, 14, 3, 1989, pp. 371-377.
- Frank, R.A., "Response context affects judgments of flavor components in foods and beverages," Food Quality and Preference, 14, 2002, pp.139-145.
- Fujimaru, T. and Lim, J., "Effects of Stimulus Intensity on Odor Enhancement by Taste," Chemosensory Perception, 6, 1, 2013, pp. 1-7.
- Gibson, J., Armstrong, G. and McIlveen, H., "A case for reducing salt in processed foods," Nutrition and Food Science, 30, 4, 2000, pp. 167-173.

- Gilbey, A. and Fifield, S., "Nutritional information about sodium: is it worth its salt?," New Zealand Medical Journal, 119, 1232, 2006, pp. 27-29.
- Gillan,D.J., "Taste-taste, odor-odor, and taste-odor mixtures: greater suppression within than between modalities," Perception&Psychophysics, 33, 2, 1983, pp.183-185.
- Godinot, N., Pelletier, C. Labbe, D. and Martin, N., "Odour-Taste Interaction: Sensory modulation or perceptual integration," XIX ECRO CongressVillasimius, 2009, Cagliari, Italy.
- Goh, F. X. W., Itohiya, Y., Shimojo, R., Sato, T., Hasegawa, K., and Leong, L. P., "Using naturally brewed soy sauce to reduce salt in selected foods," Journal of Sensory Studies, 26, 2011, pp. 429-435.
- Grimes, C.A., Riddell, L.J. and Nowson, C.A., "Consumer knowledge and attitudes to salt intake and labelled salt information," Appetite, 53, 2009, pp. 189-194.
- Grosso, N.R. and Guzman, C.A., "Chemical composition of aboriginal peanut (Arachis hypogaea L.) seeds from Perú," Journal of Agricultural and Food Chemistry, 43, 1995, pp. 102-105.
- Guàrdia, M. D., Guerrero, L., Gelabert, J., Gou, P. and Arnau, J., "Consumer attitude towards sodium reduction in meat products and acceptability of fermented sausages with reduced sodium content," Meat Science, 73, 3, 2006, pp. 484-490.
- He, F.J. and Macgregor, G.A, "Reducing Population Salt Intake Worldwide: From Evidence to Implementation," Progress in Cardiovascular Diseases, 2010, 52, 5, pp. 363–382.
- Herz, R.S. and von Clef, J., "The influence of verbal labeling on the perception of odors: evidence for olfactory illusions?" Perception, 30, 2001, pp. 381–391.
- Herz, R.S., "The effect of verbal context on olfactory perception," The Journal of Experimental Psychology: General, 132, 2003, pp. 595-606.
- Hyde, R.J. and Feller, R.P., "Age and sex effects on taste of sucrose, NaCl, citric acid and caffeine," Neurobiology of Aging, 2, 1981, pp. 315-318.

- Hummel, T., Kobal, G., Gudziol, H. and Mackay-Sim, A., "Normative data for the "Sniffin' Sticks" including tests of odor identification, odor discrimination, and olfactory thresholds: an upgrade based on a group of more than 3,000 subjects," European Archives of Oto-Rhino-Laryngology, 264, 2007, pp. 237-243.
- Hutton, T., "Sodium technological function of salt in the manufacturing of food and drink products," British Food Journal, 104, 2, 2002, pp. 126-152.
- International Food Information Council Foundation, 2011, Food & Health Survey: Consumer attitudes toward food safety, nutrition, and health, Website http://www.foodinsight.org/ Content/3840/2011%20IFIC%20FDTN %20Food% 20and%20Health%20Survey.pdf., 17 January 2014.
- Jaeger, S.R., Axten, L.G., Paisley, A.G., Sullivan, M.B., and Harker, F.R. "Developing models systems for testing the sensory properties and consumer acceptance of new fruit cultivars: The example of kiwifruit," Food Quality and Preference, 22, 2011, pp. 521-531.
- Jinap, S.and Parvaneh, H., "Glutamate: its applications in food and contribution to health," Appetite, 55, 1, 2010, pp. 1-10.
- Johnson, J.L., Dzendolet, E., Damon, R., Sawyer, M. and Clydesdale, F.M. Psychophysical relationships between perceived sweetness and color in cherryflavored beverages. Journal of food protection. 45, 7, 1982, pp. 601-606.
- Kaur, A., Bala, R., Singh B. and Rehal, J., "Effect of replacement of sodium chloride with mineral salts on rheological characteristics of wheat flour," American Journal of Food Technology, 6, 8, 2011, pp. 674-684.
- Keast, R.S.J. and Breslin, P.A.S., "An overview of binary taste-taste interactions," Food Quality and Preference," 14, 2, 2003, pp. 111-124.
- Keast, R.S. and Roper, J., A "complex relationship among chemical concentration, detection threshold, and suprathreshold intensity of bitter compounds," Chem Senses, 32, 2, 2007, pp. 245-253.
- Kilcast, D. and Den Ridder, C., Sensory issues in reducing salt in food products, In: Kilcast, D. and Angus, F., Reducing salt in foods; Practical strategies, 2007, Cambridge: Woodhead Publishing Ltd., pp. 201-220.
- Kitzinger, J., "Qualitative research: introducing focus groups," British Medical Journal, 311, 1995, pp. 299-302.

- Kitzinger, J., "Qualitative research: introducing focus groups," British Medical Journal, 311, 1995, pp. 299-302.
- Kitzinger, J., "The methodology of focus groups: the importance of interactions between research participants," Sociology of Health and Illness 16, 1, 1994, pp.103-121.
- Kim, M.K., Lopetcharat, K., Gerard, P.D. and Drake M.A., "Consumer awareness of salt and sodium reduction and sodium labeling," Journal of Food Science, 77, 2012, pp.S307-S313.
- Kira, C.S. and Maihara, V.A., "Determination of major and minor elements in dairy through inductively coupled plasma optical emission spectrometry after wet partial digestion and neutron activation analysis," Food Chemistry, 100, 2007, pp. 390-395.
- Klaic, P.M.A., Nunes, A.M., Moreira, A.D., Vendruscolo, C.T. and Ribeiro A.S., "Determination of Na, K, Ca and Mg in xanthan gum: sample treatment by acid digestion," Carbohydrate Polymers, 83, 2011, pp. 1895-1900.
- Konstantinidis, I. and Hummela, T., "Identification of unpleasant odors is independent of age," Archives of Clinical Neuropsychology, 21, 2006, pp. 615-621.
- Kremer, S., Mojet, J. and Shimojo, R., "Salt reduction in foods using naturally brewed soy sauce," Journal of Food Science, 74, 6, 2009, pp. 255-262.
- Labbe, D., Damevin, L., Vaccher, C., Morgenegg, C. and Martin N. "Modulation of perceived taste by olfaction in familiar and unfamiliar beverages," Food Quality and Preference, Sixth Rose Marie Pangborn Sensory Science Symposium, 17, 2006, pp. 582-589.
- Larsson, M., Finkel, D. and Pedersen, N.L., "Odor identification: influences of age, gender, cognition and personality," Journal of Gerontology: Psychological Sciences, 55B, 2000, pp. 304-310.
- Langrish, T., "Assessing the relative tendency of different materials to crystallize in spray drying: A comparison between sodium chloride and lactose," Journal of Food Engineering, 91, 4, 2009, pp. 521-525.
- Larsson, M., Lövdén, M. and Nilsson, L.G., "Sex differences in recollective experience for olfactory and verbal information," Acta Psychologica, 112, 2003, pp. 89-103.

- Lavin, J.G. and Lawless, H.T., "Effects of color and odor on judgments of sweetness among children and adults," Food Quality and Preference, 9, 1998, pp. 283-289.
- Lawless, H.T. and Heymann, H., Sensory Evaluation of Food principles and practices, 2010, Sprinker, New York.
- Lawless, H. T., Popper, R. and Kroll, B. J. "A comparison of the labeled magnitude (LAM) scale, an 11-point category sale and the traditional nine-point hedonic scale," Food Quality and Preference, 2, 2010, pp. 4-12.
- Lawrence, G., Salles, C., Palicki, O., Septier, C., Busch, J. and Thomas-Danguin, T., "Using cross-modal interactions to counterbalance salt reduction in solid foods," International Dairy Journal, 21, 2, 2011, pp. 103-110.
- Lawrence, G., Salles, C., Septier, C., Busch, J., and Thomas-Danguin, T., "Odor-taste interactions: a way to enhance saltiness in low-salt content solutions," Food Quality and Preference, 20, 3, 2009, pp. 241-248.
- Lee, G.H., "A salt substitute with low sodium content from plant aqueous extracts," Food Research International, 44, 2, 2011, pp. 537-543.
- Legetic, B. and Campbell, N., "Reducing salt intake in the Americas: pan American health organization actions," Journal of Health Communication, 16, 2011, pp. 37-48.
- Li, N., Prescott, J., Wu, Y., Barzi, F., Yu, X., Zhao, L., Neal, B. and China Salt Substitute Study Collaborative Group. "The effects of a reduced-sodium, highpotassium salt substitute on food taste and acceptability in rural northern China," The British Journal of Nutrition, 101, 7, 2009, pp. 1088-1093.
- Liem, D., Miremadi, F., and Keast, R.S.J., "Reducing sodium in foods: The effect on flavor," Nutrients, 3, 6, 2011, pp. 694-711.
- Lim, J., "Hedonic scaling: A review of methods and theory. Food Quality and Preference," Food Quality and Preference, 22, 2011, pp. 733-747.
- Lim J. and Lawless H.T., "Detection thresholds and taste qualities of iron salts," Food Quality and Preference," 17, 6, 2005, pp. 513-521.
- Little, A.C. and Briner, L., "Taste responses to saltiness of experimentally prepared tomato juice samples," The Journal of the *American Dietetic Association*, 21, 1984, pp. 1022-1027.

- Luo, J.Q., Ding, L.H., Chen, X.R. and Wan, Y.H., "Desalination of soy sauce by nanofiltration," Separation and Purification Technology. 66, 2009, pp. 429–437.
- Malherbe, M., Walsh, C.M. and Van der Merwe, C.V., "Consumer acceptability and salt perception of food with a reduced sodium content," Journal of Family Ecology and Consumer Science, 31, 2003, pp. 12-20.
- Malone, M. E., Appelqvist, I. A. M., and Norton, I. T., "Oral behavior of food hydrocolloids and emulsions part 2. taste and aroma release," Food Hydrocolloids.17, 6, 2003, pp. 775-784.
- Manabe, M., "Saltiness enhancement by the characteristic flavor of dried bonito stock," Journal of Food Science, 73, 6, 2008, pp. S321–S325.
- Manager Online, "Reduced sodium fish sauce products New formula for healthy people," Website *http://www.thaisarn.com/th/news_reader.php?newsid=4 9 2* 465, 19 April 2011, (in Thai).
- Matsuo, R., "Role of saliva in the maintenance of taste sensitivity," Critical reviews in oral biology and medicine, 11, 2, 2000, pp.216-229.
- McCaughey, S., Dietary salt and flavor: mechanisms of taste perception and physiological controls, In: Kilcast, D., Angus, F., editors, Reducing salt in foodsBoca Raton, Fla., CRC Press., 2007, p 77–98
- McGough, M.M., Sato, T., Rankin, S.A., and Sindelar, J.J., "Reducing sodium levels in frankfurters using a natural flavor enhancer," Journal of Meat Science, 91, 2, 2012, pp. 185-194.
- Mclean, R.M., Mann, J.I. and Hoek, J., "World Salt Awareness Week: more action needed in New Zealand," New Zealand Medical Journal, 124, 2011, pp. 68–76.
- Meilgaard, M.C., Civille, G.V., Carr, B.T., Sensory Evaluation Techniques. CRC Press, New York, 2007.
- Miller,M.J. and Barringer,S.A., "Effect of sodium chloride particle size and shape on nonelectrostatic and electrostatic coating of popcorn," Journal of Food Science, 67, 1, 2002, pp.198-201

- Mitchell, M., Brunton, N.P. and Wilkinson, M. G., "Sensory acceptability of a reformulated reduced salt frozen ready meal," Journal of Foodservice, 20, 6, 2009, pp. 298-308.
- Mojet, J., Heidema, J. and Christ-Hazelhof, E., "Taste perception with age: generic or specific losses in supra-threshold intensities of five taste qualities?," Chemical Senses, 28, 2003, pp. 397-413.
- Reyes, M.L.M., Reduced sodium delivery through submicronization of sodium chloride, its use in the manufacture of surface salted cheese crackers and the evaluation of physico-chemical, microbiological and sensory characteristics of cheese crackers, 2014, Louisiana State University.
- Moritaka, H. and Naito, S., "Agar and gelatin gel flavor release, Journal of Texture Studies," 33, 3, 2002, pp. 201-214.
- Muangthai, P., Pakathera, U., Penprapa, S. and Wai, P., "Development of healthy soy sauce from pigeon pea," Asian Journal of Food and Agro–industry, 2, 2009, pp. 291-301.
- Mukai, J., Tokuyama, E., Ishizaka, T., Okada, S. and Uchida, T., "The effect of taste– odour interactions on the palatability of nutritional products for liver failure," Asian Journal of Pharmaceutical Sciences, 4, 2009, pp. 46-55.
- Murphy, C. and Cain, W.S. "Taste and olfaction: Independence vs. interaction, Physiology and Behavior, 24, 3, 1980, pp.601-605.
- Murphy, C., Cain, W.S. and Bartoshuk, L.M., "Mutual action of taste and olfaction," Sens Processes. 1, 3, 1977, pp. 204-211.
- Nakamura, M., Aoki, N., Yamada, T. and Kubo N., "Feasibility and effect on blood pressure of 6-week trial of low sodium soy sauce and Miso (fermented soybean paste)," Circulation Journal, 67, 2003, pp. 530-534.
- Nasri, N., Beno, N., Septier, C., Salles, C. and Thomas-Danguin, T., "Crossmodal interactions between taste and smell: odor-induced saltiness enhancement depends on salt level," Food Quality and Preference, 22, 7, 2011, pp. 678-682.
- Nasri, N., Septier, C., Beno. N., Salles. C. and Thierry, T-D., "Enhancing salty taste through odour-taste-taste-interactions: Influence of odour intensity and salty tastants' nature," Food Quality and Preference, 28, 1, 2013, pp. 134-140.

- Niimi, J., Eddy, A.I., Overington, A.R., Heenan, S.P., Silcock, P., Bremer, P.J. and Delahunty, C.M., "Aroma taste interactions between a model cheese aroma and five basic tastes in solution," Food Quality and Preference, 31, 2014, pp. 1-9.
- Noort, M.W.J., Bult, J.H.F. and Stieger, M., "Saltiness enhancement by taste contrast in bread prepared with encapsulated salt," Journal of Cereal Science, 55, 2, 2012, pp. 218-225.
- North, S.L. and Neale, R.J., "Knowledge, attitudes and eating habits of teenagers with respect to salt in their diet," British Food Journal, 97, 5, 1995, pp. 3-11.
- Öberg, C., Larsson, M. and Bäckman, L., "Differential sex effects in olfactory functioning: The role of verbal processing," Journal of the International Neuropsychological Society, 8, 2002, pp. 691-698.
- Okamoto, M., Wada, Y., Yamaguchi, Y., Kimura, A., Dan, H., Masuda, T., Singh, A.K., Clowney, L. and Dan, I., "Influences of food-name labels on perceived tastes," Chemical Senses, 34, 2009, pp. 187-194.
- Packaged Facts executive, Salty Snacks in the U.S. summary, Website http://www.packagedfacts.com/Salty-Snacks-7891586/, November 20, 2013
- Peralta, R.R., Shimoda, M. and Osajima, Y., "Further identification of volatile compounds in fish sauce," Journal of Agricultural and Food Chemistry, 44, 1996, pp. 3606-3610.
- Peryam, D.R. and Pilgrim, P.J, "Hedonic scale method of measuring food preference," Food Technology, 11, 1957, pp. 9-14.
- Pfeiffer, J.C., Hort, J., Hollowood, T. A. and Taylor, A. J., "Taste-aroma interactions in a ternary system: a model of fruitiness perception in sucrose/acid solutions," Perception and Psychophysics, 68, 2, 2006, 216-217.
- Pflaum, T., Konitzer ,K., Hofmann, T. and Koehler, P., "Influence of texture on the perception of saltiness in wheat bread," Journal Agriculture Food Chemistry, 61, 45, 2013, pp. 10649-58.
- Pietrasik, Z. and Gaudette, N.J., "The impact of salt replacers and flavor enhancer on the processing characteristics and consumer acceptance of restructured cooked hams," Meat Science, 96, 3, 2014, pp.1165-1170.

- Rama, R., Chiu, N., Carvalho Da Silva, M., Hewson, L., Hort J. and Fisk I.D., "Impact of Salt Crystal Size on in-Mouth Delivery of Sodium and Saltiness Perception from Snack Foods," Journal of Texture Studies, 44, 5, 2013, pp. 338-345.
- Roininen, K., Lahteenmaki, L. and Tuorila, H., "Effect of umami taste on pleasantness of low-salt soups during repeated testing," Physiology Behavior 1996, 60, 3, pp. 953-958.
- Powell, R.A., Single, H.M. and Lloyd, K.R., "Focus groups in mental health research: enhancing the validity of user and provider questionnaires," International Journal of Social Psychology, 42, 3, 1996, pp.193-206.
- Rabiee, F., "Focus-group interview and data analysis," Proceedings of the Nutrition Society, 63, 2004, pp. 655-660.
- Ruusunen, M., and Puolanne, E., "Reducing sodium intake from meat products," Meat Science, 70, 3, 2005, pp.531-541.
- Ruusunen, M., Vainionpää, J., Puolanne, E., Lyly, M., Lähteenmäki, L., Niemistö, M., Ahvenainen, R', "Effect of sodium citrate, carboxymethyl cellulose and carrageenan levels on quality characters of low-salt and low-fat bologna-type sausage," Meat Science, 2003, 64, pp. 371-381.
- Salles, C., *Odour-taste interactions in flavor perception*, A. Voilley, P. Etiévant (Eds.), 2006, Flavour in Food, Woodhead Publishing Ltd., Cambridg, pp. 345-368.
- Sa-Uram, T., Influence of seasoning particle size on coating properties and sensory perception of fried flat potato chips. M.S., Food Science and Technology, Silpakorn University, 2004, Bangkok.
- Seakow, Y., Phunhoon, W. and Sila-on, W., "Development of solid self-emulsifying drug delivery system of clotrimazole using foam-mat drying technique," The 4th Annual Northeast Pharmacy Research Conference of 2012 "Pharmacy Profession in Harmony" Khon Kaen University, February 11-12, 2012, 294.
- Senthil, A. and Bhat, K.K., "Best estimated taste detection threshold for cardamom *(elettaria cardamomum maton)* aroma in different media," Journal of Sensory Studies, 26, 1, 2011, pp. 48-53.
- Seo, H.S., Guarneros, M., Hudson, R., Distel, H., Min, B.C., Kang, J.-K., Croy, I., Vodicka, J. and Hummel, T., "Attitudes toward olfaction: A cross-regional study," Chemical Senses, 36, 2011, pp.177-187.

- Schifferstein, H.N. and Verlegh, P.W., "The role of congruency and pleasantness in odor-induced taste enhancement," Acta Psychologica, 94, 1996, pp. 87-105.
- Schutz, H. G. and Cardello, A. V., "A labeled affective magnitude (LAM) scale for assessing food liking/disliking," Journal of Sensory Studies, 16, 2001, pp. 117-159.
- Severiano-pérez, P., Cadena-aguilar, A.A., Vargas-chanes, D. and Guevara-guzmán, R., "Questionnaire on Mexicans' familiarity with odor names," Journal of Sensory Study, 27, 2012, pp. 277-285.
- Shankar, M.U., Levitan, C.A., Prescott, J., and Spence, C., "The influence of color and label information on flavor perception," Chemosensory Perception, 2, 2009, pp.53-58.
- Sikes, A. L., Tobin, A. B., and Tume, R. K., "Use of high pressure to reduce cook lossand improve texture of low-salt beef sausage batters," Innovative Food Science and Emerging Technologies, 10, 4, 2009, pp. 405–412.
- Small, D.M., Jones-Gotman, M., Zatorre, R.J., Petrides, M. and Evans, A.C., "Flavor processing: more than the sum of its parts," Neuroreport, 8, 18, 1997, pp. 3913-3917.
- Smith, S.L., Quandt, S.A., Arcury, T.A., Wetmore, L.K., Bell, R.A. and Vitolins, M.Z. "Aging and eating in the rural, southern United States: beliefs about salt and its effect on health," Social Science & Medicine, 62, 1, 2006, pp.189-198.
- Stevenson, R.J., Mahmut, M., "Differential context effects between sweet tastes and smells," Atten Percept Psychophys, 72, 8, 2010, pp. 2304-2313.
- Stevenson, R.J., Prescott, J. and Boakes, R.A. The acquisition of taste properties by odors. Learning & Motivation. 26, 4, 1995, pp. 1-23.
- Stieger, M. and van de Velde, F., "Microstructure, texture and oral processing: new ways to reduce sugar and salt in foods." Current Opinion in Colloid and Interface Science, 18, 4, 2013, pp. 334-48.
- Tahergorabi, R., Beamer, S., Matak, K. and Jaczynski, J. "Salt substitution in surimi seafood and its effects on instrumental quality attributes," LWT -Food Science and Technology, 48,2, 2012, pp. 175-181.

- Tang, P., Chan, H.K., Tam, E., de Gruyter, N., and Chan, J., "Preparation of NaCl powder suitable for inhalation," Industrial & Engineering Chemistry Research, 45, 2006, pp. 4188-4192.
- Tangkanakul, P., Tungtrakul, P.and Mesomya, W. "Nutrient contents of commercial snack food products," Kasetsart Journal (Nat. Sci.), 33, 1999, pp. 270-276.
- Thai Hypertension Society, Reduced saltiness, Website http://www.thaihypertension .org /files/237_1.LowSalt.pdf, 5 October 2014.
- Thai Industrial Standard institute, *Edible common salt (TIS 2085-2544)*, Thai Industrial Standards Institute, Bangkok, 2544.
- Tian, X.and Fisk, I.D., "Salt release from potato crisps," Food and Function, 3, 4, 2012, pp. 376-380.
- Vasque, R.E., Salt substitute compositions, US 6743461 B1. June 1, 2004.
- Verhagen, J.V., and Engelen, L., "The neurocognitive bases of human multimodal food perception: sensory integration," Neuroscience and Biobehavioral Reviews, 30, 2006, pp. 613- 650.
- Vella, D., Marcone, M. and Duizer L.M., "Physical and sensory properties of regional sea salts," Food Research International, 45, 1, 2012, pp. 415-421.
- Verma, A.K., Sharma, B.D. and Banerjee, R., "Effect of sodium chloride replacement and apple pulp inclusion on the physico-chemical, textural and sensory properties of low fat chicken nuggets," LWT-Food Science Technology, 43, 4, 2010, pp.715-719.
- Vongsawasdi, P., Nopharatana, M., Tangbumrungpong, D. and Apinunjarupong, S. "Production of instant fruit and vegetable juice by spray dryer and microwavevacuum dryer," KMUTT Research and Development Journal, 25, 2002, 257-277, (in Thai).
- Wakita, A., Sarukura, N., Kimura, Y., Shikanai, S., Iwamoto, T., Uneyama, H. and Yamamoto, S. Dietary Salt and Health: UMAMI Seasoning as an Attempt to Reduce Salt Intake. Journal of Nutrition & Food Sciences, Website http://omicsonline.org/dietar y-salt-and-health-umami-seasoning-as-an-attemptto-reduce-salt-intake-2155-9600.S10-008.php?aid=11054, 5 October 2014.
- Wang, Y.J. and Patil, S.K., Low-Sodium Salt Compositions, US 2011/0229607 A1. September 22, 2011.

- Webster, J.L., Dunford, E.K., Huxley, R., Li, M., Nowson, C.A., and Neal, B.C. "The development of a national salt reduction strategy for Australia," Asia Pacific Journal of Clinical Nutrition, 18, 3, 2009, pp. 303-309.
- Wise, P.M.; Bien, N.; Wysocki, C.J. "Two rapid odor threshold methods compared to a modified method of constant stimuli," Chemosensory Perception, 1, 1, 2008, pp. 16-23.
- Wise, P.M., Hansen, J.L., Reed, D.R., and Breslin, P.A., "Twin study of the heritability of recognition thresholds for sour and salty taste," Chemical Senses, 32, 8, 2007, pp. 749-754.
- Woods, A.T., Poliakoff, E., Lloyd, D.M., Dijksterhuis, G.B. and Thomas, A.T. "Flavor expectation: the effect of assuming homogeneity on drink perception," Chemosens Percept, 3, 2010, pp. 174-81.
- World Hypertension League, Salt and high blood pressure, 2009, Website http://www. World hypertensionleague.org /pages/WHD2009.aspx, 20 April 2011.
- World Hypertension League, Healthy lifestyle healthy blood pressure, 2012, Website http://www.worldhypertensionleague.org/Documents/WHD/2012/WHD %202012 %20brochure.pdf, 27 July 2012.

TVG MAI

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่ Copyright[©] by Chiang Mai University All rights reserved