

REFERENCES

[Abdel-Aal, *et al.*, 2006] Abdel-Aal M. E., Young, J. C. and Rabalski I., “Anthocyanin composition in black, blue, pink, purple, and red cereal grains,” *Journal of Agricultural and Food Chemistry*, Vol. 54(13), 2006, pp. 4696–4704.

[Abdullah, 2000] Abdullah, N., Nawawi, A. and Othman I. “Fungal spoilage of starch-based foods in relation to its water activity (a_w),” *Journal of Stored Products Research*, Vol. 36, 2000, pp. 47-54.

[Animal and Plant Health Inspection Service, 1985] Animal and Plant Health Inspection Service. Section III, 9 and section VI-T106, “Plant protection and quarantine manual,” US Dept. Agric., Wash. DC, 1985.

[AOAC, 1994] AOAC International, “Official Methods of analysis of AOAC International. 15th edition,” Gaithersburg, MD, USA., 1994, pp.1059-1060.

[AOAC, 2005] AOAC International, “Official Methods of Analysis of AOAC International, 18th edition,” MD, USA, 2005. pp.1059-1060

[Armstrong *et al.*, 1989] Armstrong, J.W.; Hansen, J.D.; Hu, B.K.S. and Brown, S.A., “High-temperature, forced-air quarantine treatment for papayas infested with Tephritid fruit flies (Diptera: Tephritidae),” *Journal of Economic Entomology*, Vol. 82, 1989, pp.1667–1674.

[Baker *et al.*, 1956] Baker, V. H., Wiant, D. and Taboada, O., “Some effects of microwaves on certain insects which infest wheat and flour,” *Journal of Economic Entomology*, Vol. 49, 1956, pp. 33-37.

[Barber and Bendito de Barber, 1980] Barber, S. and Bendito de Barber, C., “Rice bran: chemistry and technology” In: Rice production and utilization. B.S Luh (Ed). AVI. Publ. Co., Inc. Westport, CT, 1980, pp.790-862.

[Birla *et al.*, 2004] Birla, S.L., Wang, S., Tang, J. and Hallman, G., "Improving heating uniformity of fresh fruit in radio frequency treatments for pest control," *Postharvest Biology and Technology*, Vol. 33, 2004, pp. 205–217.

[Birla *et al.*, 2005] Birla, S.L., Wang, S., Tang, J.; Fellman, J. K.; Mattinson, D. S. and Lurie, S., "Quality of oranges as influenced by potential radio frequency heat treatments against Mediterranean fruit flies," *Postharvest Biology and Technology*, Vol. 38, pp. 66–79.

[Birla., 2006]. Birla, S. L., "Potential of radio frequency heating of fresh fruits as an alternative quarantine method," *Engineering science Washington State University*, 2006, 201 p.

[Boaloi, 2009] Boaloi, K., "Using Radio Frequency to Control Red Flour Beetle (Coleoptera: Tenebrionidae) in Feed,". Master thesis, Chiang Mai University, 2009.

[Castro *et al.*, 2004] Castro, I.; Macedo, B., Teixeira, J.A. and Vicente, A. A., "The effect of electric field on important food processing enzymes: Comparison of inactivation kinetics under conventional and ohmic heating," *Journal of Food Science*, Vol. 69(9), 2004, pp. 696-701.

[Champagne *et al.*, 1992] Champagne, E.T., Hron, Sr. R.J. and Abraham G., "Utilizing ethanol to produce stabilized brown rice products," *Journal of American Oil Chemists Society*, Vol. 69, 1992, pp.205-208.

[Chen, *et al.*, 2005] Chen, P. N., Chu, S.C., Chiou, H.L., Chiang, C.L., Yang, S.F., Hsieh, Y.S., "Cyanidin 3-glucoside and peonidin 3-glucoside inhibit tumor cell growth and induce apoptosis in vitro and suppress tumor growth in vivo," *Nutrition and Cancer*, Vol. 53(2), 2005, pp.232-43.

[Chomchalow *et al.*, 2008] Chomchalow, N., Somsri, S. and Na Songkla, P. "Marketing and export of major tropical fruits from Thailand," *Assumption University Journal of Technology*, Vol. 11(3), 2008, pp. 133-143.

[Chun *et al.*, 2003] Chun, O. K., Kim, D., Lee, C. Y., “Superoxide radical scavenging activity of the major polyphenols in fresh plums,” Journal of Agricultural and Food Chemistry, Vol.51(27), 2003, pp. 8067–8072.

[Clifford, 2000] Clifford, M. N., “Anthocyanin –nature, occurrence and dietary burden” *Journal of the Science of Food and Agriculture*, Vol. 80, 2000, pp.1063-1072.

[Crawford *et al.*, 1966] Crawford, D. L.; Yu, T. C. and Sinnhuber, R. O., “Reaction mechanism, reaction of malonaldehyde with glycine,” *Journal of Agricultural and Food Chemistry*, Vol. 14, 1966, pp.184.

[Cwiklinski and von Hoersten, 2001] Cwiklinski, M., and von Hoersten, D., “Effect of exposure to radio-frequency electric fields on *Fusarium graminearum* in wheat seed,” Annual International Meeting of the American Society of Agricultural Engineers, Sacramento, Calif. ASAE Meet. 30 July-1 August, 2001, Pap. No. 01-6171 2001.

[De la Cruz Medina and Garcia, 2003] De La Cruz Medina, J. and García, H.S. “Mango: post-harvest operations, In:Compendiumon post-harvest operations,” chapter XX, AGSI/FAO, <http://www.fao.org/inpho>, 7 Jan, 2011.

[de Delahaye *et al.*, 2005] De Delahaye, E.P., Jimenez, P. and Perez, E., “Effect of enrichment with high content dietary fiber stabilized rice bran flour on chemical and functional properties of storage frozen pizzas,” *Journal of Food Engineering*, Vol. 68, 2004, pp.1–7.

[FAO, 2009] Food and Agriculture Organization of United Nations., “The market for organic and fair-trade mangoes and pineapples”, <http://faostat.fao.org/site/535/default.aspx>., 21 March, 2012.

[Fernando and Hewavitharana, 1993] Fernando, W. J. N. and Hewavitharana, L. G., “Effect of fluidized bed drying on stabilization of rice bran,” *Drying Technology*, Vol. 11, No. 5, 1993, pp. 1115-1125.

[Fields, 1992] Fields, P.G., "The control of stored product insects and mites with extreme temperatures," *Journal of Stored Products Research*, Vol. 28(2), 1992, pp. 89- 118.

[Fleming, 1944] Fleming, H., "Effect of high-frequency fields on microorganisms," *Electrical Engineering*, Vol. 63, 1944, pp. 18-21.

[Foster and Schwan, 1989] Foster, K.R. and Schwan, H.P., "Dielectric properties of tissues and biological materials: A critical reviews," *Critical Review Biomedical Engineering*, Vol. 17, 1989, pp.25–104.

[Frings, 1952] Frings, H., "Factors determining the effects of radio-frequency electromagnetic fields and materials they infest," *Journal of Economic Entomology*, Vol. 45, 1952, pp.396–408.

[Guo *et al.*, 2008] Guo, W., Tiwari, G., Tang, J. and Wang, S., "Frequency, moisture and temperature dependent dielectric properties of chickpea flour" *Biosystems Engineering*, Vol. 101, 2008, pp.217-224.

[Guo *et al.*, 2010] Guo, W., Wang, S., Tiwari, G., Johnson, J.A. and Tang, J., "Temperature and moisture dependent dielectric properties of legume flour associated with dielectric heating," *LWT-Food Science and Technology*, Vol. 43 (2), 2010, pp.193–201.

[Halden, *et al.*, 1990] Halden, K., de Alwis, A. A. P. and Fryer, P. J., "Changes in the electrical conductivity of foods during ohmic heating," *International Journal of Food Science and Technology*, Vol. 25, 1990, pp. 9-25.

[Hansen *et al.*, 1990] Hansen, J. D., Armstrong, J.W., Hu, B.K.S. and Brown, S.A., "Thermal death of oriental fruit fly (Diptera: Tephritidae) third instars in developing quarantine treatments for papayas," *Journal of Economic Entomology*, Vol. 83, 1990, pp.160–167.

[Ikediala *et al.* 2000] Ikediala, J. N., Tang, J., Drake, S. R., and Neven, L. G., "Dielectric properties of apple cultivars and codling moth larvae," *Transactions of the ASAE*, Vol.43(5), 2000, pp.1175-1184.

[Ikediala *et al.*, 1999] Ikediala, J. N., Tang, J., Neven, L. G., and Drake, S. R., "Quarantine treatment of cherries using 915 MHz microwaves: temperature mapping, codling moth mortality and fruit quality," *Postharvest Biology and Technology*, Vol. 16(2), 1999, pp.127-137.

[Ikediala *et al.*, 2002] Ikediala, J.N., Tang, J., Hansen, J., Drake, S.R., Wang, S., "Quarantine treatment of fruits using radio frequency energy and an ionic-water-immersion technique," *Postharvest Biological and Technology*, Vol. 24, 2002, pp. 25–37.

[JAFTA, 2009] Japan Fumigation Technology Association (JAFTA), "Principles and features of the vapor heat treatment system," VHT Research group. Tokyo, Japan, 2009, 13 pp.

[Janhang *et al.*, 2005] Janhang, P., Krittigamas, N., Lücke, W. and Vearasilp, S., "Using radio frequency heat treatment to control the insect *Rhyzopertha dominica* (F.) during storage in rice seed (*Oryza sativa* L.)" *Tropentag* 2005: Conference on International Agricultural Research for Development, Stuttgart-Hohenheim, October 11-13. 2005. ISBN: 3-00-017063-4

[Johnson *et al.* (2004)] Johnson, J.A., Valero, K.A., Wang, S., Tang, J., "Thermal death kinetics of red flour beetle, *Tribolium castaneum* (Coleoptera: Tenebrionidae)," *Journal of Economic Entomology*, Vol. 97, 2004, pp. 1868–1873.

[Juliano, 1993] Juliano, B.O., "Rice in Human Nutrition," FAO/IRRI, FAO Food and Nutrition Series No.26., FAO, Rome, 1993.

[Karakaya *et al.*, 2001] Karakaya, S., El, S.N. and Tas, A.A., "Antioxidant activity of some foods containing phenolic compounds," International Journal of Food Sciences and Nutrition, Vol. 52, 2001, pp.501- 508.

[Kasevich, 1998] Kasevich, R.S., "Understand the potential of radio frequency energy," Chemical Engineering Progress, Vol. 94 (1), 1998, pp.75–81.

[Lakkakula *et al.*, 2004] Lakkakula, R.N., Lima, M. and Walker, T., "Rice bran stabilization and rice bran oil extraction using ohmic heating," Bioresource Technology Vol.92, 2004, pp.157-161.

[Lass *et al.*, 2011] Lass, A., Zimmermann, R. and Zechner, R., "Lipolysis-A highly regulated multi-enzyme complex mediates the catabolism of cellular fat stores," Progress in Lipid Research, Vol. 50(1-4), 2011, pp.14-27.

[Luechai *et al.*, 2008] Luechai, N., Sardsud, V., Chanbang, Y. and Krittigamas, N., "Radio frequency treatment for controlling rice moth, *Corcyra cephalonica* (Stainton) and Its effects on quality of milled rice cv. Khao Dawk Mali 105," Agricultural Science Journal Vol. 39. No.3 (Suppl.), 2008, pp.347-350.

[Lurie, 1998] Lurie, S., "Postharvest heat treatments," Postharvest Biology and Technology, Vol. 14, 1998, pp. 257–269.

[Malekian *et al.*, 2000] Malekian, F., Malekian, F., Rao, M. R., Prinyawiwatkul, W., Marshall, E. W., Windhauser, M. and Ahmedna, M., "Lipase and lipoxygenase activity, functionality, and nutrient losses in rice bran during storage," Bulletin of the Louisiana Agricultural Experiment Station, n. 870, 2000.

[Martens et al., 2012] Martens, J. W., Koehler, P. J., Vrijelaar, J., "Magnetic flimmers: light in the electromagnetic darkness," Brain A Journal of Neurology, October 5, 2012, pp.1-9.

[McGuire, 1992] McGuire, R. G., "Reporting of objective color measurements," *Horticultural Science*, Vol. 27, 1992, pp.1254-1255.

[Mishra *et al.* 2008] Mishra, D.K., Dolan, K.D. and Yang, L., "Confidence intervals for modeling anthocyanin retention in grape pomace during nonisothermal heating," *Journal of Food Science*, Vol. 73(1), January, 2008, pp.E9-15.

[Monzon *et al.* 2006] Monzon, M.E., Biasi, B., Simpson, T.L., Johnson, J., Feng, X., Slaughter, D.C. and Mitcham, E.J., "Effect of radio frequency heating as a potential quarantine treatment on the quality of 'Bing' sweet cherry fruit and mortality of codling moth larvae," *Postharvest Biology and Technology*, Vol. 40, 2006, pp.197-203.

[Mori, 1999] Mori, S., "Iron acquisition by plants," *Current Opinion in Plant Biology*, Vol.2,1999, pp.250-253

[Narisullah and Krishnamurthy, 1989] Narisullah and Krishnamurthy, M.N., "Effect of stabilization on the quality characteristics of rice bran oil" *Journal of the American Oil Chemists' Society*, Vol. 66, 1989, pp.661-663.

[Nelson, 1996] Nelson, S. O., "Review and assessment of radio-frequency and microwave energy for stored grain insect control," *Transactions of the ASAE (American Society of Agricultural Engineers)*, Vol. 39(4), 1996, pp.1475-1484.

[Nelson and Charity, 1972] Nelson, S. O. and Charity, L. F., "Frequency dependence of energy absorption by insects and grain in electric fields," *Transactions of the ASAE (American Society of Agricultural Engineers)*, Vol. 15(6), 1972, pp.1099-1102.

[Nelson and Kantack, 1966] Nelson, S. O. and Kantack, B. H., "Stored-grain insect control studies with radiofrequency energy," *Journal of Economic Entomology*, Vol. 59, 1966, pp. 588-594.

[Nelson and Whitney, 1960] Nelson, S. O. and Whitney, W. K., “Raio-frequency electric fields for stored-grain insect control,” Transactions of the ASAE (American Society of Agricultural Engineers), Vol. 3(2), 1960, pp.133-137.

[Nelson, 2004] Nelson, S. O., “RF and microwave permittivities of insects and some applications,” Proceeding of Union Radio-Scientifique Internationale Electromagnetic Remote Sensing International Symposium on Electromagnetic Theory, 2004, pp.1224-1226..

[Neven, 2000] Neven, G. L., “Physiological responses of insects to heat,” Postharvest Biology and Technology, Vol. 21, 2000, pp.103–111.

[Nijhuis, *et al.*, 1998] Nijhuis, H.H., Torringa, H.M., Muresan, S., Yuksel, D., Leguijt, C. and Kloek,W., “Approaches to improving the quality of dried fruit and vegetables (Article review),” Trend in Food Science and Technology, Vol. 9, 1998, pp.13-20.

[Obenland *et al.*, 1999] Obenland, D. M., Arpaia, M. L. and Aung, L. H., “Quality of nectarine cultivars subjected to forceed-air heat treatment of Mediterranean fruit fly disinfestations,” The Journal of Horticultural Science and Biotechnology, Vol. 74, 1999, pp.553-555.

[Obenland, D. M., Arpaia, A. L., Austin, R. K., MacKey, B.E., “High-temperature forced air treatment alters the quantity of flavor-related, volatile constituents present in navel and Valencia oranges,” Journal of Agricultural and Food Chemistry, 1999b, Vol. 47, pp.5184–5188.

[Office of Agricultural Economics, 2009] Office of Agricultural Economics, Main agricultural exports and imports,” [www.oae.go.th/ download/journal/trade%20statistics52.pdf](http://www.oae.go.th/download/journal/trade%20statistics52.pdf) , 12 May, 2011.

[Okarter and Liu, 2010] Okarter, O., Liu, R. H., "Health benefits of whole grain phytochemi-cals," *Critical Reviews in Food Science and Nutrition*, Vol.50, 2010, pp. 193–208.

[Naivikul, 2007] Naivikul, O., "Rice: Science and Technology," Kasetsart University Press, Bangkok, 2007.

[Orsat and Ranhavan, 2005] Orsat, V. and Raghavan, G.S. V., "Emerging technologies for food processing," Elsevier Ltd., 2005, pp.445-468.

[Orthoefer, 2005] Orthoefer, F., "Rice bran oil In Bailey's Industrial Oil and Fat Products," Sixth Edition, Six Volume Set, Edited by Fereidoon Shahidi, John Wiley & Sons, Inc., 2005.

[Paull, 1994] Paull, R.E., "Response of tropical horticultural commodities to insect disinfestation treatments," *Horticultural Science*, Vol. 29, 1994, pp.988-996.

[Perez-Mendoza et al., 2004] Perez-Mendoza, J., Throne, J. E., Dowell, F. E. and Baker, J. E., "Chronological age-grading of three species of stored-product beetles by using near-infrared spectroscopy," *Economical Entomology*, Vol. 97(3), 2004, pp.1159-1167.

[Prabhakar, 1987] Prabhakar, J.V., "Stabilisation of rice bran," In: *Handbook on rice bran*, edited by Sheth, B.M. and Metha, B.V., Bombay: Solvent Extractors Association of India, 1987, pp. 330–356.

[Prabhu *et al.*, 1999] Prabhu, A.V., Tambe, S.P., Gandhi, N.N., Sawant, S.B. and Joshi, J.B., "Rice bran lipase: extraction, activity and stability," *Biotechnology Progress*, Vol.15, 1999, pp. 1083-1089.

[Prakash, 1996] Prakash, J., "Rice bran proteins: properties and food uses," *Critical Reviews in Food Science and Nutrition*, Vol.36, 1996, pp. 537-552.

[Queiroz *et al.* 2009] Queiroz, F., Oliveira, C., Pinho, O. and Ferreira, I.M., "Degradation of anthocyanins and anthocyanidins in blueberry Jams/Stuffed Fish,"

Journal of Agricultural and *Food Chemistry*, Vol. 57, 2009, pp. 10712–10717.

[Qureshi *et al.*, 2000] Qureshi, A. A., Mo, H., Packer, L., Peterson, D. M., “Isolation and identification of novel tocotrienols from rice bran with hypocholesterolemic, antioxidant, and antitumor properties,” *Journal of Agricultural and Food Chemistry* Vol. 48(8), 2000, pp. 3130–3140.

[Ramezanzadeh *et al.*, 1999] Ramezanzadeh, F.M., Rao, R.M., Windhauser, M., Prinyawiwatkul, W. and Marshal, W.E., “Prevention of oxidative rancidity in rice bran during storage,” *Journal of Agricultural and Food Chemistry*, Vol. 47, 1999, pp.2997- 3000.

[Ramezanzadeh *et al.*, 2000] Ramezanzadeh, F.M., Rao R.M., Witoon, P., Marshall, W.E. and Windhauser, M., “Effects of microwave heat, packaging and storage temperature on fatty acid and proximate compositions in rice bran,” *Journal of Agricultural and Food Chemistry*, Vol.48, 2000, pp. 464-467.

[Reddy *et al.*, 1995] Reddy, V.S., Dash, S., Reddy, A.R., “Anthocyanin pathway in rice (*Oryza sativa* L): identification of a mutant showing dominant inhibition of anthocyanins in leaf and accumulation of proanthocyanidins in pericarp,” *Theoretical and Applied Genetics*, Vol. 91, 1995, pp. 301–312..

[Robards *et al.*, 1999] Robards, K., Prenzler, P.D., Tucker, G., Swatsitang, P. and Glover, W., “Phenolic compounds and their role in oxidative processes in fruits,” *Food Chemistry*, Vol. 66, 1999, pp.401-436.

[Robinson, 2005] Robinson, H. W., “Handbook of urban insects and Arachnids,” Cambridge University press, New York, 2005.

[Rossi *et al.*, 2003] Rossi, M., Giussani, E., Morelli, R., Lo Scalzo, R., Nani., R.C. and Torreggiani, D., “Effect of fruit blanching on phenolics and radical

scavenging activity of highbush blueberry juice," Food Research International, Vol. 36, 2003, pp.999-106.

[Rukmini and Raghuram, 1991] Rukmini, C. and Raghuram, T. C., "Nutritional and biochemical aspects of the hypolipidemic action of rice bran oil: a review," The Journal of American of Clinical Nutrition, Vol.10, 1991, pp.593-601.

[Ryu *et al.*, 1998] Ryu, S.N., Park, S.Z. and Ho,C.T., "High performance liquid chromatographic determination of anthocyanin pigments in some varieties of black rice,". Journal of Food and Drug Analysis, Vol. 6, 1998, pp.729-736.

[Ryyränen, 1995] Ryyränen, S., "The electromagnetic properties of food materials: A review of the basic principles," Journal of Food Engineering, Vol. 26, 1995, pp. 409-429.

[Saunders, 1985] Saunders, R.M., "Rice bran: composition and potential food sources" Food Review International, Vol.1(3), 1985, pp.465-495.

[Shellie and Mangan, 2000] Shellie, K. C. and Mangan, R.L., "Postharvest disinfestations treatments: response of fruit and fruit fly larvae to different heating media," Postharvest Biology and Technology, Vol. 7, 2000, pp.151-160.

[Shellie *et al.*, 1993] Shellie, K. C., Firko, M. J. and Mangan, R.L., Phytotoxic response of 'Dancy' tangerine to high temperature moist, forced air treatment for fruit fly disinfestations," Journal of the American Society for Horticultural Science, Vol. 118, 1993, pp.481-485.

[Takano, 1993] Takano, K., "Mechanism of lipid hydrolysis in rice bran," Cereal Foods World, Vol. 38 (9), 1993, pp. 695-698.

[Tamura *et al.* 1991] Tamura, H., Kitta, K. and Shibamoto, T., “Formation of reactive aldehydes from fatty acids in a Fe_2^+ / H_2O_2 oxidation system,” *Journal of Agricultural and Food Chemistry*, Vol.39, 1991, pp. 439-442.

[Tanaka *et al.*, 1973] Tanaka, K., Yoshida, T., Asada, K. and Kasai, Z., “Subcellular particles isolated from aleurone layer of rice seeds,” *Archives of Biochemistry and Biophysics*, Vol.155, 1973, pp.136–143.

[Tang *et al.*, 2000] Tang, J., Ikediala, J.N., Wang, S., Hansen, J., Cavalieri, R., “High-temperature-short-time thermal quarantine methods,” *Postharvest Biology and Technology*, Vol. 21, 2000, pp.129–145.

[Tao *et al.* 1993] Tao, R., Rao, R. and Liuzzo, J., “Microwave heating for rice bran stabilization,” *Journal of Microwave power and electromagnetic energy*, Vol. 28(3), 1993, pp.156-165.

[USDA-APHIS-PPQ, 2002] USDA-APHIS-PPQ, “Treatment manual: interim edition” In: Agric., U.S.D. (Ed.). Animal Plant Health Inspection Service, Plant protection Quarantine, Riverdale, MD., 2002.

[Varith and Kiatsiriroat, 2004] Varith, J. and Kiatsiriroat, T., “Effects of microwave power, treatment time and sample orientation on heat distribution in mango,” ASAE Paper No. 04-6104. ASAE/CSAE Annual International Meeting, Ottawa, Ontario, Canada, August 1–4, 2004.

[Varith *et al.*, 2007] Varith, J., Sirikajornjuru, W. and Kiatsiriroat, T., “Microwave-vapor heat disinfest on oriental fruit fly eggs in mangoes,” *Journal of Food Processing and Preservation*, Vol.31, 2007, pp. 253–269.

[Vassanacharoen *et al.*, 2004] Vassanacharoen, P., Janhang, P., Krittigamas, N., von Hörsten, D., Lücke, W. and Vearasilp, S., “Radio frequency heat treatment to eradicate *Fusarium semitectum* in corn grain (*Zea mays* L.)” *Agricultural Science Journal*, Vol. 37(5), 2006, pp.180-182.

[Venkatesh and Raghavan, 2004] Venkatesh, M.S. and Raghavan, G.S.V., “An overview of microwave processing and dielectric properties of agri-food materials,” Biosystems Engineering, Vol. 88(1), 2004, pp. 1-18.

[von Hörsten and Lücke, 2001] von Hoersten, D. and Luecke, W., “Thermal treatment of seeds comparison of different methods for eradicating seed-borne fungi,” Meet. Pap. No. 01-6165, Annual International Meeting of the American Society of Agricultural Engineers, Sacramento, Calif. ASAE, 30 July-1 Aug, 2001

[Wang *et al.*, 2001] Wang, S., Ikediala, J.N., Tang, J., Hansen, J.D., Mitcham, E., Mao, R., Swanson, B., “Radio frequency treatments to control codling moth in in-shell walnuts,” Postharvest Biology and Technology, Vol. 22, 2001, pp.29-38.

[Wang *et al.*, 2002] Wang, S., Tang, J., Johnson, J.A., Mitcham, E., Hansen, J.D., Cavalieri, R, Bower, J., Biasi, B., “Process protocols based on radio frequency energy to control field and storage pests in in-shell walnuts,” Postharvest Biology and Technology, Vol. 26, 2002, pp. 265–273.

[Wang *et al.*, 2002] Wang, S., Tang, J., Johnson, J.A., Mitcham, E., Hansen, J.D., Cavalieri, R.P., Bower, J., and Biasi, B., “Process protocols based on radio frequency energy to control field and storage pests in in-shell walnuts,” Postharvest Biology and Technology, Vol. 26, 2002, pp. 265–273.

[Wang *et al.*, 2003] Wang, S., Tang, J., Johnson, J.A., Mitcham, E., Hansen, J.D., Hallman, G., Drake, S.R., Wang, Y., 2003. Dielectric properties of fruits and insect pests as related to radio frequency and microwave treatments. Biosystems Eng. 85, 201–212.

[Wang *et al.*, 2005] Wang, S., Monzon, M., Gazit, Y., Tang, J., Mitcham, E.J., and Armstrong, J.W., “Temperature dependent dielectric properties of

selected subtropical and tropical fruit and associated insect pests,”
Transactions of the ASAE, Vol. 48, 2005, pp. 1873-1881.

[Wang *et al.*, 2006] Wang, S., Tang, J., Sun, T., Mitcham, E.J., Koral, T., and Birla, S.L., “Considerations in design of commercial radio frequency treatments for postharvest pest control in inshell walnuts” Journal of Food Engineering, Vol. 77, 2006, pp.304-312.

[Wang *et al.*, 2008] Wang, S., Yue, J., Chen, B., and Tang, J., “Treatment design of radio frequency heating based on insect control and product quality, “Postharvest Biology and Technology, Vol. 49, 2008, pp.417-423.

[Webber *et al.*, 1946] Webber, H. H., Wagner, R. P. and Pearson, A. G., “Higher-frequency electric fields as lethal agents for insects.” Journal of Economic Entomology, Vol.39, 1946, pp.487-498.

[Xu *et al.*, 2007] Xu, Z., Hua, N. and Godber, J.S., “Antioxidant activity of tocopherols, tocotrienols, and γ -oryzanol components from rice bran against cholesterol oxidation accelerated by 2,2-azobis(2-methylpropionamidine) dihydrochloride,” Journal of Agricultural and Food Chemistry, Vol. 49, 2001; pp.2077–2081

[Yadav and Parmar, 2014] Yadav, M. K. and Parmar, B. R., “Response to γ radiation and storage temperature on quarantine pests of alphonso mango,”. Journal of Horticulture and Forestry, .Vol. 6(5), 2014, pp.50-52.

[Yoshida *et al.*, 1991] Yoshida, H., Hirakawa, Y., Tomiyama, Y., Mitsushina, Y., “Effects of microwave treatment on the oxidative stability of peanut oils and the molecular species of their triacylglycerols,” European Journal of Lipid Science and Technology, Vol.105, 2003, pp.351–358.

[Yoshida *et al.*, 2003] Yoshida H., Hirooka N., Kajimoto G., “Microwave heating effects on relative stabilities of tocopherols in oils,” Journal of Food Science, Vol.56, 1991, pp.1042–1046.

[Yue and Xu, 2008] Yue, X. and Xu, Z., "Changes of anthocyanins, anthocyanidins, and antioxidant activity in bilberry extract during dry heating," *Journal of Food Science*, Vol. 73 (6), 2008, pp. C494-C499

[Zhang *et al.*, 2010] Zhang, M., Zhang, R.F., Zhang, F.X., Liu, R.H., "Phenolic profiles and antioxidant activity of black rice bran of different commercially available varieties," *Journal of Agricultural and Food Chemistry*, Vol.58, 2010, pp.7580–7587.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved

LIST OF PUBLICATIONS

- 1) Nattasak Krittigamas, Suchada Vearasilp, Dieter von Hoersten and Wolfgang Luecke. 2012. **“Radio Frequency Thermal Treatment as Alternative InsectsPests Control in Storage”**. Chiang Mai University Journal of Natural Sciences Special Issue on Agricultural & Natural Resources (2012) Vol.11(1)p.277-286
ISSN 1685-1994
online source :<http://cmuj.cmu.ac.th/node/80>

- 2) Nattasak Krittigamas, Suchada Vearasilp, Dumnern Karladee, Sangtiwa Suriyong, Dieter von Hörsten. 2012. **“Controlling Rancidity of Purple Rice Bran by using Radio Frequency Heating Technique”** Tropentag 2013, "Agricultural development within the rural-urban continuum" September 17 - 19, Stuttgart-Hohenheim, Germany. p.211
ISBN: 978-3-954044986
online source : <http://www.tropentag.de/2013/proceedings/proceedings.pdf>
online source : <http://www.tropentag.de/2013/proceedings/index.html>

- 3) Nattasak Krittigamas, Suchada Vearasilp, Dieter von Hörsten, Wolfgang Lücke, **“Improving of Thermal Uniformity of Mango During Radio Frequency Heat Treatment for Insect Control”**. 2012. Tropentag 2012, Resilience of Agricultural Systems Against Crises, 19-21 September 2012, Anthony Whitbread Göttingen, Andreas Bürkert (Kassel-Witzenhausen), Germany. p.426
ISBN: 978-3-9801686-7-0
online source : <http://www.tropentag.de/2012/proceedings/proceedings.pdf>
online source : <http://www.tropentag.de/2012/proceedings/index.html>