

BIBLIOGRAPHY

- Afolayan, A.J. and Aliero, A.A. 2006. Antimicrobial activity of *Solanum tomentosum*. African Journal of Biotechnology. 5(4): 369-372.
- Agizzio, A.P., Da Cunha, M., Carvalho A.O., Oliveira, M.A., Ribeiro, S.F.F. and Gomes, V.M. 2006. The antifungal properties of a 2S albumin-homologous protein from passion fruit seeds involve plasma membrane permeabilization and ultrastructural alterations in yeast cells. Plant Science. 171(4): 515-522.
- Akbar, S. 2011. *Andrographis paniculata*: A review of pharmacological activities and clinical effects. Alternative Medicine Review. 16(1): 66-77.
- Akiyama, H., Fujii, K., Yamasaki, O., Oono, T. and Iwatsuki, K. 2001. Antibacterial action of several tannins against *Staphylococcus aureus*. Journal of Antimicrobial Chemotherapy. 48(4): 487-491.
- Alderton, W.K., Cooper, C.E. and Knowles, R.G. 2001. Nitric oxide synthases: structure, function and inhibition. Biochemical Journal. 357: 593-615.
- Allen, C.H., Patel, B. and Endom, E.E. 2004. Primary bacterial infection of the skin and soft tissues changes in epidemiology and management. Clinical Pediatric Emergency Medicine. 5(4): 246-255.
- Anam, K., Suganda, A.G., Sukandar, E.Y. and Kardono, L.B.S. 2010. Antibacterial effect of component of *Terminalia muelleri* Benth. against *Staphylococcus aureus*. International Journal of Pharmacology. 6(4): 407-412.
- Anitha, S., Suresh, G.S., Ramaiah, M. and Vaidya, V.P. 2013. Bioactivity guided isolation of various extracts of *Coscinium fenestratum* for antioxidant activity. Journal of Pharmacognosy and Phytochemistry. 2(1): 35-38.

Archer, S. 1993. Measurement of nitric-oxide in biological models. Federation of American Societies for Experimental Biology Journal. 7(2): 349-360.

Arno, M.B. 2000. Some methodological problems in the determination of antioxidant activity using chromogen radicals: a practical case. Trends in Food Science and Technology. 11(11): 419-421.

Ayepola, O.O. and Adeniyi, B.A. 2008. The antibacterial activity of leaf extracts of *Eucalyptus camaldulensis* (Myrtaceae). Journal of Applied Sciences Research. 49(11): 1410-1413.

Bagchi, D., Bagchi, M., Stohs, S.J., Das, D.K., Ray, S.D., Kuszynski, C.A., Joshi, S.S. and Pruess, H.G. 2000. Free radicals and grape seed proanthocyanidin extract: Importance in human health and disease prevention. Toxicology. 148 (2-3): 187-197.

Baldi, A., Gupta, R. and Panwar, M.S. 2011. Evaluation of *in-vitro* antioxidant activity of *Eclipta alba*. International Journal of Pharmaceutical and Biological Archives. 2: 767-771.

Banerji, J., Chatterjee, A., Patra, A., Bose, P. and Das, R. 1994. Kamaline, an unusual aporphine alkaloid, from *Stephania venosa*. Phytochemistry. 36: 1053-1056.

Bao, B. and Larsen, K. 2010. Genus *Glycyrrhiza*, Family *Fabaceae* in Flora of China [Online]. http://www.efloras.org/florataxon.aspx?flora_id=2&taxon_id=113758 [2014, Mar. 11]

Bauer, R., Pröbstle, A., Lotter, H., Wagner-Reinke, W. and Matthiesen, U. 1996. Cyclooxygenase inhibitory constituents from *Houttuynia cordata*. Phytomedicine. 2(4): 305-308.

Becerril, R., Gómez-Lus, R., Goñi, P., López, P. and Nefín, C. 2007. Combination of analytical and microbiological techniques to study the antimicrobial activity of a new active food packaging containing cinnamon or oregano against *E. coli* and *S. aureus*. Analytical and Bioanalytical Chemistry. 388: 1003-1011.

Benton, B., Breukink, E., Visscher, I., Debabov, D., Lunde, C., Janc, J., Mammen, M. and Humphrey, P. 2007. Telavancin inhibits peptidoglycan biosynthesis through

preferential targeting of transglycosylation: Evidence for a multivalent interaction between telavancin and lipid II. International Journal of Antimicrobial Agents. 29: S51-S52.

Benzie, I.F.F. and Strain, J.J. 1996. The ferric reducing ability of plasma (FRAP) as a measure of “antioxidant power”: The FRAP assay. Analytical Biochemistry. 239(1): 70-76.

Bergendi, L., Benes, L., Durackova, Z. and Ferencik, M. 1999. Chemistry, physiology and pathology of free radicals. Life Science. 65(18-19): 1865-1874.

Berger-Bächi, B. and Rohrer, S. 2002. Factors inducing methicillin resistance in staphylococci. Archives Microbiology. 178(3): 165-171.

Bernardo, K., Pakulat, N., Fleer, S., Schnaith, A., Utermohlen, O., Krut, O., Muller, S. and Kronke, M. 2004. Subinhibitory concentrations of linezolid reduce *Staphylococcus aureus* virulence factor expression. Antimicrobial Agents and Chemotherapy. 48(2): 546-555.

Bhouri, W., Boubaker, J., Kilani, S., Ghedira, K. and Chekir-Ghedira, L. 2012. Flavonoids from *Rhamnus alaternus* L. (Rhamnaceae): Kaempferol 3-O- β -isorhamninoside and rhamnocitrin 3-O- β -isorhamninoside protect against DNA damage in human lymphoblastoid cell and enhance antioxidant activity. South African Journal of Botany. 80: 57-62.

Bockstaal, K. and Aerschot, A.V. 2009. Antimicrobial resistance in bacteria. Central European Journal of Medicine. 4(2): 141-155.

Borroto, J., Salazar, R., Pérez, A., Quiros, Y., Hernandez, M., Waksman, N. and Trujillo, R. 2010. Antimicrobial activity of the dichloromethane extract from *in vitro* cultured roots of *Morinda royoc* and its main constituents. Natural Product Communications. 5(5): 809-810.

Brand-Williams, W., Cuvelier, M.E. and Berset, C. 1995. Use of free radical method to evaluate antioxidant activity. Food Science and Technology. 28(1): 25-30.

- Brown, D.F., Edwards, D.I. and Hawkey, P.M. 2005. Guidelines for the laboratory diagnosis and susceptibility testing of methicillin resistant *Staphylococcus aureus* (MRSA). *Journal of Antimicrobial Chemotherapy.* 56: 1000-1018.
- Brown, D.F.J. and Reynolds, P.E. 1980. Intrinsic resistance to β -lactam antibiotics in *Staphylococcus aureus*. *FEBS letters.* 122(2): 275-278.
- Bryan, N.S. 2006. Nitrite in nitric oxide biology: Cause or consequence? A systems-based review. *Free Radical Biology and Medicine.* 41(5): 691–701.
- Bukke, S., Raghu, P.S., Sailaja, G. and Kedam, T.R. 2011. The study on morphological, phytochemical and pharmacological aspects of *Rhinacanthus nasutus*. (L) Kurz (A Review). *Journal of Applied Pharmaceutical Science.* 1(8): 26-32.
- Byeon, J.I., Song, H.S., Oh, T. W., Kim, Y.S., Choi, B.D., Kim, H.C., Kim, J.K., Shim, K.H. and Ha, Y.L. 2009. Growth inhibition of foodborne and pathogenic bacteria by conjugated linoleic acid. *Journal of Agricultural and Food Chemistry.* 57(8): 3164-3172.
- Cao, G., Sofic, E. and Prior, R.L. 1997. Antioxidant and prooxidant behavior of flavonoids: structure activity relationships. *Free Radical Biology and Medicine.* 22(5): 749-760.
- Carr, A.C., McCall, M.R. and Frei, B. 2000. Oxidation of LDL by myeloperoxidase and reactive nitrogen species: reactive pathways and antioxidant protection. *Arteriosclerosis Thrombosis and Vascular Biology.* 20(7): 1716-1723.
- Chanda, S., Vyas, B.R.M., Vaghasiya, Y. and Patel, H. 2010. Global resistance trends and the potential impact of methicillin resistant *Staphylococcus aureus* (MRSA) and its solutions. In: *Current Research, Technology and Education Topics in Applied Microbiology and Microbial Biotechnology*, Mendezovalas A (Ed.) Fermatex, Badazoj, Spain. 529-536.
- Chandler, S.F. and Dodds, J.H. 1983. The effect of phosphate, nitrogen and sucrose on the production of phenolics and solasidine in callus cultures of *Solanum lanciniatum*. *Plant Cell Reports.* 2(4): 205-208.

- Charles, B., Bruneton, J., Pharadai, K., Tantisewie B. and Guinaudeau, H. 1987. Some unusual proaporphine and aporphine alkaloids from *Stephania venosa*. Journal of Natural Products. 50(6): 1113-1117.
- Cheeseman, K.H. and Slater, T.F. 1993. An introduction to free radical biochemistry. British Medical Bulletin. 49(3): 481-493.
- Chen, D. and Pedley, L. 2010. Genus *Derris*, Family *Fabaceae* in Flora of China [Online]. http://www.efloras.org/florataxon.aspx?flora_id=2&taxon_id=109665 [2014, Mar. 11]
- Chen, S. and Jeffrey, C. 2011. Genus *Gynostemma*, Family *Cucurbitaceae* in Flora of China [Online]. http://www.efloras.org/florataxon.aspx?flora_id=2&taxon_id=114356 [2014, Mar. 11]
- Chen, Z., Ren, H. and Wen, J. 2007. Family *Vitaceae* in Flora of China [Online]. http://www.efloras.org/florataxon.aspx?flora_id=2&taxon_id=10946 [2014, Mar. 11]
- Cheung, A.L., Bayer, A.S., Zhang, G., Gresham, H. and Xiang, Y.Q. 2004. Regulation of virulence determinants *in vitro* and *in vivo* in *Staphylococcus aureus*. FEMS Immunology and Medical Microbiology. 40: 1-9.
- Chomnawang, M.T., Surassmo, S., Wongsariya, K. and Bunyapraphatsara, N. 2009. Antibacterial activity of Thai medicinal plants against methicillin resistant *Staphylococcus aureus*. Fitoterapia. 80(2): 102-104.
- Chongtrakool, P., Ito, T., Ma, X.X., Kondo, Y., Trakulsomboon, S. and Tiensasitorn, C. 2006. Staphylococcal cassette chromosome *mec* (SCC*mec*) typing of methicillin-resistant *Staphylococcus aureus* strains isolated in 11 Asian countries: a proposal for a new nomenclature for SCC *mec* elements. Antimicrobial Agents and Chemotherapy. 50(3): 1001-1012.
- Chou, S.C., Su, C.R., Ku, Y.C. and Wu, T.S. 2009. The constituents and their bioactivities of *Houttuynia cordata*. Chemical and Pharmaceutical Bullatin (Tokyo). 57(11): 1227-1230.

- Chunthorng-Orn, J., Panthong, S. and Itharat, A. 2012. Antimicrobial, antioxidant activities and total phenolic content of Thai medicinal plants used to treat HIV patients. Journal of the Medical Association of Thailand. 95: S154-S158.
- Clark, S.F. 2002. The biochemistry of antioxidants revisited. Nutrition in Clinical Practice. 17(1): 5-17.
- Clarke, S.R. and Foster, S.J. 2006. Surface adhesins of *Staphylococcus aureus*. Advances in Microbial Physiology. 51: 187-224.
- CLSI: Clinical and Laboratory Standards Institute. 2012. Performance Standards for antimicrobial susceptibility testing; Document M100-S22. Wayne, PA: Clinical and Laboratory Standards Institute.
- CLSI: Clinical and Laboratory Standards Institute. 2013. Performance Standards for antimicrobial susceptibility testing; Document M100-S23. Wayne, PA: Clinical and Laboratory Standards Institute.
- Collins, C.H., Lyne, P.M. and Grange, J.M. 1995. *Collins and Lyne's Microbiological methods*, 7th edition. Butterworth-Heinemann Ltd., UK. 178-205.
- Collins, J., Rudkin, J., Recker, M., Pozzi, C., ÓGara, J.P. and Massey, R.C. 2010. Offsetting virulence and antibiotic resistance costs by MRSA. International Society for Microbial Ecology. 4(4): 577-584.
- Cour, B.I., Mølgaard, P. and Yi, Z. 1995. Traditional Chinese medicine in treatment of hyperlipidaemia. Journal of Ethnopharmacology. 46(2): 125-129.
- Cowan, M.M. 1999. Plant products as antimicrobial agents. Clinical Microbiology Reviews. 12(4): 564-582.
- Cunningham, M.W. 2000. Pathogenesis of group A Streptococcal. Clinical Microbiology Reviews. 13(3): 470-511.
- Dalal, S., Kataria, S.K., Sastry, K.V. and Rana, S.V.S. 2010. Phytochemical screening of methanolic extract and antibacterial activity of active principles of hepatoprotective herb *Eclipta alba*. Ethnobotanical Leaflets. 14(3): 248-258.

- Das, K., Tiwari, R.K.S. and Shrivastava, D.K. 2010. Techniques for evaluation of medicinal plant products as antimicrobial agent: Current methods and future trends. Journal of Medicinal Plants Research. 4: 104-111.
- Dean, R.T., Fu, S., Stocker, R. and Davies, M.J. 1997. Biochemistry and pathology of radical mediated protein oxidation. Biochemical Journal. 324: 1-18.
- Deepika, P.S. and Sujatha, V. 2013. Determination of four *Cassia* species for their antioxidant and antimicrobial properties. Chemistry. 3(3): 32-35.
- Delaquis, P.J., Stanich, K., Girard, B. and Mazza, G. 2002. Antimicrobial activity of individual and mixed fractions of dill, cilantro, coriander and eucalyptus essential oils. International Journal of Food Microbiology. 74: 101-109.
- Deng, Y., Hu, J., Daniel, T.F., Wood, J. and Wood, J.R.I. 2011. Family *Acanthaceae* in Flora of China [Online]. http://www.efloras.org/florataxon.aspx?flora_id=2&taxon_id=10002 [2014, Mar. 11]
- Devasagayam, T.P.A., Tilak, J.C. and Boloor, K.K. 2004. Free radicals and antioxidants in human health: current status and future prospects. Journal of the Association Physicians of India. 52: 794-804.
- Davies, T.A., Pagemg, P., Shang, W., Andrew, T., Kania, M. and Bush, K. 2007. Binding of ceftobiprole and comparators to the penicillin-binding proteins of *Escherichia coli*, *Pseudomonas aeruginosa*, *Staphylococcus aureus*, and *Streptococcus pneumoniae*. Antimicrobial Agents and Chemotherapy. 51(7): 2621-2624.
- Driscoll, J.A., Brody, S.L. and Kollef, M.H. 2007. The epidemiology, pathogenesis and treatment of *Pseudomonas aeruginosa* infections. Drugs. 67(3): 351-368.
- Dröge, W. 2002. Free radicals in the physiological control of cell function. Physiological Reviews. 82(1): 47-95.
- Eliopoulos, G.M. 2004. Quinolone resistance mechanisms in pneumococci. Clinical Infectious Diseases. 38: S350-S356.

Eloff, J.N. 1998. Which extractant should be used for the screening and isolation of antimicrobial components from plants? *Journal of Ethnopharmacology*. 60(1): 1-8.

Emerit, J., Edeas, M. and Bricaire, F. 2004. Neurodegenerative diseases and oxidative stress. *Biomedicine and Pharmacotherapy*. 58(1): 39-46.

Ender, M., McCallum, N. and Berger-Baechi, B. 2007. Impact of *mecA* promoter mutations on *mecA* expression and β-lactam resistance levels. *International Journal of Medical Microbiology*. 298: 607-617.

Enechi, O.C. and Odonwodo, I. 2003. An assessment of the phytochemical and nutrient composition of the pulverized root of *Cissus quadrangularis*. *BioResearch*. 1(1): 63-68.

Eswani, N., Kudus, K.A., Nazre, M. and Noor, A.G.A. 2010. Medicinal plant diversity and vegetation analysis of logged over hill forest of tekal tembeling forest reserve, Jerantut, Pahang. *Journal of Agricultural Science*. 2(3): 189-210.

Felten, A., Grandry, B., Lagrange, P.H. and Casin, I. 2002. Evaluation of three techniques for detection of low-level methicillin-resistant *Staphylococcus aureus* (MRSA): a disk diffusion method with cefoxitin and moxalactam, the Vitek 2 system, and the MRSA-screen latex agglutination test. *Journal of Clinical Microbiology*. 40(8): 2766-2771.

Ferry, T., Perpoint, T., Vendenesch, F. and Etienne, J. 2005. Virulence determinants in *Staphylococcus aureus* and their involvement in clinical syndromes. *Current Infectious Disease Reports*. 7(6): 420-428.

Fidrianny, I., Rahmiyani, I. and Wirasutisna, K.R. 2013. Antioxidant capacities from various leaves extracts of four varieties mangoes using DPPH, ABTS assay and correlation with total phenolic, flavonoid, carotenoids. *International Journal of Pharmacy and Pharmaceutical Sciences*. 5(4): 189-194.

Fisher, K. and Phillips, C. 2008. Potential antimicrobial uses of essential oils in food: is citrus the answer? *Trends in Food Science and Technology*. 19(3): 156-164.

- Fluit, A.C., Visser, M.R. and Schmitz, F.J. 2001. Molecular detection of antimicrobial resistance. *Clinical Microbiology Reviews*. 14(4): 836-871.
- Foo, L.Y. 1993. Amariin, a di-dehydro hexahydroxy diphenoyl hydrolysable tannin from *Phyllanthus amarus*. *Phytochemistry*. 33: 487-491.
- Forstermann, U., Boissel, J.P. and Kleinert, H. 1998. Expressional control of the 'constitutive' isoforms of nitric oxide synthase (NOS I and NOS III). *Federation of American Societies for Experimental Biology*. 12(10): 773-790.
- Foster, T.J. and Hook, M. 1998. Surface protein adhesions of *Staphylococcus aureus*. *Trends in Microbiology*. 6(12): 484-488.
- Franco, R., Schoneveld, O., Georgakilas, A.G. and Panayiotidis, M.I. 2008. Oxidative stress, DNA methylation and carcinogenesis. *Cancer Letters*. 266(1): 6-11.
- Fraser, J.D. and Proft, T. 2008. The bacterial superantigen and superantigen-like proteins. *Immunological Reviews*. 225: 226-243.
- Fu, Y., Chen, J., Li, Y.J., Zheng, Y.F. and Li, P. 2013. Antioxidant and anti-inflammatory activities of six flavonoids separated from licorice. *Food Chemistry*. 141(2): 1063-1071.
- Gil, M.I., Tomas-Barberan, F.A., Hess-Pierce, B. and Kader, A.A. 2002. Antioxidant capacities, phenolic compounds, carotenoids, and vitamin C contents of nectarine, peach, and plum cultivars from California. *Journal of Agricultural and Food Chemistry*. 50(17): 4976-4982.
- Gomes, A., Saha, A., Chatterjee, I. and Chakravarty, A.K. 2007. Viper and cobra venom neutralization by β -sitosterol and stigmasterol isolated from the root extract of *Pluchea indica* Less. (Asteraceae). *Phytomedicine*. 14(9): 637-643.
- Gomes, A.R., Westh, H. and de Lancastre, H. 2006. Origins and evolution of methicillin resistant *Staphylococcus aureus* clonal lineages. *Antimicrobial Agents and Chemotherapy*. 50: 3237-3244.

- Guay, D.R.P. 2003. Treatment of bacterial skin and skin structure infections. Expert Opinion on Pharmacotherapy. 4(8):1259-1275.
- Guha, G., Rajkumar, V., Kumar, A.R. and Mathew, L. 2010. Aqueous extract of *Phyllanthus amarus* inhibits chromium (VI)-induced toxicity in MDA-MB-435S cells. Food Chemistry and Toxicology. 48(10): 396-401.
- Gupta, V.K. and Sharma, S.K. 2006. Plants as natural antioxidants. Natural Product Radiance. 5(4): 326-334.
- Gurusamy, K. and Saranya, P. 2010. *In vitro* Antioxidant potential of ethanolic contents of *Eclipta alba* and *Wedelia chinensis*. Journal of Pharmacy Research. 3: 2825-2827.
- Gutteridge, J.M.C. and Mitchell, J. 1999. Redox imbalance in the critically ill. British Medical Bulletin. 55(1): 49-75.
- Halliwell, B. 1996. Antioxidants in human health and disease. Annual Review of Nutrition. 16: 33-50.
- Halliwell, B., Gutteridge, J. M. and Cross, C. E. 1992. Free radicals, antioxidants, and human disease: where are we now? Journal of Laboratory and Clinical Medicine. 119(6): 598-620.
- Hammer, K.A., Carson, C.F. and Riley, T.V. 1999. Antimicrobial activity of essential oils and other plant extracts. Journal of Applied Microbiology. 86(6): 985-990.
- Haque, A., Hassan, M., Das, A., Begum, B., Ali, Y. and Morshed, H. 2012. Phytochemical investigation of *Vernonia cinerea* (Family: Asteraceae). Journal of Applied Pharmaceutical Science. 2(6): 79-83.
- Haslinger, B., Strangfeld, K., Peters, G., Schulze-Osthoff, K. and Sinha B. 2003. *Staphylococcus aureus* alpha-toxin induces apoptosis in peripheral blood mononuclear cells: role of endogenous tumor necrosis factor-alpha and the mitochondrial death pathway. Cell Microbiology. 5(10): 729-741.

- Hegde, S.S. and Shrader, T.E. 2001. Fem ABX family members are novel nonribosomal peptidyltransferases and important pathogen specific drugs targets. *Journal of Biological Chemistry.* 276(10): 6998-7002.
- Heijenoort, J. 2001. Formation of the glycan chains in the synthesis of bacterium peptidoglycan. *Glycobiology.* 11(3): 25R-36R.
- Herbert, S., Barry, P. and Novick, R.P. 2001. Subinhibitory clindamycin differentially inhibits transcription of exoprotein genes in *Staphylococcus aureus*. *Infection and Immunity.* 69(5): 2996-3003.
- Hills, T. 2010. Antibacterial chemotherapy. In Lymn, J., Bowskill, D., Bath-Hextall, F. and Knaggs, R. (Eds). *The new prescriber: an integrated approach to medical and non-medical prescribing.* John Wiley & Sons, Chichester, UK. 444-460.
- Ho, C.H., Noryati, I., Fariza, Sulaiman, S., Rosma. A. 2010. *In vitro* antibacterial and antioxidant activities of *Orthosiphon stamineus* benth. *Food Chemistry.* 122(4): 1168-1172.
- Hoa, N.K., Phan, D.V., Thuan, N.D., Ostenson, C.G. 2009. Screening of the hypoglycemic effect of eight Vietnamese herbal drugs. *Methods and Findings in Experimental and Clinical Pharmacology.* 31(3): 165-169.
- Houghton, P.J., Woldemariam, T.Z., O`Shea, S. and Thyagarajan, S.P. 1996. Two securinega type alkaloids from *Phyllanthus amarus*. *Phytochemistry.* 43: 715-717.
- Houghton, P.J. and Raman, A. 1998. *Laboratory handbook for the fractionation of natural extracts.* Chapman & Hall. London. U.K.
- Hu, J. and Daniel, T.F. 2011. Genus *Rhinacanthus*, Family *Acanthaceae* in Flora of China [Online]. http://www.efloras.org/florataxon.aspx?flora_id=2&taxon_id=128303 [2014, Mar. 11]
- Hu, J. and Daniel, T.F. 2011. Genus *Thunbergia*, Family *Acanthaceae* in Flora of China [Online]. http://www.efloras.org/florataxon.aspx?flora_id=2&taxon_id=132906 [2014, Mar. 11]

Hu, Q., Luo, X., Chen, T. and Gilbert, M.G. 2008. Family *Menispermaceae* in Flora of China [Online]. http://www.efloras.org/florataxon.aspx?flora_id=2&taxon_id=10561 [2014, Mar. 11]

Huang, D., Ou, B. and Prior, R. 2005. The chemistry behind antioxidant capacity assays. Journal of Agricultural and Food chemistry. 53(6): 1841-1856.

Ince, D., Zhang, X., Silver, L.C. and Hooper, D.C. 2002. Dual targeting of DNA gyrase and topoisomerase IV: Target interactions of garenoxacin (BMS-284756, T-3811ME), a new desfluoroquinolone. Antimicrobial Agents and Chemotherapy. 46(11): 3370-3380.

Inoue, M., Sato, E.F., Nishikawa, M., Park ,A.M., Kira, Y., Imada, I. and Utsumi, K. 2003. Mitochondrial generation of reactive oxygen species and its role in aerobic life. Current Medical Chemistry. 10(23): 2495-2505.

Jadhav, V.M., Thorat, R.M., Kadam, V.J. and Salaskar, K.P. 2009. Chemical composition, pharmacological activities of *Eclipta alba*. Journal of Pharmacy Research. 2(8): 1129-1231.

Jainu, M. and Devi, C.S. 2003. Potent antiulcerogenic activity of *Cissus quadrangularis* on aspirin induced gastric ulcer by its antioxidative mechanism. Journal of Clinical Biochemical Nutrition. 34: 43-47.

Javanraedi, J., Stushnoff, C., Locke, E., and Vivanco, J.M. 2003. Antioxidant activity and total phenolic content of Iranian *Ocimum* accessions. Food Chemistry. 83(4): 547-550.

Jeenapongsa, R., Yoovathaworn, K., Sriwatanakul, M., Pongprayoon, U. and Sriwatanakul, K. 2003. Anti-inflammatory activity of (E) – 1 - (3,4 - dimethoxyphenyl) butadiene from *Zingiber cassumunar* Roxb. Journal of Ethnopharmacology. 87: 143-148.

Ji, Z. and Duyfjes, B.E.E. 2000. Family *Stemonaceae* in Flora of China [Online]. http://www.efloras.org/florataxon.aspx?flora_id=2&taxon_id=10849 [2014, Mar. 11]

Jitoe, A., Masuda, T. and Mabry, T.J. 1994. Novel Antioxidants, Cassumunarin A, B, and C, from *Zingiber cassumunar*. Tetrahedron Letters. 35(7): 981-984.

- Johnson, S., Dominique, K. and Labischinski, H. 1995. *FemA* of *Staphylococcus aureus*: Isolation and Immunodetection. FEMS Microbiology Letters. 132(3): 221-228.
- Jonas, D., Grundmann, H., Hartung, D., Daschner, F. D. and Towner, J. K. 1999. Evaluation of the *mecA*, *femB* duplex polymerase chain reaction for detection of methicillin-resistant *Staphylococcus aureus*. European Journal of Clinical Microbiology and Infectious. 18(9): 643-647.
- Joseph, B. and Raj, S.J. 2011. An over view: Pharmacognostic properties of *Phyllanthus amarus* Linn. International Journal of Pharmacology. 7: 40-45.
- Junqueira, V.B.C., Barros, S.B.M., Chan, S.S., Rodrigues, L., Giavarotti, L., Abud, R.L. and Deucher, G.P. 2004. Aging and oxidative stress. Molecular Aspects of Medicine. 25: 5-6.
- Kaewkod, T. 2011. Study of drug resistant gene in methicillin-resistant *Staphylococcus aureus*. B.S. Project, Chiang Mai University.
- Kaka, A.S., Rueda, A.M., Shelburne, S.A., Hulten, K., Hamill, R.J. and Musher, D.M. 2006. Bactericidal activity of orally available agent against methicillin-resistant *Staphylococcus aureus*. Journal of Antimicrobial and Chemotherapy. 58(3): 680-683.
- Kalpana .R, Bulusu, S. and Kumar, A. 2013. Phytochemical and anticytotoxic activity of *Coscinium fenestratum*. Helix. 3: 353-356.
- Kanchanapoom, T., Kasai, R. and Yamasaki, K. 2002. Iridoid glucosides from *Thunbergia laurifolia*. Phytochemistry. 60: 769-771.
- Kaufman, G. 2011. Antibiotics: mode of action and mechanisms of resistance. Nursing Standard. 25(42): 49-55.
- Khan, M.F., Neral, A., Yadav, V.C., Khan, F.A. and Ahmed, S. 2012. Emergence of linezolid resistant *Staphylococcus aureus* in Bastar tribal region, India. Journal of Microbiology and Infectious Diseases. 2(3): 127-128.

Klitgaard, J.K., Skov, M.N., Kallipolitis, B.H. and Kolmos, H.J. 2008. Reversal of methicillin resistance in *Staphylococcus aureus* by thioridazine. Journal of Antimicrobial Chemotherapy. 62: 1215-1221.

Kobayashi, N., Taniguchi, K. and Urasawa, S. 1998. Analysis of diversity of mutations in the *mecI* gene and *mecA* promoter/operator region of methicillin-Resistant *Staphylococcus aureus* and *Staphylococcus epidermidis*. Antimicrobial Agents and Chemotherapy. 42(3): 717-720.

Kongkathip, N., Dhumma-upakorn, P., Kongkathip, B., Chawanoraset, K., Sangchomkaeo, P. and Hatthakitpanichakul, S. 2002. Study on cardiac contractility of cycloeucalenol and cycloeucalenone isolated from *Tinospora crispa*. Journal of Ethnopharmacology. 83 : 95-99.

Koteswara, R.Y, Vimalamma, G., Rao, C.V. and Tzeng, Y.M. 2004. Flavonoids and andrographolides from *Andrographis paniculata*. Phytochemistry. 65(16): 2317-2321.

Krieg, N.R. and Holt, J.G. 1984. *Bergey's manual of Systematic Bacteriology*, volume 2. Williams and Wilkins. U.S.A.

Kuhn, M.A. 2003. Oxygen free radicals and antioxidants. American Journal of Nursing. 103: 58-62.

Kumar, D. S., Sharathnath, K. V., Yogeswaran, P., Harani, A., Sudhakar, K., Sudha, P. and Banji, D. 2010. A Medicinal potency of *Momordica Charantia*. International Journal of Pharmaceutical Sciences Review and Research. 1(2): 95-100.

Kumar, G.S., Jayaveera, K.N., Kumar, C.K.A., Sanjay, U.P., Swamy, B.M.V. and Kumar, D.V.K. 2007. Antimicrobial effects of Indian medicinal plants against acne inducing bacteria. Journal of Pharmaceutical Research. 6(2): 717-723.

Kuroda, M., Nagasaki, S. and Ohta, T. 2006. Sesquiterpene farnesol inhibits recycling of the C55lipid carrier of the murein monomer precursor contributing to increased susceptibility to β -lactams in methicillin-resistant *Staphylococcus aureus*. Journal of Antimicrobial Chemotherapy. 59: 435-432.

- Labischinski, H. 1992. Consequences of the interaction of β-lactam antibiotics with penicillin binding proteins from sensitive and resistant *Staphylococcus aureus* strains. *Medical Microbiology and Immunology*. 181:241–265.
- Lagace-Wiens, P.R.S., Manickam, M.J.A.K. and Karlowsky, J.A. 2007. Thermostable DNase is superior to tube coagulase for direct detection of *Staphylococcus aureus* in positive blood cultures. *Journal of Clinical Microbiology*. 45(10): 3478-3479.
- Lambert, P.A. 2005. Bacterial resistance to antibiotics: modified target sites. *Advanced Drug Delivery Reviews*. 57(10): 1471-1485.
- Lambert, R.J.W., Skandamis, P.N., Coote, P. and Nychas, G.J.E. 2001. A study of the minimum inhibitory concentration and mode of action of oregano essential oil, thymol and carvacrol. *Journal of Applied Microbiology*. 91(3): 453-462.
- Lapornik, B., Prosek, M. and Wondra, A.G. 2005. Comparison of extracts prepared from plant by-products using different solvents and extraction time. *Journal of Food Engineering*. 71(2): 214-222.
- Leach, K.L., Swane, S.M., Colca, J.R., McDonald, W.G., Blinn, J.R., Thomasco, L.M., Gadwood, R.C., Shinabarger, D., Xiong, L. and Mankin, A.S. 2007. The site of action of oxazolidinone antibiotics in living bacteria and in human mitochondria. *Molecular Cell*. 26(3): 393-402.
- Lee, J., Ji, Y., Lee, S. and Lee, I. 2007. Effect of *Salvia miltiorrhiza* Bunge on antimicrobial activity and resistant gene regulation against methicillin resistant *Staphylococcus aureus* (MRSA). *The Journal of Microbiology*. 45(4): 350-357.
- Lee, J.W., Ji, Y.J., Yu, M.H., Bo, M.H., Seo, H.J., Lee, S.P. and Lee, I.S. 2009. Antimicrobial effect and resistant regulation of *Glycyrrhiza uralensis* methicillin-resistant *Staphylococcus aureus*. *Natural Product Research*. 23(2): 101-111.
- Lee, K.Y, Ha, N.R., Kim, T.B., Kim, Y.C. and Sung, S.H. 2010. Characterization of Triterpenoids, Flavonoids and Phenolic Acids in *Eclipta prostrata* by High-performance Liquid Chromatography/diode-array Detector/electrospray Ionization with Multi-stage Tandem Mass Spectroscopy. *Natural Product Sciences*. 16: 164-168.

Leng, B., Qiu, J., Dai, X., Dong, J., Wang, J., Luo., M., Li., H., Niu, X., Zhang, Ai., Y. and Deng., X. 2011. Allicin Reduces the Production of α -Toxin by *Staphylococcus aureus*. *Molecules*. 16(9): 7958-7968.

Leong, L.P. and Shui, G. 2001. An investigation of antioxidant capacity of fruits in Singapore markets. *Food Chemistry*. 76(1): 69-75.

Leski, T.A. and Tomasz, A. 2005. Role of penicillin-binding protein 2 (PBP2) in the antibiotic susceptibility and cell wall cross-linking of *Staphylococcus aureus*: Evidence for the cooperative functioning of PBP2, PBP4, and PBP2A. *Journal of Bacteriology*. 187(5): 1815-1824.

Lester, P., Midori, H., and Toshikazu, Y. 1999. *Antioxidant food supplements in human health*. Academic Press, USA.

Li, B. and Gilbert, M.G. 2008. Genus *Phyllanthus*, Family *Euphorbiaceae* in Flora of China [Online]. http://www.efloras.org/florataxon.aspx?flora_id=2&taxon_id=125179 [2014, Mar. 11]

Li, S., Li, S.K., Gan, R.Y., Song, F.L., Kuang, Lei., Li, H.B. 2013. Antioxidant capacities and total phenolic contents of infusions from 223 medicinal plants. *Industrial Crops and Products*. 51: 289- 298.

Li, S.L., Jiang, R.W., Hon, P.M., Cheng, L., Xu, H.X., Greger, H., But, P.P. and Shaw, P.C. 2007. Quality evaluation of *Radix Stemona* through simultaneous quantification of bioactive alkaloids by high-performance liquid chromatography coupled with diode array and evaporation light scattering detectors. *Biomedical Chromatography*. 21: 1088-1094.

Livak, K.J. and Schmittgen, T.D. 2001. Analysis of relative gene expression data using realtime quantitative PCR and the $2^{-\Delta\Delta CT}$. *Methods*. 25: 402-408.

Lloyd, R.V., Hanna, P.M. and Mason, R.P. 1997. The origin of the hydroxyl radical oxygen in the Fenton reaction. *Free Radical Biology and Medicine*. 22(5): 885-888.

- Loffler, C.A. and Macdougall, C. 2007. Update on prevalence and treatment of methicillin resistant *Staphylococcus aureus* infections. Expert Review of Anti-infective Therapy. 5(6): 961-981.
- Lowy, F.D. 1998. *Staphylococcus aureus* infections. The New England Journal of Medicine. 339: 520-532.
- Lowy, F.D. 2003. Antimicrobial resistance: the example of *Staphylococcus aureus*. Research in Medicine. 111: 1265-1273.
- Lu, A. and Jeffrey. 2011. Genus Mormodica, Family *Cucurbitaceae* in Flora of China [Online]. http://www.efloras.org/florataxon.aspx?flora_id=2&taxon_id=120957 [2014, Mar. 11]
- Lunec, J., Holloway, K.A., Cooke, M.S., Faux, S., Griffiths, H.R. and Evans, M.D. 2002. Urinary 8-OXO-2-deoxyguanosine: Redox regulation of DNA repair *in vivo*? Free Radical Biology and Medicine. 33(7): 875-885.
- Madigan, M.T., Martinko, J.M., Dunlap, P.V. and Clark, D.P. 2009. *Brock Biology of Microorganisms* 12nd ed. Pearson Education Inc. New York, USA.
- Maity, S., Chatterjee, S., Variyar, P.S., Sharma, A., Adhikari, S. and Mazumder, S. 2013. Evaluation of Antioxidant Activity and Characterization of Phenolic Constituents of *Phyllanthus amarus* Root. Journal of Agricultural and Food Chemistry. 61(14): 3443-3450.
- Majhenic, L., Kerget, M.S. and Knez, Z. 2007. Antioxidant and antimicrobial activity of guarana seed extracts. Food Chemistry. 104(3): 1258-1268.
- Makarasen, A., Sirithana, W., Mogkhuntod, S., Khunnawutmanotham, N., Chimnoi, N. and Techasakul, S. 2011. Cytotoxic and antimicrobial activities of aporphine alkaloids isolated from *Stephania venosa* (Blume) Spreng. Planta Medica. 77(13): 1519-1524.
- Maobe, M.A.G., Gitu, L., Gatebe, E., Rotich, H., Karanja, P.N., Votha, D.M., Wambugu, J. and Muingai, C. 2013. Antimicrobial activities of eight selected medicinal herbs used for the treatment of diabetes, malaria and pneumonia in Kisii region, Southwest Kenya. Global Journal of Pharmacology. 7(1): 25-33.

Maestri, D.M., Nepote, V., Lamarque, A. L. and Zygadlo, J.A. 2006. Natural products as antioxidants. *Phytochemistry: Advances in Research.* 37/661(2): 105-135.

Mark, G. and Chevion, M. 1985. Site-specific modification of albumin by free radicals; Reaction with copper (II) and ascorbate. *Biochemical Journal.* 236(2): 397- 400.

Mayo, J.C., Tan, D.X., Sainz, R.M., Natarajan, M., Lopez-Burillo, S. and Reiter, R.J. 2003. Protection against oxidative protein damage induced by metal catalyzed reaction or alkylperoxyl radicals comparative effects of melatonin and other antioxidants. *Biochimica et Biophysica Acta.* 1620: 139-150.

McClure, J.A., Conly, J.M., Lau, V., Elsayed, S., Louie, T. and Hutchins, W. 2006. Novel multiplex PCR assay for detection of the Staphylococcal virulence marker Panton-Valentine leukocidin genes and simultaneous discrimination of methicillin-susceptible from resistant staphylococci. *Journal of Clinical Microbiology.* 44(3): 1141-1144.

McDermott, J.H. 2000. Antioxidant nutrients: current dietary recommendations and research update. *Journal of American Pharmacists Association.* 40(6): 785-799.

Miller, N.J. and Rice-Evans, C.A. 1996. Spectrophotometric determination of antioxidant activity. *Redox Report.* 2: 161-171.

Mishra, G., Srivastava, S. and Nagori, B.P. 2010. Pharmacological and therapeutic activity of *Cissus quadrangularis*: An Overview. *International Journal of PharmTech Research.* 2(2): 1298-1310.

Mishra, R.N. and Joshi, D. 2011. Jiao Gu Lan (*Gynostemma pentaphyllum*): The Chinese rasayan current research scenario. *International Journal of Research in Pharmaceutical and Biomedical Sciences.* 2 : 1483-1502.

Montririttigri, K., Moongkarndi, P., Joongsomboonkusol, S., Chitkul, B. and Pattanapanyasat, K. 2008. Apoptotic activity of aporphine from *Stephania venosa* on human ovarian cancer cells. *Mahidol University Journal of Pharmaceutical Sciences.* 35: 52-56.

- Moongkarndi, P., Kosem, N., Luanratana, O., Jongsomboonkusol, S. and Pongpan, N. 2004. Antiproliferative activity of Thai medicinal plant extracts on human breast adenocarcinoma cell line. *Fitoterapia*. 75: 375-7.
- Mueller, M., de la Pena, A. and Derendorf, H. 2004. Issues in pharmacokinetics and pharmacodynamics of anti-infective agents: kill curves versus MIC. *Antimicrobial Agents and Chemotherapy*. 48(2): 369-77.
- Murakami, K., Minamide, W., Wada, K., Nakamura, E., Teraoka, H. and Watanabe, S. 1991. Identification of methicillin resistant strains of *Staphylococci* by polymerase chain reaction. *Journal of Clinical Microbiology*. 29(10): 2240-2244.
- Nair, G.M., Narasimhan, S., Shiburaj, S. and Abrahama, T.K. 2005. Antibacterial effects of *Coscinium fenestratum*. *Fitoterapia*. 76(6): 585-587.
- Ncube, N.S., Afolayan, A.J. and Okoh, A.I. 2008. Assessment techniques of antimicrobial properties of natural compounds of plant origin: current methods and future trends. *African Journal of Biotechnology*. 7(12): 1797-1806.
- Ndhlala, A.R., Moyo, M. and Staden, J.V. 2010. Natural antioxidants: Fascinating or mythical biomolecules?. *Molecules*. 15: 6905-6930.
- Nikaido, H. 1994. Prevention of drug access to bacterial targets: Permeability barriers and active efflux. *Science*. 264(5157): 382-388.
- Nostro, A., Germanó, M.V., Angelo, V.D., Marino, A. and Cannatelli, M.A. 2000. Extraction methods and bioautography for evaluation of medicinal plant antimicrobial activity. *Letters in Applied Microbiology*. 30(5): 379-384.
- Ohlsen, K., Ziebuhr, W., Koller, K., Hell, W., Wichelhaus, T.A. and Hacker, J. 1998. Effects of subinhibitory concentrations of antibiotics on alpha-toxin (hla) gene expression of methicillin sensitive and methicillin resistant *Staphylococcus aureus* isolates. *American Society for Microbiology*. 42(11): 2817-2823.
- Oosterhaven, K., Poolman, B. and Smid, E.J. 1995. S-carvone as a natural potato sprout inhibiting, fungistatic and bacteristatic compound. *Industrial Crops and Products*. 4: 23-31.

Othman, A., Ismail, A., Ghani, N.A. and Adenan, I. 2007. Antioxidant capacity and phenolic content of cocoa beans. *Food Chemistry.* 100(4): 1523-1530.

Otto, M.P., Martin, E., Badiou ,C., Lebrun, S., Bes, M., Vandenesch, F., Etienne, J., Lina, G. and Dumitrescu, O. 2013. Effects of subinhibitory concentrations of antibiotics on virulence factor expression by community acquired methicillin resistant *Staphylococcus aureus*. *Journal of Antimicrobial and Chemotherapy.* 68(7): 1524-1532.

Oumeish, I., Oumeish, O.Y. and Bataineh, O. 2001. Acute Bacterial Skin Infections in children. *Clinics in Dermatology.* 18: 667-678.

Ozaki, Y., N. Kawahara and M. Harada. 1991. Anti-inflammatory effect of *Zingiber cassumunar* Roxb. and its active principles. *Chemical and Pharmaceutical Bulletin.* 39(9): 2353-2356.

Panichayupakaranant, P. and Kaewsuwan, S. 2003. Bioassay-guided isolation of the antioxidant constituent from *Cassia alata* L. leaves. *Songkla University Journal of Science and Technology.* 26: 103-107.

Pantosti, A., Sanchini, A. and Monaco, M. 2007. Mechanisms of antibiotic resistance in *Staphylococcus aureus*. *Future Microbiology.* 2(3): 323-334.

Parekh, J., Jadeja, D. and Chanda, S. 2005. Efficacy of aqueous and methanol extracts of some medicinal plants for potential antibacterial activity. *Turkish Journal of Biology.* 29: 203-210.

Patel, J. R., Tripathi, P., Sharma, V., Chauhan, N. S. and Dixit, V. K. 2011. *Phyllanthus amarus*: Ethnomedicinal uses, phytochemistry and pharmacology: A review. *Journal of Ethnopharmacology.* 138: 286-313.

Pérez-Jiménez, J., Aranz, S., Tabernero, M., Díaz-Rubio, M.E., Serrano, J., Goñi, I. and Saura-Calixto, F. 2008. Updated methodology to determine antioxidant capacity in plant foods, oils and beverages: extraction, measurement and expression of results. *Food Research International.* 41(3): 274-285.

Perry, A. and Lambert, P. 2011. *Propionibacterium acnes*: Infection beyond the skin. Expert Review of Anti-infective Therapy. 9 (12): 1149–1156.

Petkovšek, Z., Eleršič, K., Gubina, M., Žgur-Bertok, D. and Erjavec, M.S. 2009. Virulence potential of *Escherichia coli* isolates from skin and soft tissue infections. Journal of Clinical Microbiology. 47(6): 1811-1817.

Pharadai, K., T. Pharadai, B. Tantisewie, H. Guinaudeau and Freyer, A.J.. 1985. (-)-O-Acetylsukhodianine and oxostephanosine: Two new aporphinoids from *Stephania venosa*. Journal of Natural Products. 48: 658-659.

Plata, K., Rosato, A.E. and Wegrzyn, G. 2009. *Staphylococcus aureus* as an infectious agent: overview of biochemistry and molecular genetics of its pathogenicity. Acta Biochimica Polonica. 56: 597-612.

Pokorny, J., Yanishlieva, N., and Gordon, M. 2001. *Antioxidant in food*. Woodhead publishing Ltd, UK.

Poole, K. 2004. Resistance to β -lactam antibiotics. Cellular and Molecular Life Sciences. 61: 2200-2223.

Pradhan, A.K., Shukla, A.K. and Reddy, M.V.R. 2004. Assessment of oxidative stress and antioxidant status in age related cataract in a rural population. Indian Journal of Clinical Biochemistry. 19(1): 83-87.

Prior, R.L., Xianli, W. and Karen, S. 2005. Standardized methods for determination of antioxidant capacity and phenolics in foods and dietary supplements. Journal of Agricultural and Food Chemistry. 53(10): 4290-4302.

Qiu, J., Wang, J., Luo, H., Du, X., Li, H., Luo, M., Dong, J., Chen, Z. and Deng, X. 2010. The effects of subinhibitory concentrations of costus oil on virulence factor production in *Staphylococcus aureus*. Journal of Applied Microbiology. 110(1): 333-340.

Qiu, J., Feng, H., Xiang, H., Wang, D., Xia, L., Jiang, Y., Song, K., Lu, J., Yu, L. and Deng, X. 2010. Influence of subinhibitory concentrations of licochalcone A on the

secretion of enterotoxins A and B by *Staphylococcus aureus*. FEMS Microbiology Letters. 307: 135-141.

Qiu, J., Zhang, X., Luo, M., Li, H., Dong, J., Wang, J., Leng, B., Wang, X., Feng, H., Ren, W. and Deng, X. 2011. Subinhibitory concentrations of perilla oil affect the expression of secreted virulence factor genes in *Staphylococcus aureus*. PLoS One. 6: e16160 (1-8).

Quinn, A.G. 2004. Biology of the skin and dermatological disease. Medicine. 32(12): 1-3.

Rabah, I.O., Hou, D.X., Komine, S.I. and Fujii, M. 2004. Potential chemopreventive properties of extract from baked sweet potato (*Ipomoea batatas* lam. Cv. *Koganesengan*). Journal of Agricultural and Food Chemistry. 23: 7152–7157.

Rachakonda, S. and Cartee, L. 2004. Challenges in antimicrobial drug discovery and the potential of nucleoside antibiotics. Current Medical Chemistry. 11(6): 775-793.

Rai, R.V., Rajesh, P.S. and Kim, H. 2012. Medicinal use of *Coscinium fenestratum* (Gaertn.) Colebr.: an short review. Oriental Pharmacy and Experimental Medicine. 52(13): 1-9.

Rao, B.G., Rao, P.U., Rao, E.S., Rao, T.M. and Praneeth, V.S.D. 2012. Evaluation of *in vitro* antibacterial activity and anti-inflammatory activity for different extracts of *Rauvolfia tetraphylla* L. root bark. Asian Pacific Journal of Tropical Biomedicine. 2(10): 818-821.

Rao, M.U., Sreenivasulu, M., Chengaiah, B., Ravikrishna, D., Reddy, K.J., Sangeetha, K. and Chetty, C.M. 2010. *Rhinacanthus nasatus* (Linn.) Kurz.: A comprehensive review. International Journal of Pharma Research and Development. 2: 1-8.

Rao, S.A., Srinivas, P.V., Tiwari, A.K., Vanka, U.M., Rao, R.V., Dasari, K.R. and Rao, M.J. 2007. Isolation, characterization and chemobiological quantification of alpha-glucosidase enzyme inhibitory and free radical scavenging constituents from *Derris*

scandens Benth. Journal of Chromatography B, Analytical Technologies in the Biomedical and Life Sciences. 855: 166-172.

Rasko, D. and Sperandio, V. 2010. Anti-virulence strategies to combat bacterial mediated disease. Nature Reviews Drug Discovery. 9: 117-128.

Re, R., Pellegrini, N., Proteggente, A., Pannala, A., Yang, M. and Rice-Evans, C. 1999. Antioxidant activity applying an improved ABTS radical cation decolorization assay. Free Radical Biology and Medicine. 26: 1231-1237.

Rojtsanga, P., Gritsanapan, W. and Suntornsuk, L. 2006. Determination of berberine content in the stem extracts of *Coscinium fenestratum* by TLC densitometry. Medical Principle Practice. 15(5): 373-378.

Rojtsanga, P., Sukhthankar, M., Wandee, G. and Baek, S.J. 2007. Berberine, a natural isoquinoline alkaloid, induces NAG-1 and ATF3 expression in human colorectal cancer cells. Cancer Letters. 258(2): 230-240.

Rosamond, J. and Allsop, A. 2000. Harnessing the power of the genome in the search for new antibiotics. Science. 287(5460): 1973-1976.

Rosato, A.E., Craig, W.A. and Archer, G.L. 2003. Quantification of *mecA* transcription in oxacillin-resistant *Staphylococcus aureus* clinical isolates. Journal of Bacteriology. 185(11): 3446-3452.

Rukachaisirikul, V., Sukpondma, Y., Jansakul, C. and Taylor, W.C. 2002. Isoflavone glycosides from *Derris scandens*. Phytochemistry, 60: 827-834.

Rukholm, G., Mugabe, C., Azghani, A.O. and Omri, A. 2006. Antibacterial activity of liposomal gentamicin against *Pseudomonas aeruginosa*: a time-kill study. International Journal of Antimicrobial Agents. 27: 247-252.

Sadick, N.S. 2002. Bacterial skin infections: unapproved treatments. Clinics in Dermatology. 20(6): 613-617.

Sakunpak, A. and Panichayupakaranant, P. 2012. Antibacterial activity of Thai edible plants against gastrointestinal pathogenic bacteria and isolation of a new broad spectrum

antibacterial polyisoprenylated benzophenone, chamuangone. Food Chemistry. 130(4): 826-831.

Saleem, M., Nazir, M., Ali, M.S., Hussain, H., Lee, Y.S., Riaz, N. and Jabbara, A. 2010. Antimicrobial natural products: an update on future antibiotic drug candidates. Natural Product Reports. 27(2): 238-254.

Salguero, C.P. 2003. *A Thai herbal: Traditional recipes for health and harmony*. Findhorn Press, Scotland.

Salloum, G., Meuhnier, H., Reyrolle, M., Grimont, F., Grimont, P. A. D., Etienne, J. and Freney, J. 2002. Identification of Legionella species by ribotyping and other molecular methods. Research in Microbiology. 153: 679-686.

Sasidharan, S., Chen, Y., Saravanan, D., Sundram, K.M. and Latha, L.Y. 2010. Extraction, isolation and characterization of bioactive compounds from plants extracts. African Journal of Traditional, Complementary and Alternative Medicines. 8(1): 1-10.

Saxena, S. 2005. *Glycyrrhiza glabra* Linn.: Medicine over the millennium. Natural Product Radiance. 4: 358-367.

Scheflan, L., Jacobs, M.B. 1953. *The handbook of solvent* 1st ed. Robert E. Krieger Publishing Co., New York, USA.

Scheibmeir, H.D., Christensen, K., Whitaker, S.H., Jegaethesan, J., Clancy, R. and Pierce, J.D. 2005. A review of free radicals and antioxidants for critical care nurses. Intensive and Critical Care Nursing. 21(1): 24-28.

Schinner, J., Brem, B. and But, P.P.H. 2007. Pyrrolo and pyridoazepine alkaloids as chemical markers in *Stemona* species. Phytochemistry. 68(10): 1417-1427.

Schlesier, K., Harwat, M., Bohm, V. and Bitsch, R. 2002. Assessment of antioxidant activity by using different *in vitro* methods. Free Radical Research. 36(2): 177-187.

Semwal, D.K., Badoni, R., Semwal, R., Kothiyal, S.K., Singh, G.J.P. and Rawat, U. 2010. The genus *Stephania* (*Menispermaceae*): Chemical and pharmacological perspectives. Journal of Ethnopharmacology. 132: 369-363.

- Sen, A. and Batra, A. 2013. The study of *in vitro* and *in vivo* antioxidant activity and total phenolic content of *Phyllanthus amarus* Schum. & Thonn. : A medicinally important plant. International Journal of Pharmacy and Pharmaceutical Sciences. 5(3): 942-947.
- Shacter, E. 2000. Quantification and significance of protein oxidation in biological samples. Drug Metabolism Reviews. 32: 307-326.
- Shan, B., Cai, Y., Brooks, J.D. and Corke, H. 2008. Antibacterial properties of *Polygonum cuspidatum* roots and their major bioactive constituents. Food Chemistry. 109(3): 530-537.
- Sharma, A., Singh, R.T. and Handa, S.S. 1993. Estimation of phyllanthin and hypophyllanthin by high performance liquid chromatography in *Phyllanthus amarus*. Phytochemical Analysis. 4: 226-229.
- Sharma, S., Tandon, S., Semwal, B. and Singh, K. 2011. *Momordica charantia* Linn.: A comprehensive review on bitter remedy. Journal of Pharmaceutical Research and Opinion. 1(2): 42-47.
- Shin, S. Y., Bajpai, V. K., Kim, H. R. and Kang C. 2007. Antibacterial activity of eicosapentaenoic acid (EPA) against foodborne and food spoilage microorganisms. Food Science and Technology. 40(9): 1515-1519.
- Shukla, S.K., Ramaswamy, S.V.. Conradt, J., Stemper, M.E., Reich, R., Reed, K.D. and Graviss, E.A.. 2004. Novel polymorphisms in *mec* genes and a new *mec* complex type in methicillin-resistant *Staphylococcus aureus* isolates obtained in rural Wisconsin. Antimicrobial Agents and Chemotherapy. 48(8): 3080-3085.
- Sikkema, J., de Bon,t J.A. and Poolman, B. 1994. Interactions of cyclic hydrocarbons with biological membranes. Journal of Biological Chemistry. 269: 8022-8028.
- Silva, N.C.C and Fernandes. J.A. 2010. Biological properties of medicinal plants: a review of their antimicrobial activity. Journal of Venomous Animals and Toxins including Tropical Diseases. 16(3): 402-413.

Singh, G.S. and Pandeya, S.N. 2011. Natural products in discovery of potential and safer antibacterial agents. Opportunity, Challenge and Scope of Natural Products in Medicinal Chemistry. 63-101.

Siripongvutikorn, S., Thummaratwasik, P. and Huang, Y. 2005. Antimicrobial and antioxidant effects of Thai seasoning, Tom-Yum. Journal of Food Science and Technology. 38: 347-352.

Siriwatanametanon, N, Fiebich, B.L., Efferth, T., Prieto, J. M. and Heinrich, M. 2010. Traditionally used Thai medicinal plants: *In vitro* anti-inflammatory, anticancer and antioxidant activities. Journal of Ethnopharmacology. 130 (2): 196-207.

Siva, R. 2007. Status of natural dyes and dye yielding plants in India. Current Science 92: 916-925.

Sivanandham, V. 2011. Free radicals in health and diseases-a mini review. Pharmacology Online. 1: 1062-1077.

Sneath, P.H.A., Mair, N.S., Sharpe, M.E. and Holt, J.G. 1986. *Bergey's manual of Systematic Bacteriology*, volume 2. Williams and Wilkins. USA.

Song, M.D., Wachi, M., Doi, M., Ishino, F. and Matsuhashi, M. 1987. Evolution of an inducible penicillin target protein in methicillin resistant *Staphylococcus aureus* by gene fusion. FEBS Letters. 221(1): 167-171.

Stadtman, E.R., 1993. Oxidation of free amino acids and amino acid residues in proteins by radiolysis and by metal-catalyzed reactions. Annual Review of Biochemistry. 62: 797-821.

Stapleton, P.D. and Taylor, P.W. 2002. Methicillin resistance in *Staphylococcus aureus*: mechanisms and modulation. Science Progress. 85: 57-52.

Stintzing, F.C., Herbach, K.M., Mosshammer, M.R., Carle, R., Yi, W. and Sellappan, S. 2005. Color, betalain pattern, and antioxidant properties of cactus pear (*Opuntia* spp.) clones. Journal of Agricultural and Food Chemistry. 53(2): 422-451.

Strohl, W.R. 1997. *Biotechnology of Antibiotics*, Marcel Dekker Inc., New York, USA.

Stryjewski, M.E. and Chambers, H.F. 2008. Skin and soft tissue infections caused by community acquired methicillin resistant *Staphylococcus aureus*. Clinical Infectious Diseases. 46(5): 368-377.

Stulberg, D.L., Penrod, M.A. and Blatny, R.A. 2002. Common bacterial skin infections. American Family Physician. 66: 119-124.

Sufian, A.s., Ramasamy, K., Ahmat, N., Zakaria, Z.A., Izwan, M. and Yusof, M. 2013. Isolation and identification of antibacterial and cytotoxic compounds from the leaves of *Muntingia calabura* L. Journal of Ethnopharmacology. 146(1): 198-204.

Swenson, J. M., Tenover, F. C. and the Cefoxitin Disk Study Group. 2005. Results of disk diffusion testing with cefoxitin correlate with presence of *mecA* in *Staphylococcus* spp. Journal of clinical Microbiology. 43(8): 3818-3823.

Tadeg, H., Mohammed, E., Asres, K. and Mariam,T.G. 2005. Antimicrobial activities of some selected traditional Ethiopian medicinal plants used in the treatment of skin disorder. Journal of Ethnopharmacology. 100: 168-175.

Tandon, V., Gupta, B.M. and Tandon, R. 2005. Free radicals/Reactive oxygen species. JK-Practitioner. 12: 143-148.

Tenover, F.C. 2006. Mechanisms of antimicrobial resistance in bacteria. American Journal of Medicine. 5: 119: 3-10.

Thaipong, K., Boonprakob, U., Crosby, K., Cisneros-Zevallos, L. and Byrne, D.H. 2006. Comparison of ABTS, DPPH, FRAP, and ORAC assays for estimating antioxidant activity from guava fruit extracts. Journal of Food Composition and Analysis. 19: 669-675.

The Botanical Organization, Ministry of Natural Resource and Environment, Thailand.
The Botanical Garden Plant Database [Online]. Available: http://www.qsbg.org/Database/Botanic_Book%20full%20option/search_detail.asp?Botanic_ID=2245 [2014, Mar. 11]

- Theis, T., Skurray, R. and Brown, M.H. 2007. Identification of suitable internal controls to study expression of a *Staphylococcus aureus* multidrug resistance system by quantitative real-time PCR. Journal of Microbiological Methods. 70(2): 355-362.
- Thongsaard, W. and Marsden, C.A., 2002. A herbal medicine used in the treatment of addiction mimics the action of amphetamine on *in vitro* rat striatal dopamine release. Neuroscience Letters. 329(2): 129-132.
- Thoroski, J., Blank, G. and Biliaderis, C. 1989. Eugenol induced inhibition of extracellular enzyme production by *Bacillus cereus*. Journal of Food Protection. 52: 399-403.
- Tipper, D.J and Strominger, J.L. 1965. Mechanism of action of penicillins: a proposal based on their structural similarity to acyl-D-alanyl-D-alanine. Proceeding of the National Acadamy of Science USA. 54(4): 1133-1141.
- Tit-oon P. and Chotpadiwetkul R. 2004. The inhibition of metal-catalysed BSA oxidation by dietary plants. Journal of the Medical Association of Thailand. 32: 787-795.
- Tiwari, P., Kumar, B., Kaur, M., Kaur, G. and Kaur, H. 2011. Phytochemical screening and extraction: a review. Internationale Pharmaceutica Sciencia.1: 98-106.
- Tran,T.A.and Ziegler,S. 2001. Utilization of medicinal plants in Bach Ma national park, Vietnam. Medicinal Plant Conservation. 7: 3-5.
- Trease, G.E. and Evans, W.C. 1972. Pharmacognosy 10th edition. Bailliere Tindall & Cassell. London. England.
- Trindade, P.A., McCulloch, J.A., Oliveira,G.A. and Mamizuka, E.M. 2003. Molecular techniques for MRSA typing: current issues and perspectives. Brazilian Journal of Infectious Disease. 7(1): 32-43.
- Tungpradit, R., Sinchaikul, S., Phutrakul, S., Wongkham, W. and Chen, S.T. 2010. Anti-cancer compound screening and isolation: *Coscinium feneastratum*, *Tinospora crispa* and *Tinospora cordifolia*. Chiang Mai Journal of Science. 37(3): 476-488.

- Turgis, M., Han, J., Caillet, S. and Lacroix, M. 2009. Antimicrobial activity of mustard essential oil against *Escherichia coli* O157:H7 and *Salmonella typhi*. Food Control. 20(12): 1073-1079.
- Tushar, K.V., George, S., Remashree A.B. and Balachandran, I. 2008. *Coscinium fenestratum* (Gaertn.) Colebr.-A Review on this Rare, Critically Endangered and Highly-Traded Medicinal Species. Journal of Plant Sciences. 3: 133-145.
- Tyler, V.E., Brady, L.R. and Robbers, J.E. 1988. Pharmacognosy 9th edition. Lea and Febiger. Philadelphia. PA.
- Ultee, A., Bennink, M.H.J. and Moezelaar, R. 2002. The phenolic hydroxyl group of carvacrol is essential for action against the food-borne pathogen *Bacillus cereus*. Applied and Environmental Microbiology. 68(4): 1561-1568.
- Valko, M., Leibfritz, D., Moncol, J., Cronin, M.T., Mazur, M. and Telser, J. 2007. Free radicals and antioxidants in normal physiological functions and human disease. The International Journal of Biochemistry & Cell Biology. 39(1): 44-84.
- Venus, M., Waterman, J. and McNab, I. 2010. Basic physiology of the skin. Surgery. 28 : 469-472.
- Vollmer, W., Blanot, D. and de Pedro, M.A. 2008. Peptidoglycan structure and architecture. FEMS Microbiology Reviews. 32(2): 149-167.
- Wagner, H., Geyer, B., Kiso, Y., Hikino, H. and Rao, G.S. 1986. Coumestans as the main active principles of the liver drugs *Eclipta alba* and *Wedelia Calendulaceae*. Planta Medica. 5: 370-74.
- Waldvogel, F.A. 2000. *Staphylococcus aureus* (Including staphylococcal toxic shock syndrome). In: Mandell, G.L., Bennet, J.E., Dolin, R. (eds) Principles and practice of Infectious Diseases. 5th ed. New York, Churchill Livingstone, pp. 2069-2092.
- Wang, G.X. 2010. *In vivo* anthelmintic activity of five alkaloids from *Macleaya microcarpa* (Maxim) Fedde against *Dactylogyrus intermedius* in *Carassius auratus*. Veterinary Parasitology. 171: 305-313.

Wiart, C. 2006. Medicinal Plants Classified in the Family Verbenaceae in *Medicinal Plants of Asia and the Pacific*. Taylor & Francis Group, LLC.

Wise, R. 1999. A review of the mechanisms of action and resistance of antimicrobial agents. Canadian Respiration Journal. Supplement A: 20A-22A.

Wright, G.D. 2005. Bacterial resistance to antibiotics: enzymatic degradation and modification. Advanced Drug Delivery Reviews. 57(10): 1451-1470.

Wright, J.S., Johnson, E.R. and DiLabio, G.A. 2001. Predicting the activity of phenol antioxidants: Theoretical method, analysis of constituents effect and application to major families of antioxidants. Journal of American Chemical Society. 123: 1173-1183.

Wutithamawech, W., Tantirungkij, M. and Liangsakul. 2014. Antibacterial potential of some Thai medicinal plants. International Journal of Pharma and Bio Sciences. 5(1): 412-421.

Xia, N. and Brach, A.R. 1999. Family *Saururaceae* in Flora of China [Online]. http://www.efloras.org/florataxon.aspx?flora_id=2&taxon_id=10799

Xiang, Q. and Lowry, P.P. 2007. Family *Araliaceae* in Flora of China [Online]. http://www.efloras.org/florataxon.aspx?flora_id=2&taxon_id=10058

Yamaguchi, T., Takamura, H., Matoba, T. and Terao, J. 1998. HPLC method for evaluation of the free radical-scavenging activity of foods by using 1,1-diphenyl-2-picrylhydrazyl. Bioscience, Biotechnology, and Biochemistry. 62(6): 1201-1204.

Yarwood, J.M., Bartels, D.J., Volper, E.M. and Greenberg, E.P. 2004. Quorum sensing in *Staphylococcus aureus* biofilms. Journal of Bacteriology. 186(6): 1838-50.

Yenugu, S., Hamil, K.G., Radhakrishnan, Y., French, F.S. and Hall, S.H. 2004. The androgen regulated epididymal sperm-binding protein, human β -defensin 118 (DEFB118) (formerly ESC42), is an antimicrobial β - defensin, Endocrinology. 145(7): 3165-3173.

- Yoneyama, H. and Katsumata, R. 2006. Antibiotic resistance in bacteria and its future for novel antibiotic development. *Bioscience, Biotechnology, and Biochemistry*. 70(5): 1060-1075.
- Zeyrek, F.Y. and Oguz, E. 2005. *In vitro* activity of capsaicin against *Helicobacter pylori*. *Annals of Microbioloy*. 55(2): 125-127.
- Zhang, L., Ravipati, A.S., Koyyalamudi, S.R., Jeong, S.C., Reddy, N., Bartlett, J., Smith, P.T., Cruz, M., Monteiro, M.C., Melguizo, A., Jiménez, E. and Vicente, F. 2013. Antifungal and antibacterial activities of ethanol extracts of selected traditional Chinese medicinal herbs. *Asian Pacific Journal of Tropical Medicine*. 6(9): 673-681.
- Zhao, W.HH., Hu, Z.Q., Okubo, S., Hara, Y. and Shimamura, T. 2001. Mechanism of Synergy between epigallocatechin gallate and β -Lactams against methicillin-resistant *Staphylococcus aureus*. *Antimicrobial Agents and Chemotherapy*. 45 (6): 1737-1742.
- Zhao, W.M., Quin, G.W., Ye, Y., Xu, R.S. and Le, X.F. 1995. Bibenzyls from *Stemona tuberosa*. *Phytochemistry*. 38(3): 711-713.
- Zhou, K.L., Chen, L.X., Zhuang, Y.L., Wang, N.L., Yao, X.S. and Qiu, F. 2008. Two new entlabdane diterpenoid glycosides from the aerial parts of *Andrographis paniculata*. *Journal of Asian Natural Product Research*. 10: 939-943.
- Zulueta, A., Esteve, M.J. and Frígola, A. 2009. ORAC and TEAC assay comparison to measure the antioxidant capacity of food products. *Food Chemistry*. 114(1): 310-316.