

REFERENCES

- Ahring, B.K. 2003. Perspectives for anaerobic digestion. In B.K. Ahring (Ed.), *Advances in biochemical engineering/biotechnology – Biomethanation I*. (pp. 1–30), Berlin : Springer.
- Akarsubasi, A.T., Ince, O., Kirdar, B., Oz, N.A., Orhon, D., Curtis, T.P., Head, I.M. and Ince, B.K. 2005. Effect of wastewater composition on archaeal population diversity. *Water Research*. 39: 1576–1584.
- Akutsu, Y., Li, Y., Tandukar, M., Kubota, K. and Harada, H. 2008. Effects of seed sludge on fermentative characteristics and microbial community structures in thermophilic hydrogen fermentation of starch. *International Journal of Hydrogen Energy*. 33: 6541–6548.
- Anderson, K., Sallis, P. and Uyanik. 2003. Anaerobic treatment processes. In D. Mara and N.J. Horan (Eds.), *The handbook of water and wastewater microbiology* (pp. 391–426), London : Academic Press.
- Angelidaki, I. and Ellegaard, L. 2003. Codigestion of manure and organic wastes in centralized biogas plants. 109: 95–105.
- Ariesyady, H.D., Ito, T. and Okabe, S. 2007. Functional bacterial and archaeal community structure of major trophic groups in a full-scale anaerobic sludge digester. *Water Research*. 41: 1554–1568.
- Arsova, L. 2010. Anaerobic digestion of food waste: current, status, problems and alternative product. M.S. Thesis, Columbia University, New York.
- Bengelsdorf, F.R., Gerischer, U., Langer, S., Zak, M. and Kazda, M. 2013. Stability of a biogas-producing bacterial, archaeal and fungal community degrading food residue. *FEMS Microbiology Ecology*. 84: 201–212.

- Bitton, G. 2011. Part E. Fate and toxicity of chemicals in wastewater treatment plants. In G. Bitton (Ed.), *Wastewater microbiology*, New Jersey : John Wiley & Sons, Inc.
- Bouallagui, H., Touhami, Y., Cheikh, R.B. and Hamdi, M. 2005. Bioreactor performance in anaerobic digestion of fruit and vegetable wastes. *Process Biochemistry*. 40: 989–995.
- Callaghan, F.J., Wase, D.A.J., Thayanithy, K. and Fortser, C.F. 2002. Continuous co-digestion of cattle slurry with fruit and vegetable wastes and chicken manure. *Biomass and Bioenergy*. 27: 71–77.
- Campos, E., Palatsi, J. and Flotats, X. 1999. Co-digestion of pig slurry and organic wastes from food industry. In *Proceedings of the second international symposium on anaerobic digestion of solid waste*. 192–195.
- Čater, M., Fanedl, L. and Logar, R.M. 2013. Microbial community analyses in biogas reactors by molecular methods. *Acta Chimica Slovenica*. 60: 243–255.
- Chen, M. 1983. Adaptation of mesophilic anaerobic sewage fermentor populations to thermophilic temperature. *Applied and Environmental Microbiology*. 45: 1271–1276.
- Chynoweth, D.P. and Pullammanappallil, P. 1996. Anaerobic digestion of municipal solid wastes. In A.C. Palmisano and M.A. Barlaz (Eds.), *Microbiology of solid waste* (pp. 71–113), CRC Press.
- Cirne, D.G., Lehtomäki, A., Björnsson, L. and Blackall, L.L. 2007. Hydrolysis and microbial community analyses in two-stage anaerobic digestion of energy crops. *Journal of Applied Microbiology*. 103: 516–527.
- Cuetos, M.J., Fernádez, C., Gómez, X. and Morán, A. 2011. Anaerobic co-digestion of swine manure with energy crop residues. *Biotechnology and Bioprocess Engineering*. 16: 1044–1052.
- Curtis, T. and Craine, N. 1998. The comparison of the diversity of activated sludge plants. *Water Science and Technology*. 37: 71–78.

Danon, M., Franke-Whittle, I.H., Insam, H., Chen, Y. and Hadar, Y. 2008. Molecular analysis of bacterial community succession during prolonged compost curing. *FEMS Microbiology Ecology*. 65: 133–144.

Dearman, B., Marschner, P. and Bentham, R.H. 2006. Methane production and microbial community structure in single-stage batch and sequential batch systems anaerobically co-digesting food waste and biosolids. *Applied Microbiology and Biotechnology*. 69: 589–596.

Delbès, C., Moletta, R. and Godon, J. 2000. Monitoring of activity dynamics of an anaerobic digester bacterial community using 16S rRNA polymerase chain reaction-single-strand conformation polymorphism analysis. *Environmental Microbiology*. 2: 506–515.

Demirel, B. 2014. Major pathway of methane formation from energy crops in agricultural biogas digesters. *Critical Reviews in Environmental Science and Technology*. 44: 199–222.

Department of Alternative Energy Development and Efficiency. 2014. “Napier grass plant green energy renewable energy to watch” [Online]. Available <http://webkc.dede.go.th/webmax/content/หญ้าเนเปียร์-พืชพลังงานสีเขียว> (8 February 2014).

Deublein, D. and Steinhauser, A. 2011. Part four: microorganisms in methanogenic ecosystems. In D. Deublein and A. Steinhauser (Eds.), *Biogas from waste and renewable resources* (pp. 145–184), Weinheim : Wiley-VCH.

Dinh, N.T., Hatta, K., Kwon, S.H., Rollon, A.P. and Nakasaki, K. 2014. Changes in the microbial community during the acclimation stages of the methane fermentation for the treatment of glycerol. *Biomass and Bioenergy*. 68: 240–248.

El-Mashad, H. and Zhang, R. 2010. Biogas production from co-digestion of dairy manure and food waste. *Bioresource Technology*. 101: 4021–4028.

Esposito, G., Frunzo, L., Giordano, A., Liotta, F., Panico, A. and Pirozzi, F. 2012. Anaerobic co-digestion of organic wastes. *Reviews in Environmental Science and Biotechnology*. 11: 325–341.

Fernández, A., Huang, S., Seston, S., Xing, J., Hickey, R., Criddle, C. and Tiedje, J. 1999. How stable is stable? function versus community composition. *Applied and Environmental Microbiology*. 65: 3697–3704.

Fischer, S.G. and Lerman, L.S. 1983. DNA fragments differing by single base-pair substitutions are separated in denaturing gradient gels: correspondence with melting theory. *Proceedings of the National Academy of Sciences of the United States of America*. 80: 1579–1583.

Fliegerová, K., Mrázek, J., Kajan, M., Podmirseg, S.M. and Insam, H. 2012. The effect of maize silage as co-substrate for swine manure on the bacterial community structure in biogas plants. *Folia Microbiologica*. 57: 281–284.

Gao, R., Cao, Y., Yuan, X., Zhu, W., Wang, X. and Cui, Z. 2012. Microbiology diversity in a full-scale anaerobic reactor treating high concentration organic cassava wastewater. *African Journal of Biotechnology*. 11: 6494–6500.

Garcia, J., Ollivier, B. and Whitman, W.B. 2006. Chapter 10 the Order *Methanomicrobiales*. In M.M. Dworkin, S. Falkow, E. Rosenberg, K. Schleifer and E. Stackebrandt (Eds.), *The Prokaryotes: Vol. 3: Archaea. Bacteria: Firmicutes, Actinomycetes* (pp. 208–230). New York : Springer.

Garcia, J., Patel, B.K.C. and Ollivier, B. 2000. Taxonomic, phylogenetic, and ecological diversity of methanogenic archaea. *Anaerobe*. 6: 205–226.

Gerardi, M.H. 2003. *The microbiology of anaerobic digesters*. New jersey : John Wiley & Sons, Inc., Publication.

Gijzen, H.J. 2002. Anaerobic digestion for sustainable development: a natural approach. *Water Science & Technology*. 45: 321–328.

Gómez, E., Martin, J. and Michel, F.C. 2011. Effects of organic loading rate on reactor performance and archaeal community structure in mesophilic anaerobic digesters treating municipal sewage sludge. *Waste Management & Research*. 29: 1117–1123.

- Gou, C., Yang, Z., Huang, J., Wang, H., Xu, H. and Wang, L. 2014. Effects of temperature and organic loading rate on the performance and microbial community of anaerobic co-digestion of waste activated sludge and food waste. *Chemosphere*. 105: 146–151.
- Griffiths, R.I., Whiteley, A.S., O'Donnell, A.G., and Bailey, M.J. 2000. Rapid method for coextraction of DNA and RNA from natural environments for analysis of ribosomal DNA- and rRNA-based microbial community composition. *Applied and Environmental Microbiology*. 66: 5488–5491.
- Hampl, V., Pavlicek, A. and Flegr. 2001. Construction and bootstrap analysis of DNA fingerprinting-based phylogenetic trees with the freeware program FreeTree application to trichomonad parasites. *International Journal of Systematic and Evolutionary Microbiology*. 51: 731–735.
- Hassan, A.N. and Nelson, B.K. 2012. Invited review: anaerobic fermentation of dairy food wastewater. *Journal of Dairy Science*. 95: 6188–6203.
- Hiibel, S.R., Pereyra, L.P., Breazeal, M.V.R., Reisman, D.J., Reardon, K.F. and Pruden, A. 2011. Effect of organic substrate on the microbial community structure in pilot-scale sulfate-reducing biochemical reactors treating mine drainage. *Environmental Engineering Science*. 28: 563–572.
- Holmes, D.E., Nevin, K.P., Woodard, T.L., Peacock, A.D. and Lovley, D.R. 2007. *Prolixibacter bellariivorans* gen. nov., sp. nov., a sugar-fermenting, psychrotolerant anaerobe of the phylum *Bacteroidetes*, isolated from a marine-sediment fuel cell. *International Journal of Systematic and Evolutionary Microbiology*. 57: 701–707.
- Hovda, M.B. 2007. Application of PCR and DGGE to characterize the microflora of farmed fish. Ph.D. Thesis, University of Bergen, Bergen.
- Insam, H., Franke-Whittle, I. and Goberna, M. 2010. Chapter 1 microbes in aerobic and anaerobic waste treatment. In H. Insam, I. Franke-Whittle and M. Goberna (Eds.), *Microbe at work : from wastes to resources* (pp. 1–34), Springer.

- Jianzheng, L., Zhang, L., Ban, Q., Jha, A.K. and Xu, Y. 2013. Diversity and distribution of methanogenic archaea in an anaerobic baffled reactor (ABR) treating sugar refinery wastewater. *Journal of Microbiology and Biotechnology*. 23: 137–143.
- Kangle, K.M., Kore, S.V., Kore, V.S. and Kulkarni, G.S. 2012. Recent trends in anaerobic codigestion: a review. *Universal Journal of Environmental Research and Technology*, 2: 210–219.
- Kendall, M.M. and Boone, D.R. 2006. Chapter 12 the Order *Methanosarcinales*. In M.M. Dworkin, S. Falkow, E. Rosenberg, K. Schleifer and E. Stackebrandt (Eds.), *The Prokaryotes: Vol. 3: Archaea. Bacteria: Firmicutes, Actinomycetes* (pp.244–256). New York : Springer.
- Khalid, A., Arshad, M., Anjum, M., Mahmood, T. and Dawson, L. 2011. The anaerobic digestion of solid organic waste. *Waste Management*. 31: 1737–1744.
- Kim, W., Shin, S.G., Lim, J. and Hwang, S. 2013. Effect of temperature and hydraulic retention time on volatile fatty acid production based on bacterial community structure in anaerobic acidogenesis using swine wastewater. *Bioprocess and Biosystems Engineering*. 36: 791–798.
- Klocke, M., Mähnert, P., Mundt, K., Souidi, K. and Linke, B. 2007. Microbial community analysis of a biogas-producing completely stirred tank reactor fed continuously with fodder beet silage as mono substrate. *Systematic and Applied Microbiology*. 30: 139–151.
- Krause, L., Diaz, N.N., Edwards, R.A., Gartemann, K.H., Krömeke, H., Neuweger, H., Pühler, A., Runte, K.J., Schlüter, A., Stoye, J., Szczepanowski, R., Tauch, A. and Goesmann, A. 2008. Taxonomic composition and gene content of a methane-producing microbial community isolated from a biogas reactor. *Journal of Biotechnology*. 136: 91–101.
- Kröber, M., Bekel, T., Diaz, N.N., Goesmann, A., Jaenicke, S., Krause, L., Miller, D., Runte, K.J., Viehöver, P., Pühler, A. and Schlüter, A. 2009. Phylogenetic characterization of a biogas plant microbial community integrating clone library 16S-rDNA sequences and metagenome sequence data obtained by 454-pyrosequencing. *Journal of Biotechnology*. 142: 38–49.

- Ku, S.C., Hsueh, P.R., Yang, P.C. and Luh, K.T. 2000. Clinical and microbiological characteristics of bacteremia caused by *Acinetobacter lwoffii*. *European Journal of Clinical Microbiology and Infectious Diseases*. 19: 501–505.
- LaPara, T.M., Nakatsu, C.H., Pantea, L.M. and Alleman, J.E. 2002. Stability of the bacterial communities supported by a seven-stage biological process treating pharmaceutical wastewater as revealed by PCR-DGGE. *Water Research*. 36: 638–646.
- Lee, C., Kim, J., Shin, S.G. and Hwang, S. 2008. Monitoring bacterial and archaeal community shifts in a mesophilic anaerobic reactor treating a high-strength organic wastewater. *FEMS Microbiology Ecology*. 65: 544–554.
- Lehtomäki, A., Huttunen, S. and Rintala, J.A. 2007. Laboratory investigation on co-digestion of energy crop and crop residue with cow manure for methane production : effect of crop to manure ratio. *Resource Conservation and Recycling*. 51: 591–609.
- Lehtomäki, A., Huttunen, S., Lethinen, T.M. and Rintala, J.A. 2008. Anaerobic digestion of grass silage in batch leach bed processes for methane production. *Bioresource Technology*. 99: 3267–3278.
- Lema, J.M. and Omill, F. 2001. Anaerobic treatment : a key technology for a sustainable management of waste in Europe. *Water Science and Technology*. 44: 133–140.
- Lerm, S., Kleyböcker, A., Miethling-Graff, R., Alawi, M., Kasina, M., Liebrich, M and Würdemann, H. 2012. Archaeal community composition affects the function of anaerobic codigesters in response to organic overload. *Waste Management*. 32: 389–399.
- Leschine, S., Paster, B.J. and Canale-Parola, E. 2006. Chapter 4.1 Free-living saccharolytic spirochetes: The genus *Spirochaeta*. In M. Dworkin, S. Falkow, E. Rosenberg, K. Schleifer and E. Stackebrandt (Ed.), *The Prokaryotes volume 7: Proteobacteria: Delta and Epsilon Subclasses* (pp.195–210), Singapore : Springer.

- Lettinga, G. 1995. Anaerobic digestion and wastewater treatment systems. *Antonie van Leeuwenhoek*. 67: 3–28.
- Levén, L. 2006. Anaerobic digestion at mesophilic and thermophilic temperature. Ph.D. Thesis, Swedish University of Agricultural Sciences, Uppsala.
- Li, P., Wang, Y., Wang, Y., Liu, K. and Tong, L. 2010. Bacterial community structure and diversity during establishment of an anaerobic bioreactor to treat swine wastewater. *Water Science & Technology*. 61: 243–252.
- Li, R., Chen, S. and Li, X. 2010. Biogas production from anaerobic co-digestion of food waste with dairy manure in a two-phase digestion system. *Applied Biochemistry and Biotechnology*. 160: 643–654.
- Liu, F.H., Wang, S.B., Zhang, J.S., Zhang, J., Yan, X., Zhou, H.K., Zhao, G.P. and Zhou, Z.H. 2009. The structure of the bacterial and archaeal community in a biogas digester as revealed by denaturing gradient gel electrophoresis and 16S rDNA sequencing analysis. *Journal of Applied Microbiology*. 106: 952–966.
- Liu, W., Chan, O., and Fang, H.H.P. 2002. Microbial community dynamics during start-up of acidogenic anaerobic reactors. *Water Research*. 36: 3203–3210.
- Liu, Y. and Whitman, W.B. 2008. Metabolic, phylogenetic, and ecological diversity of the methanogenic archaea. *Annual New York Academy of Sciences*. 1125: 171–189.
- Liu, Z. 2013. Anaerobic co-digestion of swine wastewater with switchgrass and wheat straw for methane production. M.S. Thesis. North Carolina State University, United States.
- Macias-Corral, M., Samani, Z., Hanson, A., Smith, G., Funk, P., Yu, H and Longworth, J. 2008. Anaerobic digestion of municipal solid waste and agricultural waste and the effect of co-digestion with dairy cow manure. *Bioresource Technology*. 99: 8288–8293.

- Martín-González, L., Castro, R., Pereira, M., Alves, M., Font, X. and Vicent, T. 2011. Thermophilic co-digestion of organic fraction of municipal solid wastes with FOG wastes from a sewage treatment plant: reactor performance and microbial community monitoring. *Bioresource Technology*. 102: 4734–4741.
- Mata-Alvarez, J., Macé, S. and Llabrés, P. 2000. Anaerobic digestion of organic solid wastes. An overview of research achievements and perspectives. *Bioresource Technology*. 74: 3–16.
- McCarty, P.L. 2001. The development of anaerobic treatment and its future. *Water Science & Technology*. 44: 149–156.
- Merlino, G., Rizzi, A., Villa, F., Sorlini, C., Brambilla, M., Navarotto, P., Bertazzoni, B., Zagni, M., Araldi, F. and Daffonchio, D. 2012. Shifts of microbial community structure during anaerobic digestion of agro-industrial energetic crops and food industry byproducts. *Journal of Chemical Technology and Biotechnology*. 87: 1302–1311.
- Muenjee, J. 2010. Biogas production from piggery wastewater by co-digesting with Napier grass and food waste by ASBR. M.S. Thesis, Chiang Mai University, Chiang Mai.
- Muyzer, G. 1999. DGGE/TGGE method for identifying genes from natural ecosystems. *Current Opinion in Microbiology*. 2: 317–322.
- Muyzer, G. and Smalla, K. 1998. Application of denaturing gradient gel electrophoresis (DGGE) and temperature gradient gel electrophoresis (TGGE) in microbial ecology. *Antonie van Leeuwenhoek*. 73: 127–141.
- Muyzer, G., Waal, E.C.D. and Utterlinden, A.G. 1993. Profiling of complex microbial population by denaturing gradient gel electrophoresis analysis of polymerase chain reaction-amplified genes coding for 16S rRNA. *Applied and Environmental Microbiology*. 59: 695–700.
- Muyzer, G., Brinkhoff, T., Nübel, U., Santegoeds, C., Schäfer, H. and Wawer, C. 2004. Denaturing gradient gel electrophoresis (DGGE) in microbial ecology. In A.D.L. Akkermans, J.D. van Elsas and F.J. Bruijn (Eds.), *Molecular microbial ecology manual*. (pp. 743–769), Dordrecht : Kluwer Academic Publishers.

Narihiro, T. and Sekiguchi, Y. 2007. Microbial communities in anaerobic digestion processes for waste and wastewater treatment: a microbiological update. *Current Opinion in Biotechnology*. 18: 273–278.

Narihiro, T., Terada, T., Kikuchi, K., Iguchi, A., Ikeda, M., Yamauchi, T., Shiraishi, K., Kamagata, Y., Nakamura, K. and Sekiguchi, Y. 2009. Comparative analysis of bacterial and archaeal communities in methanogenic sludge granules from upflow anaerobic sludge blanket reactors treating various food-processing, high-strength organic wastewater. *Microbes and Environments*. 24: 88–96.

Nettmann, E., Bergmann, I., Mundt, K., Linke, B. and Klocke, M. 2008. Archaea diversity within a commercial biogas plant utilizing herbal biomass determined by 16S rDNA and *mcrA* analysis. *Journal of Applied Microbiology*. 105: 1835–1850.

Nizami, A., Korres, N.E. and Murphy, J.D. 2009. Review of the integrated process for the production of grass biomethane. *Environmental Science & Technology*. 43: 8496–8508.

Øvreås, L., Forney, L., Daae, F.L. and Torsvik, V. 1997. Distribution of bacterioplankton in meromictic lake sælenvannet, as determined by denaturing gradient gel electrophoresis of PCR-amplified gene fragments coding for 16S rRNA. *Applied and Environmental Microbiology*. 63: 3367–3373.

Page, R.D. 1996. TreeView: an application to display phylogenetic trees on personal computers. *Computer Applications in the Biosciences*. 12: 357–358.

Panichnumsin, P., Ahring, B.K., Nopharatana, A. and Chipresert, P. 2010. Comparative performance and microbial community of single-phase and two-phase anaerobic system co-digesting cassava pulp and pig manure. *World Academy of Science, Engineering and Technology*. 62: 721–726.

Pelletire, E., Kreimeyer, A., Stéphanie, B., Rouy, Z., Gyapay, G., Chouari, R., Rivière, D., Ganesan, A., Daegelen, P., Sghir, A., Cohen, G.N., Médigue, C., Weissenbach, J. and Paslier, D.L. 2008. “Candidatus Cloacamonas Acidaminovorans”: genome sequence reconstruction provides a first glimpse of a new bacterial division. *Journal of Bacteriology*. 190: 2572–2579.

Peu, P., Brugère, H., Pourcher, A., Kérourédan, M., Godon, J., Delgenès, J. and Dabert, P. 2006. Dynamics of a pig slurry microbial community during anaerobic storage and management. *Applied and Environmental Microbiology*. 72: 3578–3585.

Pholchan, M.K., Baptista, J. de C., Davenport, R.J. and Curtis, T.P. 2010. Systemic study of the effect of operating variables on reactor performance and microbial diversity in laboratory-scale activated sludge reactors. *Water Research*. 44: 1341–1352.

Pope, P.B., Vivekanand, V., Eijssink, V.G.H. and Horn, S. 2013. Microbial community structure in a biogas digester utilizing the marine energy crop *Saccharina latissima*. *3 Biotech*. 3: 407–414.

Quiñones, T.S., Plöchl, M., Pätzold, K., Budde, J., Kausmann, R., Nettmann, E. and Heiermann, M. 2012. Hydrolytic enzymes enhancing anaerobic digestion. In A. Mudhoo (Ed.), *Biogas production: pretreatment methods in anaerobic digestion* (pp. 157–198), Massachusetts : Scrivener Publishing.

Regueiro, L., Veiga, P., Figueroa, M., Lema, J.M. and Carballa, M. 2013. Microbial community response to transitional states in anaerobic digesters. *Proceedings of 13th World Congress on Anaerobic Digestion*, Santiago de Compostela, Spain.

Rerkkriangkrai, P., Thiengburanathum, P., Pholchan, P., Jawana, R. and Tanomboon, P. 2009. Improvement of biogas production potential from swine farm wastewater using the co digestion technique in UASB and CSTR reactors toward the effectiveness of energy utilizations. Full Report. Energy Research and Development Institute- Nakornping, Chiang Mai University, Chiang Mai.

Ritari, J., Koskinen, K., Hultman, J., Kurola, J.M., Kymäläinen, M., Romantschuk, M., Paulin, L. and Auvinen, P. 2012. Molecular analysis of meso- and thermophilic microbiota associated with anaerobic biowaste degradation. *BMC Microbiology*. 12: 1–14.

- Rivière, D., Desvignes, V., Pelletier, E., Chaussonnerie, S., Guermazi, S., Weissenbach, J., Li, T., Camacho, P. and Sghir, A. 2009. Toward the definition of a core of microorganism involved in anaerobic digestion of sludge. *The ISME Journal*. 3: 700–714.
- Sambrook, J. and Russell, D.W. 2001. Protocol 25: Preparation and transformation of competent *E. coli* using calcium chloride. In J. Sambrook and D.W. Russell (Eds.), *Molecular cloning: a laboratory manual* (pp. 1.116–1.118), New York : Cold Spring Harbor.
- Sanz, J.L. and Köchling, T. 2007. Molecular biology techniques used in wastewater treatment: an overview. *Process Biochemistry*. 42: 119–133.
- Schnürer, A. and Jarvis, Å. 2010. Microbiological Handbook for Biogas Plants. Swedish Gas Centre Report 207. Swedish Waste Management U2009:03, Sweden.
- Sheffield, V.C., Cox, D.R., Lerman, L.S. and Myers, R. M. 1989. Attachment of a 40-base-pair G+C rich sequence (GC-clamp) to genomic DNA fragment by the polymerase chain reaction results in improved detection of single-base changes. *Proceedings of the National Academy of Science*. 86: 232–236.
- Song, C., Li, M., Jia, X., Wei, Z., Zhao, Y., Xi, B., Zhu, C. and Liu, D. 2014. Comparison of bacterial community structure and dynamics during the thermophilic composting of different types of solid wastes: anaerobic digestion residue, pig manure and chicken manure. *Microbial Biotechnology*. DOI: 10.1111/1751-7915.12131.
- Sorokin, D.Y., Panteleeva, A.N., Tourova, T.P., Kaparullina, E.N. and Muyzer, G. 2011. *Natronoflexus pectinivorans* gen. nov. sp. nov., an obligately anaerobic and alkaliphilic fermentative member of Bacteroidetes from soda lakes. *Extremophiles*. 15: 691–696.
- Souidi, K., Mumme, J. Mundt, K., Nettmann, E., Bergmann, I., Linke, B. and Klocke, M. 2007. Microbial diversity in a biogas-producing co-fermentation of maize silage and bovine manure. *Agricultural Engineering Research*. 13: 197–206.

- Steffen, R., Szolar, O. and Braun, R. 1998. Feedstocks for anaerobic digestion. Institute of Agrobiotechnology Tulln, University of Agricultural Science, Vienna.
- Strezov, V., Evans, T. and Hayman, C. 2008. Thermal conversion of elephant grass (*Pennisetum Purpureum Schum*) to bio-gas, bio-oil and charcoal. *Bioresource Technology*. 99: 8394–8399.
- Stronach, S.M., Rudd, T. and Lester, J.N. 1986. The microbiology of anaerobic digestion. In S. Aiba, L.T. Fan, A. Fiechter and K. Schügerl (Ed.), *Anaerobic digestion process in industrial wastewater treatment* (pp.21–36), Berlin : Springer-Verlag.
- Supaphol, S., Jenkins, S.N., Intomo, P., Waite, I.S. and O'Donnell, A.G. 2011. Microbial community dynamics in mesophilic anaerobic co-digestion of mixed waste. *Bioresource Technology*. 102: 4021–4027.
- Suzuki, M. and Genus, I. 2010. *Marinilabilia*. In N.R. Krieg, J.Y. Staley, D.R. Brown, B.P. Hedlund, B.J. Paster, N.L. Ward, W. Ludwig and W.B. Whitman (Eds.), *Bergey's manual of systematic bacteriology, second edition, volume 4*, New York : Springer.
- Temmerman, R., Huys, G. and Swings, J. 2004. Identification of lactic acid bacteria: culture-dependent and culture-independent methods. *Trends in Food Science & Technology*. 15: 348–359.
- Wan, S., Sun, L., Sun, J. and Luo, W. 2013. Biogas production and microbial community change during the co-digestion of food waste with Chinese silver grass in a single-stage anaerobic reactor. *Biotechnology and Bioprocess Engineering*. 18: 1022–1030.
- Wang, H., Tolvanen, K., Lehtomäki, A., Puhakka, J. and Rintala, J. 2009. Microbial community structure in anaerobic co-digestion of grass silage and cow manure in a laboratory continuously stirred tank reactor. *Biodegradation*. 21: 135–146.
- Wang, H., Vuorela, M., Keränen, A., Lehtinen, T.M., Lensu, A., Lehtomäki, A. and Rintala, J. 2010. Development of microbial populations in the anaerobic hydrolysis of grass silage for methane production. *FEMS Microbiol.* 72: 496–506.

- Wirth, R., Kovács, E., Maróti, G., Bagi, Z., Rákhely, G. and Kovács, K.L. 2012. Characterization of a biogas-producing microbial community by short-read next generation DNA sequencing. *Biotechnology for Biofuels*. 5: 1–16.
- Xie, X., Zhang, X., Dong, Z. and Guo, H. 2011. Dynamic changes of lignin contents of MT-1 elephant grass and its closely related cultivars. *Biomass and Bioenergy*. 35: 1732–1738.
- Yadvika, Santosh, Sreekrishnan, T.R., Kohli, S. and Rana, V. 2004. Enhancement of biogas production from solid substrates using different techniques-a review. *Bioresource Technology*. 95: 1–10.
- Yenigün, O. and Demirel, B. 2013. Ammonia inhibition in anaerobic digestion: a review. *Process Biochemistry*. 48: 901–911.
- Zhang, C., Xiao, G., Peng, L., Su, H. and Tan, T. 2013. The anaerobic co-digestion of food waste and cattle manure. *Bioresource Technology*. 129: 170–176.
- Ziemiński, K. and Fraç, M. 2012. Methane fermentation process as anaerobic digestion of biomass: transformations, stages and microorganisms. *African Journal of Biotechnology*, 11: 4127–4139.
- Ziganshin, A.M., Liebetrau, J., Pröter, J. and Kleinstuber, S. 2013. Microbial community structure and dynamics during anaerobic digestion of various agricultural waste materials. *Applied Microbiology and Biotechnology*. 97: 5161–5174.
- Zumstein, E., Moletta, R. and Godon, J. 2000. Examination of two years of community dynamics in an anaerobic bioreactor using fluorescence polymerase chain reaction (PCR) single-strand conformation polymorphism analysis. *Environmental Microbiology*. 2: 69–78.