

REFERENCES

- [Abdelahad and Bazzichelli, 1989] Abdelahad, A. and Bazzichelli, G., "A cytochemical investigation on the extracellular investment of *Nostoc commune* Vauch. (Cyanophyta)", *Archive für Hydrobiologie Supplement*, Vol. 82, 1989, 437–447.
- [Amel et al., 2010] Amel, Y. Bouziane, D. Leila, M. and Ahmed, B., "Microbiological study of Periodontitis in the west of Algeria", *World Journal of Medical Science*, Vol. 5, No 1, 2010, 07-12.
- [Aouiche et al., 2014] Aouiche, A., Bijani, C., Zitouni, A., Mathieu, F. and Sabaou, N., "Antimicrobial activity of saquayamycins produced by *Streptomyces* spp. ", PAL114 isolated from a Saharan soil. *Journal de Mycologie Médicale*, 2014. 24(2), e17–e23.
- [Aparicio et al., 2000] Aparicio, J.F., Fouces, R., Mendes, M.V., Olivera, N., and Martin, J.F., "A complex multi-enzyme system encoded by five polyketide synthase genes is involved in the biosynthesis of the 26-membered polyene macrolide pimaricin in *Streptomyces natalensis*", *Chem. Biol.*, Vol. 7, 2000, 895-905.
- [Ayuso-Sacido and Genilloud, 2005] Ayuso-Sacido, A., and Genilloud, O., "New PCR primers for the screening of NRPS and PKS-I systems in actinomycetes: detection and distribution of these biosynthetic gene sequences in major taxonomic groups", *Microb. Ecol.*, 2005, Vol. 49, No 1, 0–24.
- [Barton and Hughes, 1981] Barton, M.D. and Hughes, K.L., "Comparison of three techniques for isolation of *Rhodococcus* (*Corenebacterium*) equi from contaminated sources", *J. Clin. Microbiol.*, Vol. 13, 1981, 219-221.

- [Beleneva and Zhukova, 2006] Beleneva, I.A. and Zhukova, N., " Bacterial communities of some brown and red algae from Peter the Great Bay, the sea of Japan", *Microbiol. USSR.*, Vol. 75, 2006, 348-357.
- [Berdy, 2005] Berdy, J., "Bioactive microbial metabolites: Review article", *J. Antibiot.*, Vol. 58, 2005, 1-26.
- [Beyer and Diekmann, 1985] Beyer, M., and Diekmann, H., "The chitinase system of *Streptomyces* sp. ATCC 11238 and its significance for fungal cell wall degradation", *Appl Microbiol Biotechnol.*, Vol. 23, 1985, 140–146.
- [Bibikova et al., 1989] Bibikova, M.V., Singal, E.M., Ivanitskaia, L.P. and Zhdanovich, Iu.V. "Production of lincomycin by *Micromonospora halophytica* culture", *Antibiot. Khimioter.*, Vol. 34, 1989, 723-726.
- [Bolch and Subramanian, 2011] Bolch, C.J.S., and Subramanian, T.A., "The toxic dinoflagellate *Gymnodinium catenatum* (Dinophyceae) requires marine bacteria for growth", *J. Phycol.*, Vol. 47, 2011, 1009-1022.
- [Boone and Pine, 1968] Boone, C.J., and Pine, L., "Rapid method for characterization of actinomycetes by cell wall composition", *Appl. Microbiol.*, Vol. 16, 1968, 279-284.
- [Bredholdt et al., 2007] Bredholdt, H., Galatenko, O.A., Engelhardt, K., Fjærvik, E., Terekhova, L.P. and Zotchev, S.B., "Rare actinomycete bacteria from the shallow water sediments of the Trondheim fjord, Norway: isolation, diversity and biological activity", *Environ Microbiol.*, Vol. 9, 2007, 2756-2764.
- [Bredholt et al., 2008] Bredholt, H., Fjærvik, E., Johnsen, G. and Zotchev, S.B., "Actinomycetes from sediments in the Trondheim Fjord, Norway: diversity and biological activity", *Mar. Drugs.*, Vol. 6, 2008, 12-24.

- [Cao et al., 2005] Cao, L., Qiu, Z., You, J., Tan, H. and Zhou, S., "Isolation and characterization of endophytic *streptomycete* antagonists of *Fusarium* wilt pathogen from surface-sterilized banana roots", FEMS Microbiol. Lett., 2005, 247: 147–152.
- [Chao, 1987] Chao, A., "Estimating the population size for capture-recapture data with unequal catchability", Biometrics, Vol. 43, 1987, 783-791.
- [Cho and Kim, 2012]. Cho, J.Y. and Kim, M.S. "Induction of antifouling diterpene production by *Streptomyces cinnabarinus* PK209 in co-culture with marine-derived *Alteromonas* sp. KNS-16", Biosci. Biotechnol. Biochem. 2012, 76:1849-54.
- [Chormonova, 1978] Chormonova, N.T., "Isolation of *Actinomadura* from soil samples on selective media with kamamycin and rifampicin", Antibiotili, Vol. 23, 1978, 22-26.
- [Colwell and Coddington, 1994] Colwell, R.K. and Coddington, J.A., "Estimating terrestrial biodiversity through extrapolation", . Philosophical Transactions of the Royal Society of London. Series B: Biological Sciences, Vol. 345, 1994, 101-118.
- [Cook and Meyers, 2003] Cook, A.E. and Meyers, P.R., "Rapid identification of filamentous actinomycetes to the genus level using genus-specific 16S rRNA gene restriction fragment patterns", Int. J. Syst. Evol. Microbiol., Vol. 53, 2003, 1907-1915.
- [Cross, 1968] Cross, T., "Thermophilic actinomycetes", J. Appl. Bacteriol., Vol. 31, 1968, 36-53.
- [Currie et al., 1999] Currie, C.R., Scott, J.A., Summerbel, R.C. and Molloch, D., "Fungus-growing ants use antibiotic producing bacteria to control the garden parasites", Nature, Vol. 398 , 1999, 701-704.

- [Dai et al., 1991] Dai, Z.J., Cao, Y.L. and Wang, T.N., "Determination of the nutrients and chemical composition of *Nostoc flagelliforme* of Ningxia", Ningxia Journal Agro-Forestry Science and Technology, Vol. 3, 1991, 42-43.
- [Day et al., 1995] Day, S.A., Wickham, R.P., Entwisle, T.J. and Tyler, P.A., *Bibliographic check-list of non-marine algae in Australia*, Flora of Australia Supplementary Series 4, Canberra: ABRIS, 1995.
- [De Jong, 1972] De Jong, P.J., "L-Asparaginase production by *Streptomyces griseus*", Appl. Microbiol., Vol. 23, 1972, 1163-1164.
- [De Long et al., 1989] De Long, E.F., Wickham, G.S. and Pace, N.R., "Phylogenetic stains: ribosomal RNA-based probes for the identification of single cells", Science, Vol. 243, 1989, 1360-1363.
- [Dharmaraj and Sumantha, 2009] Dharmaraj, S. and Sumantha, A., "Bioactive potential of *Streptomyces* associated with marine sponges", World J. Microbiol. Biotechnol., Vol. 25, 2009, 1971-1979.
- [Dobashi et al., 1988] Dobashi, K., Naganawa, H., Takahashi, Y., Takita, T. and Takeuchi, T., "Novel antifungal antibiotics octacosamicins A and B II. The structure elucidation using various NMR spectroscopic methods", J. Antibiot., Vol. 11, 1988, 1533-1541.
- [Dodds et al., 1995] Dodds, W.K., Gudder, D.A. and Mollenhauer, D., "The ecology of *Nostoc*", J. Phycol., Vol. 1995, 31, 2-18.
- [Donadio et al., 1991] Donadio, S., Staver, M., McAlpine, J., Swenson, S., and Katz, L., "Modular organization of genes required for complex polyketide biosynthesis", Science, Vol. 252, 1991, 675-679.
- [Duan et al., 1995] Duan, L., Zhu, M., Bagasra, O., and Pomerantz, R.J., "Intracellular immunization against HIV-1 infection of human T lymphocytes: utility of anti-rev single-chain variable fragments" Hum Gene Ther., Vol. 1995, 12, 1561-1573.

- [Eccleston et al., 2008] Eccleston, G.P., Brooks, P.R., and Kurtböke, D.I., "The occurrence of bioactive micromonosporae in aquatic habitats of the sunshine coast in Australia", *Mar. Drugs*, Vol. 6, 2008, 243-261.
- [El-Tarabily et al., 2008] El-Tarabily, K.A., Nassar, A.H. and Sivasithamparam, K., "Promotion of growth of bean (*Phaseolus vulgaris* L.) in a calcareous soil by a phosphate-solubilizing, rhizosphere-competent isolate of *Micromonospora endolithica*", *Appl. Soil Ecol.*, 2008, 39: 161–171.
- [El-Tarabilya and Sivasithamparamb, 2006] El-Tarabilya, K.A. and Sivasithamparamb, K., "Non-streptomycete actinomycetes as biocontrol agents of soil-borne fungal plant pathogens and as plant growth promoters", *Soil Biol. Biochem.*, Vol. 38, 2006, 1505–1520.
- [Fehling et al., 2003] Fehling, R.H., Buchanan, G.O., Mincer, T.J., Kauffman, C.A., Jensen, P.R., and Fenical, W., "Salinosporamide A: a highly cytotoxic proteasome inhibitor from a novel microbial source, a marine bacterium of the new genus *Salinospora*", *Angew. Chem. Int. Ed.*, Vol. 42, 2003, 355–357.
- [Felsenstein, 2004] Felsenstein, J., *Inferring Phylogenies Sinauer Associates, M, Sunderland, 2004.*
- [Fenical et al., 1999] Fenical, W., Baden, D., Burg, M., Goyet, C.V., Grimes, J.D., Katz, M., Marcus, N.H., Pomponi, S., Rhines, P., Tester, P., and Vena, J., *Marine-derived pharmaceuticals and related bioactive compounds*,. In: Fenical W. (ed.), *Monsoons to Microbes: Understanding The Ocean's Role in Human Health*, Washington, D.C. 1999, Page No. 71-86.
- [Fenical and Jensen, 2006] Fenical, W. and Jensen, P.R., "Developing a new resource for drug discovery: marine actinomycete bacteria", *Nat. Chem. Biol.*, Vol. 2, 2006, 666–673.

- [Fernandez-Moreno et al., 1992] Fernandez-Moreno, M.A., Martinez, E., Boto, L., Hopwood, D.A., and Malpatida, F., "Nucleotide sequence and deduced functions of a set of cotranscribed genes of *Streptomyces coelicolor* A3(2) including the polyketide synthase for the antibiotic actinorhodin", *J. Biol. Chem.*, Vol. 267, 1992, 19278-19290.
- [Franquemont et al., 1990] Franquemont, C., Franquemont, E., Davis, W., Plowman, T., King, S.R., Sperling, C.R. and Niezgoda, C., *The Ethnobotany of Chinchero, an Andean Community in Southern Peru*, Botany New Series No 24, Fieldiana, 1990.
- [Gallagher et al., 1989] Gallagher, M.P., Murshall, R.D., and Wilson, R., "Asparaginase drug for treatment of acute lymphoblastic leukemia", *Essays Biochem.*, Vol. 1989, 24, 1-40.
- [Gao and Ai, 2004] Gao, K. and Ai, H., "Relationship of growth and photosynthesis with colonization in an edible cyanobacterium, Ge-Xian-Mi *Nostoc* (Cyanophyceae)", *J. Phycol.*, Vol. 40, 2004, 523-526.
- [Gao et al., 1998a] Gao, K., Qiu, B., Xia, J. and Yu, A., "Light dependency of the photosynthetic recovery of *Nostoc flagelliforme*", *J. Appl. Phycol.* Vol. 10, 1998a, 51-53.
- [Gao et al., 1998b] Gao, K., Qiu, B., Xia, J., Yu, A. and Li, Y., "Effect of wind speed on the water loss process and photosynthetic efficiency of *Nostoc flagelliforme*", *J. Appl. Phycol.*, Vol. 10, 1998b, 55-58.
- [Gerard et al., 1997] Gerard, J. Lloyd, R., Barsby, T., Haden, P., Kelly, M.T. and Andersen, R.J., "Massetolide A-H, antimycobacterial cyclic depsipeptides produced by two pseudomonads isolated from marine habitats", *Journal of Natural Products*, Vol. 60, 1997, 223-229.

- [Getha and Vikineswary, 2002] Getha, K., and Vikineswary, S., Antagonistic effects of *Streptomyces violaceusniger* strain G10 on *Fusarium oxysporum* f. sp. *ubense* race 4: indirect evidence for the role of antibiosis in the antagonistic process. *J. Indust. Microbiol. Biotechnol.*, Vol. 28, 2002, 303–310.
- [Gilliam, 1997] Gilliam, M., " Identification and roles of non-pathogenic microflora associated with honey bees", *FEMS Microbial Lett.*, Vol. 155, 1997, 1-10.
- [Goecke et al., 2013] Goecke, F., Thiel, V., Wiese, J., Labes, A., and Imhoff, J.F., "Algae as an important environment for bacteria-phylogenetic relationships among new bacterial species isolated from algae", *Phycologia*, 2013, 52: 14-24.
- [Goecke et al. 2010] Goecke, F., Labes A., Wiese J., and Imhoff, J.F., "Chemical interactions between marine macroalgae and bacteria", *Mar. Ecol. Prog. Ser.*, Vol. 409, 2010, 267-300.
- [Gonzalez et al., 2005] Gonzalez, I., Ayuso-Sacido, A., Anderson, A., and Genilloud, O., "Actinomycetes isolated from lichens: Evaluation of their diversity and detection of biosynthetic gene sequences", *FEMS Microbiol. Ecol.*, 2005, 54: 401-415.
- [Goodfellow, 1989] Goodfellow, M., "Suprageneric classification of actinomycetes" In: *Bergey's Manual of Systematic Bacteriology*, Vol. 4, Williams and Wilkins, Baltimore, 1989, pp.2333-2339.
- [Gray and Willams, 1971] Gray, T.R.G. and Willams, S.T., *Soil Micro-organism*, Hafner, New york, 1971.

- [Gust et al., 2003] Gust, B., Challis, G.L., Fowler, K., Kieser, T., and Chater, K.F., "PCR-targeted *Streptomyces* gene replacement identifies a protein domain needed for biosynthesis of the sesquiterpene soil odor geosmin", Proc. Nat. Acad. Sci. USA., Vol 100, 2003,1541-1546.
- [Hall, 2001] Hall, B.G., "A How-to Manual for Molecular Biologists" In: *Phylogenetic tree made easy*, Sunderland. Massachusetts: Sinauer Associates. 2001.
- [Hennessee et al., 2009] Hennessee, C.T., Seo, J.-S., Alvarez, A.M. and Li, Q.X., "Polycyclic aromatic hydrocarbon-degrading species isolated from Hawaiian soils: *Mycobacterium crocinum* sp. nov., *Mycobacterium pallens* sp. nov., *Mycobacterium rutilum* sp. nov., *Mycobacterium rufum* sp. nov. and *Mycobacterium aromaticivorans* sp. nov", Int. J. Syst.Evo. Micr., 2009, 59: 378-387.
- [Hasegawa et al., 2006] Hasegawa. S., Meguro, A., Shimizu, M., Nishimura, T., and Kunoh, H, "Endophytic actinomycetes and their interactions with host plants", Actinomycetol., Vol. 20, 2006, 72–81.
- [Hasegawa et al., 1983] Hasegawa, T., Takisawa, M., and Tanida, S., "A rapid analysis for chemical grouping of aerobic actinomycetes", J. Gen. Appl. Microbiol., Vol. 29, 1983, 319-322.
- [Hayakawa, 2008] Hayakawa, M., "Studies on the isolation and distribution of rare actinomycetes in soil", Actinomycetol., Vol. 22, 2008,12–19.
- [Hayakawa and Nonomura, 1987] Hayakawa, M., and Nonomura, H., "Humic acid-vitamin agar, a new medium for the selective isolation of soil actinomycetes", J. Ferment. Technol., Vol. 65, 1987a,501– 509.

- [Hayakawa et al., 1996] Hayakawa, M., Momose, Y., Yamazaki, T., and Nonomura, H., "A method for the selective isolation of *Microtetraspora glauca* and related four-spored actinomycetes from soil", J. Appl. Bacteriol., 1996, 80: 375–386.
- [Hayakawa et al., 1996a] Hayakawa, M., Takeuchi, T., and Yamazaki, T., "Combined use of trimethoprim with nalidixic acid for the selective isolation of actinomycetes from soil", Actinomycetol., 1996a, 10: 80–90.
- [Hayakawa et al., 2004] Hayakawa, M., Yoshida, Y., and Iimura, Y., "Selection of bioactive soil actinomycetes belonging to the *Streptomyces violaceusniger* phenotypic cluster", J. Gen. Appl. Microbiol., Vol. 96, 2004, 973-981.
- [Hickey and Tresner, 1952] Hickey, R.J. and Tresner, H.D., "A cobalt-containing medium for sporulation of *Streptomyces* species", J. Bact., Vol. 64, 1952, 891-892.
- [Hillis et al., 1996] Hillis, D.M., Morritz, C. and Mable, B.K., "Applications of molecular systematic" In: *Molecular systematic*, Hillis D.M., Moritz C. and Mable B.K. (eds.), Massachusetts: Sinauer Associates, 1996.
- [Holt et al., 1994] Holt, J.G., Krieg, N.R., Sneath, P.H.A., Staley, J.T., and Williams, S.T., *Bergey's Manual of Determinative Bacteriology*. 9th ed., Williams and Wilkins, Baltimore, MD, USA, 1994, 787 pp.
- [Hong et al., 2009] Hong, K., Gao, A.-H., Xie, Q.-Y., Gao, H.G., Zhuang, L., Lin, H.-P., Yu, H.-P., Li, J., Yao, X.-S. and Goodfellow, M., "Actinomycetes for marine drug discovery isolated from mangrove soils and plants in China", Marine Drugs, Vol. 7, 2009, 24-44.

- [Hoppe, 1981] Hoppe, H.G., "Blue-green algae agglomeration in surface water"
In: A microbiology of high bacterial activity, Kieler
Meeresforsch, Sonderh, 1981, 291-303.
- [Hopwood and Sherman, 1990] Hopwood, D.A., and Sherman, D.H., "Molecular
genetics of polyketides and its comparison to fatty acid
biosynthesis", *Annu. Rev. Genet.*, Vol. 24, 1990, 37–66.
- [Hozzein et al., 2008] Hozzein, W.N., Ali, M.I.A., and Rabie, W., "A new preferential
medium for enumeration and isolation of desert actinomycetes",
World J. Microbiol. Biotechnol., Vol. 24, 2008, 1547–1552.
- [Hranueli et al., 2001] Hranueli, D., Peric, N., Borovicka, B., Bogdan, S., Cullum, J.,
Waterman, P.G., and Hunter, I.S., "Molecular biology of
polyketide biosynthesis", *Food. Technol. Biotechnol.*, Vol. 39,
2001, 203–213.
- [Hsu and Lockwood, 1975] Hsu, S.C. and Lockwood, J.L., "Powdered chitin agar as
a selective medium for enumeration of actinomycetes in water and
soil", *Appl. Microbiol.*, Vol. 29, 1975, 422-426.
- [Huber et al., 2004] Huber T., Faulkner G., and Hugenholtz P., "Bellerophon; a
program to detect chimeric sequences in multiple sequence
alignments", *Bioinformatics*, 2004, Vol. 20, 2317-2319.
- [Hughes et al., 2008] Hughes, C.C., Prieto-Davo, A., Jensen, P.R., and Fenical, W.,
"The marynopyrroles, antibiotics of an unprecedented structure
class from a marine *Streptomyces* sp.", *Org. Lett.*, Vol. 10, 2008,
629–631.
- [Hutchinson, 1995] Hutchinson, C.R., "Polyketide synthase gene manipulation: A
structure-function approach in engineering novel antibiotics",
Annu. Rev. Microbiol., Vol. 49, 1995, 201-238.

- [Hwang et al., 2011] Hwang S.S., Park S.D., Jang I.H., Young Uh., Yoon K.J., Kim H.Y., "Actinomyces graevenitzii bacteremia in a patient with alcoholic liver cirrhosis", *Anaerobe*, Vol. 17, 2011, 87-89.
- [Igarashi et al., 2002] Igarashi, T., Morisaki, H., Yamamoto, Y. and Goto, N., "An essential amino acid residue for catalytic activity of the dextranase of *Streptococcus mutans*", *Oral. Microbiol. Immunol.*, Vol. 17, 2002, 193–196.
- [Ilic et al., 2007] Ilic, S.B., Konstantinovic, S.S., Todorovic, Z.B., Lazic, M.L., Veljkovic, V.B., Jokovic, N. and Radovanovic, B.C., "Characterization and antimicrobial activity of the bioactive metabolites in streptomycete isolates", *Microbiol.*, 2007, 76: 421–428.
- [Imamura et al., 1997] Imamura, O., Sugawara, M. and Furuichi, Y., "Cloning and Characterization of a Putative Human RNA Helicase Gene of the DEAH-Box Protein Family", *Biochem. Biophys. Res. Commun.*, Vol. 240, 1997, 335-340.
- [Ivanova et al., 2002a] Ivanova, N.B., Dimos, J.T., Schaniel, C., Hackney, J.A., Moore, K.A. and Lemischka, I.R., "A stem cell molecular signature", *Science*, Vol. 298, 2002, 601-604.
- [Jensen et al., 1991] Jensen, P.R., Dwight, R., and Fenical, W., "Distribution of Actinomycetes in near-shore tropical marine sediments", *Appl. Environ. Microb.*, Vol. 57, 1991, 1102-1108.
- [Jensen et al., 2005a] Jensen, P.R., Gontag, E., Mafnas, C., Mincer, T.J., and Fenical, W., "Culturable marine actinomycete diversity from tropical Pacific Ocean sediments", *Environ. Microbiol.*, Vol. 7, 2005a, 1039-1048.

- [Jensen et al., 2005b] Jensen, P.R., Mincer, T.J., Williams, P.G., and Fenical, W., "Marine actinomycete diversity and natural product discovery", *Antonie Van Leeuwenhoek*, Vol. 87, 2005b, 43–48.
- [Jiang et al., 2008] Jiang S., Li X., Zhang L., Sun W., Dai S., Xie L., Liu Y., and Lee K.J., "Culturable actinobacteria isolated from marine sponge *Iotrochota* sp.", *Mar. Biol.*, Vol. 153, 2008, 945-952.
- [Johansen et al., 1999] Johansson, M., Van Rompay, A.R., Degreve, B., Balzarini, J. and Karlsson, A., "Cloning and characterization of the multisubstrate deoxyribonucleoside kinase of *Drosophila melanogaster*", *J. Biol. Chem.*, Vol. 274, 1999, No. 34, 23814-23819.
- [Joseph et al., 2003] Joseph, S.J., Hugenholtz, P., Sangwan, P., Osborne, C.A. and Janssen, P.H., "Laboratory cultivation of widespread and previously uncultured soil bacteria", *Appl. Environ. Microbiol.*, Vol. 69, 2003, No. 12, 7210-7215.
- [Kämpfer et al., 2007] Kämpfer, P., Rosselló-Mora, R., Hermansson, M., Persson, F., Huber, B., Falsen, E. and Busse, H.J., "*Undibacterium pigrum* gen. nov., sp. nov., isolated from drinking water", *Int. J. Syst. Evol. Microbiol.*, Vol. 57, 2007, 1510-1515.
- [Katz, 1997] Katz, L., "Manipulation of modular polyketide synthases", *Chem. Rev.*, Vol. 97, 1997, 2557-2575.
- [Kelly, 1964] Kelly, K.L., *ISCC-NBC color-name charts illustrated with centroid colors*, 1964.
- [Kenneth, 1958] Kenneth, L.K., "Prepared research paper RP 2911, central notations for the revised ISCC-NBS color name blocks", *J. Res. NBS.*, Vol. 16, 1958, 427.

- [Khan et al., 2012] Khan S.T., Takagi T., and Shin-Ya K., "Actinobacteria associated with the marine sponges *Cinachyra* sp., *Petrosia* sp., and *Ulosa* sp. and their culturability", *Microbes Environ.*, Vol. 27, 2012, No. 1, 99-104.
- [Khosla, 1997] Khosla, C., "Harnessing the biosynthetic potential of modular polyketide synthases", *Chem. Rev.*, Vol. 97, 1997, 2577-2590.
- [Khamna et al., 2009] Khamna, S., Yokota, A. and Lumyong, S., "Actinomycetes isolated from medicinal plant rhizosphere soils: diversity and screening of antifungal compounds, indole-3-acetic acid and siderophore production", *World J. Microbiol. Biotechnol.*, Vol. 25, 2009, 649-655.
- [Kieser et al., 2000] Kieser, T., Bibb, M.J., Buttner, M.J., Chater, K.F., and Hopwood, D.A., *Practical Streptomyces genetics*, The John Innes Foundation, Norwich. 2000.
- [Kim et al., 2005] Kim T.K., Garson, M.J. and Fuerst, J.A., "Marine actinomycetes related to the "*Salinospora*" group from the Great Barrier Reef sponge *Pseudoceratina clavata*", *Environ Microbiol.*, Vol. 7, 2005, 509-518.
- [Kim et al., 2006] Kim, T.K., Hewavitharana, A.K., Shaw, P.N., Fuerst, J.A., "Discovery of a new source of rifamycin antibiotics in marine sponge actinobacteria by phylogenetic prediction", *Appl. Environ. Microb.*, Vol. 72, 2006, 2118–2125.
- [Kim et al., 2012] Kim O.S., Cho Y.J., Lee K., Yoon S.H., Kim M., Na H., Park S.C., Jeon Y.S., Lee J.H., Yi H., Won S., Chun J., "Introducing EzTaxon-e: a prokaryotic 16S rRNA Gene sequence database with phylotypes that represent uncultured species", *Int. J. Syst. Evol. Microbiol.*, Vol. 62, 2012, 716–721.

- [Komárek et al., 2003] Komárek J., Kling H., and Komárková J., "Filamentous Cyanobacteria" In: *Freshwater Algae of North America*, Wehr J.D., Sheath R.G. (eds.), Academic Press. San Diego. 2003.
- [Kroppenstedt and Goodfellow, 2006] Kroppenstedt, R. and Goodfellow, M., "The Family *Thermomonosporaceae*: *Actinocorallia*, *Actinomadura*, *Spirillospora* and *Thermomonospora*" In: *The Prokaryotes*, M. Dworkin, S. Falkow, E. Rosenberg, K.-H. Schleifer and E. Stackebrandt (eds.), Springer New York, 2006, Page 682-724.
- [Kurboke, 2011] Kurboke, D.I., "Exploitation of phage battery in the search for bioactive actinomycetes", *Appl. Microbiol. Biotechnol.*, Vol. 89, 2011, 931-937.
- [Küster and Williams, 1964] Küster E, and Williams S., "Selection of media for isolation of *Streptomyces*", *Nature*, 1964, Vol. 202, 928-9.
- [Kwon et al., 2006] Kwon, H.C., Kauffman, C.A., Jensen, P.R., and Fenical, W., "Marinomycins A-D, antitumor antibiotics of a new structure class from a marine actinomycete of the recently discovered genus "*Marinispora*"", *J. Am. Chem. Soc.*, Vol. 128, 2006, 1622–1632.
- [Labeda, 1968] Labeda, D.P., "Actinomycete taxonomy: generic characterization", *J. Indust. Microbiol. Suppl.*, Vol. 2, 1986, 115-121.
- [Labeda, 1990] Labeda, D.P., "Isolation of biotechnological organisms from nature" In: *Isolation of actinomycetes for biotechnological application*. McGraw Hill Inc., New York. 1990.
- [Lavrova, 1971] Lavrova, N.V., "Selective media with streptomycin for isolation of new antibiotic producers", *Antibiotiki*, 1971. 16:13-27.
- [Lazaroff, 1973] Lazaroff, N., "Photomorphogenesis and nostocacean development" In: *The Biology of Blue-Green Algae* (N.G. and B.A. Whitton), Oxford: Blackwell Scientific Publications, 1973.

- [Lazzarini et al., 2000] Lazzarini, A., Cavaletti, L., Toppo, G., Marinelli, F., "Rare genera of actinomycetes as potential producers of new antibiotics", *Antonie Van Leeuwenhoek.*, Vol. 78, 2000, 399-405.
- [Lechevalier and Lechevalier, 1970] Lechevalier, M.P., and Lechevalier, H.A., "Chemical composition as a criterion in the classification of aerobic actinomycetes", *Int. J. Syst. Bacteriol.*, Vol. 20, 1970, 435-43.
- [Lechevalier, 1977] Lechevalier, M.P., "Lipids in bacterial taxonomy-a taxonomist's view", *Crit. Rev. Microbiol.*, Vol. 7, 1977, 109-210.
- [Lechevalier and Lechevalier, 1980] Lechevalier, M.P., and Lechevalier, H.A., "Procedures for studying and characterizing actinomycetes with emphasis on streptomycetes. Part III. A university laboratory approach) emphasis on generic characterization) " In : *Actinomycete Taxonomy*, Dietz A and Thayer DW (eds.), SIM Special Publication Number 6, Society for Industrial Microbiology, Arlington, VA. 1980, Page 225-291.
- [Lembi and Waaland, 1988] Lembi, C.A. and Waaland, J.R., *Algae and Human Affairs*. Cambridge University Press, Cambridge, 1988.
- [Li and Piel, 2002] Li, A. and Piel, J., "A gene cluster from a marine *Streptomyces* encoding the biosynthesis of aromatic spiroketal polyketid grisiorhodin A", *Chem. Biol.*, Vol. 9, 2002, 1017-1026.
- [Ludwig et al., 1998] Ludwig, W., Strunk, O., Klugbauer, N., Weizenegger, M., Neumaier, J., Bachleitner, M. and Schleifer, K.H., Bacterial phylogeny based on comparative sequence analysis. *Electrophoresis*, Vol. 19, 1998, 554-568.
- [Lund and Lund, 1995] Lund, H.C. and Lund, J.W.G., *Freshwater Algae their Microscopic World Explored*, Biopress Limited, Bristol, 1995.

- [Madigan and Martinko, 2006] Madigan, M.T. and Martinko, J.M., *Brock biology of microorganisms*. NJ: Prentice-Hall, Upper Saddle River, 2006.
- [Mahakhant et al., 2006] Mahakhant, A., Klinhom, U., Tungthananuwat, M., Thippayasuksri, C., Kunlayalung, W., Phatomyothin, W., Srinorakutara, P., Bunyaphak, P., Sae-khow, K., Srisawas, S., Arunpairojana, V. and Nutalai, S., *Research and Development on Food Products from "Hed Lab" Alga (Nostoc commune, Cyanophyta)*. Final report submitted to Biodiversity research and training program, 2006, 79-93.
- [Marshall et al., 2006] Marshall, K., Joint, I., Callow, M.E., and Callow, J.A., "Effect of marine bacterial isolates on the growth and morphology of axenic plantlets of the green alga, *Ulva linza*", *Microb. Ecol.*, Vol. 52, 2006, 302-310.
- [Matsumoto et al., 1998] Matsumoto, A., Takahashi, Y., Mochizuki, M., Seno, A., Iwai, Y. and Omura, S., "Characterization of actinomycetes from fallen leaves", *Actinomycetol.*, 1998, 12: 46-48.
- [Matsumoto et al., 2003] Matsumoto, A., Takahashi, Y., Mochizuki, M., and Metsa-Ketala, M., *Harnessing the potential for antibiotic production within Streptomyces genomes: from gene detection to antibiotic production*. Department of Biochemistry and Food Chemistry, University of Turku, Finland. 2003.
- [Mellouli et al., 2003] Mellouli, L., Mehdi, R.B., Sioud, S., Salem, M. and Bejar, S., "Isolation, purification and partial characterization of antibacterial activities produced by a newly isolated *Streptomyces* sp. US24 strain", *Res. Microbiol.*, 2003, 154: 345-352.
- [Merckx et al., 1987] Merckx, R., Dijkstra, A., Hartog, A.D. and Veen, J.A.V., "Production of root-derived material and associated microbial growth in soil at different nutrient levels", *Biol. Fertil. Soils.*, 1987, 5: 126-132.

- [Mincer et al., 2005] Mincer, T.J., Fenical, W., and Jensen, P.R., "Culture-dependent and culture-independent diversity within the obligate marine actinomycete genus *Salinispora*", *Appl. Environ. Microbiol.*, Vol. 71, 2005,7019-7028.
- [Miyadoh, 1993] Miyadoh, S., "Research on antibiotic screening in Japan over the last decade: a producing microorganisms approach", *Actinomycetological*, Vol. 9, 1993,100-6.
- [Mohan, 2009] Mohan, D.R., Antony, B., and Shivakumarappa, G.M., "Empyema thoracis due to *Actinomyces nodontolyticus*", *Ind. J. Pathol. Microbiol.*, Vol. 52, 2009, 120-121.
- [Moore et al., 2002] Moore J.E., Xu J., and Millar B.C., "Diversity of the microflora of edible macroalga (*Palmaria palmate*)", *Food Microbiol.*, Vol. 19, 2002, 249-257.
- [Mootz et al., 2002] Mootz, H.D., Schwarzer, D., Marahiel, M.A., "Ways of assembling complex natural products on modular nonribosomal peptide synthetases", *ChemBio Chem.*, Vol. 3, 2002, 490-504.
- [Mostafa and Salama, 1979] Mostafa, S.A. and Salama, M.S., "L-asparaginase producing *Streptomyces* from soil of Kuwait", *Zentralbl. Bakterol. Naturwiss.*, Vol. 134, 1979, 325–334.
- [Motham et al., 2014] Motham, M., Pekkoh, J. and Peerapornpisal, Y., "Edible Cyanobacteria (*Nostochopsis* spp.) from Glass House, Queen Sirikit Botanical Garden, Thailand", *Advance Journal of Food Science and Technology*, Vol. 6, 2014, No. 3, 303-307.
- [Mount, 2004] Mount, D.M., *Bioinformatics: Sequence and Genome Analysis*, New York, Cold Spring Harbor Laboratory Press, 2nd ed, 2004.
- [Muriel and Lucien, 2004] Muriel, F.G. and Lucien, H., "Polyphyly of true branching cyanobacteria (Stigonematales)", *Int. J. Syst. Evol. Microb.*, Vol. 54, 2004, 349–357.

- [Murray and Thompson, 1980] Murray, M.G. and Thompson, W.F., "Rapid isolation of high molecular weight plant DNA", Nucl. Acids Res., Vol. 8, 1980, 4321-4325.
- [Muyzer et al., 1993] Muyzer, G., E.C. De Waal and A.G. "Uitterlinden: Profiling of complex microbial populations by denaturing gradient gel electrophoresis analysis of polymerase chain reaction-amplified genes coding for 16S rRNA", Appl. Environ. Microbiol., 1993, 59, 695-700.
- [Nagaoka et al., 2012] Nagaoka K., Izumikawa K., Yamamoto Y., Yanagihara K., Ohkusu K., and Kohno S., "A case of multiple lung abscesses caused by *Actinomyces graevenitzii* mimicking acute pulmonary coccidioidomycosis", J. Clin. Microbiol., 2012, 50: 3125-3128.
- [Narayana et al., 2007] Narayana, K.J.P., Kumar, K.G., and Vijayalakshmi, M., "L-asparaginase production by *Streptomyces albidoflavus*", Indian J. Microbiol., Vol. 48, 2007, 331-336.
- [Nausch, 1996] Nausch, M., " Alkaline phosphatase activities and the relationship to inorganic phosphate in the Pomeranian Bight (southern Baltic Sea) ", Aquat. Microb. Ecol., Vol.16, 1996, 87-94.
- [Newton and Graham, 1997] Newton, C.R. and Graham, A., *PCR*. Oxford: BIOS Scientific Publishers. 1997.
- [Nimnoi et al., 2010] Nimnoi P, Pongsilp N and Lumyong S., "Genetic diversity and community of endophytic actinomycetes within the roots of *Aquilaria crassna* Pierre ex Lec assessed by Actinomycetes-specific PCR and PCR-DGGE of 16S rRNA gene", Biochem. Syst. Ecol., 2010, 38:595-601.

- [Nithyanand et al., 2010] Nithyanand, P., Indhumathi, T., Ravi, A.V., and Pandian S.K., "Culture independent characterization of bacteria associated with the mucus of the coral *Acropora digitifera* from the Gulf of Mannar", *World J. Microbiol. Biotechnol.*, Vol. 27, 2010,1399-1406.
- [Nolan and Cross, 1988] Nolan, R.D. and Cross, T., "Isolation and screening of actinomycetes" In *Actinomycetes in Biotechnology*; Goodfellow, M., Williams, S.T., Mordarski, M., Eds. Academic Press, Inc.: San Diego, CA, USA, 1988, pp. 1-32.
- [Nonomura and Hayakawa, 1988] Nonomura, H., and Hayakawa, M., "New methods for selective isolation of soil actinomycetes" In *Biology of actinomycetes*. Japan Scientific Societies Press, Tokyo, 1988, Page 288–293.
- [O'Hagan, 1995] O'Hagan, D., "Biosynthesis of fatty acids and polyketide metabolites", *Nat.Prod. Rep.*, Vol. 12, 1995,1–32.
- [Ostash, 2005] Ostash, B.E., Ogonyan, S.V., Luzhetskyy, A.N., Bechthold, A, and Fedorenko, V.A., "The use of PCR for detecting genes that encode type I polyketide synthases in genomes of actinomycetes", *Russian J. Gen.*, Vol. 41, 2005, 473–478
- [Pace et al., 1986] Pace, N.R. OLSEN, G. J. and WOESE, C. R., "Ribosomal RNA phylogeny and the primary lines of evolutionary descent", *Cell* , 1986, 45, 325-326.
- [Pearl et al., 1989] Pearl, J., Geiger, D. and Verma, T.S., *The logic of influence diagrams*, In Oliver, R.M, and Smith J.Q., editors, *Influence Diagrams, Belief Networks and Decision Analysis*, John Wiley and Sons, Ltd., Sussex, England, pages 67-87.
- [Pearl and Gallucci, 1985] Pearl, H.W. and Gallucci, K.K., "Role of chemotaxis in establishing a specific nitrogen-fixing cyanobacterial-bacterial association", *Science*, 1985, 227: 647-649.

- [Pandey et al., 2004] Pandey, B., Ghimire, P. and Agrawal, V.P. "Studies on the antibacterial activity of actinomycetes isolated from the Khumbu region of Mt. Everest", A paper presented in the International Conference on the Great Himalayas: Climate, Health, Ecology, Management and Conservation, Kathmandu. January 12-15, 2004, Organized by Kathmandu University and the Aquatic Ecosystem Health and Management Society, Canada.
- [Pandey and Pandey, 2008a] Pandey U. and Pandey J., "Enhanced production of biomass, pigments and antioxidant capacity of a nutritionally important cyanobacterium *Nostochopsis lobatus*", Bioresource Technology, Vol. 99, 2008a, 4520-4523.
- [Pandey and Pandey, 2008b] Pandey, U. and Pandey, J., "Enhanced production of high-quality biomass, δ -aminolevulinic acid, bilipigments and antioxidant capacity of food alga: *Nostochopsis lobatus*", Appl. Biochem. Biotechnol., Vol. 150, 2008b, 221-231.
- [Pathom-aree et al., 2006] Pathom-aree, W., Nogi, Y., Sutcliffe, I.C., Ward, A.C., Horikoshi, K., Bull, A.T., and Goodfellow, M., "*Williamsia marianensis* sp. nov., a novel actinomycete isolated from the Mariana Trench", Int. J. Syst. Evol. Microbiol., Vol. 56, 2006, 1123–1126.
- [Patil et al., 2010] Patil, B.P., Zeng, Y., Coursey, T., Houston, P., Miller, I. and Chen, C., "Isolation and characterization of a *Nocardiopsis* sp. from honeybee guts", FEMS. Microbiol. Lett., 2010, 312: 110-118.
- [Peerapornpisal et al., 2005] Peerapornpisal, Y., Pongsirikul, I., Kanjanapothi, D. *et al.*, *Potential of Freshwater Macroalgae as Food and Medicine*. Final report submitted to Thailand Research Fund (TRF). 2005.

- [Peerapornpibal et al., 2006] Peerapornpibal, Y., Doungporn, A., Chaiyong, R., Khomson, R. and Duangta, K., "Two Endemic Species of Macroalgae in Nan River, Northern Thailand, as Therapeutic Agents", *Science Asia*, Vol. 32, 2006, No.1, 71-76.
- [Porter et al., 1960] Porter, J.N., Wilhelm, J.J. and Tresner, H.D., "A method for the preferential isolation of actinomycetes from soil", *Appl. Microbiol.*, 1960, Vol. 8, 174-178.
- [Potts, 1997] Potts, M., "Etymology of the Genus Name *Nostoc* (Cyanobacteria)", *Int. J. Syst. Bacteriol.*, Vol. 47, 1997, 584.
- [Povazan et al., 2012] Povazan, A., Vukelic, A., Secen, N., Sazdanic-Velikic, D. and Bursac, D., "*Actinomyces odontolyticus*-associated bacteremia", *Macedonian J. Med. Sci.*, 2012, 5: 324-327.
- [Prapagdee et al., 2008] Prapagdee, B., Kuekulvong, C. and Mongkolsuk, S., "Antifungal potential of extracellular metabolites produced by *Streptomyces hygroscopicus* against phytopathogenic fungi", *Int. J. Biol. Sci.*, 2008. 4: 330-337.
- [Prescott et al., 1993] Prescott, L.M., Harley, J.P. and Klein, D.A. *Microbiology*. 2nd Ed. Wm.C. Brown Publishers, Dubuque. 1993.
- [Radajewski et al., 2002] Radajewski, S., Webster, G., Reay, D.S., Morris, S.A., Ineson, P., Nedwell, D.B., Prosser, J.I., and Murrell, J.C., "Identification of active methylotroph populations in an acidic forest soil by stable isotope probing", *Microbiol.*, Vol. 148, 2002, 2331–2342.
- [Radwan et al., 2010] Radwan, M., Hanora, A., Zan, J., Mohamed, N.M., Abo-Elmatty D.M., Abou-El-Ela, S.H. and Hill, R.T., " Bacterial community analyses of two Red sea sponges", *Mar. Biotechnol.*, 2010, 12: 350-360.

- [Riedlinger et al., 2004] Riedlinger, J., Reike, A., Za'hner, H., Krismer, B., Bull, A.T., Maldonado, L.A., Ward, A.C., Goodfellow, M., Bister, B., Bischoff, D., and Fiedler, H.P., "Abyssomicins, inhibitors of the para-aminobenzoic acid", *J. Antibiot.*, Vol. 57, 2004, 271– 279.
- [Rifaat, 2003] Rifaat, H.M., "The biodiversity of actinomycetes in the River Nile exhibiting antifungal activity", *J. Mediterranean. Ecol.*, Vol. 4, 2003, 5-7.
- [Rodriguez et al., 2006] Rodriguez, P.L., Pizarro, H., Maidana, N., Dos Santos Afonso and Bonaventura, S.M., "Epixylic algae from a polluted lowland river of Buenos Aires province (Argentina)", *Cryptogamie Algologie*, Vol. 27, 2006, 63-83.
- [Rohwer et al., 2002] Rohwer, F., Seguritan, V., Azam, F., and Knowlton, N., "Diversity and distribution of coral-associated bacteria", *Mar. Ecol. Progr.*, Vol. 243, 2002, 1-10.
- [Romanenko et al., 2008] Romanenko, A.L., Uchino, M., Kalinovskaya, I.N., and Mikhailov, V.V., "Isolation, phylogenetic analysis and screening of marine mollusk-associated bacteria for antimicrobial, hemolytic and surface activities", *Microbiol. Res.*, Vol. 163, 2008, 633-644 .
- [Ruan, 2013] Ruan, J., "The tudy of Actinomycetes systematic in China" In: *Bergey's Manual of Systematic Bacteriology*, Wei Sheng Wu Xue Bao, second edition, 2013, Jun 4;53(6):521-30.
- [Saiki et al., 1985] Saiki, R.K., Scharf, S., Faloona, F. Mullis, K.B., Horn, G.T., Erlich, H.A. and Arnheim, N., "Enzymetic amplification of β -Globulin genomic sequences and restriction site analysis for diagnosis of sickle cell anemia", *Science*, Vol. 230, 1985, 1350-1354.

- [Saiki et al., 1988] Saiki, R.K., Gelfand, D.H., Stoffel, S.J., Higuchi, R., Horn, G.T., Mullis, K.B. and Erlich, H.A., "Primer-detected enzymatic amplification of DNA with a thermostable DNA polymerase", *Science*, Vol. 239, 1988, 487-491.
- [Saitou and Nei, 1987] Saitou, N. and Nei, M., "The neighbor-joining method: a new method for reconstructing phylogenetic trees", *Mol. Biol. Evol.*, Vol. 4, 1987, 406-425.
- [Salomon et al., 2003] Salomon, P.S., Janson, S. and Granéli, E., "Molecular identification of bacteria associated with filaments of *Nodularia spumigena* and their effect on the cyanobacterial growth", *Harmful Algae*, Vol. 2, 2003, 261–272.
- [Seno et al., 1998] Seno, A., Iwai, Y., and Omura, S., "Characterization of actinomycetes from fallen leaves", *Actinomycetol.*, Vol. 12, 1998, 46–48
- [Schippers et al., 2005] Schippers, A., Neretin, L. N., Kallmeyer, J., Ferdelman, T. G., Cragg, B. A., Parkes, R. J. and Jørgensen, B. B., "Prokaryotic cells of the deep sub-seafloor biosphere identified as living bacteria", 2005, *Nature* 433, 861–864.10.1038/nature0330.
- [Schwarzer et al., 2003] Schwarzer, D., Finking, R., and Marahiel, M.A., "Nonribosomal peptides: from genes to products", *Nat .Prod. Rep.* Vol. 20, 2003, 275-287.
- [Shanon and Weaver, 1949] Shanon, C. and Weaver, W., *The mathematical theory of communication*, University of Illinois Press, Urbana and Chicago, USA, 1949.
- [Shearer, 1987] Shearer, M.C., "Methods for the isolation of non-streptomycete actinomycetes", *Dev. Ind. Microbiol.*, Vol. 28, 1987, 91-97.

- [Sheath and Cole,1996] Sheath, R.G. and Cole, K.M., "Stream macroalgae in the Fiji Islands: a Preliminary Study", *Pacific Science*, Vol. 50, 1996, 46–54.
- [Shen, 2003] Shen, B., "Polyketide biosynthesis beyond the type I, II and III polyketide synthase paradigms", *Curr. Opin. Chem. Biol.*, 2003. 7: 285–295.
- [Sherwood, 2004] Sherwood, A.R., "Bibliographic checklist of the nonmarine algae of the Hawaiian Islands, Records of the Hawaii Biological Survey for 2003", *Bishop Museum Occasional Papers*, Vol. 80, 2004, 1-26.
- [Shirling and Gottlieb, 1966] Shirling, E.B., and Gottlieb, D., "Methods for characterization of *Streptomyces* species", *Int. J. Syst. Bacteriol.*, Vol. 16, 1966, 313-340.
- [Shomura, 1993] Shomura, T., "Screening of new products of new species of *Dactylosporangium* and other actinomycetes", *Actinomycetol.*, 1993. 7: 88-98.
- [Singh et al., 2006] Singh, L.S., Baruah, I. and Bora, T.C., "Actinomycetes of Loktak habitat: isolation and screening for antimicrobial activities", *Biolotechnol.*, Vol. 5, 2006, 217-221.
- [Singka et al., 2012] Singka, D., Kumdhithahutsawakul, L., Rekkriangdrai, P., Pathomaree, W. "A simple method for DNA extraction from activated sludge", *Chiang Mai J. Sci.*,2012, 39(1): 111-118.
- [Skinner and Entwisle, 2001] Skinner, S. and Entwisle, T.J., "*Non-marine algae of Australia*: 1. Survey of colonial gelatinous blue-green macroalgae (Cyanobacteria)", *Telopea*, Vol. 9, 2001, No. 3, 573-599.

- [Sompong, 2006] Sompong, U., *Morphology and Phylogenetic Criteria in Taxonomic Studies of Cyanobacteria at Some Hot Spring Areas in Thailand*, Ph.D. thesis, Faculty of Science, Chiang Mai University, 2006.
- [Spoerner et al., 2012] Spoerner, M., Wichard, T., Bachhuber, T., Stratmann, J., and Oertel, W., "Growth and thallus morphogenesis of *Ulva mutabilis* (Chlorophyta) depends on a combination of two bacterial species excreting regulatory factors", *J. Phycol.*, Vol. 48, 2012, 1433-1447.
- [Stach et al., 2003] Stach, J.E.M., Maldonado, L.A., Ward, A.C., Goodfellow, M., and Bull, A.T., New primers for the class Actinobacteria: application to marine and terrestrial environments. *Environ. Microbiol.*, Vol. 5, 2003, 828-842.
- [Stackebrandt et al., 1997] Stackebrandt, E., Rainey, F.A., and Ward-Rainey, N.L., "Proposal for a new hierarchic classification system, *Actinobacteria* classis nov", *Int. J. Syst. Bacteriol.*, Vol. 47, 1997, 479-491.
- [Starr et al., 1981] Starr, M.P., Stolp, H., Truper, H.G., Balows, A. and Schlegel, H.G., *The Prokaryotes: A handbook on habitats, isolation and identification of bacteria*. Springer-Verlag, Berlin Heidelberg, Germany, 1981.
- [Strohl, 2003] Strohl, W.B., "Antimicrobials" In: *Microbial Diversity and Bioprospecting*, American Society for Microbiology Press, Washington DC, Bull AT (ed), 2003.
- [Suzuki et al., 2000] Suzuki, S., Yamamoto, K., Okuda, T., Nishio, M., Nakanishi, N. and Komatsubara, S., "Selective isolation and distribution of *Actinomadura rugatobispora* strains in soil", *Actinomycetol.*, 2000. 14: 27 – 33.

- [Swofford et al., 1996] Swofford, D.L., Olson, G.J., Waddell, P.J. and Hillis, D.M., *Phylogenetic inference: Molecular systematic*, Sunderland: Massachusetts, Sinauer Associates, 1996.
- [Taechowisan, 2003] Taechowisan, T., *Cloning and heterologous expression of chitinase gene from an endophytic actinomycete for antifungal activity improvement*, Ph.D. Thesis, Chiang Mai University, 2003.
- [Tamura et al., 2007] Tamura, K., Dudley, J., Nei, M., and Kumar, S., "MEGA4: Molecular Evolutionary Genetic Analysis (MEGA) software version 4.0", *Mol. Biol. Evol.*, Vol. 24, 2007, 1596-1599.
- [Tanaka and Mura, 1993] Tanaka, Y.T., and Mura, S.O., "Agroactive compounds of microbial origin" *Annu Rev. Microbiol.*, Vol. 47, 1993, 57-87.
- [Takahashi and Omura, 2003] Takahashi, Y., and Omura, S., "Isolation of new actinomycete strains for the screening of new bioactive compounds", *J. Gen. Appl. Microbiol.*, Vol. 49, 2003, 141-154.
- [Takenaka et al., 1997] Takenaka, H., Sumiya, T. and Ito, H., "Effects of hot water extract prepared from *Nostoc flagelliforme* on macrophage activities in tumor-bearing mice", *Med. Biol.*, Vol. 135, 1997, 231-4.
- [Takezaki, 1998] Takezaki, N., NJBAFD: Neighbour-joining tree construction from allele frequency data, National Institute of Genetics, Shizuoka, Japan. 1998.
- [Takizawa et al., 1993] Takizawa, M., Colwell, R.R., and Hill, R.T., "Isolation and diversity of actinomycetes in the Chesapeake Bay", *Appl. Environ. Microbiol.*, Vol. 59, 1993, 997-1002.
- [Tamura et al., 2007] Tamura, K., Dudley, J., Nei, M., Kumar, S., "MEGA4: Molecular Evolutionary Genetic Analysis (MEGA) software version 4.0", *Mol. Biol. Evol.*, Vol. 24, 2007, 1596-1599.

- [Tan et al., 2006] Tan, G.Y., Ward, A.C. and Goodfellow, M., " Exploration of *Amycolatopsis* diversity in soil using genus-specific primers and novel selective media", *Syst. Appl. Microbiol.*, 2006, 29(7): 557-569.
- [Thomas et al., 2007] Thomas, R., Christopher, D.J., Lalitha, M.K., Raj, P.M., Thagakunam, B., James, P., "*Actinomyces odontolyticus* as a rare cause of thoracoactinomycosis", *Respiratory Medicine Extra*, Vol. 3, 2007, 159-160.
- [Tiwari, and Gupta, 2012] Tiwari, K. and Gupta, R.K., "Rare actinomycetes: a potential storehouse for novel antibiotics", *Crit. Rev. Biotechnol.*, Vol. 32, 2012, 108-132.
- [Tran et al., 2007] Tran, L.S., Urao, T., Qin, F., Maruyama, K., Kakimoto, T., Shinozaki, K. and Yamaguchi-Shinozaki, K., "Functional analysis of AHK1/ATHK 1 and cytokinin receptor histidine kinases in response to abscisic acid, drought, and salt stress in *Arabidopsis*", *Proc. Natl. Acad. Sci. USA.*, 2007, 18:104(51):20623-20628.
- [Vandamme et al., 1996] Vandamme, P., B. Pot, M. Gillis, P. De Vos, K. Kersters and J. Swings, "Polyphasic taxonomy, a consensus approach to bacterial systematics", *Microbiol. Mol. Biol. Rev.*, 1996, 60: 407-438.
- [Verma et al., 2007] Verma, N., Kumar, K., Kaur, G., and Anand, S., "L-asparaginase: a promising chemotherapeutic agent", *Critl. Rev. Biotechnol.*, Vol. 27, 2007, 45-62.
- [Vickers et al., 1984] Vickers, J.C., Williams, S.T. and Ross, G.W., "A taxonomic approach to selective isolation of streptomycetes from soil", In: *Biological, Biochemical and Biomedical Aspects of Actinomycetes*, Edited by Ortiz-Ortiz, L., Bojalil, L.F. and Yakoleff, V., Orlando: Academic Press, 1984, pp. 553-561.


- [Vobis, 1997] Vobis, G., "Morphology of actinomycetes", In: *Miyahoh, S. (Ed.), Atlas Actinomycetes*, Asakura Publishing Co., Japan, Tokyo, pp. 180-191.
- [Wang et al., 1999] Wang, Y., Mueller, U.G. and Clardy, J.C., "Antifungal diketopiperazines from fungus of the fungus-growing ant *Cyphomyrmex minutes*", *J. Chem. Ecol.*, 1999, 25:935-941.
- [Watve et al., 2001] Watve, M.G., Tickoo, R., Jog, M.M., and Bhole, B.D., "How many antibiotics are produced by the genus *Streptomyces*", *Arch. Microbiol.*, Vol. 176, 2001, 386–390.
- [Webster et al., 2001] Webster, N.S., Wilson, K.J., Blackall, L.L. and Hill, R.T., "Phylogenetic diversity of bacteria associated with the marine sponge *Rhopaloeides odorabile*", *Appl. Environ. Microbiol.*, 2001, 67:434-444.
- [Wiese et al., 2009] Wiese, J., Thiel, V., Nagel, K., Staufenger, T., and Imhoff, J.F., "Diversity of antibiotic-active bacteria associated with the brown alga *Laminaria saccharina* from the Baltic Sea", *Mar. Biotechnol.*, Vol. 11, 2009, 287-300.
- [Williams and Davies, 1965] Williams, S.T. and Davies, F.L., "Use of antibiotics for selective isolation and enumeration of actinomycetes in soil", *J. Gen. Microbiol.*, Vol. 38, 1965, 251-261.
- [Williams et al., 1983] Williams, S.T., Goodfellow, M., Alderson, G., Wellington, E.M., Sneath, P.H., Sacki, M.J., "Numerical classification of *Streptomyces* and related genera", *J. Gen. Microbiol.*, Vol. 129, No. 1, 1983, 747-813
- [Williams et al., 1989] Williams, S.T., Goodfellow M., and Alderson, G., 1989, "Genus *Streptomyces*" In: *Bergey's Manual of Systematic Bacteriology*, Williams and Wilkins, Baltimore, Williams S.T., Sharpe M.E. and Holt J.G. (eds.), Vol. 4, Page 2452-2492.

- [Williams et al., 2005] Williams, P.G., Buchanan, G.O., Feling, R.H., Kauffman, C.A., Jensen, P.R., and Fenical, W., "New cytotoxic salinosporamides from marine actinomycete *Salinispora tropica*" *J. Org. Chem.*, Vol. 70, 2005, 6196-6203.
- [Wipat et al., 1991] Wipat, A., Wellington, Saunders, E., *Streptomyces*, V., "Marker plasmids for monitoring survival and spread of *Streptomyces* in soil", *Appl. Environ. Microbiol.*, Vol. 57, 1991, 3322-30.
- [Wohl and McArthur, 1998] Wohl, D.L. and McArthur, J.V., "Actinomycete-flora associated with submersed freshwater macrophytes", *FEMS Microbiol. Ecol.*, 1998, (eds.), Vol. 26, 135-140.
- [Wright et al., 2001] Wright, D., Prickett, T., Helm, R.F., Potts, M., "Form species *Nostoc commune* (Cyanobacteria)", *Int. J. Syst. Evol. Microbiol.*, 2001, Vol.51, 1839-1852.
- [Xue et al., 1998] Xue, Y., Zhao, L., and Liu, H.W., "A gene cluster for macrolide antibiotic biosynthesis in *Streptomyces venezuelae*: Architecture of metabolic diversity", *Biochem.*, 1998, Vol. 95, 12111-12116.
- [Xu et al., 2005] Xu, P., Li, W.-J., Tang, S.-K., Jiang, Y., Chen, H.-H., Xu, L.-H. and Jiang, C.-L., "*Nocardia polyresistens* sp. nov. ", *Int. J. Syst. Evol. Microbiol.*, 2005, 55, 1465-1470.
- [Yang et al., 1995] Yang, Y., Xu, L., Li, Q. and Jiang, C., "A study on isolation methods of actinomycetes", *Chin. J. Microbiol.*, 1995, 22: 88-91.
- [Yakimov et al., 2005] Yakimov, M.M., Denaro, R., Genovese, M., Cappello, S., D'Auria, G., Chernikova, T.N., Timmis, K.N., Golyshin, P.N. and Giluliano, L., "Natural microbial diversity in superficial sediments of Milazzo Harbor (Sicily) and community successions during microcosm enrichment with various hydrocarbons", *Environ. Microbiol.*, 2005, 7:1426-1441.

- [Ylihonko et al., 1996] Ylihonko, K., Tuikkanen, J., Jussila, S., Cong, L. and MaËntsaÈlaÈ, P., "A gene cluster involved in nogalamycin biosynthesis from *Streptomyces nogalater*: sequence analysis and complementation of early-blocked mutations in the anthracycline pathway", *Mol. Gen. Genet.*, 1996, 251:113-120.
- [Yokota, 1997] Yokota, A., "Phylogenetic relationship of actinomycetes" In: *Atlas of actinomycetes*, Asakura Publishing Co. Ltd., Japan. 1997, Page 194 – 197.
- [Yoshikawa et al., 1997] Yoshikawa, K., Mizutani, A., Kan, Y. and Arihara, S., "Antisweet natural products. XII: structures of sitakisosides XI-XX from *Stephanotis lutchuensis* Kodiz. var. *japonica*", *Chem. Pharm. Bull.*, 1997, 45:62-67.
- [Yu et al., 2006] Yu, Y., Breitbart, M., McNairnie, P., and Rohwer, F., "FastGroupII: a web-based bioinformatics platform for analyses of large 16S rRNA gene libraries", *BMC Bioinformatics*, Vol. 7, 2006, 57.
- [Zhang et al., 2005] Zhang, L., An, R., Wang, J., Sun, N., Zhung, S. and Hu, J., "Exploring novel bioactive compounds from marine microbes", *Curr. Opin. Microbio.*, Vol. 8, 2005, 276-281.
- [Zhang et al., 2006] Zhang, H., Lee, Y.K., Zhang, W. and Lee, H.K., "Culturable Actinobacteria from the marine sponge *Hymeniacidon perleve*: isolation and phylogenetic diversity by 16S rRNA gene-RFLP analysis", *Antonie van Leeuwenhoek*, Vol. 90, 2006, 159-169.
- [Zhou et al., 1996] Zhou, J., Bruns, M.A. and Tiedje, J.M., "DNA recovery from soils of diverse composition", *Appl. Environ. Microbiol.* 1996. 62: 316-322.

LIST OF PUBLICATIONS

- 1) Inthasotti, T. and Peerapornpisal, Y., “ Investigation of Benthic Diatoms in the Area of Kham Watershed, Chiang Rai Province” , Journal of the Microscopy Society of Thailand, Vol. 4. 2011, 98-102.
- 2) Inthasotti, T. and Pathom-aree, W., “ Diversity of actinobacteria associated with *Nostoc commune* Voucher Bornet & Flahault macrocolonies”, Annals of Microbiology (in press).



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved