

## REFERENCES

- [1] Rao C. N. R., Muller A., and Cheetham A. K., "The Chemistry of Nanomaterial Synthesis, Properties and Applications," Wiley-VCH, Bielefeld, 2004.
- [2] Ozin G. A., and Arsenault A. C., "Nanotechnology: A Chemical Approach to Nanomaterials," Royal Society of Chemistry, London, 2005.
- [3] Cao G., "Nanostructures and Nanomaterials, Synthesis, Properties and Applications," Imperial College Press, London, 2004.
- [4] Mc Carrol W. H., and Ramanujachary K. V., "Oxides: Solid-State Chemistry, in King RB," Encyclopedia of Inorganic Chemistry, 2, 2005, pp. 4006.
- [5] Gopalan V., "Structure-Optical Property Correlation in Ferroelectric Potassium Niobate Thin Film," PhD Thesis, Cornell University, New York, 1995.
- [6] Patil K. C., Hegde M. S., Rattan T., and Aruna S. T., "Chemistry of Nanocrystalline Oxide Materials: Combustion Synthesis, Properties and Applications.," World Scientific Publishing Co. Pte. Ltd., Toh Tuck Link, 2008.
- [7] Thompson A., "X-ray Data Booklet," Lawrence Berkeley National Laboratory, University of California Berkeley, California, 2001.
- [8] Ingle J. D., and Crouch S. R., "Spectrochemical Analysis," Prentice Hall, New Jersey, 1988.
- [9] Hobbie R. K., and Roth B. J., "Intermediate Physics for Medicine and Biology," Springer, New York, 2007.
- [10] Kodre A., Arcon I., and Gomilsek J. P., "X-ray Absorption Spectroscopy and Related Techniques," Acta Chimica Slovenica, 51, 2004, pp. 1.
- [11] Hippert F., Geissler E., Hodeau J. L., Lelievre E., and Regnard J. R., "Neutron and X-ray Spectroscopy," Springer, Dordrecht, 2006.
- [12] Messiah A., "Quantum Mechanics," John Wiley & Sons, New York, 1966.

- [13] Stern E., "Number of Relevant Independent Points in X-ray Absorption Fine Structure Spectra," *Physical Review B*, 48, 1993, pp. 9825.
- [14] Calvin S., Carpenter E., Ravel B., Harris V., and Morrison S., "Multiedge Refinement of Extended X-ray Absorption Fine Structure of Manganese Zinc Ferrite Nanoparticles," *Physical Review B*, 66, 2002, pp. 224405.
- [15] Ravel B., and Newville M., "ATHENA and ARTEMIS: Interactive Graphical Data Analysis Using IFEFFIT," *Physica Scripta*, T115, 2005, pp. 1007.
- [16] Ravel B., and Newville M., "ATHENA, ARTEMIS, HEPHAESTUS: Data Analysis for X-ray Absorption Spectroscopy Using IFEFFIT," *Journal of Synchrotron Radiation*, 12, 2005, pp. 537.
- [17] Klysubun W., "The Analysis of X-ray Absorption Spectroscopy for Microscopic Structure Research," Workshop Organized by Monte Carlo Simulation and Molecular Dynamics in Physics Research Laboratory, Thailand Center of Excellence in Physics (ThEP), Chiang Mai, Thailand, 2 September 2011.
- [18] Japan Synchrotron Radiation Research Institute, "Synchrotron radiation spectrum of Spring 8," [http://www.spring8.or.jp/en/about\\_us/whats\\_sr/sp8\\_features](http://www.spring8.or.jp/en/about_us/whats_sr/sp8_features), 2011.
- [19] Graef M. D., "Basic Quantum Mechanics, Bragg's Law and Other Tools," Carnegie Mellon University, Pennsylvania, 2003.
- [20] Klysubun W., "X-ray absorption spectroscopy in Siam Photon Laboratory," X-ray Absorption Spectroscopy Manual, Siam Photon Laboratory, Synchrotron Light Research Institute., Thailand, 2010.
- [21] Newville M., Livins P., Yacoby Y., Rehr J., and Stern E., "Near Edge X-ray Absorption Fine Structure of Pb: A Comparison of Theory and Experiment," *Physical Review B*, 47, 1993, pp. 14126.

- [22] Ankudinov A. L., Ravel B., Rehr J. J., and Conradson S. D., "Real-Space Multiple-Scattering Calculation and Interpretation of X-ray Absorption Near Edge Structure," *Physical Review B*, 58, 1998, pp. 7565.
- [23] Watanabe T., Funakubo H., Osada M., Noguchi Y., and Miyayama M., "Effect of Cosubstitution of La and V in  $\text{Bi}_4\text{Ti}_3\text{O}_{12}$  Thin Films on the Low-temperature Deposition," *Applied Physics Letters*, 80, 2002, pp. 100.
- [24] Park B. H., Kang B. S., Bu S. D., Noh T. W., Lee J., and Jo W., "Lanthanum-Substituted Bismuth Titanate for Use in Non-Volatile Memories," *Nature*, 401, 1999, pp. 682.
- [25] Simões A. Z., Quinelato C., Ries A., Stojanovic B. D., Longo E., and Varela J. A., "Preparation of Lanthanum Doped  $\text{Bi}_4\text{Ti}_3\text{O}_{12}$  Ceramics by the Polymeric Precursor Method," *Materials Chemistry and Physics*, 98, 2006, pp. 481.
- [26] Zhang S. T., Chen Y. F., Wang J., Cheng G. X., Liu Z. G., and Ming N. B., "Ferroelectric Properties of La and Zr Substituted  $\text{Bi}_4\text{Ti}_3\text{O}_{12}$  Thin Films," *Applied Physics Letters*, 84, 2004, pp. 3660.
- [27] Zhu J. S., Chen K., Li W., Yan F., Dai Y. R., Lu X. M., and Wang Y. N., "Mechanical and Piezoelectric Investigation on Point Defects and Phase Transition in Ferroelectric Ceramics," *Materials Science and Engineering A*, 442, 2006, pp. 49.
- [28] Ahn C. W., Lee H. J., Kang S. H., Kim I. W., Choi M. S., Lee J. S., Kim H. W., and Jin B. M., "Structure Dependence of the Ferroelectric Properties of  $\text{Bi}_{3.25}\text{Ln}_{0.75}\text{Ti}_3\text{O}_{12}$  (Ln = La, Nd, Sm, Dy) Ceramics," *Journal of Electroceramics*, 21, 2008, pp. 847.
- [29] Kim J. P., Hwang J. Y., Cho C. R., Ryu M. K., Jang M. S., and Jeong S. Y., "Ferroelectric Properties of Mn-doped  $\text{Bi}_{3.6}\text{La}_{0.4}\text{Ti}_3\text{O}_{12}$  Thin Films Prepared Under Different Annealing Conditions," *Japanese Journal of Applied Physics, Part 1: Regular Papers and Short Notes and Review Papers*, 43, 2004, pp. 6590.

- [30] Kim S. H., Kang S. H., Kim I. W., Lee J. S., Bae J. S., Kim Y. H., Moon B. K., and Jeong J. H., "Ferroelectric Properties of Ta- and Mn-doped  $\text{Bi}_{3.3}\text{La}_{1.0}\text{Ti}_3\text{O}_{12}$  Thin Films," *Ferroelectrics*, 271, 2002, pp. 167.
- [31] Siriprapa P., Watcharapasorn A., and Jiansirisomboon S., "Effects of Mn-dopant on Phase, Microstructure and Electrical Properties in  $\text{Bi}_{3.25}\text{La}_{0.75}\text{Ti}_3\text{O}_{12}$  Ceramics," *Ceramics International*, 39, 2013, pp. S355.
- [32] Jeon M. K., Kim Y. I., Sohn J. M., and Woo S. I., "Cation Disorder Study of  $\text{Bi}_{3.25}\text{La}_{0.25}\text{Ti}_3\text{O}_{12}$  by Neutron Powder Diffraction and Raman Spectroscopy," *Journal of Physics D: Applied Physics*, 37, 2004, pp. 2588.
- [33] Weng T. C., Waldo G. S., and Penner-Hahn J. E., "A Method for Normalization of X-ray Absorption Spectra," *Journal of Synchrotron Radiation*, 12, 2005, pp. 506.
- [34] Kanchiang K., Siriprapa P., Yimnirun R., Jiansirisomboon S., and Laosiritaworn Y., "X-ray Absorption Spectroscopy Identification of Mn-doped  $\text{Bi}_{3.25}\text{La}_{0.75}\text{Ti}_3\text{O}_{12}$  Ceramics," *Ferroelectrics*, 454, 2013, pp. 1.
- [35] Wu Y. Y., Wang X. H., and Li L. T., "Ferroelectric and Dielectric Properties of La/Mn Co-doped  $\text{Bi}_4\text{Ti}_3\text{O}_{12}$  Ceramics," *Chinese Physics B*, 19, 2010, pp. 037701.
- [36] Singh S. K., and Ishiwara H., "Improved Fatigue Endurance in Mn-doped  $\text{Bi}_{3.25}\text{La}_{0.75}\text{Ti}_3\text{O}_{12}$  Thin Films," *Solid State Communications*, 140, 2006, pp. 430.
- [37] Horn D. S., and Messing G. L., "Anisotropic Grain Growth in  $\text{TiO}_2$ -doped Alumina," *Materials Science and Engineering A*, 195, 1995, pp. 169.
- [38] Jiang Q. Y., Subbarao E. C., and Cross L. E., "Effect of Composition and Temperature on Electric Fatigue of La-doped Lead Zirconate Titanate Ceramics," *Journal of Applied Physics*, 75, 1994, pp. 7433.

- [39] Noguchi Y., Matsumoto T., and Miyayama M., "Impact of Defect Control on the Polarization Properties in  $\text{Bi}_4\text{Ti}_3\text{O}_{12}$  Ferroelectric Single Crystals," Japanese Journal of Applied Physics, 44, 2005, pp. L570.
- [40] Saito Y., Takao H., Tani T., Nonoyama T., Takatori K., Homma T., Nagaya T., and Nakamura M., "Lead-Free Piezoceramics," Nature, 432, 2004, pp. 84.
- [41] Shrout T. R., and Zhang S. J., "Lead-Free piezoelectric ceramics: Alternatives for PZT?," Journal of Electroceramics, 19, 2007, pp. 113.
- [42] Klein N., Hollenstein E., Damjanovic D., Trodahl H. J., Setter N., and Kuball M., "A Study of the Phase Diagram of  $(\text{K},\text{Na},\text{Li})\text{NbO}_3$  Determined by Dielectric and Piezoelectric Measurements, and Raman Spectroscopy," Journal of Applied Physics, 102, 2007, pp. 014112.
- [43] Wongsanmai S., Kanchiang K., Chandarak S., Laosiritaworn Y., Rujirawat S., and Yimnirun R., "Crystal Structure and Ferroelectric Properties of Mn-doped  $((\text{K}_{0.5}\text{Na}_{0.5})_{0.935}\text{Li}_{0.065})\text{NbO}_3$  Lead-free Ceramics," Current Applied Physics, 12, 2012, pp. 418.
- [44] Giannozzi P., Baroni S., Bonini N., Calandra M., Car R., Cavazzoni C., Ceresoli D., Chiarotti G. L., Cococcioni M., Dabo I., Dal Corso A., De Gironcoli S., Fabris S., Fratesi G., Gebauer R., Gerstmann U., Gougoussis C., Kokalj A., Lazzeri M., Martin-Samos L., Marzari N., Mauri F., Mazzarello R., Paolini S., Pasquarello A., Paulatto L., Sbraccia C., Scandolo S., Sclauzero G., Seitsonen A. P., Smogunov A., Umari P., and Wentzcovitch R. M., "QUANTUM ESPRESSO: A Modular and Open-Source Software Project for Quantum Simulations of Materials," Journal of Physics Condensed Matter, 21, 2009, pp. 395502.
- [45] Baker D. W., Thomas P. A., Zhang N., and Glazer A. M., "Structural Study of  $\text{K}_x\text{Na}_{1-x}\text{NbO}_3$  (KNN) for Compositions in the Range  $x = 0.24-0.36$ ," Acta Crystallographica Section B, 65, 2009, pp. 22.

- [46] Shannon R., "Revised Effective Ionic Radii and Systematic Studies of Interatomic Distances in Halides and Chalcogenides," *Acta Crystallographica Section A*, 32, 1976, pp. 751.
- [47] Kanchiang K., Pramchu S., Wongsanmai S., Yimnirun R., and Laosiritaworn Y., "X-Ray Absorption Spectroscopy and Electronic Structure Analysis of the Effect of MnO<sub>2</sub> Doping on Local Structure and Electrical Properties of ((K<sub>0.5</sub>Na<sub>0.5</sub>)<sub>0.935</sub>Li<sub>0.065</sub>)NbO<sub>3</sub> Ceramics," *Integrated Ferroelectrics*, 155, 2014, pp. 1.
- [48] Jaffe B., Cook W. R., and Jaffe H., "Piezoelectric Ceramics," Academic Press Limited, London, 1971.
- [49] Rubio-Marcos F., Marchet P., Vendrell X., Romero J. J., Remondiere F., Mestres L., and Fernandez J. F., "Effect of MnO Doping on the Structure, Microstructure and Electrical Properties of the (K,Na,Li)(Nb,Ta,Sb)O<sub>3</sub> Lead-free Piezoceramics," *Journal of Alloys and Compounds*, 509, 2011, pp. 8804.
- [50] Kanagae T., Sakata K., and Takenaka T., "Pb(Zn<sub>1/3</sub>Nb<sub>2/3</sub>)O<sub>3</sub>-Based Piezoelectric and Electrostrictive Materials," *Japanese Journal of Applied Physics*, 9B, 1991, pp. 2232.
- [51] Alberta E. F., and Bhalla A. S., "Low-Temperature Property Investigation of the Lead Indium-Niobate-Lead Nickel-Niobate Solid Solution," *Journal of Physics and Chemistry of Solids*, 63, 2002, pp. 1759.
- [52] Newnham R. E., and Ruschau G. R., "Smart Electroceramics," *Journal of the American Ceramic Society*, 74, 1991, pp. 463.
- [53] Fu H., and Cohen R. E., "Polarization Rotation Mechanism for Ultrahigh Electromechanical Response in Single Crystal Piezoelectrics," *Nature*, 403, 2000, pp. 281.
- [54] Park S. E., Mulvihill M. L., Risch G., and Shrout T. R., "The Effect of Growth Conditions on the Dielectric Properties of Pb(Zn<sub>1/3</sub>Nb<sub>2/3</sub>)O<sub>3</sub> Single Crystals," *Japanese Journal of Applied Physics*, 36, 1997, pp. 1154.

- [55] Mergen A., and Lee W. E., "Fabrication, Characterisation and Formation Mechanism of  $\text{Pb}_{1.83}\text{Mg}_{0.29}\text{Nb}_{1.71}\text{O}_{6.39}$  Pyrochlore," *Journal of the European Ceramic Society*, 17, 1997, pp. 1033.
- [56] Fang B., Shan Y., Tezuka K., and Imoto H., "Reduction of Dielectric Losses in  $\text{Pb}(\text{Fe}_{1/2}\text{Nb}_{1/2})\text{O}_3$ -Based Ferroelectric Ceramics," *Japanese Journal of Applied Physics*, 44, 2005, pp. 5035.
- [57] Wongmaneerung R., Sarakonsri T., Yimnirun R., and Ananta S., "Effects of Magnesium Niobate Precursor and Calcination Condition on Phase Formation and Morphology of Lead Magnesium Niobate Powders," *Materials Science and Engineering B*, 132, 2006, pp. 292.
- [58] Khamman O., Yimnirun R., and Ananta S., "Effect of Calcination Conditions on Phase Formation and Particle Size of Lead Nickel Niobate Powders Synthesized by Using  $\text{Ni}_4\text{Nb}_2\text{O}_9$  Precursor," *Materials Letters*, 61, 2007, pp. 4466.
- [59] Srisombat L. O., Ngamjarurojana A., Yimnirun R., and Ananta S., "Surface Characterization of PZN Ceramics Prepared by a Columbite B-site Precursor," *Ferroelectrics*, 405, 2010, pp. 76.
- [60] Pakawanit P., and Ananta S., "Synthesis and Characterization of Pyrochlore Lead Zinc Niobate Nanopowders Derived from  $\text{Zn}_3\text{Nb}_2\text{O}_8$  Precursor," *Advanced Materials Research*, 194-196, 2011, pp. 704.
- [61] Harvey E. J., Whittle K. R., Lumpkin G. R., Smith R. I., and Redfern S. A. T., "Solid Solubilities of  $(\text{La},\text{Nd})_2(\text{Zr},\text{Ti})_2\text{O}_7$  Phases Deduced by Neutron Diffraction," *Journal of Solid State Chemistry*, 178, 2005, pp. 800.
- [62] Benfatto M., Longa S. D., and Natoli C. R., "The MXAN Procedure: A New Method for Analysing the XANES Spectra of Metalloproteins to Obtain Structural Quantitative Information," *Journal of Synchrotron Radiation*, 10, 2003, pp. 51.

- [63] Kanchiang K., Pramchu S., Yimnirun R., Pakawanit P., Ananta S., and Laosiritaworn Y., "Probing Local Structure of Pyrochlore Lead Zinc Niobate with Synchrotron X-ray Absorption Spectroscopy Technique," *Journal of Applied Physics*, 114, 2013, pp. 1.
- [64] Rehr J. J., Mustre de Leon J., Zabinsky S. I., and Albers R. C., "Theoretical X-ray Absorption Fine Structure Standards," *Journal of the American Chemical Society*, 113, 1991, pp. 5135.
- [65] Li W., Pan G., Zhang M., Zhao D., Yang Y., Chen H., and He G., "EXAFS Studies on Adsorption Irreversibility of Zn(II) on TiO<sub>2</sub>: Temperature Dependence," *Journal of Colloid and Interface Science*, 319, 2008, pp. 385.
- [66] Matsushima Y., Suda K., Ishizawa N., Wakiya N., and Mizutani N., "Materials Science and Engineering Serving Society," Elsevier Science B.V., Amsterdam, 1998.
- [67] Kohn W., and Sham L. J., "Self-Consistent Equations Including Exchange and Correlation Effects," *Physical Review*, 140, 1965, pp. A1133.
- [68] Isobe M., Marumo F., Iwai S. I., and Kondo Y., "The Crystal Structure of Zn<sub>3</sub>Nb<sub>2</sub>O<sub>8</sub>," *Bulletin of the Tokyo Institute of Technology*, 120, 1974, pp. 1.
- [69] Kato K., and Tamura S., "Die Kristallstruktur von T-Nb<sub>2</sub>O<sub>5</sub>," *Acta Crystallographica Section B*, 31, 1975, pp. 673.
- [70] Hill R., "Refinement of the Structure of Orthorhombic PbO (Massicot) by Rietveld Analysis of Neutron Powder Diffraction Data," *Acta Crystallographica Section C*, 41, 1985, pp. 1281.
- [71] Gonze X., Beuken J. M., Caracas R., Detraux F., Fuchs M., Rignanese G. M., Sindic L., Verstraete M., Zerah G., Jollet F., Torrent M., Roy A., Mikami M., Ghosez P., Raty J. Y., and Allan D. C., "First Principles Computation of Material Properties: The ABINIT Software Project," *Computational Materials Science*, 25, 2002, pp. 478.

- [72] Gonze X., Rignanese G. M., Verstraete M., Beuken J. M., Pouillon Y., Caracas R., Jollet F., Torrent M., Zerah G., Mikami M., Ghosez P., Veithen M., Raty J. Y., Olevano V., Bruneval F., Reining L., Godby R., Onida G., Hamann D. R., and Allan D. C., "A Brief Introduction to the ABINIT Software Package," *Zeitschrift fur Kristallographie*, 220, 2005, pp. 558.
- [73] Grönbeck H., "First Principles Studies of Metal Oxide Surfaces," *Topics in Catalysis*, 28, 2004, pp. 59.
- [74] Engel E., Hock A., and Varga S., "Relativistic Extension of The Troullier-Martins Scheme: Accurate Pseudopotentials for Transition-Metal Elements," *Physical Review B*, 63, 2001, pp. 1251211.
- [75] Tribelhorn M. J., Venables D. S., and Brown M. E., "A Thermoanalytical Study of Some Zinc-Fuelled Binary Pyrotechnic Systems," *Thermochimica Acta*, 269-270, 1995, pp. 649.
- [76] Liu H., Tse J. S., and Mao H. K., "Stability of Rocksalt Phase of Zinc Oxide Under Strong Compression: Synchrotron X-ray Diffraction Experiments and First-Principles Calculation Studies," *Journal of Applied Physics*, 100, 2006, pp. 093509.
- [77] Matsuo Y., Sasaki H., Hayakawa S., Kanamaru F., and Koizumi M., "High Pressure Synthesis of Perovskite-Type  $\text{Pb}(\text{Zn}_{1/3}\text{Nb}_{2/3})\text{O}_3$ ," *Journal of the American Ceramic Society*, 52, 1969, pp. 516.
- [78] Ravindranathan P., Srikanth V., Komarneni S., and Bhalla A. S., "Processing of  $\text{Pb}(\text{Zn}_{1/3}\text{Nb}_{2/3})\text{O}_3$  Ceramics at High Pressures," *Ferroelectrics*, 188, 1996, pp. 135.
- [79] Recio J. M., Blanco M. A., Luaña V., Pandey R., Gerward L., and Staun Olsen J., "Compressibility of the High-pressure Rocksalt Phase of  $\text{ZnO}$ ," *Physical Review B*, 58, 1998, pp. 8949.

- [80] Häussermann U., Berastegui P., Carlson S., Haines J., and Léger J.-M., "TlF and PbO Under High Pressure: Unexpected Persistence of the Stereochemically Active Electron Pair," *Angewandte Chemie*, 113, 2001, pp. 4760.
- [81] Ahn B. Y., and Kim N. K., "Effects of Barium Substitution on Perovskite Formation, Dielectric Properties, and Diffuseness Characteristics of Lead Zinc Niobate Ceramics," *Journal of the American Ceramic Society*, 83, 2000, pp. 1720.
- [82] Yun S., and Wang X., "Stoichiometric PZN-Based Perovskite Ceramics Prepared by Modified Processing Route," *Xiyou Jinshu Cailiao Yu Gongcheng/Rare Metal Materials and Engineering*, 35, 2006, pp. 267.
- [83] Jang H. M., Oh S. H., and Moon J. H., "Thermodynamic Stability and Mechanisms of Formation and Decomposition of Perovskite  $\text{Pb}(\text{Zn}_{1/3}\text{Nb}_{2/3})\text{O}_3$  Prepared by The PbO Flux Method," *Journal of the American Ceramic Society*, 75, 1992, pp. 82.