EFFECT OF A NOVEL IRON CHELATOR, 1-(*N*-ACETYL-6-AMINOHEXYL)-3-HYDROXY-2-METHYLPYRIDIN-4-ONE, AND GREEN TEA EXTRACT ON *Plasmodium* SPP.

GROWTH INHIBITION

PHITSINEE THIPUBON

G_{MAI}

MASTER OF SCIENCE A Copyright[©] by Chiang Mai University A I I r i g h t s r e s e r v e d

UNI

GRADUATE SCHOOL CHIANG MAI UNIVERSITY DECEMBER 2014

EFFECT OF A NOVEL IRON CHELATOR, 1-(N-ACETYL-6-AMINOHEXYL)-3-HYDROXY-2-METHYLPYRIDIN-4-ONE, AND GREEN TEA EXTRACT ON *Plasmodium* SPP. GROWTH INHIBITION



A THESIS SUBMITTED TO CHIANG MAI UNIVERSITY IN PARTIAL FULFILLMENT OF THE REQUIREMENTS FOR THE DEGREE OF MASTER OF SCIENCE IN BIOCHEMISTRY

GRADUATE SCHOOL, CHIANG MAI UNIVERSITY DECEMBER 2014

EFFECT OF A NOVEL IRON CHELATOR, 1-(N-ACETYL-6-AMINOHEXYL)-3-HYDROXY-2-METHYLPYRIDIN-4-ONE, AND GREEN TEA EXTRACT ON Plasmodium SPP. **GROWTH INHIBITION**

PHITSINEE THIPUBON

THIS THESIS HAS BEEN APPROVED TO BE A PARTIAL FULFILLMENT OF THE REQUIREMENTS FOR THE DEGREE OF MASTER OF SCIENCE IN BIOCHEMISTRY

Examination Committee:

Chairman

Advisory Committee: Somde day valance dvisor

(Assoc. Prof. Dr. Somdet Srichairatanakool)

Co-advisor

(Dr. Voravuth Somsak) lember

(Assoc. Prof. Dr. Somdet Srichairatanakool) (Dr. Chairat Uthaipibull)

Member

(Dr. Chairat Uthaipibull)

Dunn Member

Member

(Dr. Wachiraporn Tipsuwan)

(Dr. Jetsada Ruangsuriya)

Co-advisor (Dr. Wachiraporn Tipsuwan)

Hum

15 December 2014 Copyright © by Chiang Mai University

ii

ACKNOWLEDGEMENT

First and foremost, I would like to extend my sincerest gratitude and appreciation to my thesis advisor, Associate Professor Dr. Somdet Srichairatanakool, for both giving me an opportunity to work on this excellent research topic and for providing me with precious guidance, invaluable advice and knowledgeable comments throughout this study. This thesis would not successfully accomplished without his kindness and encouragement.

I would also like to extend my thanks and deepest appreciation to my co-advisors, Dr. Chairat Uthaipibull for giving me a chance to learn all about malaria culture techniques at Protein-Ligand Engineering and Molecular Biology Laboratory, National Center for Genetic Engineering and Biotechnology (BIOTEC), as well as providing me with fruitful discussions of malaria research. I would like to thank Dr. Wachiraporn Tipsuwan who gave me useful advice and taught me research techniques of rodent malaria in mouse models.

I am also greatly indebted to Thailand Graduate Institute of Science and Technology (TGIST), National Science and Technology Development Agency (NSTDA) for Scholarship funding throughout the first 2 years of my Master's degree.

Many thanks to Miss Parichat Prommana and Mr. Manon Boonbangyang who always taught me basic methodology and laboratory research management of *in vitro* malaria culture.

My sincere thanks are due to Miss Sineenart Santidherakul and Miss Thippawan Yasanga who gave me their assistance in analytical research instruments at Medical Science Research Equipment Center, Faculty of Medicine, Chiang Mai University.

I would like to express my appreciation to all staff members at the Department of Biochemistry, Faculty of Medicine, Chiang Mai University for their academic support and assistance. I also thanks all my friends at the Biochemistry Department for their kind help, friendship and entertainment during my study. Special thanks go to Mr. Michael Cresswell, an undergraduate exchange student from the University of Manchester, the United Kingdom, for sacrificing his valuable time to proofread this thesis and suggesting to improve it.

Finally, I must express my grateful thank to my parents and all member of my family for their love, patience, understanding, encouragement, and inspiration which have supported me during my study.

