

REFERENCES

- [1] Fogcannon, "Fog Cannon Field Concepts," Ecology S.r.l., <http://www.fogcannon.com>, 14 April 2014.
- [2] Passion for Packaging Innovation, "Packaging applications for hydrophobic surfaces," <http://www.packagerepublic.com>, 14 April 2014.
- [3] M. Amin, M. Akbar, and S. Amin, "Hydrophobicity of Silicone Rubber used for Outdoor Insulation (An Overview)," *Rev. Adv. Mater. Sci.*, 16, 2007, 10-26.
- [4] R. Furstner and W. Barthlott, "Wetting and Self-Cleaning Properties of Artificial Superhydrophobic Surfaces," *Langmuir*, 21, 2005, 956-961.
- [5] P. Roach, N. J. Shirtcliffe, and M. I. Newton, "Progress in superhydrophobic surface development," *Soft Matter*, 4, 2008, 224-240.
- [6] L. Zhang, Y. Lia and J. C. Yu, "Chemical Modification of Inorganic Nanostructures for Targeted and Controlled Drug Delivery in Cancer Treatment," *J. Mater. Chem. B*, 2, 2014, 452-470.
- [7] P. B. Smith, J. Pasztor, M. L. McKelvy, D. M. Meunier, S. W. Froelicher, and F. Wang, "Analysis of Synthetic Polymers and Rubbers," *Anal. Chem*, 71, 1999, 61R-80R.
- [8] A. R. Horrocks and S. C. Anand, "Handbook of Technical Textiles," Woodhead Publishing Ltd and CRC Press LLC, New York and England, 1st ed., 2000.
- [9] Y. Guo, M. Wang, H. Zhang, G. Liu, L. Zhang, and X. Qu1, "The Surface Modification of Nanosilica, Preparation of Nanosilica/Acrylic Core-Shell

Composite Latex, and Its Application in Toughening PVC Matrix,” *J. Appl. Polym. Sci.*, 107, 2008, 2671-680.

[10] C. H. Xue, S. T. Jia, J. Zhang, and L. Q. Tian, “Superhydrophobic Surfaces on Cotton Textiles by Complex Coating of Silica Nanoparticles and Hydrophobization,” *Thin Solid Films*, 517, 2009, 4593-4598.

[11] L. Xu, W. Zhuang, B. Xu, and Z. Cai, “Fabrication of Superhydrophobic Cotton Fabrics by Silica Hydrosol and Hydrophobization,” *Appl. Surf. Sci.*, 257, 2011, 5491-5498.

[12] C. W. Hock, R. C. Ramsay, and M. Harris, “Microscopic Structure of the Cotton Fiber.” *Text. Res. J.*, 11, 1941, 200-217.

[13] R. U. Joy, “Cotton-The King of Fibers,” 2013, <http://textilelearner.blogspot.com>, 14 April 2014.

[14] B. Balu, “A Dissertation Presented to the Academic Faculty,” Georgia Institute of Technology, December 2009.

[15] M. Quarmyne and W. Chen, “General Approach for the Preparation of Nanoscale Inorganic Layers on Polymeric Materials Surfaces,” *Langmuir*, 19, 2003, 2533-2535.

[16] N. Chaimngoen, P. Supaphol, and V. P. Hoven, “Generating Hydrophobic Fiber by Electrospinning of Poly(vinyl alcohol) and Silanization,” 33rd Congress on Science and Technology of Thailand (STT.33), 2005.

[17] H. Yang and Y. Deng, “Preparation and physical properties of superhydrophobic papers,” *J. Colloid Interface Sci.* 325, 2008, 588-593.

[18] W. Wanga, L. Zhonga, J. Wanga, Q. Jianga, and X. Guoa, “Superhydrophobic surface on pure magnesium substrate by wet chemical method,” *Appl. Surf. Sci.*, 256, 2010, 3837-3840.

- [19] G. Y. Bae and B. G. Min, "Superhydrophobicity of cotton fabrics treated with silica nanoparticles and water-repellent agent," *J. Colloid Interface Sci.* 337, 2009, 170-175.
- [20] L. Xu, W. Zhuang, B. Xu, and Z. Cai, "Fabrication of superhydrophobic cotton fabrics by silica hydrosol and hydrophobization," *Appl. Surf. Sci.*, 257, 2011, 5491-5498.
- [21] S. Janhom, P. Griffiths, R. Watanesk and S. Watanesk, "Enhancement of lac dye adsorption on cotton fibres by poly(ethyleneimine)," *Dyes Pigm.*, 63, 2004, 231-237.
- [22] S. Alila and S. Boufi, "Removal of organic pollutants from water by modified cellulose fibres," *Ind. Crops Prod.*, 30, 2009, 93-104.
- [23] Aristolochic Acid by LC-MS/MS, "American Association of Pharmaceutical Scientists (AAPS)," 2004, 14 April 2014.
- [24] S. Swapp, "Scanning Electron Microscopy (SEM)," http://serc.carleton.edu/research_education/geochemsheets/techniques/SEM.html, 14 April 2014.
- [25] J. Goodge, "Energy-Dispersive X-Ray Spectroscopy (EDS)," http://serc.carleton.edu/research_education/geochemsheets/eds.html, 14 April 2014.
- [26] Biolin Scientific, "Contact Angle," <http://www.biolinscientific.com/application/contact-angle-measurement/>, 14 April 2014.
- [27] W. Xu, "Experimental Investigation of Dynamic Interfacial Interfacial Interactions at Reservoir Conditions," The Craft and Hawkins Department of Petroleum Engineering, 2005.
- [28] B. L. Dutrow and C. M. Clark, "X-ray Powder Diffraction (XRD)," http://serc.carleton.edu/research_education/geochemsheets/techniques/XRD.html, 14 April 2014.

- [29] S. Kangoa, S. Kaliab, A. Celli, J. Njugunad, Y. Habibie, and R. Kumara, "Surface modification of inorganic nanoparticles for development of organic-inorganic nanocomposites(A review), *Prog. Polym. Sci.* 2013, 38, 1232-1261.
- [30] J. Kang, C. Yu, and F. Zhang, "Effect of Silane Modified SiO₂ Particles on Poly (MMA-HEMA) Soap-free Emulsion Polymerization," *Iran. Polym. J.*, 18, 2009, 12.
- [31] T. Pisuchpen, N. Chaim-ngoen, N. Intasanta, P. Supaphol, and V. P. Hoven, "Tuning Hydrophobicity and Water Adhesion by Electrospinning and Silanization," *Langmuir*, 27, 2011, 3654-3661.
- [32] S. Wang, C. Liu, G. Liu, M.Zhang, J. Li, and C. Wang, "Fabrication of superhydrophobic wood surface by a sol-gel process," *Appl. Surf. Sci.*, 258, 2011, 806-810.
- [33] L. Wang, A. Lu, Z. Xiao, J. Maa, and Y. Li, "Modification of nano-fibriform silica by dimethyldichlorosilane," *Appl. Surf. Sci.*, 255, 2009, 7542-7546.
- [34] A. B. Gurava, S. S. Lattheb, R. S. Vhatkara, J. GunLeec, D. YeonKimc, J. Parkc, and S. S. Yoonc, "Superhydrophobicity surface decorated with vertical ZnO nanorods modified by stearic acid," *Ceram. Int.* 40, 2014, 7151-7160.
- [35] Y. Wang, B. Li, and C. Xu, "Fabrication of superhydrophobic surface of hierarchical ZnO thin films by using stearic acid," *Superlattices Microstruct.*, 51, 2012, 128-134.
- [36] Q. Wang, B. Zhang, M. Qu, J. Zhang, and Deyan He, "Fabrication of superhydrophobic surfaces on engineering material surfaces with stearic acid," *Appl. Surf. Sci.*, 254, 2008, 2009-2012.
- [37] Y. Guo and P. Wu, Investigation of the hydrogen-bond structure of cellulose diacetate by two-dimensional infrared correlation spectroscopy, *Carbohydr. Polym.*, 2008, 74, 509-513.

- [38] T. Kondo and C. Sawatari, "A Fourier transform infra-red spectroscopic analysis of the character of hydrogen bonds in amorphous cellulose," *Polym. J.*, 31, 1996, 393-399.
- [39] H. Lu, Y. Gui, L. Zheng, and X. Liu, "Morphological, crystalline, thermal and physicochemical properties of cellulose nanocrystals obtained from sweet potato residue," *Food Res. Int.*, 50, 2013, 121-128.
- [40] W. Gindl, K. J. Martinschitz, P. Boesecke, and J. Keckes, "Structural changes during tensile testing of an all-cellulose composite by in situ synchrotron X-ray diffraction," *Compos. Sci. Technol.*, 66, 2006, 2639-2647.