# CONTENTS

| cknowledgement<br>bstract in Thai<br>bstract in English<br>ist of Tables<br>ist of Figures | c<br>d<br>f<br>k |
|--|------------------|
| bstract in English<br>ist of Tables  | f<br>k           |
| ist of Tables  |                  |
|  |                  |
| ist of Figures   |                  |
|  | m                |
| ist of Abbreviations   | 0                |
| ist of Symbols   | q                |
| hapter 1 Introduction  | 1                |
| 1.1 Statement and significance of the problem  | 1                |
| 1.2 Research objectives  | 2                |
| hapter 2 Literature review   | 3                |
| 2.1 Chemical compositions of essential oils  | 3                |
| 2.1.1 Terpenes   | 3                |
| 2.1.2 Oxygenated derivatives   | 4                |
| 2.2 Extraction of essential oils   | 7                |
| 2.2.1 Expression   | 7                |
| 2.2.2 Solvent extraction   | 7                |
| 2.2.3 Enfleurage   | 8                |
| 2.2.4 Distillation   | 8                |
| 2.3 Gas chromatography-mass spectrometry (GC-MS)   | 10               |
| 2.3.1 Qualitative analysis   | 12               |
|  |                  |
|  |                  |

## **CONTENTS** (Continued)

Page

|       | 2.4 Acne  | 14 |  |
|-------|---|----|--|
|       | 2.4.1 Bacteria causing skin diseases                      | 14 |  |
|       | 2.4.2 Plants used for the treatment of acne vulgaris      | 15 |  |
|       | 2.5 Antibacterial activity of essential oils              | 17 |  |
|       | 2.6 Determination of antibacterial activity               | 19 |  |
|       | 2.6.1 Disk diffusion method                               | 19 |  |
|       | 2.6.2 Agar dilution method                                | 19 |  |
|       | 2.6.3 Broth micro-dilution method                         | 19 |  |
|       | 2.7 Plants used in this study                             | 20 |  |
|       | 2.7.1 Clausena harmandiana (Pierre)                       | 20 |  |
|       | 2.7.2 Clausena lansium (Lour.) Skeels                     | 21 |  |
|       | 2.7.3 Elsholtzia communis (Collett & Hemsl.) Diels        | 25 |  |
|       | 2.7.4 Elsholtzia stachyodes (Link) C.Y.Wu                 | 26 |  |
|       | 2.7.5 Elsholtzia griffithii Hook.f                        | 27 |  |
|       | 2.7.6 Elsholtzia sp.                                      | 28 |  |
| Chapt | er 3 Experimental   | 31 |  |
|       | 3.1 Instruments and apparatus                             | 31 |  |
|       | 3.2 Chemicals   | 32 |  |
|       | 3.3 Microorganisms  | 33 |  |
|       | 3.4 Plant materials                                       | 33 |  |
|       | 3.5 Extraction  | 33 |  |
|       | 3.5.1 Extraction of essential oil                         | 33 |  |
|       | 3.5.2 Solvent extraction                                  | 34 |  |
|       | 3.6 Gas chromatography-mass spectrometry (GC-MS) analysis | 34 |  |
|       | rights rese   |    |  |
|       | 1   |    |  |

# **CONTENTS** (Continued)

|   | Page |
|---|------|
| 3.7 Determination of antibacterial activity                                 | 36   |
| 3.7.1 Preparation of essential oils and residual crude extracts             | 36   |
| 3.7.2 Preparation of microorganisms   | 36   |
| 3.7.3 Disc diffusion assay  | 36   |
| 3.7.4 Determination of minimum inhibitory concentration (MIC)               | 37   |
| 3.7.5 Determination of minimum bactericidal concentration (MBC)             | 39   |
| Chapter 4 Results and discussion  | 40   |
| 4.1 Extraction yield  | 40   |
| 4.2 Determination of chemical compounds of essential oils                   | 42   |
| 4.2.1 Chemical constituents of essential oil from E. stachyodes             | 42   |
| 4.2.2 Chemical constituents of essential oil from E. communis               | 48   |
| 4.2.3 Chemical constituents of essential oil from E. griffithii             | 52   |
| 4.2.4 Chemical constituents of essential oil from <i>E</i> . sp.            | 56   |
| 4.2.5 Chemical constituents of essential oil from <i>Elsholtzia</i> species | 62   |
| 4.2.6 Chemical constituents of essential oil from C. lansium                | 68   |
| 4.2.7 Chemical constituents of essential oil from C. harmandiana            | 74   |
| 4.2.8 Chemical constituents of essential oil from Clausena species          | 79   |
| 4.3 Antibacterial activity  | 83   |
| 4.3.1 Antibacterial activity of the essential oils                          | 83   |
| 4.3.2 Antibacterial activity of the residual crude extracts                 | 87   |
| Chapter 5 Conclusions   | 90   |
| References  | 92   |
| Appendix A by Chiang Mai Univ   | 103  |
| Appendix B  | 113  |
| Curriculum Vitae  | 122  |

### LIST OF TABLES

| Page |
|------|
|------|

| Table 2.1  | Different classes of essential oils compounds and their bioactivities  | 6  |
|------------|--|----|
| Table 2.2  | Bacteria and their susceptibility to essential oils.   | 18 |
| Table 2.3  | Main chemical constituents of essential oil from various   | 23 |
|            | Clausena species   |    |
| Table 2.4  | Main chemical constituents of essential oil from various   | 29 |
|            | Elsholtzia species   |    |
| Table 3.1  | Plant materials used in this study   | 33 |
| Table 3.2  | The temperature programme conditional used   | 35 |
| Table 4.1  | Divisional properties and percentage yields (% yield) of assential oils  | 40 |
| 1 able 4.1 | Physical properties and percentage yields (% yield) of essential oils from <i>Elsholtzia</i> and <i>Clausena</i> species | 40 |
| Table 4.2  |  | 41 |
| 1 able 4.2 | Percentage yield (% yield) of residual crude extracts from   | 41 |
|            | Elsholtzia and Clausena species  |    |
| Table 4.3  | Chemical constituents of the essential oil from <i>E. stachyodes</i>   | 43 |
| Table 4.4  | Chemical constituents of the essential oil from E. communis  | 49 |
| Table 4.5  | Chemical constituents of the essential oil from E. griffithii  | 53 |
| Table 4.6  | Chemical constituents of the essential oil from E. sp.   | 57 |
| Table 4.7  | Chemical constituents of the essential oil from Elsholtzia species   | 63 |
| Table 4.8  | The comparison of chemical constituents of essential oil from  | 67 |
|            | Elsholtzia species   |    |
| Table 4.9  | Chemical constituents of the essential oil from C. lansium   | 69 |
| Table 4.10 | Chemical constituents of the essential oil from C. harmandiana   | 75 |
| Table 4.11 | Chemical constituents of the essential oil from Clausena species   | 80 |
|            |  |    |

k

## **LIST OF TABLES (Continued)**

#### Page

| Table 4.12 | The comparison of chemical constituents of essential oil from | 83 |
|------------|---|----|
|            | Clausena species  |    |
| Table 4.13 | Diameter of inhibition zones (mm) mean ± SD, MIC, and         | 85 |
|            | MBC of essential oils from Elsholtzia species                 |    |
| Table 4.14 | Diameter of inhibition zones (mm) mean $\pm$ SD of            | 86 |
|            | C. lansium oil at different concentrations.                   |    |
| Table 4.15 | Diameter of inhibition zones (mm) mean $\pm$ SD, MIC, and     | 88 |
|            | MBC of residual crude extracts (100 mg/ml) from Elsholtzia    |    |
|            | and Clausena species  |    |
|            |   |    |

ลิ<mark>ขสิทธิ์มหาวิทยาลัยเชียงใหม่</mark> Copyright<sup>©</sup> by Chiang Mai University All rights reserved

### LIST OF FIGURES

| Page |
|------|
|------|

| Figure 2.1  | The carbon skeleton of isoprene unit                                    | 3  |
|-------------|---|----|
| Figure 2.2  | Some structures of hydrocarbon compounds                                | 4  |
| Figure 2.3  | Some structures of oxygenated compounds                                 | 5  |
| Figure 2.4  | Hydrodistillation (a), steam distillation (b), steam distillation and   | 9  |
|             | hydrodistillation apparatus (c)   |    |
| Figure 2.5  | Gas chromatography-mass spectrometry diagram                            | 10 |
| Figure 2.6  | A schematic of a quadrupole analyser                                    | 12 |
| Figure 2.7  | Lipolysis of the triglycerides in the sebum                             | 15 |
| Figure 2.8  | The shrub (a), flowers (b), and fruits (c) of Clausena harmandiana      | 20 |
| Figure 2.9  | The tree (a), fruits (b) and seeds (c) of <i>Clausena lansium</i>       | 21 |
| Figure 2.10 | Structure of the major compounds of essential oil from Clausena         | 24 |
| Figure 2.11 | The shrub (a), flower (b), and leaf (c) of <i>Elsholtzia communis</i>   | 25 |
| Figure 2.12 | The shrub (a), flower (b), and leaf (c) of <i>Elsholtzia stachyodes</i> | 26 |
| Figure 2.13 | The shrub (a), flower (b), and leaf (c) of <i>Elsholtzia griffithii</i> | 27 |
| Figure 2.14 | The flower (a), and leaf (b) of <i>Elsholtzia</i> sp.                   | 28 |
| Figure 2.15 | Structure of the major compounds of essential oil from Elsholtzia       | 30 |
| Figure 3.1  | Steam-distillation apparatus  | 34 |
| Figure 3.2  | Measurement the diameter of the inhibition                              | 37 |
| Figure 3.3  | Two-fold dilution methods for minimum inhibitory                        | 38 |
|             | concentration (MIC)   |    |
| Figure 3.4  | Determination of minimum inhibitory concentration (MIC)                 | 38 |
| Figure 3.5  | Determination of minimum bactericidal concentration (MBC)               | 39 |
|             |   |    |

m

## LIST OF FIGURES (Continued)

Page

| Figure 4.1 | Total Ion Chromatogram (TIC) of essential oil from E. stachyodes | 43 |
|------------|--|----|
| Figure 4.2 | Total Ion Chromatogram (TIC) of essential oil from E. communis   | 48 |
| Figure 4.3 | Total Ion Chromatogram (TIC) of essential oil from E. griffithii | 52 |
| Figure 4.4 | Total Ion Chromatogram (TIC) of essential oil from E. sp.        | 56 |
| Figure 4.5 | Total Ion Chromatogram (TIC) of essential oils from C. lansium   | 69 |
| Figure 4.6 | Total Ion Chromatogram (TIC) of essential oils from              | 74 |
|            | C. harmandiana   |    |

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่ Copyright<sup>©</sup> by Chiang Mai University All rights reserved

### LIST OF ABBREVIATIONS

| AR    | Analytical reagent                       |
|-------|--|
| cm    | Centimeter                               |
| CFU   | Colony forming unit                      |
| CI    | Chemical ionization                      |
| DMSO  | Dimethylsulfoxide                        |
| etc   | Et cetera                                |
| e.g.  | Exempli gratia                           |
| eV    | Electron volt                            |
| EI    | Electron impact ionization               |
| g     | Gram                                     |
| GC-MS | Gas chromatography mass spectrometry     |
| GC    | Gas chromatography                       |
| Не    | Helium                                   |
| 1     | Litre                                    |
| mg    | Milligram                                |
| min   | minute                                   |
| mm    | Millimeter                               |
| ml    | Millilitre                               |
| m/z   | Mass-to-charge ratio                     |
| MBC   | Minimal bactericidal concentration       |
| MIC   | Minimal inhibitory concentration         |
| MS    | Mass spectrometry                        |
| ND    | Not detection                            |
| RI    | Retention index                          |
| RT    | Retention time                           |
| S.D.  | Standard deviation and have a low ensite |

## LIST OF ABBREVIATIONS (Continued)

| TSA  | Tryptic soy agar   |
|------|--------------------|
| TSB  | Tryptric soy broth |
| v/v  | Volume-by-volume   |
| W    | Weight             |
| w/w  | Weight-by-weight   |
| μg   | Microgram          |
| ul 🚽 | Microlitre         |

ลิ<mark>ปสิทธิ์มหาวิทยาลัยเชียงใหม่</mark> Copyright<sup>©</sup> by Chiang Mai University All rights reserved

### LIST OF SYMBOLS

| x | Alpha                 |
|---|-----------------------|
| 3 | Beta                  |
| , | Gamma                 |
| , | Para                  |
| ) | Otho                  |
| % | Percentage            |
|   | Degree Celsius        |
|   | Electron              |
|   | Fragment ion          |
|   | Methane               |
|   | Methane molecule ions |
|   | Carbonium ion         |
|   |                       |
|   | Molecular ion         |
|   | Pseudomolecular ion   |
|   |                       |
|   | 3                     |

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่ Copyright<sup>©</sup> by Chiang Mai University All rights reserved