

REFERENCES

1. Wang, Y., et al., *Electrochemical Sensors for Clinic Analysis*. *Sensors*, 2008. 8(4): p. 2043-2081.
2. Zhang, X., et al., *A glassy carbon electrode modified with a polyaniline doped with silicotungstic acid and carbon nanotubes for the sensitive amperometric determination of ascorbic acid*. *Microchimica Acta*, 2013. 180(5-6): p. 437-443.
3. Song, E. and J.-W. Choi, *Conducting Polyaniline Nanowire and Its Applications in Chemiresistive Sensing*. *Nanomaterials*, 2013. 3(3): p. 498-523.
4. Shao, Y., Wang, Jun, Wu, Hong, Liu, Jun, Aksay, Ilhan A, Lin, Yuehe, *Graphene Based Electrochemical Sensors and Biosensors: A Review*. *Electroanalysis*, 2010. 22(10): p. 1027-1036.
5. Ugrumov, M., et al., *Neurons expressing individual enzymes of dopamine synthesis in the mediobasal hypothalamus of adult rats: Functional significance and topographic interrelations*. *Neuroscience*, 2014. 277(0): p. 45-54.
6. Luliński, P., et al., *Dopamine-Imprinted Polymers: Template-Monomer Interactions, Analysis of Template Removal and Application to Solid Phase Extraction*. *Molecules*, 2007. 12(11): p. 2434-2449.
7. Kanazawa, K. and H. Sakakibara, *High Content of Dopamine, a Strong Antioxidant, in Cavendish Banana*. *Journal of Agricultural and Food Chemistry*, 2000. 48(3): p. 844-848.
8. Zheng, J. and X. Zhou, *Sodium dodecyl sulfate-modified carbon paste electrodes for selective determination of dopamine in the presence of ascorbic acid*. *Bioelectrochemistry*, 2007. 70(2): p. 408-415.
9. Luo, J., S. Jiang, and X. Liu, *Electrochemical sensor for bovine hemoglobin based on a novel graphene-molecular imprinted polymers composite as recognition element*. *Sensors and Actuators B: Chemical*, 2014. 203(0): p. 782-789.
10. Zhu, Y., et al., *Graphene and Graphene Oxide: Synthesis, Properties, and Applications*. *Advanced Materials*, 2010. 22(35): p. 3906-3924.

11. Labroo, P. and Y. Cui, *Graphene nano-ink biosensor arrays on a microfluidic paper for multiplexed detection of metabolites*. *Analytica Chimica Acta*, 2014. 813(0): p. 90-96.
12. Gospodinova, N. and L. Terlemezyan, *Conducting polymers prepared by oxidative polymerization: polyaniline*. *Progress in Polymer Science*, 1998. 23(8): p. 1443-1484.
13. Bai, H. and G. Shi, *Gas Sensors Based on Conducting Polymers*. *Sensors*, 2007. 7(3): p. 267-307.
14. Chen, W., et al., *A general approach toward enhancement of pseudocapacitive performance of conducting polymers by redox-active electrolytes*. *Journal of Power Sources*, 2014. 267(0): p. 521-526.
15. Li, D., J. Huang, and R.B. Kaner, *Polyaniline Nanofibers: A Unique Polymer Nanostructure for Versatile Applications*. *Accounts of Chemical Research*, 2008. 42(1): p. 135-145.
16. Zhang, D., et al., *Preparation, characterization, and application of electrochemically functional graphene nanocomposites by one-step liquid-phase exfoliation of natural flake graphite with methylene blue*. *Nano Research*, 2012. 5(12): p. 875-887.
17. Stejskal, J., et al., *Purification of a conducting polymer, polyaniline, for biomedical applications*. *Synthetic Metals*, 2014. 195(0): p. 286-293.
18. Li, J., J. Zhao, and X. Wei, *A sensitive and selective sensor for dopamine determination based on a molecularly imprinted electropolymer of o-aminophenol*. *Sensors and Actuators B: Chemical*, 2009. 140(2): p. 663-669.
19. Turiel, E. and A. Martín-Esteban, *Molecularly imprinted polymers for sample preparation: A review*. *Analytica Chimica Acta*, 2010. 668(2): p. 87-99.
20. Ge, Y., et al., *Smart Molecularly Imprinted Polymers: Recent Developments and Applications*. *Macromolecular Rapid Communications*, 2013. 34(11): p. 903-915.
21. Pardieu, E., et al., *Molecularly imprinted conducting polymer based electrochemical sensor for detection of atrazine*. *Analytica Chimica Acta*, 2009. 649(2): p. 236-245.

22. Özcan, L., M. Sahin, and Y. Sahin, *Electrochemical Preparation of a Molecularly Imprinted Polypyrrole-modified Pencil Graphite Electrode for Determination of Ascorbic Acid*. *Sensors*, 2008. 8(9): p. 5792-5805.
23. Roy, A.C., et al., *Molecularly imprinted polyaniline-polyvinyl sulphonic acid composite based sensor for para-nitrophenol detection*. *Analytica Chimica Acta*, 2013. 777(0): p. 63-71.
24. Maouche, N., et al., *Molecularly imprinted polypyrrole films: Some key parameters for electrochemical picomolar detection of dopamine*. *Journal of Electroanalytical Chemistry*, 2012. 685(0): p. 21-27.
25. Roy, A.K., et al., *Molecularly imprinted polyaniline film for ascorbic acid detection*. *Journal of Molecular Recognition*, 2011. 24(4): p. 700-706.
26. Kan, X., et al., *Imprinted electrochemical sensor for dopamine recognition and determination based on a carbon nanotube/polypyrrole film*. *Electrochimica Acta*, 2012. 63(0): p. 69-75.
27. Gu, L., et al., *Double recognition of dopamine based on a boronic acid functionalized poly(aniline-co-anthranilic acid)-molecularly imprinted polymer composite*. *Analyst*, 2013. 138(18): p. 5461-5469.