


TABLE OF CONTENT

	Page
ACKNOWLEDGEMENTS	iii
ABSTRACT (in English)	v
ABSTRACT (in Thai)	viii
LIST OF TABLES	xiv
LIST OF FIGURES	xv
ABBREVIATIONS AND SYMBOLS	xvii
CHAPTER 1 INTRODUCTION	1
1.1 Statement and significant of the problem	1
1.2 Literature review	4
1.2.1 Principle of cardiac electrophysiology	4
1.2.2 Ventricular fibrillation and defibrillation	6
1.2.3 Defibrillation threshold reduction	9
1.2.4 Vagal nerve activation	10
1.2.5 Vagal nerve stimulation	13
1.2.6 The improvement of cardiac function by VNS	14
1.2.7 VNS block by local anesthetic agent	16
1.3 Objectives of this study	17

CHAPTER 2 MATERIALS AND METHODS	19
2.1 Animal preparation	19
2.2 Determination of defibrillation threshold	19
2.3 Electrode placement	20
2.3.1 Defibrillation electrode placement	20
2.3.2 Can electrode placement	21
2.3.3 Electrode placement for VNS	21
2.4 Nerve cuff placement for mepivacaine infusion	21
2.5 VNS setting	24
2.6 Experimental protocols	24
2.7 Statistical analyzed	30
CHAPTER 3 RESULTS	31
3.1 Aim 1 To confirm VNS effects on the heart and determine the effects of VNS frequency and duration on normal sinus rhythm (NSR) using ECG morphology(R-R interval, P-R interval, QRS complex and QTc)	31
3.2 Aim 2 To determine the effect of VNS frequency and duration on the DFT	34
3.3 Aim 3 To determine the VNS pathway by local nerve block	37
CHAPTER 4 DISCUSSION AND CONCLUSIONS	39
4.1 Discussion	39
4.1.1 VNS induced the P-R and the R-R intervals prolongation	39
4.1.2 VNS applied continuously at the VF onset until the post-shock period could improved defibrillation efficacy by reducing the DFT	42

4.1.3 Direct LC VNS effects on the heart were confirmed by the results from local nerve block	44
4.2 Conclusion and study limitation	45
REFERENCES	46
APPENDICES	56
APPENDIX A	57
APPENDIX B	59
CURRICULUM VITAE	62



LIST OF TABLES

Table		Page
3-1	ECG parameters at baseline, and at the VNS period with 10 mA, 5 Hz of VNS for 10, 15 and 20 s (n=7)	32
3-2	Defibrillation parameters at baseline, and at the VNS period with 10 mA, 5 and 20 Hz of VNS for 10, 15 and 20 s (n=7)	36
3-3	ECG parameters at baseline, and at the VNS period with 10 mA, 5 Hz of VNS for 20 s (n=6)	38

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่

Copyright© by Chiang Mai University
All rights reserved

LIST OF FIGURES

Figure		Page
1-1	The automated external defibrillator (AED)	2
1-2	Cardiac electrical impulse conductive system	4
1-3	ECG waveform changes from NSR to VF	6
1-4	Defibrillator	7
1-5	The relation of delivered energy dose on percentage of defibrillation efficacy, damage, and death in a series of dogs receiving various sized transthoracic monophasic defibrillation shocks	8
1-6	Implantable Cardioverter Defibrillator (ICD) components	9
1-7	Vagus nerve and its responsible organs	12
1-8	Cardiac nerve	12
1-9	Vagal nerve stimulation (VNS) components	13
2-1	(A) Defibrillation electrode (B) Can electrode (C) VNS electrode (D) Nerve Cuff for mepivacaine infusion	22
2-2	Defibrillation and Can electrode placement under fluoroscopic guidance	23


2-3	The LCvagus nerve location	23
2-4	The program electrical stimulator's windows	24
2-5	The ECG recording's windows (Chart 5 for window)	25
2-6	Experimental protocol for the effect of VNS on NSR at 5 and 20 Hz	27
2-7	Experimental protocol for the effect of VNS on DFT at 5 and 20 Hz	27
2-8	Diagram for the effect of VNS on NSR and DFT protocols	28
2-9	Diagram for VNS blockage protocol	29
3-1	ECG recording windows compared between baseline, 5Hz of VNS and 20 Hz of VNS	33
3-2	Effects of VNS frequency and duration on delivered voltage (Volts) and delivered energy (Joules) of DFT	35
3-3	Effects of 10 mA, 5 Hz, 20 s of VNS on delivered voltage (Volts) and delivered energy (Joules) of DFT, comparison between baseline, VNS and VNS with Mepivacaine perfusion	38
4-1	Heart block or AV block	41
4-2	The complexity of the distribution of the cardiac parasympathetic nerve fiber in both epicardium and endocardium after staining by a histochemical method	41

ABBREVIATIONS AND SYMBOLS

%	Percentage
Ω	Ohm
ABP	Atrial blood pressure
AC	Alternating current
ACh	Acetylcholine
AEDs	Automatic external defibrillators
AV	Atrioventricular
BL	Baseline
cm	Centimeter
CN	Cranial nerve
CPR	Cardiopulmonary resuscitation
DAD	Delayed after depolarization
DFT	Defibrillation threshold
ECG	Electrocardiogram
Gi	G protein-gated ion
HR	Heart rate
hr	Hour
Hz	Hertz
ICD	Implantable cardioverter defibrillator

J	Joules
K ⁺	Inward rectifying potassium
kg	Kilogram
LC	Left cervical
LSGS	Left stellate ganglion stimulation
LV	Left ventricle
mA	Milliampere
mg	Milligram
min	Minute
ml	Milliliter
mm	Millimeter
mmHg	Millimeter of Mercury
ms	Millisecond
NSR	Normal sinus rhythm
<i>P</i>	Probability value
PES	Program electrical stimulation
PP	Polypropylene
s	Second
SA	Sinoatrial
SE	Standard error
Stim.	Stimulation
V	Volt

VF	Ventricular fibrillation
VFT	Ventricular fibrillation threshold
VNS	Vagal nerve stimulation
WHO	World Health Organization



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved