

REFERENCES

- Akkajit, P. and Tongcumpou, C., "Fractionation of metals in cadmium contaminated soil: Relation and effect on bioavailable cadmium," *Geoderma*, 156, 2010, pp. 126–132.
- Aldaya, M. M, Martínez-Santos, P., Llamas, M. R., "Incorporating the water footprint and virtual water into policy: Reflections from the Mancha Occidental Region, Spain," *Water Resour. Manage.*, 24, 2010, pp. 941–958.
- Allen, R. G., Pereira, L. S., Raes, D. and Smith, M. "Crop evapotranspiration: Guidelines for computing crop water requirements," FAO Irrigation and Drainage Paper 56, Food and Agriculture Organization, Rome, 1998.
- Alloway, B. J. and Steinnes, E., "Anthropogenic additions of cadmium to soils. In: Cadmium in soils and plants," Kluwer Academic Publishers, 1999, pp. 97-123.
- ATSDR (Agency for Toxic Substances and Disease Registry), "Toxicological profile for cadmium, Agency for Toxic Substances and Disease Registry Division of Toxicology and Human Health Sciences (proposed) Environmental Toxicology," U.S. department of health and human services, 2012.
- Autier, V. and White, D., "Examination of cadmium sorption characteristics for a boreal soil near Fairbanks, Alaska," *J. Hazard Mater*, 106, 2004, pp.149-155.
- Berger, M. and Finkbeiner, M. "Water footprinting: How to address water use in life cycle assessment?" *Sustainability*, vol. 2, 2010, pp. 919–944.
- Bodek, I., "Environmental Inorganic Chemistry," Pergamon Press, New York, 1988.
- Bouka, E., Lawson-Evi, P., Ekl-Gadegbku, K., Aklikokou, K. and Gbeassor, M., "Heavy metal concentration in soil, water, *Manihot esculenta* tuber and *Oreochromis niloticus* around phosphate exploitation area in Togo, *Research journal of environmental toxicology*, 7, 1, 2013, pp. 18-28.

- Boulay, A. M., Hoekstra, A. Y. and Vionnet, S., “Complementarities of Water-Focused Life Cycle Assessment and Water Footprint Assessment,” *Environ. Sci. Technol.*, 47, 2013, pp. 11926–11927.
- Brekken, A. and Steinnes, E., “Seasonal concentrations of cadmium and zinc in native pasture plants: consequences for grazing animals,” *Science of the Total Environment* 326, 2004, pp. 181–195.
- Brumbaugh, W. G, Schmitt, C. J. and May, T. W. Concentrations of cadmium, lead, and zinc in fish from mining-influenced waters of northeastern Oklahoma-sampling of blood, carcass, and liver for aquatic biomonitoring,” *Arch. Environ. Contam. Toxicol.*, 49, 2005, pp. 76–88
- CAC (Codex Alimentarius Commission), “Report of the 34th Session of the Codex Committee on Food Additives and Contaminants (CCFAC),” Rotterdam, The Netherlands 11-15 March 2002.
- Carmichael, R. S. “CRC Practical Handbook of Physical Properties of Rocks and Minerals,” CRC Press, Boca Raton, FL, 1989.
- Carpenter, S. R, Caraco, N. F., Correll, D. L., Howarth, R. W., Sharpley, A. N. and Smith, V. H., “Nonpoint pollution of surface waters with phosphorus and nitrogen,” *Ecological Applications*, 8, 1998, pp. 559–568.
- Cazanescu, S., Maracineanu, F. and Constanin, E., “Software application for irrigation water management optimization aplicate software pentru optimizera managementului apei pentru irigatii,” *Research Journal of Agricultural Science*, 41, 2, 2009
- Chahed, J., Hamdane, A. and Besbes, M. “A comprehensive water balance of Tunisia: blue water, green water and virtual water,” *Water International*, 33(4), 2008, pp. 415– 424.

- Chapagain, A. K. and Hoekstra, A. Y., “Water footprints of nations, Value of Water Research Report Series No.16, UNESCO-IHE, Delft, Netherlands,” [http://www. waterfootprint.org/ Reports/Report16Vol1.pdf](http://www.waterfootprint.org/Reports/Report16Vol1.pdf), 2004.
- Chapagain, A. K. and Orr, S, “An improved water footprint methodology linking global consumption to local water resources: A case of Spanish tomatoes,” *Journal of Environmental Management*, 90, 2009, pp. 1219–1228.
- Chapagain, A. K., Hoekstra, A. Y., Savenije, H. H. G. and Gautam, R., “The water footprint of cotton consumption: an assessment of the impact of worldwide consumption of cotton products on the water resources in the cotton producing countries,” *Ecological Economics*, 60, 2006, pp. 186-203.
- Cheesman, O.D. “Environmental impacts of sugar production,” CABI Publishing, Wallingford, Oxfordshire, UK, 2004.
- Chooyok, P., Pumijumnog, N. and Ussawarujikulchai, A. “The Water Footprint Assessment of Ethanol Production from Molasses in Kanchanaburi and Supanburi Province of Thailand,” *APCBEE Procedia*, 5, 2013, pp. 283 – 287.
- Dastane, N. G., “Effective rainfall in irrigated agriculture, Irrigation and Drainage,” Paper No 25, Food and Agriculture Organization, Rome,” [http://www.fao.org/docrep/ X5560E/x5560e00.htm](http://www.fao.org/docrep/X5560E/x5560e00.htm), 2014.
- DEDE (Thailand Department of Alternative Energy Development and Efficiency), “Alternative Energy Development Plan: AEDP 2012-2021 (2012)” http://www.dede.go.th/dede/images/stories/dede_aedp_2012_2021.pdf, 2014.
- Deurer, M., Green, S.R., Clothier, B.E. and Mowat, A., “Can product water footprints indicate the hydrological impact of primary production? – A case study of New Zealand kiwifruit,” *Journal of Hydrology*, 408, 2011, pp. 246–256.
- DOA (Department of Agriculture, Thailand), “Cassava” [http://it.doa.go.th/vichakan /news.php?newsid=14](http://it.doa.go.th/vichakan/news.php?newsid=14), 2009.

- EEC (European Economic Commission), "Council Directive 86/278/EEC on the protection of the environment, and in particular of the soil, when sewage sludge is used in agriculture" CELEX-EUR Official Journal L., 181, 4 July 1986, pp. 6-12.
- EFSA (European Food Safety Authority), "Scientific opinion of the panel on contaminants in the food chain on a request from the European commission on cadmium in food," The EFSA Journal. 980, 2009, pp. 1-139.
- Elinder, C. G., "Cadmium as an environmental hazard," IARC Sci Publ 118, 1992, pp. 123-132
- Ene, S. A., Hoekstra, A. Y. Mekkonen, M. M., Teodosiu, C., "Water footprint assessment in north-eastern region of Romania, A case study for the IASI country, Romania," Journal of Environmental Protection and Ecology, 13, 2, 2012, pp. 506–516.
- Ene, S. A., Teodosiu, C., Robu, B. and Volf, I., "Water footprint assessment in the winemaking industry: a case study for a Romanian medium size production plant," Journal of Cleaner Production, 43, 2013, pp. 122-135.
- EPA, "Cadmium contamination of the environment: An assessment of nationwide risk," Washington, DC: U.S. Environmental Protection Agency, Office of Water Regulations and Standards, EPA 440485023, 1985.
- EPA, "List of drinking water contaminants: Ground water and drinking water," US Environmental Protection Agency, <http://www.epa.gov/safewater/mcl.html#1>, 2005.
- Ercin, A., Ertug Hoekstra, A.Y., "Carbon and water footprints concepts, methodologies and policy responses. In: United Nations World Water Assessment Programme Side Publications Series," United Nations Educational, Scientific and Cultural Organization, France, 2012.

- FAO, “CROPWAT 8.0 model, Food and Agriculture Organization of the United Nations, Rome,”http://www.fao.org/nr/water/infores_databases_cropwat.html., 2013.
- Garrido, A., Llamas, M. R., Varela-Ortega, C., Novo, P., Rodriguez-Casado, R., and Aldaya, M. M., “Water Footprint and Virtual Water Trade in Spain: Policy Implications. In: Natural Resource Management and Policy (Series),” Springer and Fundacion Marcelino Botin, New York, NY, 2010.
- Gerbens-Leenes, P. W. and Hoekstra, A. Y. “Business water footprint accounting: A tool to assess how production of good and services impacts on freshwater resources worldwide,” Research Report Series No. 27, UNESCO-IHE Institute for Water Education, Delft, the Netherlands, 2008, pp.1-40.
- Gerbens-Leenes, W. and Hoekstra, A. Y., “The water footprint of sweeteners and bio-ethanol,” *Environment International*, 40, 2012, pp.202–211.
- Hasselbach, L., Hoef V. J. M., Ford, J., Neitlich, P., Crecelius, E., “Spatial patterns of cadmium and lead deposition on and adjacent to National Park Service lands in the vicinity of Red Dog Mine, Alaska,” *Sci. Total Environ.*, 348,1-3, 2005, pp. 223-229.
- Herath, I., Green, S., Horne, D., Singh, R., McLaren, S. and Clothier, B., “Water footprinting of agricultural products: evaluation of different protocols using a case study of New Zealand wine,” *Journal of Cleaner Production*, 44, 2013, pp. 159-167.
- Hess, T., “ Estimating Green Water Footprints in a Temperate Environment,” *Water*, 2, 2010, pp. 351-362
- Hoekstra A. Y. and Mekonnen, M. M. “Reply to Ridoutt and Huang: From water footprint assessment to policy,” *PNAS*, 109, 22, May 29, 2012 .

- Hoekstra, A. Y. and Chapagain, A. K., "Globalization of water: Sharing the planet's freshwater resources," Blackwell Publishing, Oxford, 2008.
- Hoekstra, A. Y. and Chapagain, A. K., Aldaya, M. M. and Mekonnen, M. M. "The water footprint assessment manual: setting the global standard," Earth scan, London, UK, 2011, pp.1-203.
- Hoekstra, A. Y. and Hung, P. Q., "Virtual water trade: A quantification of virtual water flows between nations in relation to international crop trade, Value of Water Research Report Series No 11, UNESCO-IHE, Delft, Netherlands," <http://www.waterfootprint.org/Reports/Report11.pdf>, 2002.
- Hoekstra, A. Y., "Virtual water trade, Value of Water Research Report Series No 12, UNESCO-IHE, Delft, Netherlands" Proceedings of the International Expert Meeting on Virtual Water Trade, 12–13 December 2002.
- Hoekstra, A.Y., Chapagain, A. K., Aldaya, M. M. and Mekonnen, M.M., "Water Footprint Manual: State of the Art 2009," The Water Footprint Network, Enschede, The Netherlands. November, 2009.
- Holcomb, M. K., "Quantifying the water footprint: Growing crop sustainably in northwest India," Paper submitted in partial requirements of the Undergraduate Honors Program, the Ohio State University, School of Environment and Natural Resources, 2010, pp.1-34.
- IAEA (International Atomic Energy Agency), "Soil sampling for environmental contaminants," Vienna, Austria, 75, 2004.
- IARC (International Agency for Research on cancer), "Beryllium, cadmium, mercury and exposures in the glass manufacturing industry," In Monographs on the Evolution of Carcinogenic Risks to Humans, IARC, Lyon, France, Volume 58, 1993, pp. 119-236.

- IFC (International Finance Corporation), "Water footprint assessments: Dehydrated onion products, micro-irrigation systems," Jain Irrigation Systems Ltd, Washington, DC, 2010, pp.1-48.
- Jarernsook, L., Gongboon, R., Sumpattakul, S., "Water footprint analysis of oil palm for biodiesel production in Thailand," The 1st National Conference on Sustainable Industrial Innovation and Management, <http://dpru.pnru1.com/doc/dprudoc00000100.pdf>. 2012.
- Kabata-Pendias, A., "Trace Elements in Soils and Plants, Fourth Edition," CRC Press Taylor and Francis Group, 2011, pp. 1-504.
- Kaenchan, P. and Gheewala, S. H., "A Review of the Water Footprint of Biofuel Crop Production in Thailand," Journal of Sustainable Energy and Environment, 4, 2013, pp. 45-52
- Khurana, H. S., Bijay-Singh, A., Dobermann, S. B., Phillips, Sidhu, A. S., and Singh, Y., "Site-Specific Nutrient Management Performance in a Rice-Wheat Cropping System," Better Crops with Plant Food, 92, 4, 2008, pp. 26-28.
- Kim, K. T., Kim, E. S., Cho, S. R., Park J. K., Ra, K. T. Lee, J. M., "Distribution of heavy metals in the environmental samples of the saemangeum coastal area, Korea," Coastal Environmental and Ecosystem Issues of the East China Sea, 2010, pp. 71-90.
- Kloke, A., Sauerback, D.R. and Vetter, H., "Changing Metal Cycles and Human Health Nriagu," Springer-Verlag: Berlin, 1984.
- Kongboon, R. and Sampattagul, S., "The water footprint of sugarcane and cassava in northern Thailand," Procedia - Social and Behavioral Sciences, 40, 2012, pp. 451-460.

- Lambert, R., Grant, C., and Sauve, S., "Cadmium and zinc in soil solution extracts following the application of phosphate fertilizers," *Science of the Total Environment*, 378, 2007, pp. 293-305.
- Lindholm, T., "Water footprint assessment for water stewardship in the agri-food sector," Master Thesis Series in Environmental Studies and Sustainability Science, Lund University, Sweden, 2012, pp.1-40.
- Liua, C., Kroezea, C., Hoekstra, A. Y. and Gerbens-Leenesc, W., "Past and future trends in grey water footprints of anthropogenic nitrogen and phosphorus inputs to major world rivers," *Ecological Indicators*, 18, 2012, pp. 42–49
- Ma, A. H., Wang, J. F. and Zhang, K. L. "Sampling survey of heavy metal in soil using SSSI. The International Archives of the Photogrammetry" *Remote Sensing and Spatial Information Sciences*, 38, 2, 2012, pp. 191-196.
- Maneewong, P., "Cadmium distribution in stream sediment and suspended solids along Huai Mae Tao and Huai Mae Ku, Mae Sot District, Tak Province," A thesis submitted in partial fulfillment of requirements for the degree of Master of Science Program in Environment Management (Inter-Department) Graduated School. Chulalongkorn University. 2005.
- Marta, A. D., Mancini, M., Natali, F., Orlando, F. and Orlandini, S., "From water to bioethanol: The impact of climate variability on the water footprint," *Journal of Hydrology*, 444–445, 2012, pp. 180–186.
- Marzieh S. H., Hosseini, M. and Sarmadiyan, F., "Variation in soil heavy metal concentrations around and downstream of a municipal waste landfill" 19th World Congress of Soil Science, Soil Solutions for a Changing World Brisbane, Australia. Published on DVD. 1 – 6 August 2010.

- Mekonnen, M. M. and Hoekstra, A. Y., "National water footprint accounts: the green, blue and grey water footprint of production and consumption," Value of Water Research Report Series No. 50, UNESCO-IHE, Delft, the Netherlands, 2011, pp. 1-44.
- Mekonnen, M. M., Hoekstra, A. Y., "The green, blue and grey water footprint of crops and derived crop products," Hydrol. Earth. Syst. Sc., 15, 2011, pp. 1577-1600.
- Miller, J. D., Gilbert, R. A. and Odero, D. C., "Sugarcane Botany: A Brief View," Florida Sugarcane Handbook, <http://edis.ifas.ufl.edu/pdffiles/SC/SC03400.pdf>, 2012.
- Morrison, J., Morikawa, M., Murphy, M. and Peter, S., "Water scarcity and climate change: growing risks for businesses and investors," Ceres and Pacific Institute. Boston, USA, 2009, pp.1-50.
- Morshed, A. H. M. M., Farukh M. A. and Sattar, M. A., "Heavy Metal Contamination in Farm and Urban Soil in Mymensingh," J. Environ. Sci. and Natural Resources, 5, 2, 2012, pp. 81-84.
- Muntau, H. and Baudo, R., "Sources of cadmium, its distribution and turnover in the freshwater environment" IARC Sci. Publ., 118, 1992, pp. 133-148.
- Murthy, R. C., Saxena, D. K., Lal B. and Chandra, S. V., "Chronic cadmium-ethanol administration alters metal distribution and some biochemicals in rat brain," Biochem Int., 19, 1, 1989, pp. 135-144.
- Nan, Z. R., Zhao, C. Y., Li, J.J, Chen, F. H. and Sun, W., "Relations between soil properties and selected heavy metal concentrations in spring wheat (*Triticum aestivum* L.) grown in contaminated soils," Water Air and Soil Pollut., 133, 1/4, 2002, pp. 205–213.
- NETAFIM, "Crop Growth Phases," http://www.sugarcanecrops.com/crop_growth_phases/ripening_maturation_phase/, 2014

- NTP (National Toxicology Program), "Report on Carcinogens, Twelfth Edition," U.S. Department of Health and Human Services Public Health Service National Toxicology Program, 2011.
- Oki, T. and Kanae, S., "Global hydrological cycles and world water resources," *Science*, 313, 2006, pp. 1068–1072.
- Olajire, A. A. and Bull E. T. A., "Study of atmospheric pollution levels by trace element analysis of tree bark and leaves," *Chem. Soc. Ethiop.*, 17, 1, 2003, pp. 11-17.
- Page, A. L., CHANG, A. C. and El-amamy, M. "Lead, Mercury, Cadmium and Arsenic in the Environment," John Wiley and Sons Ltd., 1987, pp. 119-146.
- PCD, "Soil quality standard. Pollution Control Department, Ministry of Natural Resources and Environment, Bangkok, Thailand," http://www.pcd.go.th/info_serv/en_reg_std_soil01.html, 2013.
- PCD, "Water quality standard. Pollution Control Department, Ministry of Natural Resources and Environment , Bangkok, Thailand," http://www.pcd.go.th/info_serv/en_reg_std_water05.html, 2013.
- Potichan, A., Wiwatwongwana, P. and Watana, S., "Characterization of Established Soil Series in the North and Central Highland Region of Thailand Reclassified According to Soil Taxonomy 2003," Soil Survey and Classification Division Land Development Department Thailand, 2004, pp. 1- 171.
- Qiuquan, W., Chen, Z., Yu, W., Zhi-yong, H., Zhenji, L., Ben-li, H., Kinichi, T., and Satake, K., "A novel sampling method for present and historical monitoring of air pollution by using tree bark," *Environmental Chemistry*, 22 ,3, 2003, pp.250-254.

- Rahman S. H., Khanam, D., Adyel, T. M., Islam M. S., Ahsan, M. A. and Akbor, M. A.,
 “Assessment of Heavy Metal Contamination of Agricultural Soil around Dhaka
 Export Processing Zone (DEPZ), Bangladesh: Implication of Seasonal
 Variation and Indices,” *Appl. Sci.*, 2, 2012, pp. 584-601.
- Rains, D.W., “Lead accumulation by wild oats (*Avena fatua*) in a contaminated area,”
Nature 233, 1971, pp. 210–211.
- RID, “Crop coefficient,” Royal Irrigation Department, http://water.rid.go.th/hwm/cropwater/CWRdata/Kc/kc_th.pdf, 2010.
- Ridoutt B. G. and Huang, J., “Environmental relevance—the key to understanding
 water footprints,” *PNAS*, vol. 109, no. 22, May 29, 2012.
- Ridoutt, B. G., Juliano, P., Sanguansri, P. and Sellahewa, J., “The water footprint of
 food waste: Case study of fresh mango in Australia,” *Journal of Cleaner
 Production*, 18, 2010, pp. 1714-1721.
- Ronov, A. B. and Yaroshevsky, A. A., “Earth’s Crust Geochemistry,” *Encyclopedia of
 Geochemistry and Environmental Sciences*, New York, 1969.
- Sun, S. K., Wu, P. T., Wang, Y. B. and Zhao, X. N., “Impacts of climate change on
 water footprint of spring wheat production: the case of an irrigation district in
 China,” *Spanish Journal of Agricultural Research*, 10(4), 2012, pp. 1176-1187.
- Salmi, P., and Kipinä-Salokannel, S., “Satakunnan pintavesien toimenpideohjelman
 vuoteen 2015 (Action Plan for Satakunta surface waters until 2015),” Finland
 proper. 2010, pp. 1-152.
- Scholten, W. “The water footprint of sugar and sugar-based ethanol,” Thesis report,
 Faculty of Engineering, University of Twente, Netherlands, 2009.
- Seewiseng, L., Bhaktikul, K., Aroonlertaree, C. and Suaedee, W., “The water footprint
 of oil palm crop at the Chaipattana-Mae Fah Luang Restoration Project,
 Phetchaburi Province,” The 9th National Kasetsart University Kampaeng Saen
 Conference, 2012, pp. 878-884.

- Sereno, M. L., Almeida, R. S., Nishimura, D. S. and Figueira, A., "Response of sugarcane to increasing concentrations of copper and cadmium and expression of metallothionein genes," *J. Plant Physiol.*, 164, 2007, pp. 1499–1515.
- Simmons, R. W., Sukreeyapongse, O., Noble, A. D. and Chinabut, N., "Report of LDD-IWMI land zoning and Cd risk assessment activities undertaken in Phat Pha Daeng and Mae Tao Mai Sub-districts, Mae Sot, Tak Province, Thailand," Final Report. International Water Management Institute, 2005.
- Smith, B. D., "The Emergence of Agriculture," Scientific American Library, A Division of HPHLP, New York. 1998
- Sritumpawa, W., "Cadmium uptake by sugarcane grown in contaminated soil," Master Thesis Series of Science Program in Environmental Science, Chulalongkorn University, Thailand. 2007.
- Sun S. K., Wu, P. T., Wang Y. B., and Zhao, X. N., "Impacts of climate change on water footprint of spring wheat production: the case of an irrigation district in China," *Spanish Journal of Agricultural Research*, 10, 4, 2012, pp. 1176-1187
- Sun, S. K., Wu, P. T., Wang, Y. B. and Zhao, X. N., "Temporal Variability of Water Footprint for Maize Production: The Case of Beijing from 1978 to 2008," *Water Resour. Manage.*, 27, 2013, pp. 2447–2463.
- USDA SCS, "Major World Crop Areas and Climatic Profiles," World Agricultural Outlook Board, US Department of Agriculture, Washington DC. 1994
- USEPA, "Determination of metals in ambient particulate matter using inductively coupled plasma (ICP), Compendium Method IO-3.4, Compendium of Methods for the Determination of Inorganic Compounds in Ambient Air," Center for Environmental Research Information Office of Research and Development, U.S. Environmental Protection Agency Cincinnati. 1999.

- Wallace, A., Romney, E. M., and Alexander, G. V., "Zinc-cadmium interactions on the availability of each to bush bean plants grown in solution culture," *J. Plant Nutr.*, 2, 51, 1980.
- Wang, X., Chen, T., Lei, M., Song, B., Wan, X. and Li, Y., "Selection of Sugar Cane Varieties with a Low Heavy Metal Accumulation Ability for the Ecological Remediation of Contaminated Farmland," *J. Resour. Ecol.*, 3, 4, 2012, pp. 373-378.
- Wichelns, D., "Assessing water footprints will not be helpful in improving water management or ensuring food security," *Water Resources Development*, 27, 3, 2011, pp. 607–619.
- Willaarts, B. A., Volk, M. and Aguilera, P. A., "Assessing the ecosystem services supplied by freshwater flows in Mediterranean agroecosystems," *Agric. Water Manage.*, 105, 2012, pp. 21–31.
- Wu, L., Tan, C., Liu L., Zhu, P., Peng, C., Luo, Y. and Christie, P., "Cadmium bioavailability in surface soils receiving long-term applications of inorganic fertilizers and pig manure , *Geoderma.*, 173-174, 2012, pp. 224–230.
- Yoo, S. H., Choi, J. Y., Lee, S. H. and Kim, T., "Estimating water footprint of paddy rice in Korea," *Paddy Water Environ.*, 12, 2014, pp. 43–54
- Zeng, X. B., Li, L. F. and Mei, X. R., "heavy metal content in Chinese vegetable plantation land soils and related source analysis," *Agricultural Sciences in China*, 7, 9, 2008, pp. 1115-1126
- Zeng, Z., Liu, J., Koeneman, P. H., Zarate, E. and Hoekstra, A. Y., "Assessing water footprint at river basin level: a case study for the Heihe River Basin in northwest China," *Hydrol. Earth Syst. Sci. Discuss.*, 9, 2012, pp. 5779–5808.