

REFERENCES

- Abunna F., Asfaw L., Megersa B., Regassa A. 2010. Bovine fasciolosis: coprological, abattoir survey and its economic impact due to liver condemnation at Soddo municipal abattoir, Southern Ethiopia. *Tropical Animal Health and Production*. 42: 289-292.
- Adedokun O.A., Ayinmode A.B., Fagbemi B.O. 2008. A comparative study of three methods for detecting *Fasciola* infections in Nigerian cattle. *Veterinarski Arhiv*. 78(5): 411-416.
- Africa C.M., De Leon W., Garcia E.Y. 1936. Heterophyidasis: III. Ova associated with a fatal hemorrhage in the right basal ganglia of the brain. *Journal of the Philippine Islands Medical Association*. 16: 22-28.
- Amer S., Dar Y., Ichikawa M., Fukuda Y., Tada C., Itagaki T., *et al.* 2011. Identification of *Fasciola* species isolated from Egypt based on sequence analysis of genomic (ITS-1 and ITS-2) and mitochondrial (NDI and COI) gene markers. *Parasitology International*. 60(1): 5-12.
- Amor N., Farjallah S., Salem M., Lamine D.M., Merella P., Said K., *et al.* 2011. Molecular characterization of *Fasciola gigantica* from Mauritania based on mitochondrial and nuclear ribosomal DNA sequences. *Experimental Parasitology*. 29(2): 127-136.
- Andrews S.J. 1999. The life cycle of *Fasciola hepatica*, In: *Fasciolosis*, Dalton, J.P. (Eds.), CAB International, Oxon, pp. 1-29.
- Anuntalabhochai S., Sitthiphrom S., Thongtaksin W., Sanguansermisri M., Cutler R.W. 2007. Hybrid detection and characterization of *Curcuma* spp. using sequence characterized DNA markers. *Scientia Horticulture* . 111: 389-393.
- Aroonroch R., Worawichawong S., Nitiyanant P., Kanchanapitak A., Bunyaratvej S. 2006. Hepatic fascioliasis due to *Fasciola hepatica*: a two-case report. *Journal of the Medical Association of Thailand*. 89(10): 1770-1774.

- Ashrafi K., Valero M.A., Panova M., Periago M.V., Massoud J., Mas-Coma S. 2006. Phenotypic analysis of adults of *Fasciola hepatica*, *Fasciola gigantica* and intermediate forms from the endemic region of Gilan, Iran. *Parasitology International*. 55(4): 249-260.
- Ashrafi K., Massoud J., Holakouie Naieni K., Jo-Afshani M.A., Mahmoodi M., Ebadati N., et al. 2007. Nuclear ribosomal DNA ITS-2 sequence characterization of *Fasciola hepatica* and *Galba truncatula*. *Iranian Journal of Public Health*. 36(4): 42-49.
- Barber K.E., Mkoji G.M., Loker E.S. 2000. PCR-RFLP analysis of the ITS2 region to identify *Schistosoma haematobium* and *S. bovis* from Kenya. *The American Journal of Tropical Medicine and Hygiene*. 62(4): 434-440.
- Bayu B., Asnake S., Woretaw A., Ali J., Gedefaw M., Fente T., Getachew A., et al. 2005. Cases of Human Fascioliasis in north-west Ethiopia. *The Ethiopian Journal of Health Development*. 19(3): 237-240.
- Bazsalovicsova E., Kralova-Hromadova I., Spakulova M., Reblanova M., Oberhauserova K. 2010. Determination of ribosomal internal transcribed spacer 2 (ITS-2) interspecific markers in *Fasciola hepatica*, *Fascioloides magna*, *Dicrocoelium dendriticum* and *Paramphistomum cervi* (Trematoda), parasites of wild and domestic ruminants. *Helminthologia*. 47: 76-82.
- Beaver P.C., Jung R.C., Cupp E.W. 1984. *Clinical Parasitology*. 9th ed. Lea and Febiger, Philadelphia.
- Birky C.W. 2013. Species detection and identification in sexual organisms using population genetic theory and DNA sequences. *Plos One*. 8(1): e52544. doi:10.1371/journal.pone.0052544.
- Birky C.W., Adams J., Gemmel M., Perry J. 2010. Using population genetic theory and DNA sequences for species detection and identification in asexual organisms. *Plos One*. 5(5): e10609. doi:10.1371/journal.pone.0010609.
- Bowles J., Blair D., Mcmanus D.P. 1995. A molecular phylogeny of the human schistosomes. *Molecular Phylogenetics and Evolution*. 4: 103-109.
- Bowman D.D. 1995. *Georgis' parasitology for veterinarian*. 6th ed. WB Saunder Company USA. pp. 310-315.

- Degheidy N.S., Shalaby H.A. 2010. Scanning Electron Microscopic Observations of Adult *Fasciola gigantica* after Immunization with Glutathione S-Transferase in Goats. *Research Journal of Parasitology*. 5: 79-89.
- Dieffenbach C.W., Lowe T.M.J., Dveksler G.S. 1995. General Concepts for PCR Primer Design, in *PCR Primer, A Laboratory Manual*, Dieffenbach, C.W, and Dveksler, G.S., Ed., Cold Spring Harbor Laboratory Press, New York. pp133-155.
- Charoenchai A., Tesana S., Pholpark M. 1997. Natural infection of trematodes in *Lymnaea (Radix) auricularia rubiginosa* in water reservoirs in Amphoe Muang, Khon Kaen Province. *The Southeast Asian Journal of Tropical Medicine and Public Health*. 28 (Suppl 1): 209-212.
- Chuboon S., Wongsawad C. 2009. Molecular identification of larval trematode in intermediate hosts from Chiang Mai, Thailand. *The Southeast Asian Journal of Tropical Medicine and Public Health*. 40: 1216-1220.
- Cucher M.A., Carnevale S., Prepelitchi L., Labbe J.H., Wisnivesky-Colli C. 2006. PCR diagnosis of *Fasciola hepatica* in field-collected *Lymnaea columella* and *Lymnaea viatrix* snails. *Veterinary Parasitology*. 137: 74-82.
- Curtale F., Hassanein Y.A., Barduagni P., Yousef M.M., Wakeel A.E., Hallaj Z., Masc-coma S. 2007. Human fascioliasis infection: gender differences within school-age children from endemic areas of the Nile Delta, Egypt. *Transactions of the Royal Society of Tropical Medicine and Hygiene*. 101(2): 155-160.
- Dargie J.D. 1987. The impact on production and mechanisms of pathogens of trematodes infections in cattle and sheep. *International Journal for Parasitology*. 17: 453-463.
- Davies C., Smyth J. D. 1978. *In vitro* cultivation of *Fasciola hepatica* metacercaria and of partially developed flukes recovered from mice. *International Journal for Parasitology*. 8: 125-131.
- Dawes B. 1962. On the growth and maturation of *Fasciola hepatica* in the mouse. *Journal of Helminthology*. 36(1/2): 11-38.
- Dinnik J.A., Dinnik N.N. 1956. Observation on the succession of redial generations of *Fasciola gigantica* Cobbold in snail host. *Zeitschrift für Tropenmedizin und Parasitologie*. 7(4): 397-419.

- Dinnik J.A., Dinnik N.N. 1957. A mud snail, *Lymnaea mweruensis* Connolly as an intermediate host of both liver flukes *Fasciola hepatica* L. and *Fasciola gigantica* Cobbold. Republic of East African Veterinary Research Organization. 50-52
- Dover G.A. 1982. Molecular drive: a cohesive mode of species evolution. *Nature*. 299: 111-117.
- Dreyfuss G., Rondeland D. 1995. Comparative studies on the productivity of *Fasciola gigantica* and *F. hepatica* sporocysts in *Lymnaea tomentosa* that died after a cercarial shedding or without emission. *Veterinary Research*. 81(6): 531-536.
- Dreyfuss G., Rondeland, D., 1997. *Fasciola gigantica* and *F. hepatica*: a comparative study of some characteristics of *Fasciola* infection in *Lymnaea truncatula* infected by either of the two trematodes. *Veterinary Research*. 28(2): 123-130.
- Erensoy A., Kuk S., Ozden M. 2009. Genetic identification of *Fasciola hepatica* by ITS-2 sequence of nuclear ribosomal DNA in Turkey. *Parasitology Research*. 105:407-412.
- Esteban J.G., González C., Bargues M.D., Angles R., Sánchez C., Náquira C., et al. 2002. High fascioliasis infection in children linked to a man-made irrigation zone in Peru. *Tropical Medicine and International Health*. 7(4): 339-348.
- Foreyt W.J., Drew M.L. 2010. Experimental infection of liver flukes, *Fasciola hepatica* and *Fascioloides magna*, in bison (*Bison bison*). *Journal of Wildlife Diseases*. 46 (1): 283-286.
- Garg R., Yadav C.L., Kumar R.R., Banerjee P.S., Vatsya S., Godara R. 2009. The epidemiology of fasciolosis in ruminants in different geo-climatic regions of north India. *Tropical Animal Health and Production*. 41: 1695-1700.
- Gasser R.B., Chilton N.B. 1995. Characterisation of taeniid cestode species by PCR-RFLP of ITS2 ribosomal DNA. *Acta Tropica*. 59: 31-40.
- Jones A., Bray R.A., Gibson D.I. 2005. Keys to the trematode volume 2. CAB International and The National History Museum, London, UK.
- Hamburger J., He-Na, Xin X.Y., Ramzy R.M., Jourdane J., Ruppel A. 1998. A Polymerase chain reaction assay for detecting snails infected with bilharzia parasites (*Schistosoma mansoni*) from very early prepatency. *The American Journal of Tropical Medicine and Hygiene*. 59(6): 872-876.

- Hammond J.A. 1974. Human infection with the liver fluke *Fasciola gigantica*. Transactions of the Royal Society of Tropical Medicine and Hygiene 68: 253-254.
- Haswell-Elkins M.R., Elkins D.B. 1996. Food-borne trematodes. G.C. Cook (Ed.), Manson's Tropical Diseases. 20th ed, Saunders, London. pp. 1461-1464.
- Hillis D.M., Dixon M.T. 1991. Ribosomal DNA: molecular evolutions and phylogenetic inference. The Quarterly Review of Biology. 66: 411-453.
- Hillis D.M., Davis S.K. 1988. Ribosomal DNA: intraspecific polymorphism, concerted evolution and phylogenetic reconstruction. Systematic Zoology. 37: 63-66.
- Howell A., Mugisha L., Davies J., LaCourse E.J., Claridge J., Williams D.J.L., *et al.* 2012. Bovine fasciolosis at increasing altitudes: Parasitological and malacological sampling on the slopes of Mount Elgon, Uganda. Parasites & Vectors. 5(196): 1-10.
- Hussein A.N.A. Hassan I.M. Khalifa R.M.A. 2010a. Description of eggs and larval stages of *Fasciola*, light and scanning electron microscopic studies. Research Journal of Parasitology. 5(1): 1-12.
- Hussein A.N.A., Hassan I.M., Khalifa R.M.A. 2010b. Development and hatching mechanism of *Fasciola* eggs, light and scanning electron microscopic studies. Saudi Journal of Biological Sciences. 17 (3): 247-251.
- Ichikawa M., Itagaki T. 2010. Discrimination of the ITS1 types of *Fasciola* spp. based on a PCR-RFLP method. Parasitology Research. 106: 757-761.
- Inoue K., Kanemasa H., Inoue K., Matsumoto M., Kajita Y., Mitsufuji S., *et al.* 2007. A case of human fasciolosis: discrepancy between egg size and genotype of *Fasciola* sp. Parasitology Research. 100: 665-667.
- Itagaki T., Ohta N., Hosaka Y., Iso H., Konishi M., Chinone S., Itagaki H. 1989. Diagnosis of *Fasciola* sp. infections in cattle by Enzyme-Linked Immunosorbent Assay. The Japanese Journal of Veterinary Science. 51: 757-764.
- Jones A., Bray R.A., Gibson D.I. 2005. Keys to the Trematoda Volume 2. CABI International and Natural History Museum, London, UK. pp. 79-86.
- Jousson O., Bartolib P., Pawlowski J. 1999. Molecular identification of developmental stages in Opecoelidae (Digenea). International Journal for Parasitology. 29(11): 1853-1858.

- Kabaalioglu A., Çubuk M., Şenol U., Çevikol C., Karaali K., Apaydin A., *et al.* 2000. Fascioliasis: US, CT and MRI findings. *Abdominal Imaging*. 25: 400-404.
- Kanoksil W., Wattanatranoon D., Wilasrusmee C., Mingphruedh S., Bunyaratvej S. 2006. Case report: endoscopic removal of one live biliary *Fasciola gigantica*. *Journal of the Medical Association of Thailand*. 89(12): 2150-2154.
- Kang S., Sultana T., Loktev V.B., Wongratanacheewin S., Sohn W.M., Eom K.S., Park J.K. 2008. Molecular identification and phylogenetic analysis of nuclear rDNA sequences among three Opisthorchid liver fluke species (Opisthorchiidae: Trematoda). *Parasitology International*. 57(2): 191-197.
- Kaplan R.M. 2001. *Fasciola hepatica*: a review of the economic impact in cattle and considerations for control. *Veterinary Therapy*. 2: 40-50.
- Kaplan R.M., Dame J.B., Reddy G.R., Courtney C.H. 1995. A repetitive DNA probe for the sensitive detection of *Fasciola hepatica* infected snails. *International Journal for Parasitology*. 25(5): 601-610.
- Kaufmann J. 1966. Parasitic infections of domestic animals: a diagnosis manual. Birkhäuser Verlag, Postfach 133, CH-4010 Basel, Schweiz, pp. 90-92.
- Keiser J., Shu-Hua X., Jian X., Zhen-San C., Odermatt P., Tesana S., *et al.* 2006. Effect of artesunate and artemether against *Clonorchis sinensis* and *Opisthorchis viverrini* in rodent models. *International Journal of Antimicrobial Agents*. 28: 370-373.
- Kostadinova A., Herniou E.A., Barrett J., Littlewood D.T. 2003. Phylogenetic relationships of *Echinostoma Rudolphi*, 1809 (Digenea: Echinostomatidae) and related genera re-assessed via DNA and morphological analyses. *Systematic Parasitology*. 54: 159-176.
- Leathers C.W., Foreyt W.J., Fetcher A., Foreyt K.M. 1982. Clinical fasciolosis in domestic goats in Montana. *Journal of the American Veterinary Medical Association*. 180: 1451-1454.
- Lee C.G., Cho S.H., Lee C.Y. 1995. Metacercarial production of *Lymnaea viridis* experimentally infected with *F. hepatica*. *Veterinary parasitology*. 58: 313-318.

- Le T.H., De N.V., Agatsuma T., Blair D., Vercruysse J., Dorny P., *et al.* 2007. Molecular confirmation that *Fasciola gigantica* can undertake aberrant migrations in human hosts. *Journal of Clinical Microbiology*. 45(2): 648-650.
- Le T.H., De N.V., Agatsuma T., Nguyen T.G.T., Nguyen Q.D., McManus D.P., Blair D. 2008. Human fascioliasis and the presence of hybrid/introgressed forms of *Fasciola hepatica* and *Fasciola gigantica* in Vietnam. *International Journal for Parasitology*. 38 (6): 725-730.
- Luton K., Walker D., Blair D. 1992. Comparisons of ribosomal internal transcribed spacers from two congeneric species of flukes (Platyhelminths: Trematoda: Digenea). *Molecular and Biochemical Parasitology*. 56: 323-328.
- Maqbool A., Hayat C.S., Akhtar T., Hashmi H.A. 2002. Epidemiology of fasciolosis in buffaloes under different managemental conditions. *Veterinarski Arhiv*. 72(4): 221-228.
- Marcos L., Maco V., Terashima A., Samalvides F., Espinoza J.R., Gotuzzo E. 2005. Fascioliasis in relatives of patients with *Fasciola hepatica* infection in Peru. *Revista do Instituto de Medicina Tropical de São Paulo*. 47(4): 219-222.
- Magalhães K.G., Jannotti-passos L.K., Cavalho O.S. 2004. Detection of *Lymnaea columella* infection by *Fasciola hepatica* through multiplex PCR. *Memórias do Instituto Oswaldo Cruz*. 99(4): 421-424.
- Magalhães K.G., Jannotti-Passos L.K., Caldeira R.L., Berne M.E., Muller G., Carvalho O.S., *et al.* 2008. Isolation and detection of *Fasciola hepatica* DNA in *Lymnaea viatrix* from formalin-fixed and paraffin-embedded tissues through multiplex-PCR. *Veterinary Parasitology*. 152: 333-338.
- Malone J.B., Loyacano A.F., Hugh-Jones M.E., Corkum K.C. 1984. A three-year study on seasonal transmission and control of *Fasciola hepatica* of cattle in Louisiana. *Preventive Veterinary Medicine*. 3(2): 131-141.
- Marquardt W.C., Demaree R.S. 1985. *Parasitology*. Macmilan Publishing Company, New York.
- Mas-Coma S., Bargues M.D. 1997. Human liver flukes: a review. *Research and Reviews in Parasitology*. 57:145-218.

- Mas-Coma S., Bargues M.D., Esteban J.G. 1999. Human fasciolosis. In: Fasciolosis (JP Dalton ed) CABI Publishing, Oxon, UK, pp. 411-434.
- Mas-Coma S., Bargues M.D., Valero M.A. 2005. Fascioliasis and other plant-borne trematode zoonoses. *International Journal for Parasitology*. 35(11-12): 1255-1278.
- Mitchell J.I., Zaccaro A. 2006. Sequences, the environment and fungi. *Mycologist*. 20: 62-74.
- Mohamed S.H., Mostafa O.M., Mohammad A.H. 1999. Scanning electron microscopical studies on cercariae and metacercariae of *Fasciola gigantica*. *Journal of the Egyptian Society of Parasitology*. 29(3): 841-848.
- Morozova E.V., Ryskov A.P., Semyenova S.K. 2002. RAPD Variation in two trematode species (*Fasciola hepatica* and *Dicrocoelium dendriticum*) from a single cattle population. *Russian Journal of Genetics*. 38(8): 977-983.
- Morgan A.T., Blair D. 1995. Nuclear rDNA ITS sequence variation in the trematode genus *Echinostoma*: and aid to establishing relationships within the 37-collar spines group. *Journal of Parasitology*. 111: 609-615.
- Narva K.M., Diaz A.C., Claveria F.G. 2011. Comparative morphometry of *Fasciola gigantica* (Cobbold, 1855) and *Fasciola hepatica* (Linnaeus, 1758) coexisting in Philippine Carabao (*Bubalus bubalis*). *Journal of Protozoology Research*. 21: 70-77.
- Neva F.A., Brown H.W. 1994. *Parasitology*. 6th ed. Paramount Publishing Business and Processional Group, USA.
- Noyer C.M., Coyle C.M., Werner C., Dupouy-Camet J., Tanowitz H.B., Wiitner M. 2002. Hypereosinophilia and liver mass in an immigrant. *The American Journal of Tropical Medicine and Hygiene*. 66: 774-776.
- Opera K. N. 2005. Population dynamics of *Fasciola gigantica* in cattle slaughtered in Uyo, Nigeria. *Tropical Animal Health and Production*. 37: 363-368.
- Parvatthi A., Umesha K.R., Kumar S., Sithithaworn P., Karunasagar I., Karunasagar I. 2008. Development and evaluation of a polymerase chain reaction (PCR) assay for the detection of *Opisthorchis viverrini* in fish. *Acta Tropica*. 107: 13-16.

- Periago M. V., Valero M. A., Panova M., Mas-Coma S. 2006. Phenotypic comparison of allopatric populations of *Fasciola hepatica* and *Fasciola gigantica* from European and African bovines using a computer image analysis system (CIAS). *Parasitology Research*. 99: 368-378.
- Prasad P.K., Tandon V., Chatterjee A., Bandyopadhyay S. 2007. PCR-based determination of internal transcribed spacer (ITS) regions of ribosomal DNA of giant intestinal fluke, *Fasciolopsis buski* (Lankester, 1857) Looss, 1899. *Parasitology Research*. 101: 1581-1587.
- Prasad P.K., Tandon V., Biswal D.K., Goswami L.M., Chatterjee A. 2008. Molecular identification of the indian liver fluke, *Fasciola* (Trematoda: Fasciolidae) based on the ribosomal internal transcribed spacer regions. *Parasitology Research*. 103: 1247-1255.
- Price T.A., Tuazon C.U., Simon G.L. 1993. Fascioliasis: Case Reports and Review. *Clinical Infectious Diseases*. 17(3): 426-430.
- Ramadan N.I., Saber L.M., Abd El Latif M.M., Abdalla N.A., Ragab H.M. 2010. Molecular Genetic Approach by using the RAPD-PCR Technique for Detection of Genetic Variability in Non-Human Isolates of *Fasciola*. *Journal of American Science*. 3(11): 52-60.
- Rozas J., Sanchez-DeBarrio J.C., Messeguer X., Rozas R. 2003. DnaSP, DNA polymorphism analyses by the coalescent and other methods. *Bioinformatics*. 19: 2496-2497.
- Rondelaud D., Belfaiza M., Vignoles P., Moncef M., Dreyfuss G., Redial generations of *Fasciola hepatica*: a review. 2009. *Journal of Helminthology*. 83: 245-254.
- Salazar L., Estrada V.E., Velásquez L.E. 2006. Effect of the exposure to *Fasciola hepatica* (Trematoda: Digenea) on life history traits of *Lymnaea cousini* and *Lymnaea columella* (Gastropoda: Lymnaeidae). *Experimental Parasitology*. 114(2): 77-83.
- Sato M., Thaenkham U., Dekumyoy P., Waikagul J. 2009. Discrimination of *O. viverrini*, *C. sinensis*, *H. pumilio* and *H. taichui* using nuclear DNA-based PCR targeting ribosomal DNA ITS regions. *Acta Tropica*. 109: 81-83.

- Sawangkit W. 1990. Clinical syndrome of fascioliasis. In: Wongpaitoon W, Akrawong K, Chaipanich T, editors. Progress in the diseases of alimentary tract. Fascicle 6. Bangkok: Bangkok Medical Publisher. 183-206. (Publication in Thai).
- Scholz T., Skerikova A., Shimazu T., Grygier M.J. 2004. A taxonomic study of species of *Bothriocephalus* Rudolphi, 1808 (Cestoda: Pseudophylidae) from eels in Japan: morphological and molecular evidences for the occurrence of *B. claviceps* (Goeze, 1872) and confirmation of the validity of *B. japonicus* Yamaguti, 1934. Systematic Parasitology. 57: 87-96.
- Shalaby I.M., Hassan M.G., Soliman M.F.M., Sherif N.E. 2004. Factors affecting dynamics of metacercarial productivity of *Fasciola gigantica* from its snail host. Pakistan Journal of Biological Sciences. 7: 393-398.
- Sharifiyazdi H., Moazeni M., Rabbani F. 2011. Molecular characterization of human *Fasciola* samples in Gilan province, Northern Iran on the basis of DNA sequences of ribosomal and mitochondrial DNA genes. Comparative Clinical Pathology. 21(5): 889-894.
- Sierra R.M., Agramunt V.H., Cuervo P., Mas-Coma S. 2011. Human fascioliasis in Argentina: retrospective overview, critical analysis and baseline for future research. Parasites & Vectors. 4(104): 1-18.
- Sithithaworn P., Nuchjungreed C., Srisawangwong T., Ando K., Petney T.N., Chilton N.B., et al. 2007. Genetic variation in *Opisthorchis viverrini* (Trematoda: Opisthorchiidae) from northeast Thailand and Laos PDR based on random amplified polymorphic DNA analyses. Parasitology Research. 100: 613-617.
- Sobhon P., Anantavara S., Dangprasert T., Viyanant V., Krailas D., Upatham E.S., et al. 1998. *Fasciola gigantica*: studies of the tegument as a basis for the developments of immune diagnosis and vaccine. The Southeast Asian Journal of Tropical Medicine and Public Health. 29: 387-400.
- Sobhon P., Dangprasert T., Chuanchaiyakul S., Meepool A., Khawsuk W., Wanichanon C., Viyanant V., Upatham E.S. 2000. *Fasciola gigantica*: ultrastructure of the adult tegument. ScienceAsia. 26: 137-148.
- Soliman M.F.M. 2008. Epidemiological review of human and animal fascioliasis in Egypt. The Journal of Infection in Developing Countries. 2(3): 182-189.

- Souza C.P., Magalhães K.G., Jannotti-Passos L.K., Santos G.C.P., Ribeiro F., Katz N. 2002. Aspects of the maintenance of the life cycle of *Fasciola hepatica* in *Lymnaea columella* in Minas Gerais, Brazil. *Memórias do Instituto Oswaldo Cruz*. 97(3): 407-410.
- Srihakim S., Pholpark M. 1991. Problem of fascioliasis in animal husbandry in Thailand. *The Southeast Asian Journal of Tropical Medicine and Public Health*. 22 (Suppl): 352-355.
- Sripalwit P., Wongsawad C., Wongsawad P., Anuntalabhochai S. 2007. High annealing temperature-random amplified polymorphic DNA (HAT-RAPD) analysis of three paramphistome flukes from Thailand. *Experimental Parasitology*. 115: 98-102.
- Sukhapesna V., Tuntasuvan D., Sarataphan N., Imsab K. 1994. Economic impact of fascioliasis in buffalo production. *Journal of the Thai Veterinary Medical Association*. 45:45-52.
- Suhardono, Roberts J.A., Copeman D.B. 2006a. Distribution of metacercariae of *Fasciola gigantica* on rice straw. *Tropical Animal Health and Production*. 38: 117-119.
- Suhardono, Roberts J.A., Copeman D.B. 2006b. Biological control of *Fasciola gigantica* with *Echinostoma revolutum*. *Veterinary Parasitology*. 140: 166-170.
- Taira K., Saitoh Y. 2010. Estimated egg production of *Fasciola gigantica* (Japanese strain) in goats experimental infected with 50 metacercariae. *Helminthologia*. 47(4): 199-203.
- Tamura K., Dudley J., Nei M., Kumar S. 2007. MEGA4: Molecular Evolutionary Genetics Analysis (MEGA) software version 4.0. *Molecular Biology and Evolution*. 24:1596-1599.
- Thaenkham U., Phuphisut O., Pakdee W., Homsuwan N., Sa-nguankiat S., Waikagul J., *et al.* 2011. Rapid and simple identification of human pathogenic heterophyid intestinal fluke metacercariae by PCR-RFLP. *Parasitology International*. 60: 503-506.
- Thomas A.P. 1883. The life history of the liver fluke (*Fasciola hepatica*). *Quarterly Journal of Microscopical Science*. 223: 1199-1213.

- Tsegaye E., Begna F., Mulugeta S. 2011. Prevalence of bovine fasciolosis and its economic significance in and around Assela, Ethiopia. *Global Journal of Medical Sciences*. 11(3): 1-8.
- Ulayi B.M., Umaru-Sule B., Adamu S. 2007. Prevalence of *Dicrocoelium hospo*s and *Fasciola gigantica* infections in cattle at slaughter in Zaria, Nigeria. *Journal of Animal and Veterinary Advances*. 6 (9): 1112-1115.
- Valero M.A., Marcos M.D., Fons R., Mas-Coma S. 1998. *Fasciola hepatica* development in the experimentally infected black rat *Rattus rattus*. *Parasitology research*. 84: 188-194.
- Valero M.A., Perez-Crespo I., Periago M.V., Khoubbane M., Mas-Coma S. 2009. Fluke egg characteristics for the diagnosis of human and animal fascioliasis by *Fasciola hepatica* and *F. gigantica*. *Acta Tropica*. 111(2): 150-159.
- Velusamy R., Singh B.P., Raina O.K. 2004. Detection of *Fasciola gigantica* infection in snails by polymerase chain reaction. *Veterinary Parasitology*. 120: 85-90.
- Walker S.M., Prodohl P.A., Hoey E.M., Fairweather I., Hanna R.E.B., Brennan G., *et al.* 2012. Substantial genetic divergence between morphologically indistinguishable populations of *Fasciola* suggests the possibility of cryptic speciation. *International Journal for Parasitology*. 42:1193-1199.
- Wongratanacheewin S., Pumidonming W., Sermswan R.W., Maleewong W. 2001. Development of a PCR-based method for the detection of *Opisthorchis viverrini* in experimentally infected hamsters. *Parasitology*. 122: 175-180.
- Wongratanacheewin S., Phumidonming W., Sermswan R.W., Pipitgool V., Maleewong W. 2002. Detection of *Opisthorchis viverrini* in human stool specimens by PCR. *Clinical Microbiology*. 40: 3879-3880.
- Wongsawad C., Wongsawad P., Chai J.Y., Anantalabhochai S. 2009. *Haplorchis taichui* Witenberg, 1930: development of HAT-RAPD marker for the detection of minute intestinal fluke infections. *Experimental Parasitology*. 123: 158-161.
- Wongsawad C., Wongsawad P. 2010. Molecular markers for identification of *Stellantchasmus falcatus* and a phylogenetic study using HAT-RAPD method. *The Korean Journal of Parasitology*. 48(4): 303-307.

- Wongsawad C., Wongsawad P., Anuntalabhochai S., Chai J.Y. 2013. Occurrence and molecular identification of liver and minute intestinal flukes metacercariae in freshwater fish from Fang-Mae Ai agricultural basin, Chiang Mai province, Thailand. *Asian Biomedicine*. 7(1): 1-8.
- Yadav S.C., Gupta S.C. 1988. On the viability of *Fasciola gigantica* metacercariae ingested by *Lymnaea auricularia*. *Journal of Helminthology*. 62(4): 303-304.
- Yazwinski T.A., Kilgore R.L., Presson B.L., Williams M.L., Fulton R.K., Pote L., *et al.* 1985. Efficacy of oral clorsulon in the treatment of *Fasciola hepatica* infections in calves. *American Journal of Veterinary Research*. 46(1): 163-164.
- Yoshihara S., Ueno H. 2004. Ingestion of *Fasciola gigantica* metacercariae by the intermediate host snail, *Lymnaea ollula*, and infectivity of discharged metacercariae. *The Southeast Asian Journal of Tropical Medicine and Public Health*. 35(3): 534-539.

LIST OF PUBLICATIONS

- 1) **Phalee A.**, Wongsawad C. 2014. *Fasciola gigantica*: worm recovery rate and adult maturity in experimental host, dwarf hamster infection. Chiang Mai Veterinary Medicine Journal. 12(1): 31-39.
- 2) **Phalee A.**, Wongsawad C. 2014. Prevalence of infection and molecular confirmation by using ITS-2 region of *Fasciola gigantica* found in domestic cattle from Chiang Mai province, Thailand. Asian Pacific Journal of Tropical Medicine. 7(3): 207-211.