

REFERENCES

- Anderson, E.F., 1993. Plants and People of the Golden Triangle. Dioscorides Press, Hong Kong, pp. 22-133.
- Asavachaichan, S., 2010. Chiang Mai. Bangkok, Sarakadee Press, pp.1-84.
- Austin, M., 2007. Species distribution models and ecological theory: A critical assessment and some possible new approaches. Ecological Modelling, 200: 1-19.
- Balick, M.J., 1996. Transforming ethnobotany for the new millennium. Annals of the Missouri Botanical Garden, 83: 58-66.
- Balick, M.J., Cox, P.A., 1997. Ethnobotanical research and traditional health care in developing countries, In: Bodeker, G., Bhat, K.K.S., Burley, J., Vantomme, P., Medicinal plant for forest conservation and health care. Food and agriculture organization of the United nation, Rome, pp. 12-23.
- Barbosa, J.P.R.A.D., Rambal, S., A.M., Soares, Mouillot, F., Nogueira, J.M.P., 2012. Martins, G.A., Plant physiological ecology and the global changes. Ciêcia e Agrotecnologia, 36: 253-269.
- Bassirirad, H., 2000. Kinetics of nutrient uptake by roots: responses to global change. New Phytologist, 147: 155-169.
- Benito, B.M., Martínez-Ortega, M.M., Muñoz, L.M., Lorite, J. and Peñas, J., 2009. Assessing extinction-risk of endangered plants using species distribution models: a case study of habitat depletion caused by the spread of greenhouses. Biodiversity Conservation, 18: 2509-2520.
- Bertrand, R., Lenoir, J., Piedallu, C., Riofrio-Dillon, G., de Ruffray, P., Vidal, C., Pierrat, J.C., Gegout, J.C., 2011. Changes in plant community composition lag behind climate warming in lowland forests. Nature, 479: 517-520.
- Blach-Overgaard, A., Svenning, J.-C., Dransfield, J., Greve, M., Balslev, H., 2010. Determinants of palm species distributions across Africa: The relative roles of climate, non-climatic environmental factors, and spatial constraints. Ecography, 33 : 380-391.

- Boonpragob, K., Santisirisomboon, J., 1996. Modeling potential changes of forest area in Thailand under climate change. *Water, Air, and Soil Pollution*, 92: 107-117.
- Bourdy, G., De Walt S.J., Chávez de Michel, L.R., Roca, A., Deharo, E., Muñoz, V., Balderrama, L., Quenevo, C., Gimenez, A., 2000. Medicinal plants uses of the Tacana, an Amazonian Bolivian ethnic group. *Journal of Ethnopharmacology*, 70: 87-109.
- Broennimann, O., Treier, U.A., Muller-Scharer, H., Thuiller, W., Peterson, A.T.P., Guisan, A., 2007. Evidence of climatic niche shift during biological invasion. *Ecology Letter*, 10: 701-709.
- Buruspat, K., 1975. Hill Tribe. Phraepittay International Press, Bangkok, pp.73-89.
- Charuphat, T., 2000. Remote sensing and GIS for tropical forest management. In GIS Application Center. (ed.), *Proceedings of the Ninth Regional Seminar on Earth Observation for Tropical Ecosystem Management*, Khao Yai, Thailand, 20-24 November. The National Space Development Agency of Japan, Remote Sensing Technology Center of Japan, RFD, and GIS Application Center/AIT, Khao Yai National Park Thailand pp. 42-49.
- Chen, I. C., Hill, J. K., Ohlemuller, R., Roy, D. B., Thomas, C. D., 2011. Rapid Range Shifts of Species Associated with High Levels of Climate Warming. *Science*, 333: 1024-1026.
- Chula Unisearch, Southeast Asia START Regional Center, 2012. The study effect of future climate change and adaptation report. Chula Unisearch, Bangkok, pp. 1-369.
- de Albuquerque, U.P., de Medeiros, P.M., de Almeida, A.L.S., Monteiro, J.M., Neto, E.M.D.F.L., de Melo, J.G., Dos Santos, J.P., 2007. Medicinal plants of the caatinga (semi-arid) vegetation of NE Brazil: A quantitative approach. *Journal of Ethnopharmacology*, 114: 325-354.
- De-La-Cruz, H., Vilcapoma, G., Zevallos, P.A., 2007. Ethnobotanical study of medicinal plants used by the Andean people of Canta, Lima, Peru. *Journal of Ethnopharmacology*, 111: 284-294.
- Department of provincial administration. 2010. Central Registration Office [online]. Available: http://www.chiangmai.go.th/meet_file/intro3.pdf (2010, Mar 21)

- Department of Social Development and Welfare. 2002. The population of communities in highland in 20 provinces, Thailand. Ministry of Social Development and Human Security, Bangkok, pp. 1-259.
- Drake, J. M., C. Randin, A. Guisan., 2006. Modeling ecological niches with support vector machines. *Journal of Applied Ecology* 43:424-432.
- Dullinger, S., Kleinbauer, I., Peterseil, J., Smolik, M. and Essl, F., 2009. Niche based distribution modelling of an invasive alien plant: effects of population status, propagule pressure and invasion history. *Biological Invasions*, 11: 2401-2414.
- Eiserhardt, W.L., Svenning, J-C., Kissling, W.D., Balslev, H., 2011. Geographical ecology of the palms (Arecaceae): determinants of diversity and distributions across spatial scales. *Annals of Botany*, 108: 1391-1416.
- Elith, J., Graham, C. H., Anderson, R. P., Dudik, M., Ferrier, S., Guisan, A., 2006. Novel methods improve prediction of species' distributions from occurrence data. *Ecography*, 29: 129-151.
- EROS, 1996. Hydro 1k elevation derivative database. Earth Resources Observation and Science Center.
- FAO/IIASA/ISRIC/ISSCAS/JRC, 2012. *Harmonized World Soil Database (version 1.2)*. FAO, Rome, Italy and IIASA, Laxenburg, Austria.
- Feeley, K.J., Hurtado, J., Saatchis, S., Silmank, M.R., Clark, D.B., 2013. Compositional shifts in Costa Rican forests due to climate-driven species migrations. *Global Change Biology*, 19: 3472-3480.
- Fuangfoo, T., 2003. The hill tribe: Different culture of tribal history. Tribal Research Institute, Chiang Mai, pp. 13-26.
- Garcia, K., Lasco, R., Ines, A., Lyon, B., Pulhin, F., 2013. Predicting geographic distribution and habitat suitability due to climate change of selected threatened forest tree species in the Philippines. *Applied Geography*, 44: 12-22.
- Giday, M., Asfaw, Z., Woldu, Z., 2009. Medicinal plants of the Meinit ethnic group of Ethiopia: An ethnobotanical study. *Journal of Ethnopharmacology*, 124:513-521.
- Grabherr, G., 2009. Biodiversity in the high ranges of the Alps: Ethnobotanical and climate change perspectives. *Global Environment Change*, 19: 167-172.

- Guisan, A., Thuiller, W., 2005. Predicting species distribution: offering more than simple habitat models. *Ecology Letters*, 8: 993-1009.
- Hayami, Y., 1993. To be Karen and to be cool; community morality and identity among Skaw Karen in Northern Thailand. *Cahiers des Sciences Humaines*, 29: 747-762.
- Hernandez, P.A., Franke, I., Herzog, S.K., Pacheco, V., Paniagua, L., Quintana, H.L., Soto, A., Swenson, J.J., Tovar, C., Valqui, T.H., Vargas, J., Young, B.E., 2008. Predicting species distributions in poorly-studied landscapes. *Biodiversity Conservation*, 17: 1353-1366.
- Hijmans, R.J., Cameron, S.E., Parra, J.L., Jones, P.G., Jarvis, A., 2005. Very high resolution interpolated climate surface for global land areas. *International Journal of Climatology*, 25: 1965-2198.
- Hoareau, L., DaSilva, E.J., 1999. Medicinal plants: a re-emerging health aid. *Journal of Biotechnology*, 2: 56-70.
- Holcombe, T.R., Stohlgren, T.J., Jarnevich, C.S., 2010. From points to forecasts: predicting invasive species habitat suitability in the near term. *Diversity*, 2: 738-767.
- Hu, J., Jiang, Zhigang., 2011. Climate change hastens the conservation urgency of an endangered ungulate. *PLoS One*. 6(8): e22873.
- IPCC, 2000. *IPCC special report emissions scenarios: Summary for Policymakers*. Cambridge University Press, United Kingdom, pp. 1-20.
- IPCC, 2007. *Summary for Policymakers*. In: *Climate Change 2007: The Physical Science Basis. Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change* [Solomon, S., Qin, D., Manning, M., Chen, Z., Marquis, M., Averyt, K.B., Tignor, M., Miller, H.L. (eds.)]. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA.
- IPCC, 2013. *Climate Change 2013: The Physical Science Basis. Contribution of Working Group I to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change* [Stocker, T.F., Qin, D., Plattner, G.-K., Tignor, M., Allen, S.K., Boschung, J., Nauels, A., Xia, Y., Bex, V., Midgley, P.M. (eds.)].

Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA.

- IPCC, 2014. Summary for Policymakers, In: Climate Change 2014, Mitigation of Climate Change. Contribution of Working Group III to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change [Edenhofer, O., Pichs-Madruga, R., Sokona, Y., Farahani, E., Kadner, S., Seyboth, K., Adler, A., Baum, I., Brunner, S., Eickemeier, P., Kriemann, B., Savolainen, J., Schlammer, S., von Stechow, C., Zwickel, T., Minx, J.C., (eds.)]. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA.
- IUCN., 2004. IUCN Red List of Threatened Species: A global Species Assessment. In Jonathan EMB, Hilton-Taylor C, Stuart SN (eds.). The World Conservation Union, Gland, Switzerland.
- Jaramillo, J., Muchugu, E., Vega, F.E., Davis, A.P., Borgemeister, C., 2011. Some like it hot: the influence and implications of climate change on coffee berry borer (*Hypothenemus hampei*) and coffee production in East Africa. PLoS ONE. 6:e24528.
- Kamwong, K. 2009. Ethnobotany of Karens at Ban Mai Sawan and Ban Huay Pu Ling, Ban Luang Sub-District, Chom Thong District, Chiang Mai Province. M.SC. Thesis, Chiang Mai University, Chiang Mai, Thailand.
- Kanum, R., Mumtaz, A.S., Kumar, S., 2013. Predicting impacts of climate change on medicinal asclepiads of Pakistan using Maxent modeling. Acta Oecologica-International Journal of Ecology, 49: 23-31.
- Lahti, M., Aphalo, P. J., Finer, L., Ryypö, A., Lehto, T., Mannerkoski, H., 2005. Effects of soil temperature on shoot and root growth and nutrient uptake of 5-year-old Norway spruce seedlings. Tree Physiology, 25: 115-122.
- Leadley, P., Pereira, H. M., Alkemade, R., Fernandez-Manjarres, J. F., Proenca, V., Scharlemann, J. P. W., 2010. Biodiversity scenarios: projections of 21st century change in biodiversity and associated ecosystem services. In Technical Series, No. 50. Secretariat of the Convention on Biological Diversity, Montreal, pp. 132.

- Lenoir, J., Svenning, J.-C., 2013. Latitudinal and elevational range shifts under contemporary climate change. Encyclopedia of Biodiversity, 4: 599-611.
- Lewis, P., Lewis, E., 1984. Peoples of the Golden Triangle. Staib Stuttgart, Germany, pp. 70-99.
- Mabberley, D.J., 1997. The plant-book: a portable dictionary of the vascular plants. 2nd edition, Cambridge University Press, United Kingdom, pp. 657.
- Maps-Thailand, 2014. National Park Northern Thailand. [online] Available <http://www.maps-thailand.com/map-national-parks-northern-thailand.php> (2014, July 20)
- Mbatudde, M., Mwanjololo, M., Kakudidi, E.K., Dalitz, H., 2012. Modelling the potential distribution of endangered *Prunus africana* (Hook.f.) Kalkm. in East Africa. African Journal of Ecology, 50: 393-403.
- McKenney, D.W., Pedlar, J.H., Lawrence, K., Campbell, K. and Hutchinson, M.F., 2007. Potential impacts of climate change on the distribution of North America trees. BioScience, 57: 939-948.
- Miles, L., Grainger, A. and Phillips, O., 2004. The impact of global climate change on tropical forest biodiversity in Amazonia. Global Ecology and Biogeography, 13: 553-565.
- Parmesan, C., Yohe, G., 2003. A globally coherent fingerprint of climate change impacts across natural systems. Nature, 421: 37-42.
- Perve, E., 2006. The Hill Tribes Living in Thailand. Chiang Mai, Thailand, Prachakorn, pp. 28-39.
- Pearson, R.G. and Dawson, T.P., 2003. Predicting the impacts of climate change on the distribution of species: are bioclimatic envelopes models useful? Global Ecology and Biogeography, 12: 361-371.
- Pearson, R.G., Raxworthy, C.J., Nakamura, M., Peterson, A.T., 2007. Predicting species distributions from small numbers of occurrence records: a test case using cryptic geckos in Madagascar. Journal of Biogeography, 34: 102-117.
- Phillips, S.J., Anderson, R.P., Schapire, R.E., 2006. Maximum entropy modeling of species geographic distribution. Ecological Modeling, 190: 231-259.

- Pongamornkul, W. 2003. An Ethnobotanical Study of the Karen at Ban Yang Pu Toh and Ban Yang Thung Pong, Chinag Dao District, Chiang Mai Province. Independent Study, Chiang Mai University, Chiang Mai, Thailand.
- Powell, M., Accad, A., Shapcott, A., 2005. Geographic information system (GIS) predictions of past, present habitat distribution and areas for re-introduction of the endangered subtropical rainforest shrub *Triunia robusta* (Proteaceae) from south-east Queensland Australia. Biological Conservation, 123: 165-175.
- Puling, W. 2001. Ethnobotany of Karen for studying Medicinal Plants at Angka Noi and Mae Klang Luang Villages, Chomthong District, Chiang Mai. Special Project, Chiang University, Chiang Mai, Thailand.
- Ratanakul, S. and Buruspat, S., 1995. Encyclopedia of ethnic groups in Thailand: Sgaw Karen. Sahatammic Co. Ltd., Bangkok., pp.1-89.
- Ravindranath, N.H. and Sukumar, R., 1998. Climate change and tropical forests in India. Climate change, 39: 563-518.
- Rodríguez, J.P., Broton, L., Bustamante, J., Seoane, J., 2007. The application of predictive modelling of species distribution to biodiversity conservation. Diversity and Distributions, 13: 243-251.
- Rose, N-A., Burton, P.J., 2009. Using bioclimatic envelopes to identify temporal corridors in support of conservation planning in a changing climate. Forest Ecology and Management, 258S: S64-S74.
- Sandel, B., Svenning, J.-C., 2013. Human impacts drive a global topographic signature in tree cover. Nature Communications: DOI: 10.1038/ncomms3474.
- Sanderson, E.W., Jaiteh, M., Levy, M.A., Redford, K.H., Wannebo, A.V., Woolmer., G., 2002. The human footprint and the last of the wild. American Institute of Biological Sciences, 52: 891-904.
- Santasombat, Y., 2004. Ethnoecology, Bionatural Resources, and Communal Rights, Within Desing Co.Ltd., Chiang Mai, pp. 197-235.
- Skov, F., Svenning, J.-C., 2004. Potential impact of climatic change on the distribution of forest herbs in Europe. Ecography, 27: 366-380.

- Sukkho, T., 2008. A Survey of Medicinal Plants Used by Karen People at Ban Chan and Chaem Luang Subdistricts, Mae Chaem District, Chiang Mai Province. M.SC. Thesis, Chiang Mai University, Chiang Mai, Thailand.
- Svenning, J.-C., Skov, F., 2004 . Limited filling of the potential range in European tree species. *Ecology Letters*, 7: 565-573.
- Tardío, J., Pardo-De-Santayana, M., 2008. Cultural importance indices: a comparative analysis based on the useful wild plants of southern Cantabria (northern Spain). *Economic Botany*, 62: 24-39.
- Thomas, C.D., Cameron, A., Green, R.E., Bakkenes, M., Beaumont, L.J., Collingham, Y.C., Erasmus, B.F.N., de Siqueira, M.F., Grainger, A., Hannah, L., Hughes, L., Huntley, B., van Jaarsveld, A.S., Midgley, G.F., Miles, L., Ortega-Huerta, M.A., Peterson, A.T., Phillips, O.L., Williams, S.E., 2004. Extinction risk from climate change, *Letter to Nature*, 427: 145-148.
- Tovaranonte, J., Blach-Overgaard, A., Pongsattayapipat, R., Svenning, J.-C., Barfod, A.S., 2013. Distribution and diversity of palms in a tropical biodiversity hotspot (Thailand) assessed by species distribution modeling. *Nordic Journal of Botany*, 31: 1-11.
- Trivedi, M., Berry, P.M., Morecroft, M.D., Dawson, T.P., 2008. Spatial scale affects bioclimate model projections of climate change impacts on mountain plants. *Global Change Biology*, 14: 1089-1103.
- Trisonthi, C. Trisonthi, P., 2009. Ethnobotanical study in Thailand, a case study in Khun Yuam District Maehongson Province. *Thai Journal of Botany*, 1: 1-23.
- Trisurat, Y., Alkemade, R., Arets, E., 2009. Projecting forest tree distributions and adaptation to climate change in northern Thailand. *Journal of Ecology and Natural Environment*, 13: 55-63.
- Trisurat, Y., Shrestha, R.P., Kjelgren, R., 2011. Plant species vulnerability to climate change in Peninsular Thailand. *Applied Geography*, 31: 1106-1114.
- Tuomisto, H., Ruokolainen, K., Kalliola, R., Linna, A., Danjoy, W., Rodriguez, Z., 1995. Dissecting amazonian biodiversity. *Science*, 269:63-66.

- Turner, N.J. and Clifton, H., 2009. "It's so difficult today": Climate change and indigenous life ways in British Columbia, Canada. *Global Environmental Change*, 19: 180-190.
- Urbina-Cardona, J.N., Loyola, R.D., 2008. Applying niche-based models to predict endangered-hylid potential distributions: are neotropical protected areas effective enough?. *Tropical Conservation Science*, 1: 417-445.
- Urology Care Foundation, 2014. Kidney and urethral stones. [online] Available: <http://www.urologyhealth.org/urology/index.cfm?article=148> (2014, June 20)
- Veilleux, C. and King, S. 2010. An introduction to Ethnobotany. [online] Available: [http://www.accessexcellence.org/RC/Ethnobotany/page2.php_\(2010](http://www.accessexcellence.org/RC/Ethnobotany/page2.php_(2010), Mar 27)
- Wang, X.Y., Huang, X.L., Jiang, L.Y., Qiao, G.X., 2009. Predicting potential distribution of chestnut phylloxerid (Hemiptera: Phylloxeridae) based on GARP and Maxent ecological niche models. *Journal of Applied Entomology*, 134: 45-54.
- Willis, K.J., Whittaker, R.J., 2002. Species diversity – scale matters. *Science*, 295: 1245-1248.
- Winijchaiyanan, P. 1995. Ethnobotany of Karen in Chiang Mai. M.SC. Thesis, Chiang Mai University, Chiang Mai, Thailand.
- Worldclim, 2014. Bioclim. [online] available: [http://www.worldclim.org/bioclim_\(2014](http://www.worldclim.org/bioclim_(2014), July 21)
- Yang, X.Q., Kushwaha, S.P.S., Saran, S, Xu, J., Roy, P.S., 2013. Maxent modeling for predicting the potential distribution of medicinal plant, *Justicia adhatoda* L. in Lesser Himalayan foothills. *Ecological Engineering*, 51: 83-87.
- Yu, D., Chen, M., Zhou, Z., Eric, R., Tang, Q., Liu., 2013. Global climate change will severely decrease potential distribution of the East Asian coldwater fish *Rhynchocypris oxycephalus* (Actinopterygii, Cyprinidae). *Hydrobiologia*, 700: 23-32.
- Zheng, X.L., Xing, F.W., 2009. Ethnobotanical study on medicinal plants around Mt. Yinggeling, Hainan Island, China. *Journal of Ethnopharmacology*, 124: 197-210.

LIST OF PUBLICATION

Tangjitman, K., Wongsawad, C., Winijchaiyanan, P., Sukkho, T., Kamwong, K.,
Pongamornkul, W., Trisonthi, C., 2013. Traditional knowledge on medicinal
plant of the Karen in northern Thailand: A comparative study. Journal of
Ethnopharmacology, 150 : 232-243.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved