### CONTENTS

Acknowledgement	d	
Abstract in Thai	e	
Abstract in English	g	
List of Tables	1	
List of Figures	n	
Chapter 1 Introduction	1	
Chapter 2 Literature Review	5	
2.1 Carotenoids	5	
2.2 Chitosan	17	
2.3 Sodium tripolyphosphate	19	
2.4 Chitosan crosslink with tripolyphosphate	21	
2.5 Encapsulation	24	
2.6 ABTS <sup>*+</sup> Assay	38	
Chapter 3 Methodology		
3.1 Apparatus	40	
3.2 Materials and reagents	41	
3.3 Preparation of carotenoids encapsulated in chitosan-TPP	42	
3.4 Analysis of the physical characteristics of carotenoids	42	
encapsulated in chitosan-TPP		
3.5 Analysis of chemical characteristics of encapsulated	44	
carotenoids		
3.6 Releasing property	44	

#### Page

3.7 Storage stability of encapsulated carotenoids	45
3.8 Applications of encapsulated carotenoids as colorant in food products	46
3.9 Statistical analysis	47
Chapter 4 Results and Discussion	48
4.1 Physical characteristics of the carotenoids encapsulated in	48
chitosan-TPP	
4.2 Analysis of chemical composition of carotenoids encapsulated	57
in chitosan-TPP	
4.3 Releaseing property of carotenoids encapsulated in chitosan-	60
4.4 Storage stability of carotenoids encapsulated in chitosan	62
4.5 Applications of carotenoids encapsulated in chitosan-TPP as	76
food colorant	
Chapter 5 Conclusion	83
References	85
Appendix	106
Appendix A Chemical Preparation	107
Appendix B Determination of carotenoids	109
Appendix C Physical characteristics of carotenoids encapsulated in	113
Chitosan-TPP determined using Scanning Electron	
CMicroscopy(SEM)	<b>t</b> \/
Appendix D Preparation of sample for analysis of chemical	117
characteristics by Fourier Transform-Infra Red	
Spectroscopy (FTIR) microscope	
Appendix E Calculation of total carotenoids applied as food	118
colorants in salad dressing and commercial drink	

#### Page

Appendix F	Physical characteristics of carotenoids encapsulated	121
	chitosan	
Appendix G	Storage stability of the carotenoids encapsulated in	126

chitosan-TPP

127



**ลิขสิทธิ์มหาวิทยาลัยเชียงใหม** Copyright<sup>©</sup> by Chiang Mai University All rights reserved

## LIST OF TABLES

Table 2.1	Food categories and use levels of palm carotenoids	16
Table 4.1	The values of R-square obtained from the trend lines of zero	66
	order, first order, second order, third order and square root order	
	plots of carotenoids degradation during storage at 5, 25 or 40°C	
	for 60 days	
Table 4.2	Arrhenius parameters and thermodynamic parameters of	67
	carotenoids encapsulated in chitosan-TPP	
Table 4.3	Degradation rate constants $(k)$ and half-life values of carotenoids	69
	encapsulated in chitosan-TPP	
Table 4.4	Degradation rate constants $(k)$ of ABTS <sup>+</sup> inhibition of	72
	carotenoids encapsulated in chitosan-TPP	
Table 4.5	Degradation rate constants (k) of color parameters carotenoids	76
	encapsulated in chitosan-TPP	
Table 4.6	Color values of the salad cream samples	77
Table 4.7	Viscosity of salad cream	79
Table 4.8	Color values of the drink samples	80
Table 4.9	Viscosity of the drink samples	81
88	ອ ລິ້ມ ເຮດ ອີເວລາວ ດ້ວຍ ອີເວ ໃນ	101
Table AI	Mean diameters and interstitial pore fractions of carotenoids	121
Canal	encapsulated in chitosan-TPP matrixes at various concentrations	
Copyl	of carotenoids and TPP	y
Table A2	Encapsulation efficiencies of carotenoids in chitosan-TPP	122
	matrixes at various concentrations of carotenoids and TPP	

# LIST OF TABLES (CONTINUED)

Table A3	Color values of carotenoids encapsulated in chitosan-TPP at	123
	various concentrations of carotenoids and TPP	
Table A4	Solubilities of carotenoids encapsulated in chitosan-TPP at	124
	various concentrations of carotenoids and TPP	
Table A5	The values of R-square obtained from the trend lines of zero	126
	order, first order and second order plots of percentage ABTS <sup>+</sup>	
	inhibition of encapsulated carotenoids during storage at 5, 25	
	or 40°C for 60 days	
Table A6	The values of R-square obtained from the trend lines of zero	127
52	order, first order and second order plots of L* value of	
	encapsulated carotenoids during storage at 5, 25 or 40°C	
	for 60 days	
Table A7	The values of R-square obtained from the trend lines of zero	127
	order, first order and second order plots of a* value of	
	encapsulated carotenoids during storage at 5, 25 or 40°C	
	for 60 days	
Table A8	The values of R-square obtained from the trend lines of zero	127
	order, first order and second order plots of b* value of	
	encapsulated carotenoids during storage at 5, 25 or 40°C	
	for 60 days.	
Copyr	right <sup>©</sup> by Chiang Mai University	
	rights reserved	

### LIST OF FIGURES

Figure 2.1	Structure of $\alpha$ -carotene, $\beta$ -carotene and $\zeta$ -carotene	7
Figure 2.2	Structures of lutein and zeaxanthin	7
Figure 2.3	Structures of xanthophylls: antheraxanthin, $\alpha$ -crypotoxanthin and	8
	β-crypotoxanthin	
Figure 2.4	Structure of chitosan	18
Figure 2.5	Diagrams of two representations of microcapsules	25
Figure 2.6	Schematic representation of a) Chemical structure of chitosan	37
5	b) Preparation of CS–TPP nanoparticle c) Interaction mechanism	
2	between chitosan and tripolyphosphate	
Figure 4.1	SEM photograph of commercial carotenoids at X 1,000 (a)	49
	and commecial chitosan at X 10,000 (b)	
Figure 4.2	SEM images of carotenoids encapsulated in chitosan-TPP	49
	prepared using 2.0% (w/v) carotenoids and 1.0% (w/v) TPP	
Figure 4.3	Mean diameter of carotenoids encapsulated in chitosan-TPP	50
Figure 4.4	Particle size distributions of the 3.0% (w/v) carotenoids	51
	encapsulated in chitosan with 2.0% (w/v) TPP	
Figure 4.5	Interstitial pore fraction of carotenoids encapsulated chitosan-	52
Figure 4.6	Encapsulation efficiencies of carotenoids encapsulated in	53
	chitosan-TPP	
Figure 4.7	The L* values of carotenoids encapsulated in chitosan-TPP	54
	particles	
Figure 4.8	The a* value of carotenoids encapsulated in chitosan-TPP	55
	particles	
	L	

# LIST OF FIGURES (CONTINUED)

#### Page

Figure 4.9	The b* value of carotenoids encapsulated in chitosan-TPP	55
	particles as a set of the set of	
Figure 4.10	Solubility of the carotenoids encapsulated in chitosan-TPP in	56
	ethanol	
Figure 4.11	Solubility of the carotenoids encapsulated in chitosan-TPP in	57
	water	
Figure 4.12	FTIR spectrums of carotenoids encapsulated in chitosan-TPP	59
Figure 4.13	Release of carotenoids encapsulated in chitosan-TPP in oil	61
Figure 4.14	Release of carotenoids encapsulated in chitosan-TPP in ethanol	61
Figure 4.15	Release of carotenoids encapsulated in chitosan-TPP in PBS	62
Figure 4.16	Zero order degradation plots of carotenoids encapsulated in	64
	chitosan-TPP	
Figure 4.17	First order degradation plots of carotenoids encapsulated in	64
	chitosan-TPP	
Figure 4.18	Second order degradation plots of carotenoids encapsulated in	65
	chitosan-TPP	
Figure 4.19	Third order degradation plots of carotenoids encapsulated in	65
	chitosan-TPP	
Figure 4.20	Square order degradation plots of carotenoids encapsulated in	66
	chitosan-TPP	
Figure 4.21	ABTS <sup>+</sup> inhibition of carotenoids encapsulated in chitosan-TPP	71
Figure 4.22	First order plots of ABTS <sup>+</sup> inhibition of carotenoids	71
	encapsulated in chitosan-TPP	
Figure 4.23	The L* values of carotenoids encapsulated in chitosan- TPP	73
	during storage at various temperatures	

# LIST OF FIGURES (CONTINUED)

Figure 4.24	First order degradation plots of L* values of carotenoids	73
	encapsulated in chitosan-TPP	
Figure 4.25	The a* values of carotenoids encapsulated in chitosan-TPP	74
	during storage at various temperatures	
Figure 4.26	First order degradation plots of a* value of carotenoids	74
	encapsulated in chitosan-TPP	
Figure 4.27	The b* values of carotenoids encapsulated in chitosan-TPP	75
	during storage at various temperatures	
Figure 4.28	First order degradation plots of b* values of carotenoids	75
50	encapsulated in chitosan-TPP	
Figure 4.29	Appearances of the original salad cream(left), salad cream	77
	mixed with carotenoids encapsulated chitosan-TPP (middle),	
	salad cream mixed with the commercial carotenoids (right)	
Figure 4.30	Appearances of the original drink (left), commercial drink	82
	mixed with carotenoids encapsulated chitosan-TPP (middle),	
	commercial drink mixed with commercial carotenoids (right)	
Figure A1	Standard curve of $\beta$ -carotene in ethanol	110
Figure A2	Standard curve of $\beta$ -carotene in PBS	111
Figure A3	SEM image of 2.0% (w/v) carotenoids encapsulated in chitosan	113
Figure A4	SEM image of 3.0% (w/v) carotenoids encapsulated in chitosan	114
Figure A5	SEM image of 4.0% (w/v) carotenoids encapsulated in chitosan	115
Figure A6	SEM image of 5.0% (w/v) carotenoids encapsulated in chitosan	116