

REFERENCES

- [1] T. Tito, O. Paul, L. P. Nigel, Nanocrystals semiconductors: synthesis, properties and perspectives, *Chem. Mater.*, 13 (2001), 3843.
- [2] S. Tanda, T. Tsuneta, Y. Okajima, K. Inagaki, K. Yamaya, N. Akenaka, Crystal topology: A Möbius strip of single crystals, *Nature*, 42 (2003), 972.
- [3] S. Iijima, Helical microtubules of graphitic carbon, *Nature*, 354(1991), 56.
- [4] F. Li, H.Y. Chen, C.M. Wang, K.S. Hu, *J. Electroanal. Chem.*, 531 (2002) 53.
- [5] B. Weintraub, Y. Wei, Z.L. Wang, Optical fiber /nanowire hybrid structure for efficient three - dimensional dye synthesized solar cells, *Angew. Chem. Int.*, 48 (2009), 1-6.
- [6] Lexi Zhang, Yanyan Yin, Large-scale synthesis of flower-like ZnO nanorods via a wet-chemical route and the defect-enhanced ethanol-sensing properties, *Sens. Actuators B*, 183 (2013), 110-116.
- [7] L.A. Patil, M.D. Shinde, A.R. Bari, V.V. Deo, Highly sensitive and quickly responding ultrasonically sprayed nanostructured SnO₂ thin film for hydrogen gas sensing, *Sens. Actuators B*, 143 (2009), 270-277.
- [8] T. Xia, Q. Li, X. Liu, J. Meng, and X. Cao, Morphology-Controllable Synthesis and Characterization of Single-Crystal Molybdenum Trioxide, *J. Phys. Chem. B*, 110 (2006), 2006-2012.
- [9] T. He, J. Yao, Photochromism of molybdenum oxide, *J. Photochem. Photobiol.*, C4 (2003), 125-143.

- [10] E. Comini, L. Yubao, Y. Brando, G. Sberveglieri, Gas sensing properties of MoO₃ nanorods to CO and CH₃OH, Chem. Phys. Lett., 407 (2005), 368-371.
- [11] J. Wang, K.C. Rose, C.M. Lieber, Load-independent friction: MoO₃ nanocrystal lubricants, J. Phys. Chem. B, 103 (1999), 8405-8409.
- [12] K.R. Reddy, K. Ramesh, K.K. Seela, V.V. Rao, K.V.R. Chary, Alkylation of phenol with methanol over molybdenum oxide supported on NaY zeolite, Catal. Comm., 4 (2003), 112-117.
- [13] Y. Zhao, J. Liu, Y. Zhou, Z. Zhang, Y. Xu, H. Naramoto and S. Yamamoto, Preparation of MoO₃ nanostructures and their optical properties, J. Phys: Condens. Matter., 15 (2003), L547-L552.
- [14] C. Julien, A. Khelfa, O.M. Hussain and G.A. Nazri, Synthesis and characterization of flash-evaporated MoO₃ thin films, J. Cryst. Growth, 156 (1995), 235-244.
- [15] H.X. Bai, X.H. Liu and Y.C. Zhang, Synthesis of MoO₃nanoplates from a metallorganic molecular precursor, Mater. Lett., 63 (2009), 100-102.
- [16] T. Xia, Q. Li, X. Liu, J. Meng and X. Cao, Morphology-controllable synthesis and characterization of single-crystal molybdenum trioxide, J. Phys. Chem. B, 110 (2006), 2006-2012.
- [17] M.F. Al-Kuhaili, Characterization of copper oxide thin films deposited by the thermal evaporation of cuprous oxide (Cu₂O), Vacuum, 82 (2008), 623-629.
- [18] Benjamin J. Hansen, Ganhua Lu, and Junhong Chen, Direct Oxidation Growth of CuO Nanowires from Copper-Containing Substrates, Journal of Nanomaterials, Volume2008, Article ID830474, doi:10.1155/2008/830474.

- [19] A.P. Moura, L.S. Cavalcante, J.C. Sczancoski , D.G. Stroppa , E.C. Paris, A.J. Ramirez, J.A. Varela and E. Longo, Structure and growth mechanism of CuO plates obtained by microwave-hydrothermal without surfactants, *Adv. Powder Technol.*, 21 (2010), 197-202.
- [20] S. Rehman, A. Mumtaz and S. K. Hasanain, Size effects on the magnetic and optical properties of CuO nanoparticles, *J. Nanopart Res*, 13 (2011), 2497-2507.
- [21] A. El-Trass, H. ElShamy, I. El-Mehasseb and M. El-Kemary, CuO nanoparticles: Synthesis, characterization, optical properties and interaction with amino acids, *Appl. Surf. Sci.*, 258 (2012), 2997– 3001.
- [22] Ammonia, www.en.wikipedia.org/wiki/Ammonia (accessed 17.2.14).
- [23] T. He, J. Yao, Photochromism of molybdenum oxide, *J. Photochem. Photobiol. C*, 4(2003), 125-143.
- [24] E. Comini, L. Yubao, Y. Brando and G. Sberveglieri, Gas sensing properties of MoO₃ nanorods to CO and CH₃OH, *Chem. Phys. Lett.*, 407 (2005), 368–371.
- [25] J. Song, X. Ni, D. Zhang and H. Zheng, Fabrication and photoluminescence properties of hexagonal MoO₃ rods, *Solid State Sci.*, 8 (2006), 1164-1167.
- [26] T. He, Y. Ma, Y. Cao, Y. Yin, W Yang. and J. Yao, Enhanced visible-light coloration and its mechanism of MoO₃ thin films by Au nanoparticles, *Appl. Surf. Sci.*, 180 (2001), 336-340.
- [27] J. Wang, K.C. Rose and C.M. Lieber, Load-independent friction: MoO₃ nanocrystal lubricants, *J. Phys. Chem. B*, 103 (1999), 8405-8409.
- [28] K.R. Reddy, K. Ramesh, K.K. Seela, V.V. Rao, K.V.R. Chary, Alkylation of phenol with methanol over molybdenum oxide supported on NaY zeolite, *Catal. Comm.*, 4 (2003), 112-117.

- [29] Molybdenum_trioxide, www.en.wikipedia.org/wiki/Molybdenum_trioxide. (accessed 30.11.11).
- [30] E. Ma, Bull. Chem. Soc. Jap., 37(1964), 171-175
- [31] R. Germaine and F. Francis, Patent FR1268589, 1961, 1-4.
- [32] S. Asbrink and L. J. Norrby. A refinement of the crystal structure of copper (II) oxide with a discussion of some exceptional , Acta Crystallogr Sect A: Found Crystallogr, 26 (1970), 8-15.
- [33] J. Forsyth and S. Hull, The effect of hydrostatic pressure on the ambient temperature structure of CuO. J Phys: Condens Matter, 3(1991), 5257-5261.
- [34] B. Yang, T. Thurston, J. Tranquada and G. Shirane. Magnetic neutron scattering study of single-crystal cupric oxide, Phys. Rev. B., 39 (1989), 4343-4349.
- [35] P. Poizot, C.J. Hung, M.P. Nikiforov, E.W. Bohannan and J.A. Switzer, An electrochemical method for CuO thin film deposition from aqueous solution, Electrochim. Solid-State Lett., 6 (2003), C21-25.
- [36] B. Meyer, A. Polity, D. Reppin, M. Becker, P. Hering and P. Klar. Binary copper oxide semiconductors: from materials towards devices. Phys. Status. Solidi. (b), 249 (2012), 1487-509.
- [37] G. Amin, ZnO and CuO nanostructures: low temperature growth, characterization, their optoelectronic and sensing applications. 1st ed. LiU-Tryck: Norrkoping (Sweden); 2012 [SE-601 74].
- [38] P. Ra, C. Surman and N. Nagraj, A. Burns, Materials and transducers toward selective wireless gas sensing. Chem. Rev., 111(2011),7315-7354.
- [39] J.F. Wagner, Transparent electronics, Science, 300 (2003), 1245.

- [40] C. Wang, L. Yin, L. Zhang, D. Xiang and R. Gao, Metal oxide gas sensors: sensitivity and influencing factors. *Sensors*, 10(2010), 2088-2106.
- [41] G. J. Cadena, J. Riu and F.X. Rius, Gas sensors based on nanostructured materials. *The Analyst*, 132(2007), 1083-1099.
- [42] O. Akhavan and E. Ghaderi, copper oxide nanoflakes as highly sensitive and fast response self-sterilizing biosensors. *J. Mater. Chem.*, 21 (2011), 12935.
- [43] M. J. Collins, *Microwave synthesis : chemistry at the speed of light*, 2002, CEM publishing, 11-27.
- [44] K. J. Rao, B. Vaidhyanathan, M. Ganguli, and P. A. Ramakrishnan, Synthesis of Inorganic Solids Using Microwaves, *Chem. Mater.* 11(1999), 882-895
- [45] M. A. Janney and H. D. Kimrey, *Ceram. Trans.*, 2(1988), 919.
- [46] G. Link, V. Ivanov, S. Paranin, V. Khrustov, R. Bohme, G. Muller, G. Schumacher, M. Thumm and A. Weisenburger, *Mater. Res. Soc. Symp. Proc.*, 430 (1996), 157.
- [47] T. T. Meek, R. D. Blake and J. J. Petrovic, *Ceram. Eng. Sci. Proc.*, 8 (1987), 861.
- [48] Y. V. Bykov, A. G. Eremeev, V. V. Holoptsev, C. Odemer, A. I. Rachkovskii and H. J. R. Kleissl, *Ceram.Trans.*, 80 (1997), 321.
- [49] E.T. Thostenson, T.W. Chou, Microwave processing: fundamentals and applications, *Composites: Part A*, 30 (1999), 1055-1071.
- [50] K. J. Rao, B. Vaidhyanathan, M. Ganguli, and P. A. Ramakrishnan, Synthesis of Inorganic Solids Using Microwaves, *Chem. Mater.*, 11 (1999), 882-895.

- [51] V.K. Saxena and U. Chandra, *Microwave Synthesis: A Physical Concept*, INTECH, DOI: 10.5772/22888
- [52] M. Tsuji, M. Hashimoto, Y. Nishizawa, M. Kubokawa and T. Tsuji, *Microwave-assisted synthesis of metallic nanostructures in solution*, *Chemical European Journal*, 11(2005), 440-452.
- [53] M. Moisan, C. Barbeau, R. Claude, C.M. Ferreira, J. Margot, J. Parasyczak, A.B. SB, G. Sauv, and M.R. Wertheimer, *J.Vac Sci. Technol. B9*, 8 (1991).
- [54] F.K. McTaggart, *Plasma Chemistry in Electrical Discharges*, Elsevier, Amsterdam, NL (1967).
- [55] J.P. Wightman, *Proc. IEEE*, 4 (1974), 62
- [56] Yu.A. Lebedev and L.S. Pol, *High. Energy. Chem.*, 331 (1979).
- [57] J. Musil, *Vacuum*, 36 (1986), 161
- [58] M. Moisan and J. Pelletier, *Microwave Excited Plasmas*, Elsevier, Amsterdam, NL (1992).
- [59] C.M. Ferreira and M. Moisan, *Microwave Discharges - Fundamentals and Applications*", NATO AS1 Series, Series B: Physics Vol. 302, Plenum, New York, N.Y., (1993).
- [60] J. D. Houmes and H. C. zurLoye, *Plasma Nitridation of metal oxide*, *Chem. Mater.*, 8 (1996), 2551.
- [61] R. E. Douthwaite, M. L. H. Green and M. Rosseinsky, *Synthesis, reactivity, structure and electronic properties of $[N(CH_3)_4]C_{60}$: Fullerides with simple hexagonal packing*, *Chem. Mater.*, 8 (1996), 1913-1920.
- [62] C. F. Wu, R. J. Zhan, X. D. Zhu, W. Huang and C. Wang, *A homogeneous microwave plasma and its application in material surface modification*, *Surf. Coat. Tech.*, 131(2000), 26-28.

- [63] Y. C. Hong, C. U. Bang, D. H. Shin and H. S. Uhm, Band gap narrowing of TiO₂ by nitrogen doping in atmospheric microwave plasma, *Chem. Phys. Lett.*, 413 (2005), 454-457.
- [64] S. C. Cho, H. S. Uhm, Y. C. Hong and J. H. Kim, Properties of microwave plasma torch operating at a low pressure, *Phys Plasmas*, 15 (2008), 103503-8.
- [65] D. H. Shin, C. U. Bang, J. H. Kim, K. H. Han, Y. C. Hong, H. S. Uhm, D. K. Park and K. H. Kim, Modification of metal surface by microwave plasma at atmospheric pressure, *Surf Coat Tech*, 201 (2007), 4939-4942.
- [66] Y. C. Hong and H. S. Uhm, Synthesis of MgO nanopowder in atmospheric microwave plasma torch, *Chem. Phys. Lett.*, 422 (2006), 174-178.
- [67] Q. Zhen, G.M. Kale, W. He and J. Liu, Microwave Plasma Sintered Nanocrystalline BiO-HfO-YO Composite Solid Electrolyte, *Chem. Mater.*, 19 (2007), 203-210.
- [68] J. D. Houmes and H. C. zurLoye, Microwave Synthesis of Ternary Nitride Materials, *J. Solid. State. Chem.*, 130 (1997), 266-271.
- [69] M. Tokita, Mechanism of spark plasma sintering, Sumitomo Coal Mining Company, Ltd., Japan.
- [70] N. Abdenouri, G. Flamant, J. M. Badie, R. Berjoan, and R. A. Belghit, Separation of Gold from Sulfide Using a Plasma Arc Fuming Process, *Plasma Chem. Plasma P.*, 19 (1999), 171-189.
- [71] Y. Makino, T. Mori, H. Eguchi, H. Saito, B. Kyoh and S. Miyake, Preferentially oriented anatase nano - powder densified by pulsed high current heating, *J. Mat. Sci. Lett.*, 22 (2003), 403-405.

- [72] P. Singjai , T. Jintakosol, S. Singkarat and S. Choopun, Luminescence property and large-scale production of ZnO nanowires by current heating deposition, Mater. Sci. Eng. B, 137 (2007), 59-62.
- [73] T. Somchai, W. Chaned and T. Titipun, Transient solid-state production of nano- structured CuS flowers, Mater. Lett., 63 (2009), 2409-2412.
- [74] A. Labidi, E. Gillet, R. Delamare, M. Maaref and K. Aguir, Ethanol and ozone sensing characteristics of WO_3 based sensors activated by Au and Pd, Sens. Actuators B: Chem., 120 (2006), 338-345.
- [75] R.S. Khadayate, M.T. Chaudhari, S.K. Disawal and P.P. Patil, Sensing behavior printed WO_3 thick films for four organic vapors, Invert. J. Sci. Technol., 2 (2009), 185-189.
- [76] P.P. Sahay and S. Tewari, Sprayed ZnO thin films for ethanol sensors, J. Mater.Sci., 40 (2005), 4791-4793.
- [77] T.V. Belysheva, L.P. Bogovtseva, E.A. Kazachkov, N.V. Serebryakova, Gas-sensing properties of doped In_2O_3 films as sensors for NO_2 in air, J. Anal. Chem., 58 (2003), 583-587.
- [78] A.Z. Sadek, S. Choopun, W. Wlodarski, S.J. Ippolito and K. Kalantar-zadeh, Characterization of ZnO nanobelt-based gas sensor for H_2 , NO_2 , and hydrocarbon sensing, IEEE Sens. J., 7 (2007), 919-924.
- [79] K. Wetchakun, T. Samerjai, N. Tamaekong, C. Liewhiran, C. Siriwong, V. Kruefu, A. Wisitsoraat,A. Tuantranont and S. Phanichphant, Semiconducting metal oxides as sensors for environmentally hazardous gases, Sens. Actuators B, 160 (2011), 580-591.

- [80] S. Choopun, N. Hongsith and E. Wongrat , Metal-Oxide Nanowires for Gas Sensors Nanowires - Recent Advances, InTech publisher, December 19, 2012
- [81] H.J. Kim and J.H. Lee, Highly sensitive and selective gas sensors using p-type oxide semiconductors: Overview, *Sens. Actuators B*, 192 (2014), 607-627.
- [82] C. Liewhiran, S. Phanichphant, Effect of palladium loading on the response of a thick film flame-made ZnO gas sensor for detection of ethanol vapor, *Sensors*, 7 (2007), 1159-1184.
- [83] Powder Diffract. File, JCPDS-ICDD, 12 Campus Boulevard, Newtown Square, P.A. 19073-3273, U.S.A. 2001.
- [84] T. Mizushima, K. Fukushima, H. Ohkita and N. Kakuta, Synthesis of β -MoO₃ through evaporation of HNO₃-added molybdic acid solution and its catalytic performance in partial oxidation of methanol, *Appl. Catal. A: Gener.*, 326 (2007), 106-112.
- [85] C. Suryanarayana and M.G. Norton, X-ray Diffract., Plenum Press, N.Y., 1998.
- [86] K.W. Andrews, D.J. Dyson and S.R. Keown, Interpret. Electr. Diffract. Pattern., 2nd ed., Plenum Press, N.Y., 1971.
- [87] T. Siciliano, A. Tepore, E. Filippo, G. Micocci and M. Tepore, Characteristics of molybdenum trioxide nanobelts prepared by thermal evaporation technique, *Mater. Chem. Phys.*, 114 (2009), 687-691.
- [88] T. He, Yao J., Photochromism of molybdenum oxide, *J. Photochem. Photobiol.*, C 4 (2003), 125-143.

- [89] G.S. Zakharova, C. Täschner, V.L. Volkov, I. Hellmann, R. Klingeler, A. Leonhardt and B. Büchner, MoO_{3-δ} nanorods: synthesis, characterization and magnetic properties, Solid. State. Sci., 9 (2007), 1028-1032.
- [90] M. Dhanasankar, K.K. Purushothaman and G. Muralidharan, Effect of temperature of annealing on optical, structural and electrochromic properties of sol-gel dip coated molybdenum oxide films, Appl. Surf. Sci., 257 (2011), 2074-2078.
- [91] J. Song, X. Ni, D. Zhang and H. Zheng, Fabrication and photoluminescence properties of hexagonal MoO₃ rods, Solid. State. Sci. 8 (2006), 1164–1167.
- [92] M.R. Johan, M.Shahadan, M. Suan, N. L. Hawari and H. A. Ching, Annealing Effects on the Properties of Copper Oxide Thin Films Prepared by Chemical Deposition, Int. J. Electrochem. Sci., 6 (2011), 6094-6104.
- [93] M.T.S. Nair, L. Guerrero, O. L. Arenas and P.K. Nair, Chemically deposited copper oxide thin films: structural, optical and electrical characteristics, App. Surf. Sci., 150 (1999), 143-151.
- [94] T. J. B. Holland and S. A. T. Redfern, Unit cell refinement from powder diffraction data: the use of regression diagnostics, Mineralogical Magazine, 61 (1997), 65-77.
- [95] Y. Li, Synthesis of Copper (II) Oxide Particle and Detection of Photoelectrochemically Generated Hydrogen, *2008 NNIN REU Research Accomplishments*, 2008.
- [96] V. Vellora, T. Padil and M. Černík, Green synthesis of copper oxide nanoparticles using gum karaya as a biotemplate and their antibacterial application, International Journal of Nanomedicine, 8 (2013), 889-898.

- [97] V. Andal and G. Buvaneswari, Preparation of Cu₂O nano-colloid and its application as selective colorimetric sensor for Ag⁺ ion, *Sens. Actuat. B*, 155 (2011), 653–658.
- [98] N. Mukherjee, B. Show, S.K. Maji, U. Madhu, S.K. Bhar, B.C. Mitra, G.G. Khan and A. Mondal, CuO nano-whiskers: Electrodeposition, Raman analysis, photoluminescence study and photocatalytic activity, *Mater. Lett.*, 65 (2011), 3248–3250.
- [99] S.S. Chang, H.J. Lee and H.J. Park, Photoluminescence properties of spark-processed CuO, *Ceram. Int.*, 31 (2005), 411-415.
- [100] S. K. Maji , N. Mukherjee, A. Mondal, B. Adhikary and B. Karmakar, Chemical synthesis of mesoporous CuO from a single precursor: Structural, optical and electrical properties, *J. Solid State Chem.*, 183 (2010), 1900-1904.
- [101] G. Burns, *Solid State Phys.*, Academ. Press, NY, (1985).
- [102] H. Kidowaki, T. Oku, T. Akiyama, A. Suzuki, B. Jeyadevan and J. Cuya, Fabrication and characterization of CuO-based solar cells, *J. Mater. Sci. Res.* 1(2012) 138–143.
- [103] S. Rehman, A. Mumtaz and S. K. Hasanain, Size effects on the magnetic and optical properties of CuO nanoparticles, *J.Nanopart. Res.* 13 (2011)2497–2507.
- [104] R.A. Zarate, F. Hevia, S. Fuentes, V.M. Fuenzalida and A. Zúñiga, Novel route to synthesize CuO nanoplatelets, *J. Solid State Chem.* 180 (2007) 1464–1469.
- [105] J.F. Moulder, W.F. Stickle, P.E. Sobol and K.D. Bomben, *Handbook of X-ray Photoelectron Spectroscopy*. Perkin-Elmer, Eden Prairie, MN, U.S.A.(1992).

- [106] D.I. Son, C.H. You and T.W. Kim, Structural, optical, and electronic properties of colloidal CuO nanoparticles formed by using a colloid-thermal synthesis process, *Appl. Surf. Sci.*, 255 (2009) 8794–8797.
- [107] M. Mashock, K. Yu, S. Cui, S. Mao, G. Lu and J. Chen, Modulating gas sensing properties of CuO nanowires through creation of discrete nanosized p-n junctions on their surfaces, *Appl. Mater. Interf.*, 4(2012), 4192–4199.
- [108] Y.M. Zhao and Y.Q. Zhu, Room temperature ammonia sensing properties of W₁₈O₄₉ nanowires, *Sens. Actuat. B*137 (2009) 27–31.
- [109] W. Xing, J. Hu, S.C. Kung, K.C. Donavan, W. Yan, R. Wu and R.M. Penner, A chemically-responsive nanojunction within a silver nanowire, *Nano Lett.* 12(2012), 1729–1735.
- [110] N. Barsan, C. Simion, T. Heine, S. Pokhrel and U. Weimar, Modeling of sensing and transduction for p-type semiconducting metal oxide based gas sensors, *J. Electroceram.*, 25 (2010), 11–19.
- [111] T.T. Trinh, N.H. Tu, H.H. Le, K.Y. Ryu, K.B. Le, K. Pillai and J. Yi, Improving the ethanol sensing of ZnO nanoparticle thin films – the correlation between the grain size and the sensing mechanism, *Sens. Actuat. B*, 152 (2011), 73–81.
- [112] M.S. Wagh, G.H. Jain, D.R. Patil, S.A. Patil and L.A. Patil, Modified zinc oxide thick film resistors as NH₃ gas sensor, *Sens. Actuat. B*, 115 (2006), 128–133.

LIST OF PUBLICATIONS

- 1) Arrak Klinbumrung, Titipun Thongtem and Somchai Thongtem, Characterization of Orthorhombic α -MoO₃ Microplates Produced by a Microwave Plasma Process, Journal of Nanomaterials, Volume 2012, Article ID 930763, doi:10.1155/2012/930763
- 2) Arrak Klinbumrung, Titipun Thongtem and Somchai Thongtem Characterization and gas sensing properties of CuO synthesized by DC directly applying voltage, Applied Surface Science, (2014), <http://dx.doi.org/10.1016/j.apsusc.2014.06.037>

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright © by Chiang Mai University
All rights reserved