

## REFERENCES

- [1] H. Jain, “Transparent Ferroelectric Glass-Ceramics”, *Ferroelectrics*, 306 (2004) 111–127.
- [2] T. Komatsu, K. Shioya, K. Matusita, “Fabrication of Transparent Tellurite Glasses Containing Potassium Niobate Crystals by an Incorporation Method”, *J. Am. Ceram. Soc.*, 76 (1993) 2923–2926.
- [3] R. A. H. El-Mallawany, *Tellurite Glasses Hand Book : Physical Properties and Data*, CRC Press, 2<sup>nd</sup> ed., 2002, ISBN: 978-1-4398-4983-5.
- [4] W. Holand, G. H. Beall, *Glass-ceramics technology*, The American Ceramics Society, 2<sup>nd</sup> ed., 2002, ISBN: 978-1-118-26592-5.
- [5] Z. Feng, H. Hu, S. Cui, C. Bai, “First-principles study of optical properties of SrZrO<sub>3</sub> in cubic phase”, *Solid State Commun.*, 148 (2008) 472–475.
- [6] J. Feinberg, “Photorefractive Nonlinear Optics”, *Phys. Today*, 41 (1988) 46–52.
- [7] C. R. Giuliano, “Applications of Optical Phase Conjugation”, *Phys. Today*, 34 (1981) 27–35.
- [8] N. F. Borrelli, M. M. Layton, “Electrooptic Properties of Transparent Ferroelectric Glass-Ceramic System”, *Trans. Electron. Device*, 6 (1969) 511–514.
- [9] L. Egerton, D.M. Dillon, Piezoelectric and Dielectric Properties of Ceramics in The System Potassium-Sodium Niobate, *J. Am. Ceram. Soc.* 42 (1959) 438-442.
- [10] G. H. Haertling, “Properties of Hot-Pressed Ferroelectric Alkaliniobate Ceramics”, *J. Am. Ceram. Soc.*, 50 (1967) 329-330.

- [11] R. E. Jaeger, L. Egerton, “Hot Pressing of Potassium-Sodium Niobates”, *J. Am. Ceram. Soc.*, 45 (1962) 209-213.
- [12] B. Jaffe, W. R. Cook, and H. Jaffe, “Piezoelectric Ceramics”, Academic Press Limited, London, 1971, ISBN: 0-12-379550-8.
- [13] P. Prapitpongwanich, R. Harizanova, K. Pengpat, C. Rüssel, “Nanocrystallization of Ferroelectric Lithium Niobate in LiNbO<sub>3</sub>-SiO<sub>2</sub> Glasses”, *Mater. Lett.*, 63 (2009) 1027–1029.
- [14] P. Yongsiri, S. Eitssayeam, G. Rujijanagul, S. Sirisooonthorn, T. Tunkasiri and K. Pengpat, “Fabrication of Transparent Lead-Free KNN Glass-ceramics by Incorporation Method”, *Nanoscale Res. Lett.*, 7 (2012) 136.
- [15] A. Aronne, E. Fanelli, P. Pernice, S. Peli, C. Giannetti, G. Ferrini, “Crystallization and Second Harmonic Generation in Potassium–Sodium Niobiosilicate Glasses”, *J. Solid State Chem.*, 182 (2009) 2796–2800.
- [16] C. Strümpel, M. McCanna, G. Beaucarneb, V. Arkhipovb, A. Slaouic, V. Švrčekc, C. del Cañizod, I. Tobias, “Modifying The Solar Spectrum to Enhance Silicon Solar Cell Efficiency—An Overview of Available Materials”, *Sol. Energ. Mat. Sol. C.*, 91 (2007) 238-249.
- [17] J. Méndez-Ramosa, V. Lavína, I.R. Martína, U.R. Rodríguez-Mendozaa, J.A. González-Almeidaa, V.D. Rodríguez, A.D. Lozano-Gorrínb, P. Núñez, “Optical Properties of Er<sup>3+</sup> Ions In Transparent Glass Ceramics”, *J. Alloy Compd.*, 323–324 (2001) 753–758.
- [18] L. E. Cross and R. E. Newnham, “History of Ferroelectrics”, *Ceram. Civil.*, 111 (1987) 289-305.
- [19] J. Valasek, “Piezoelectricity and Allied Phenomena in Rochelle Salt,” *Phys. Rev.*, 17 (1921) 475-81.
- [20] G. H. Haerting, “Ferroelectric Ceramics: History and Technology”, *J. Am. Ceram. Soc.*, 82 (1999) 797-818.

- [21] A. Von Hippel , R. G. Breckenridge , F. G. Chesley , Laszlo Tisza, “High Dielectric Constant Ceramics”, Ind. Eng. Chem., 38 (1946) 1097–1109.
- [22] B. Gray, “Transducer and Method of Making Same”, U.S. Pat. No. 2 486 560, Sept. 20. 1946.
- [23] R. Whatmore, Ferroelectric Materials”, Springer Handbook of Electronic and Photonic Materials, 2006, 597-623.
- [24] A. J. Moulson and J. M. Herbert, Electroceramics: Materials, Properties, Applications, John Wiley and Sons Inc., 2<sup>nd</sup> ed., 2003.
- [25] V. M. Goldschmidt, Geochemistry, Oxford Univ. Press, 1958.
- [26] H. Birol, D. Damjanovic, N. Setter, “Preparation and Characterization of KNbO<sub>3</sub> Ceramics”, J. Am. Ceram. Soc., 88 (2005) 1754–1759.
- [27] G. Shirane, R. Newnham, R. Pepinsky, “Dielectric Properties and Phase Transition of NaNbO<sub>3</sub> and (Na,K)NbO<sub>3</sub>”, Phys. Rev., 96 (1954) 581–588.
- [28] M. Kosec, B. Malic, A. Bencan and T. Rojac, “Piezoelectric and Acoustic Materials for Transducer Applications: KNN-Based Piezoelectric Ceramics”, Springer Science+Business Media. LLC., 2008, 81-102.
- [29] J. Tellier, B. Malic, B. Dkhil, D. Jenko, J. Cilensek and M. Kosec, “Crystal Structure and Phase Transitions of Sodium Potassium Niobate Perovskites”, Solid State Sci., 11 (2009) 320–324.
- [30] L. Katz, H. D. Megaw, “The Structure of Potassium Niobate at Room Temperature: The Solution of a Pseudosymmetric Structure by Fourier Methods”, Acta Cryst., 22 (1967) 639-648.
- [31] A. Reisman, F. Holtzberg, “Phase Equilibria in the System K<sub>2</sub>CO<sub>3</sub>-Nb<sub>2</sub>O<sub>5</sub> by The Method of Differential Thermal Analysis”, J. Am. Ceram. Soc., 77 (1967) 2115–2118.
- [32] R. S. Roth, “Thermal Stability of Long Range Order in Oxides”, Prog. Solid. St. Chem., 13 (1980) 159–192.

- [33] E. Irle, R. Blachnik, B. Gather, “The Phase Diagrams of Na<sub>2</sub>O and K<sub>2</sub>O with Nb and The Ternary System Nb<sub>2</sub>O<sub>5</sub>-Na<sub>2</sub>O-Y<sub>2</sub>O”, *Thermochim. Acta.*, 179 (1991) 157–169.
- [34] A. Reisman, F. Holtzberg, S. Triebwasser, M. Berkenblit, “Metastability in Niobate System”, *J. Am. Ceram. Soc.*, 81 (1959) 1292–1295.
- [35] M. A. Bizeto, V. R. L. Constantino, “Structural Aspects and Thermal Behavior of The Protonex Changed Layered Niobate K<sub>4</sub>Nb<sub>6</sub>O<sub>17</sub>”, *Mater. Res. Bull.*, 39 (2004) 1729–1736.
- [36] M.W. Shafer, R. Roy, “Phase Equilibria in The System Na<sub>2</sub>O-Nb<sub>2</sub>O<sub>5</sub>”, *J. Am. Ceram. Soc.*, 42 (1959) 482–486.
- [37] S. J. Zhang, R. Xia, T. R. Shrout, “Lead-free Piezoelectric Ceramics vs. PZT?”, *J. Electroceram.*, 19 (2007) 251-257.
- [38] T. Takenaka, H. Nagata, “Current Status and Prospects of lead-Free Piezoelectric Ceramics”, *J. Eur. Ceram. Soc.*, 25 (2005) 2693-2700.
- [39] H. T. Y. Saito, T. Tani, T. Nonoyama, K. Takatori, T. Homma, T. Nagaya and M. Nakamura, “Lead-Free Piezoceramics”, *Nature*, 432 (2004) 84-87.
- [40] H. Takao, Y. Saito, Y. Aoki, and K. Horibuchi, “Microstructural Evolution of Crystalline-Oriented (K<sub>0.5</sub>Na<sub>0.5</sub>)NbO<sub>3</sub> Piezoelectric Ceramics With a Sintering Aid of CuO,” *J. Am. Ceram. Soc.*, 89 (2006) 1951–6.
- [41] E. Li, H. Kakemoto, S. Wada, and T. Tsurumi, “Enhancement of Qm by Co-Doping of Li and Cu to Potassium Sodium Niobate Lead-Free Ceramics,” *IEEE T. Ultrason. Ferr.*, 55 (2008) 980–7.
- [42] M. Matsubara, T. Yamaguchi, K. Kikuta, S. Hirano, “Sinterability and Piezoelectric Properties of (K,Na)NbO<sub>3</sub> Ceramics with Novel Sintering Aid”, *Jpn. J. Appl. Phys.*, 43, (2004) 7159-7163.
- [43] M. Matsubara, T. Yamaguchi, W. Sakamoto, K. Kikuta, T. Yogo, and S. Hirano, “Processing and Piezoelectric Properties of Lead-Free (K,Na)(Nb,Ta)O<sub>3</sub> Ceramics”, *J. Am. Ceram. Soc.*, 88, (2005)1190-1196.

- [44] M. Matsubara, K. Kikuta, and S. Hirano, “Piezoelectric Properties of  $(K_{0.5}Na_{0.5})(Nb_{1-x}Ta_x)O_3 - K_{5.4}CuTa_{10}O_{29}$  Ceramics”, *J. Appl. Phys.*, 97 (2005) 114105-7.
- [45] M. Matsubara, T. Yamaguchi, K. Kikuta, and S. Hirano, “Effect of Li Substitution on the Piezoelectric Properties of Potassium Sodium Niobate Ceramics”, *Jpn. J. Appl. Phys.*, 44, (2005) 6136-6142.
- [46] Y. P. Guo, K. Kakimoto, and H. Ohsato, “Dielectric and Piezoelectric Properties Of Lead-Free  $(Na_{0.5}K_{0.5})NbO_3-SrTiO_3$  Ceramics”, *Solid State Commun.*, 129 (2004) 279-284.
- [47] R. Wang, R.-J. Xie, K. Hanada, K. Matsusaki, H. Bando, and M. Itoh, “Phase Diagram and Enhanced Piezoelectricity in The Strontium Titanate Doped Potassium–Sodium Niobate Solid Solution”, *Phys. Status. Solidi. A*, 202 (2005) R57-R59.
- [48] K. H. Cho, H. Y. Park, C. W. Ahn, S. Nahm, K. Uchino, S. H. Park, H. G. Lee, and H. J. Lee, “Microstructure and Piezoelectric Properties of  $0.95(Na_{0.5}K_{0.5})NbO_3-0.05SrTiO_3$  Ceramics”, *J. Am. Ceram. Soc.*, 90 (2007) 1946-1949.
- [49] R. Z. Zuo, X. S. Fang, C. Ye, and L. T. Li, “Phase Transitional Behavior and Piezoelectric Properties of Lead-Free  $(Na_{0.5}K_{0.5})NbO_3-(Bi_{0.5}K_{0.5})TiO_3$  Ceramics,” *J. Am. Ceram. Soc.*, 90 (2007) 2424-8.
- [50] Y. P. Guo, K. Kakimoto, and H. Ohsato, “Structure and Electrical Properties Of Lead-Free  $(K_{0.5}Na_{0.5})NbO_3-BaTiO_3$  Ceramics”, *Jpn. J. Appl. Phys.*, 43 (2004) 6662-6666.
- [51] H. Y. Park, C. W. Ahn, H. C. Song, J. H. Lee, S. Nahm, K. Uchino, H. G. Lee, and H. J. Lee, “Microstructure and Piezoelectric Properties of  $0.95(Na_{0.5}K_{0.5})NbO_3-0.05BaTiO_3$  Ceramics,” *Appl. Phys. Lett.*, 89 (2006) 062906.
- [52] Y. Guo, K.-I. Kakimoto, and H. Ohsato, “ $(Na_{0.5}K_{0.5})NbO_3-LiTaO_3$  Lead-Free Piezoelectric Ceramics”, *Mater. Lett.*, 59 (2005) 241-244.

- [53] E. Hollenstein, M. Davis, D. Damjanovic, and N. Setter, “Piezoelectric Properties Of Li-And Ta-Modified  $(\text{Na}_{0.5}\text{K}_{0.5})\text{NbO}_3$  Ceramics”, *Appl. Phys. Lett.*, 87 (2005) 182905-3.
- [54] G. Jiao, H. Fan, L. Liu, and W. Wang, “Structure and Piezoelectric Properties Of Cu-doped Potassium Sodium Tantalate Niobate Ceramics”, *Mater. Lett.*, 61 (2007) 4185-4187.
- [55] Y. Guo, K.-i. Kakimoto, and H. Ohsato, “Phase Transitional Behavior and Piezoelectric Properties of  $(\text{Na}_{0.5}\text{K}_{0.5})\text{NbO}_3\text{--LiNbO}_3$  Ceramics”, *Appl. Phys. Lett.*, 85 (2004) 41214123.
- [56] K. Kakimoto, K. Akao, Y. P. Guo, and H. Ohsato, “Raman Scattering Study of Piezoelectric  $(\text{Na}_{0.5}\text{K}_{0.5})\text{NbO}_3\text{--LiNbO}_3$  Ceramics”, *Jpn. J. Appl. Phys.*, 44 (2005) 7064-7067.
- [57] F. Tang, H. Du, Z. Li, W. Zhou, S. Qu, and Z. Pei, “Preparation and properties of  $(\text{Na}_{0.5}\text{K}_{0.5})\text{NbO}_3\text{--LiNbO}_3$  ceramics”, *Trans. Nonferrous Met. SOC. China*, 16, s446-s449 (2006).
- [58] H. Du, F. Tang, F. Luo, D. Zhu, S. Qu, Z. Pei, and W. Zhou, “Influence of sintering temperature on piezoelectric properties of  $(\text{Na}_{0.5}\text{K}_{0.5})\text{NbO}_3\text{--LiNbO}_3$  lead-free piezoelectric ceramics”, *Mater. Res. Bull.*, 42 (2007) 1594-1601.
- [59] D. J. Liu, H. L. Du, F. S. Tang, F. Luo, D. M. Zhu, and W. C. Zhou, “Effect of heating rate on the structure evolution of  $(\text{Na}_{0.5}\text{K}_{0.5})\text{NbO}_3\text{--LiNbO}_3$  lead-free piezoelectric ceramics”, *J. Electroceramics.*, 20 (2008) 107-111.
- [60] G.-Z. Zang, J.-F. Wang, H.-C. Chen, W.-B. Su, C.-M. Wang, P. Qi, B.-Q. Ming, J. Du, L.-M. Zheng, S. Zhang, and T. R. Shrout, “Perovskite  $(\text{Na}_{0.5}\text{K}_{0.5})(1-x)(\text{LiSb})(x)\text{Nb}_{1-x}\text{O}_3$  lead-free piezoceramics”, *Appl. Phys. Lett.*, 88 (2006) 212908-3.
- [61] S. Zhang, R. Xia, T. R. Shrout, G. Zang, and J. Wang, “Piezoelectric properties in perovskite  $0.948(\text{K}_{0.5}\text{Na}_{0.5})\text{NbO}_3\text{--}0.052\text{LiSbO}_3$  lead-free ceramics”, *J. Appl. Phys.*, 100 (2006) 104108-6.

- [62] D. Lin, K. W. Kwok, K. H. Lam, and H. L. W. Chan, “Structure and electrical properties of  $(K_{0.5}Na_{0.5})NbO_3$ – $LiSbO_3$  lead-free piezoelectric ceramics”, *J. Appl. Phys.*, 101 (2007) 074111-6.
- [63] H. Masai, T. Fujiwara, Y. Takahashi, “Glass-Ceramics Containing Nano-Crystallites of Oxide Semiconductor”, Intech Open Access Publisher, 2010.
- [64] E. D. Zanotto, “A bright future for glass-ceramics”, *Am. Ceram. Soc. Bull.*, 89 (2010) 19-27.
- [65] J. E. Shelby, *Introduction to Glass Science and Technology*, London: Royal Society of Chemistry, 2<sup>nd</sup> ed., 2005.
- [66] American Society for Testing of Materials, Designation C 162-92 Standard Terminology of Glass and Glass Products. In: *Annual Book of ASTM Standards* 15.02, Philadelphia: ASTM, 1993.
- [67] K. Pengpat, “Ferroelectric Glass-Ceramics”. Ph.D. Thesis, The University of Warwick, Warwick, U.K., 2001.
- [68] P. Prapitpongwanich, “Fabrication of Glass-Ceramics Containing Ferroelectric Nano-Crystals”. Ph.D. Thesis, Chiang Mai University, Chiang Mai, Thailand, 2009.
- [69] A. K. Varshneya, *Fundamentals of Inorganic Glasses*, London: Academic Press, 1994.
- [70] A. H. Charles, *Handbook of Ceramics, Glasses, and Diamond*. New York: McGraw-Hill, 2001.
- [71] P. W. McMillan, *Glass-Ceramics*. 2<sup>nd</sup> ed. London: Academic Press, 1979.
- [72] W. Holand, V. Rheinberger, M. Schweiger, “Control of nucleation in glass ceramics”, *Philos. T. R. Soc.*, 361 (2003) 575-89.
- [73] R. Cioffi, P. Pernice, A. Aronne, A. Marotta, G. Quattroni, “Nucleation and crystal growth in a fly ash derived glass”, *J. Mater. Sci.*, 28 (1993) 6591-4.
- [74] D. Turnbull, H. M. Cohen, *Modern Aspects of the Vitreous State* 1, London: Butterworths, 1960.

- [75] A. Paul, Chemistry of Glasses. Chapman and Hall Ltd., 1982.
- [76] M. M. Layton and A. Herczog, “Nucleation and Crystallization of NaNbO<sub>3</sub> from Glasses in the Na<sub>2</sub>O-Nb<sub>2</sub>O<sub>5</sub>-SiO<sub>2</sub> System”, J. Am. Ceram. Soc., 59 (1967) 369.
- [77] N. F. Borrelli, A. Herczog, and R. D. Maurer, “Electrooptic Effect of Ferroelectric Microcrystals in a Glass Matrix”, Appl. Phys. Lett., 7 (1965) 117.
- [78] T. Komatsu, H. Tawarayama, H. Mohri, and K. Matusita, “Properties and crystallization behaviors of TeO<sub>2</sub>-LiNbO<sub>3</sub> glasses”, J. Non-Cryst. Solids., 135 (1991) 105.
- [79] T. Komatsu, H. Tawarayama, and K. Matusita, “Preparation and optical properties of transparent TeO<sub>2</sub>-based glasses containing BaTiO<sub>3</sub> crystals: Optical materials and their applications”, J. Ceram. Soc. Jpn. 101 (1993) 48.
- [80] A. Narazaki, K. Tanaka, and K. Hirao, “Optical second-order nonlinearity of transparent glass-ceramics containing BaTiO<sub>3</sub> precipitated via surface crystallization”, J. Mater. Res. 14 (1999) 3640.
- [81] K. Tanaka, H. Kuroda, A. Narazaki, K. Hirao, and N. Soga, J. Mater. Sci. Lett. 17 1063 (1998).
- [82] Wikipedia, “Silicon dioxide”, [Online], Available [http://en.wikipedia.org/wiki/Silicon\\_dioxide](http://en.wikipedia.org/wiki/Silicon_dioxide) (May, 2015).
- [83] A. J. Kenyon, “Recent developments in rare-earth doped materials for optoelectronics”, Progress in Quantum Electronics, 26 (2002) 225–284.
- [84] A. Polman, “Erbium as a probe of everything?”, Phys. B., 300 (2001) 78.
- [85] H. Lin, G. Meredith, S. Jiang, X. Peng, T. Luo, “Optical transitions and visible upconversion in Er<sup>3+</sup> doped niobic tellurite glass”, J. Appl. Phys. 93 (2003) 186.

- [86] S. Dai, J. Wu, J. Zhang, G. Wang, Z. Jiang , “The spectroscopic properties of Er<sup>3+</sup>-doped TeO<sub>2</sub>–Nb<sub>2</sub>O<sub>5</sub> glasses with high mechanical strength performance”, *Spectrochim. Acta A.*, 62 (2005) 431–437.
- [87] R. Debnath, A. Ghosh, S. Balaji, “Synthesis and luminescence properties of an (Er<sub>2</sub>Te<sub>4</sub>O<sub>11</sub>) nanocrystals dispersed highly efficient upconverting lead free tellurite glass”, *Chem. Phys. Lett.*, 474 (2009) 331–335.
- [88] G. Monteiro, L. F. Santos, R. M. Almeida, F. D'Acapito, “Local structure around Er<sup>3+</sup> in GeO<sub>2</sub>–TeO<sub>2</sub>–Nb<sub>2</sub>O<sub>5</sub>–KO<sub>2</sub> glasses and glass-ceramics”, *J. Non-Cryst. Solids*, 377 (2013) 129–136.
- [89] S.-Y. Chu, C.-H. Wen, S.-L. Tyan, Y.-G. Lin, Y.-D. Juang, C.-K. Wen, “Polarization tuning the Stokes photoluminescence spectra of erbium doped KNbO<sub>3</sub> ceramics”, *J. Appl. Phys.*, 96 (2010) 2552-2555.
- [90] C.-H. Wen, S.-Y. Chu, S.-L. Tyan, Y.-D. Juang, “The stokes photoluminescence spectra of erbium-doped KNbO<sub>3</sub> polycrystalline line”, *J. Cryst. Growth.*, 262 (2004) 225–230.
- [91] C.-H. Wen, S.-Y. Chu, C.-K. Wen, “The post-annealing effects on the Stokes photoluminescence spectra of erbium-doped KNbO<sub>3</sub> polycrystalline”, *J. Cryst. Growth.*, 269 (2004) 479–483.
- [92] C.-H. Wen, S.-Y. Chu, C.-K. Wen, “Polarization Dependence of the Luminescence Properties of the Erbium Doped KNbO<sub>3</sub> Ferroelectric Ceramics”, *Intergr Ferroelectr.*, 69 (2005) 267-275.
- [93] C.-H. Wen, S.-Y. Chu, Y.-D. Juang, C.-K. Wen, “New phase transition of erbium-doped KNbO<sub>3</sub> polycrystalline”, *J. Cryst. Growth.*, 280 (2005) 179–184
- [94] H. Sun, Q. Zhang, X. Wang, M. Gu, “Green and red upconversion luminescence of Er<sup>3+</sup>-doped K<sub>0.5</sub>Na<sub>0.5</sub>NbO<sub>3</sub> ceramics”, *Ceram. Int.* 40 (2014) 2581–2584.
- [95] R. S. Chaliha, K. Annapurna, A. Tarafder, P.K. Gupta, B. Karmakar, V.S. Tiwari, “Optical and dielectric properties of isothermally crystallized nano-

$\text{KNbO}_3$  in  $\text{Er}^{3+}$ -doped  $\text{K}_2\text{O}-\text{Nb}_2\text{O}_5-\text{SiO}_2$  glasses”, Spectrochim. Acta A., 75 (2010) 243–250.

- [96] P. Bomlai, P. Wichianrat, S. Muensit, S.J. Milne, “Effect of calcination and excess alkali carbonate on the phase formation and particle morphology of  $\text{K}_{0.5}\text{Na}_{0.5}\text{NbO}_3$  powders”, J. Am. Ceram. Soc., 90 (2007) 1650–1655.
- [97] C. Suryanarayana, M.G. Norton, “X-ray Diffraction A Practical Approach”, New York: Springer, 1<sup>st</sup>. ed., 1998.
- [98] Thermo Nicolet Corporation, “FTIR spectroscopy operating system”, [Online], Available <http://mmrc.caltech.edu/FTIR/FTIRintro.pdf>.
- [99] The MATC Biotechnology. 1987. “Concentration, Absorbance, and Transmittance.” [Online], Available [http://matcmadison.edu/biotech/resources/methods/labmanual/unit\\_4/exercise\\_11.htm](http://matcmadison.edu/biotech/resources/methods/labmanual/unit_4/exercise_11.htm) (May, 2015).
- [100] Wikipedia, “Refractive index”, [Online], Available [http://en.wikipedia.org/wiki/Refractive\\_index](http://en.wikipedia.org/wiki/Refractive_index) (May, 2015).
- [101] D. Yong, M. Yoshinari, N. Shinji, N. Tokuro, “Oriented surface crystallization of lithium niobate on glass and second harmonic generation”, J. Non-Cryst. Sol., 259 (1999) 132-8.
- [102] H. C. Zeng, K. Tanaka, k. Hirao, N. Soga, “Crystallization and glass formation in  $50\text{Li}_2\text{O}-50\text{Nb}_2\text{O}_5$  and  $25\text{Li}_2\text{O}-25\text{Nb}_2\text{O}_5-50\text{SiO}_2$ ”, J. Non-Cryst. Sol., 209 (1997) 112-21.
- [103] G. Kirsten, R. Christian, “Crystallization of  $\text{Bi}_3\text{TiNbO}_9$  from glasses in the system  $\text{Bi}_2\text{O}_3/\text{TiO}_2/\text{Nb}_2\text{O}_5/\text{B}_2\text{O}_3/\text{SiO}_2$ ”, J. Non-Cryst. Solids., 243 (1999) 52-60.
- [101] K. Shioya, T. Komatsu, H. G. Kim, R. Sato, K. Matusita, “Optical properties of transparent glass-ceramics in  $\text{K}_2\text{O}-\text{Nb}_2\text{O}_5-\text{TeO}_2$  glasses”, J. Non Cryst. Solids., 189 (1995) 16-24.

- [105] M. V. Shankar, K. B. R. Varma, “Dielectric and optical properties of surface crystallized TeO<sub>2</sub>-LiNbO<sub>3</sub> glasses”, *J. Non Cryst. Solids.*, 243 (1999) 192-203.
- [106] P. Yongsiri, S. Eitssayeam, U. Inthata, G. Rujijanagul, S. Sirisoothorn, T. Tunkasiri, K. Pengpat, “Fabrication of Ferroelectric Glass Ceramics from (K<sub>0.5</sub>Na<sub>0.5</sub>)NbO<sub>3</sub>-SiO<sub>2</sub>-Al<sub>2</sub>O<sub>3</sub> Glass System”, *Ferroelectrics*, 416 (2011) 144-150.
- [107] P. Yongsiri, P. Mhuangthong, A. Munpakdee, K. Pengpat, “Preparation of Potassium Sodium Niobate in Tellurite Glass System Doped with Er<sub>2</sub>O<sub>3</sub>”, *Ferroelectrics*, 459 (2014) 153-159.
- [108] P. Yongsiri, K. Pengpat, “Materials Characterization of Potassium Sodium Niobate based Tellurite Glass-Ceramics”, *Int. Ferroelectrics.*, 141 (2013) 154-166.
- [109] E. D. Jeong, M. G. Ha, H. K. Pak, B. K. Ryu, P. H. Borse, J. S. Lee, T. Komatsu, H. J. Kim, and H. G. Kim, “Thermal Stabilities, Physical and Optical Properties of K<sub>2</sub>O-Na<sub>2</sub>O-Nb<sub>2</sub>O<sub>5</sub>-TeO<sub>2</sub> Glasses”, *J. Ind. Eng. Chem.*, 12 (2009) 926–931.
- [110] J. Lin, W. Huang, Z. Sun, C. S. Ray, D. E. Day, “Structure and non-linear optical performance of TeO<sub>2</sub>-Nb<sub>2</sub>O<sub>5</sub>-ZnO glasses”, *J. Non Cryst. Solids.*, 336, (2004) 189–194.
- [111] S. Balaji, A. D. Sontakke, R. Sen, and A. Kalyandurg, “Efficient ~2.0 μm emission from Ho<sup>3+</sup> doped tellurite glass sensitized by Yb<sup>3+</sup> ions: Judd-Ofelt analysis and energy transfer mechanism”, *Opt. Mater. Express.*, 1 (2011) 138-150.
- [112] Y. Dimitriev, V. Dimitrov, M. Arnaudov, “IR spectra and structures of tellurite glasses”, *J. Mater. Sci.*, 18 (1983) 1353-1358.
- [113] J. Tauc, A. Menth, “States in the gap”, *J. Non-Cryst. Solids.*, 569 (1972) 8-10.

- [114] N. Ghobadi, “Band gap determination using absorption, spectrum fitting procedure”, *Int. Nano Lett.*, 3 (2013).
- [115] L. M. Sharaf El-Deen, M. S. Al Salhi, M. M. Elkholly, “IR and UV spectral studies for rare earths-doped tellurite glasses”, *J. Alloy. Compd.* 465 (2008) 333–339.
- [116] D. Zhu, C. S. Ray, W. Zhou, D. E. Day, “On glass formation for a  $\text{Na}_2\text{O} \cdot 4\text{TeO}_2$  melt: Effect of melting temperature, time, and raw material”, *J. Mater. Sci.* 39 (2004) 7351–7357.
- [117] P. Yongsiri, N. Phupradit, S. Sirisoothorn, K. Pengpat, “Microstructure and Optical Properties of  $\text{Er}_2\text{O}_3$  Doped Potassium Sodium Niobate Tellurite Glass-ceramics”, Proceeding of 2013 Joint UFFC, EFTF and PFM Symposium, IEEE.
- [118] P. Nandi, G. Jose, C. Jayakrishnan, S. Debbarma, K. Chalapathi, K. Alti, A. K. Dharmadhikari, J. A. Dharmadhikari, and D. Mathur, “Femtosecond laser written channel waveguides in tellurite glass”, *Optics Express*, 14 (2006) 12145-12150.
- [119] P. Yongsiri, S. Eitssayeam, S. Sirisoothorn, and K. Pengpat, “Morphology of Potassium Sodium Niobate based Silicate Glass System”, *Electron. Mater. Lett.*, 9 (2013).
- [120] A. Hruba, Evaluation of glass-forming tendency by means of DTA, *Czech. J. Phys.* B22 (1972) 1187.
- [121] R. Singh, K. Kamble, A. R. Kulkarni, C. S. Harendranath, “Structure Composition Correlation in KNN-BT Ceramics – An X-ray Diffraction and Raman Spectroscopic Investigation”, *Mater. Chem. Phys.*, 138 (2013) 905-908.
- [122] X. Wu, K.W. Kwok, F. Li, “Upconversion fluorescence studies of sol-gel-derived  $\text{Er}^{3+}$ -doped KNN ceramics”, *J. Alloy. Compd.*, 580 (2013) 88–92.
- [123] K. Fukumi, S. Sakka, “Coordination state of  $\text{Nb}^{5+}$  ions in silicate and gallate glasses as studied by Raman spectroscopy”, *J. Mater. Sci.* 23 (1988) 2819.

- [124] A. Aronne, V. N. Sigaev, B. Champagnon, E. Fanelli, V. Califano, , L. Z. Usmanova, P. Pernice “The origin of nanostructuring in potassium niobiosilicate glasses by Raman and FTIR spectroscopy”, J. Non-Cryst. Solids., 351 (2005) 3610–3618.
- [125] A. A. Lipovskii, D. K. Tagantsev, A. A. Vetrov, O. V. Yanush, “Raman spectroscopy and the origin of electrooptical Kerr phenomenon in niobium alkali-silicate glasses”, Opt. Mater. 21 (2003) 749.
- [126] I. P. Alekseeva, V. V. Golubkov, O. S. Dymshits, A. A. Zhilin, V. I. Petrov, M. Ya. Tsenter, “Spectroscopic and X-ray Diffraction Investigations into the Specific Features of Crystallization of Potassium Niobium Silicate Glasses”, Glass Phys. Chem., 30 (2004) 311.
- [127] H. Gao, Z. Wang, S. Wang, J. Non-Cryst. Solids 112 (1989) 332.
- [128] E. Husson, Y. Repelin, Q.D. Nguyen, H. Brusset, “Etude par spectrophotométries d'absorption infrarouge et de diffusion Raman des niobates de structure columbite”, Spectrochim. Acta 33A (1977) 995.
- [129] T. Cardinal, E. Fargin, G. Le Flem, M. Couzi, L. Canioni, P. Segonds, L. Sarger, A. Ducasse, F. Adamietz, “Non-linear optical properties of some niobium(V) oxide glasses”, Eur. J. Solid State Inorg. Chem. 33 (1996) 597.
- [130] Y. Jia, Y. Wei, Z. Wu, Z. Zhou, J. Chen, Y. Jia, Y. Zhang, J. Zhou, H. Wang, Effects of compositional changes on luminescence of lead-free Eu<sup>3+</sup>-doped K<sub>1-x</sub>Na<sub>x</sub>NbO<sub>3</sub> piezoelectric ceramics, J. Alloy Compd. 586 (2014) 66–68.
- [131] S. Pin, F. Piccinelli, K.U. Kumar, S. Enzo, P. Ghigna, C. Cannas, A. Musinu, G.3Mariotto, M. Bettinelli, A. Speghini, Structural investigation and luminescence of nanocrystalline lanthanide doped NaNbO<sub>3</sub> and Na<sub>0.5</sub>K<sub>0.5</sub>NbO<sub>3</sub>, J. Solid State Chem. 196(2012)1–10.
- [132] T. Sato, N. Funamori, T. Yagi, “Helium penetrates into silica glass and reduces its compressibility”, Nat. Commun., 2 (2011) 345.

- [133] W. T. Carnall, P. R. Fields K. Rajnak, "Electronic Energy Levels in the Trivalent Lanthanide Aqua Ions. 1.  $\text{Pr}^{3+}$ ,  $\text{Nd}^{3+}$ ,  $\text{Pm}^{3+}$ ,  $\text{Sm}^{3+}$ ,  $\text{Dy}^{3+}$ ,  $\text{Ho}^{3+}$ ,  $\text{Er}^{3+}$ , and  $\text{Tm}^{3+}$ ," *J. Chem. Phys.*, 49 (1968) 4424-4442.
- [134] A. Tarafder, B. Karmakar, "Chapter 19: Nanostructured  $\text{LiTaO}_3$  and  $\text{KNbO}_3$  Ferroelectric Transparent Glass-Ceramics for Applications in Optoelectronics", *Ferroelectrics - Material Aspects* (2011) DOI: 10.5772/16455.
- [135] M. Hayakawa, T. Hayakawa, X. T. Zhang, M. Nogami, "Optical detection of near infrared femtosecond laser-heating of  $\text{Er}^{3+}$ -doped  $\text{ZnO-Nb}_2\text{O}_5-\text{TeO}_2$  glass by green up-conversion fluorescence of  $\text{Er}^{3+}$  ions", *J. Lumin.*, 131 (2011) 843–849.
- [136] H. Lin, G. Meredith, S. Jiang, X. Peng, T. Luo, N. Peyghambarian and E.Y.B. Pun, "Optical Transitions and Visible Upconversion in Er<sup>3+</sup> Doped Niobic Tellurite Glass," *J. Appl. Phys.*, 93 (2003) 186-191.
- [137] R. S. Chaliha, K. Annapuma, A. Tarafder, V. S. Tiwari, P. K. Gupta, B. Karmakar, "Luminescence and dielectric properties of nano-structured  $\text{Eu}^{3+}:\text{K}_2\text{O-Nb}_2\text{O}_5-\text{SiO}_2$  glass-ceramics," *Solid State Sci.*, 2 (2009) 1325-1332.
- [138] K. J. Saji, R. Manoj, R. S. Ajimsha, M. K. Jayaraj, "Growth of zinc oxide thin films for optoelectronic application by pulsed laser deposition", Proc. SPIE 6286, Advances in Thin-Film Coatings for Optical Applications III, 62860D (2006).
- [139] A. Nath, S. S. Laha and A. Khare, "Synthesis of  $\text{TiO}_2$  Nanoparticles Via Laser Ablation at Titanium-Water Interface", *Int. Ferroelectrics.*, 121 (2010).
- [140] H. G. Kim, T. Komatsu, "Fabrication and properties of transparent glass-ceramics in  $\text{Na}_2\text{O-Nb}_2\text{O}_5-\text{TeO}_2$  system", *J. Mater. Sci. Lett.*, 17 (1998) 1149-1151.
- [141] P. Prapitpongwanich, R. Harizanova, K. Pengpat, C. Rüssel, "Nanocrystallization of ferroelectric lithium niobate in  $\text{LiNbO}_3-\text{SiO}_2$  glasses", *Mater. Lett.*, 63 (2009) 1027–1029.

- [142] K. Kioka, T. Honma, T. Komatsu, “Fabrication of (K,Na)NbO<sub>3</sub> glass-ceramics and crystal line patterning on glass surface”, Optical Materials 33 (2011) 1203–1209.
- [143] REE handbook, “Erbium”, [Online], Available <http://www.reehandbook.com / erbium.html> (May 2015).



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่  
Copyright© by Chiang Mai University  
All rights reserved

## LIST OF PUBLICATIONS

- 1) P. Yongsiri, S. Eitssayeam, G. Rujijanagul, S. Sirisoonthorn, T. Tunkasiri, K. Pengpat, "Fabrication of Transparent Lead-Free KNN Glass-ceramics by Incorporation Method", *Nanoscale Res. Lett.*, 7 (2012) 136.
- 2) P. Yongsiri, S. Eitssayeam, U. Inthata, G. Rujijanagul, S. Sirisoonthorn, T. Tunkasiri, K. Pengpat, "Fabrication of Ferroelectric Glass Ceramics from  $(K_{0.5}Na_{0.5})NbO_3-SiO_2-Al_2O_3$  Glass System", *Ferroelectrics*, 416 (2011) 144-150.
- 3) P. Yongsiri, K. Pengpat, "Materials Characterization of Potassium Sodium Niobate based Tellurite Glass-Ceramics", *Int. Ferroelectrics.*, 141 (2013) 154-166.
- 4) P. Yongsiri, N. Phupradit, S. Sirisoonthorn, K. Pengpat, "Microstructure and Optical Properties of  $Er_2O_3$  Doped Potassium Sodium Niobate Tellurite Glass-ceramics", Proceeding of 2013 Joint UFFC, EFTF and PFM Symposium, IEEE.
- 5) P. Yongsiri, S. Eitssayeam, S. Sirisoonthorn, and K. Pengpat, "Morphology of Potassium Sodium Niobate based Silicate Glass System", *Electron. Mater. Lett.*, 9 (2013).
- 6) P. Yongsiri, P. Mhuangthong, A. Munpakdee, K. Pengpat, "Preparation of Potassium Sodium Niobate in Tellurite Glass System Doped with  $Er_2O_3$ ", *Ferroelectrics*, 459 (2014) 153-159.