

REFERENCES

- Ajello L, Padhye AA, Sukroongreung S, Nilakul CH, Tantimavanic S. Occurrence of *Penicillium marneffe* infections among wild bamboo rats in Thailand. *Mycopathologia*. 1995; 131(1): 1-8.
- Annam V, Inamadar AC, Palit A, Koppad M, Peerapur BV, Yelikar BR. Genital ulcer caused by *Penicillium marneffe* in an HIV-infected patient. *Sex Transm Infect*. 2007; 83(3): 249-250.
- Antinori S, Gianelli E, Bonaccorso C, Ridolfo AL, Croce F, Sollima S, *et al*. Disseminated *Penicillium marneffe* infection in an HIV-positive Italian patient and a review of cases reported outside endemic regions. *J Travel Med*. 2006; 13(3): 181-188.
- Assavanig A, Amornkitticharoen B, Ekpaisal N, Meevootisom V, Flegel TW. Isolation, characterization and function of laccase from *Trichoderma*. *Appl Microbiol Biotechnol*. 1992; 38, 198-202.
- Ausec L, Zakrzewski M, Goesmann A, Schlüter A, Mandic-Mulec I. Bioinformatic analysis reveals high diversity of bacterial genes for laccase-like enzymes. *PLoS ONE*. 2011; 6: e25724.
- Bailloud R, Sumanak M, Sar B, Sreng CY, Ellman T, Laureillard D, *et al*. Premiers cas d'infection à *Penicillium marneffe* identifiés chez l'immunodéprimé au Cambodge. *J Mycol Med*. 2002; 12(3): 138-142.

- Bateman AC, Jones GR, O'Connell S, Clark FJ, Plummeridge M. Massive hepatosplenomegaly caused by *Penicillium marneffe* associated with human immunodeficiency virus infection in a Thai patient. *J Clin Pathol*. 2002; 55(2): 143–144.
- Beloqui A, Pita M, Polaina J, Martínez-Arias A, Golyshina OV, Zumárraga M, *et al*. Novel polyphenol oxidase mined from a metagenome expression library of bovine rumen: biochemical properties and structural analysis. *J Biol Chem*. 2006; 281(32): 22933–22942.
- Benfield G, Bocks SM, Bromley K, Brown BR. Studies of fungal and plant laccases. *Phytochem*. 1964; 3(1): 79-88.
- Bhardwaj S, Shukla A, Mukherjee S, Sharma S, Guptasarma P, Chakraborti AK, *et al*. Putative structure and characteristics of a red water-soluble pigment secreted by *Penicillium marneffe*. *Med Mycol*. 2007; 45(5): 419-427.
- Bocca AL, Brito PP, Figueiredo F, Tosta CE. Inhibition of nitric oxide production by macrophages in chromoblastomycosis: a role for *Fonsecaea pedrosoi* melanin. *Mycopathologia*. 2006; 161(4): 195-203.
- Borneman AR, Hynes MJ, Andrianopoulos A. The *abaA* homologue of *Penicillium marneffe* participates in two developmental programmes: conidiation and dimorphic growth. *Mol Microbiol*. 2000; 38(5): 1034-1047.

- Borradori L, Schmit JC, Stetzkowski M, Dussoix P, Saurat JH, Filthuth I. Penicilliosis marneffei infection in AIDS. *J Am Acad Dermatol*. 1994; 31(5 Pt 2): 843-6.
- Boyce KJ, Schreider L, Andrianopoulos A. In Vivo yeast Cell morphogenesis is regulated by a p21-activated kinase in the human pathogen *Penicillium marneffei*. *PLoS Pathog*. 2009; 5: e1000678.
- Cao L, Chen DL, Lee C, Chan CM, Chan KM, Vanittanakom N, et al. Detection of specific antibodies to an antigenic mannoprotein for diagnosis of *Penicillium marneffei* penicilliosis. *J Clin Microbiol*. 1998; 36(10): 3028-3031.
- Capponi M, Sureau P, Segretain G. Penicilliose de *Rhizomys sinensis*. *Bulletin de la Societe de Pathologic Exotique et de ses Filiales*. 1956; 49: 418-421.
- Chai LY, Netea MG, Sugui J, Vonk AG, van de Sande WW, Warris A, et al. *Aspergillus fumigatus* conidial melanin modulates host cytokine response. *Immunobiology*. 2010; 215(11): 915-20.
- Chaiyaroj SC, Chawengkirttikul R, Sirisinha S, Watkins P, Srinoulprasert Y. Antigen detection assay for identification of *Penicillium marneffei* infection. *J Clin Microbiol*. 2003; 41(1): 432-434.
- Chang KC, Chan CK, Chow KC, Lam CW. Disseminated *Penicillium marneffei* infection and solitary pulmonary nodule. *Hong Kong Medical Journal*. 1998; 4(1): 59-62.

- Chang CC, Liao ST, Huang WS, Liu JD, Shih LS. Disseminated *Penicillium marneffei* infection in a patient with acquired immunodeficiency syndrome. *Journal of the Formosan Medical Association*. 1995; 94(9): 572-575.
- Chariyalertsak S, Sirisanthana T, Supparatpinyo K, Nelson KE. Seasonal Variation of Disseminated *Penicillium marneffei* Infections in Northern Thailand: A Clue to the Reservoir?. *J Infect Dis*. 1996a; 173(6): 1490-1493.
- Chariyalertsak S, Sirisanthana T, Supparatpinyo K, Praparattanapan J, Nelson KE. Case-control study of risk factors for *Penicillium marneffei* infection in human immunodeficiency virus-infected patients in northern Thailand. *Clin Infect Dis*. 1997; 24(6): 1080-1086.
- Chariyalertsak S, Vanittanakom P, Nelson KE, Sirisanthana T, Vanittanakom N. *Rhizomys sumatrensis* and *Cannomys badius*, new natural animal hosts of *Penicillium marneffei*. *J Med Vet Mycol*. 1996b; 34(2): 105-110.
- Chiang CT, Leu HS, Wu TL, Chan HL. *Penicillium marneffei* fungemia in an AIDS patient: the first case report in Taiwan. *Changcheng Yi Xue Za Zhi*. 1998; 21(2): 206-10.
- Chiewchanvit S, Mahanupab P, Hirunsri P, Vanittanakom N. Cutaneous manifestations of disseminated *Penicillium marneffei* mycosis in five HIV-infected patients. *Mycoses*. 1991; 34(5-6): 245-249.

- Chim CS, Fong CY, Ma SK, Wong SS, Yuen KY. Reactive hemophagocytic syndrome associated with *Penicillium marneffe*i infection. *Am J Med.* 1998; 104(2): 196-7.
- Cogliati M, Roverselli A, Boelaert JR, Taramelli D, Lombardi L, Vivian MA. Development of an in vitro macrophage system to assess *Penicillium marneffe*i growth and susceptibility to nitric oxide. *Infect Immun.* 1997; 65(1): 279–284.
- Cooper CR and Haycocks NG. *Penicillium marneffe*i: An Insurgent Species Among the Penicillia. *J Eukaryot Microbiol.* 2000; 47(1): 24-28.
- Cooper CR and Vanittanakom N. Insights into the pathogenicity of *Penicillium marneffe*i. *Future Microbiol.* 2008; 3(1): 43-55.
- da Silva Ferreira ME, Kress MRVZ, Savoldi M, Goldman MHS, Härtl A, Heinekamp T, *et al.* The akuB(KU80) mutant deficient for nonhomologous end joining is a powerful tool for analyzing pathogenicity in *Aspergillus fumigatus*. *Eukaryot Cell.* 2006; 5(1): 207-211.
- Desakorn V, Simpson AJH, Wuthiekanun V, Sahassananda D, Rajanu Wong A, Pitisuttithum P, *et al.* Development and evaluation of rapid urinary antigen detection tests for diagnosis of penicilliosis marneffei. *J Clin Microbiol.* 2002; 40(9): 3179-3183.

- Desakorn V, Smith MD, Walsh AL, Simpson AJH, Sahassananda D, Rajanuwong A, *et al.* Diagnosis of *Penicillium marneffei* infection by quantitation of urinary antigen by using an enzyme immunoassay. *J Clin Microbiol.* 1999; 37(1): 117-121.
- Deesomchok A, Tanprawate S. A 12-case series of *Penicillium marneffei* pneumonia. *J Med Assoc Thai.* 2006; 89(4): 441-447.
- Deng Z, Ribas JL, Gibson DW, Connor DH. Infections caused by *Penicillium marneffei* in China and Southeast Asia: review of eighteen published cases and report of four more Chinese cases. *Rev Infect Dis.* 1988; 10(3): 640-652.
- Deng ZL, Yun M, Ajello L. Human penicilliosis marneffei and its relation to the bamboo rat (*Rhizomys pruinosus*). *J Med Vet Mycol.* 1986; 24(5): 383-389.
- Depraetere K, Colebunders R, Ieven M, De Droogh E, Pelgrom Y, Hauben E, *et al.* Two imported cases of *Penicillium marneffei* infection in Belgium. 1998; 53(4): 255-258.
- Devi KR, Singh LR, Rajkumari R, Usharani M, Devi KhS, Singh TB. *Penicillium marneffei*-an indicator disease of AIDS: a case report. *Indian J Pathol Microbiol.* 2007; 50(3): 674-676.
- Di Salvo AF, Fickling AM, Ajello L. Infection caused by *Penicillium marneffei*: description of first natural infection in man. *Am J Clin Pathol.* 1973; 60(2): 259-263.

- Drouhet E. Central nervous system mycoses in pediatrics. *Minerva Pediatrica*. 1992; 44(10 Suppl 1): 69-77.
- Duong TA. Infection Due to *Penicillium marneffe*, an Emerging Pathogen: Review of 155 Reported Cases. *Clin Infect Dis*. 1996; 23(1): 125-130.
- Eggert , Temp CU, Dean JFD. Eriksson KEL. A fungal metabolite mediates degradation of non-phenolic lignin structures and synthetic lignin by laccase. *FEBS Lett*. 1996; 391(1-2): 144-148.
- Eisenman HC, Mues M, Weber SE, Frases S, Chaskes S, Gerfen G, *et al*. *Cryptococcus neoformans* laccase catalyses melanin synthesis from both D- and L-DOPA. *Microbiology*. 2007; 153(Pt 12): 3954-62.
- Ferrer M, Belouqui A, Golyshin PN. Screening metagenomic libraries for laccase activities. *Methods Mol Biol*. 2010; 668: 189–202.
- Fridovich I. Oxygen toxicity: a radical explanation. *J Exp Biol*. 1998; 201: 1203-1209.
- Frisvad JC, Filtenborg O. Revision of *Penicillium* subgenus *Furcatum* based on secondary metabolites and conventional characters. In: Samson RA, Pitt JI, Editors. *Modern Concepts in Penicillium and Aspergillus Classification*. New York: Plenum Press; 1990. p. 159-172.
- Galhaup C, Goller S, Peterbauer CK, Strauss J, Haltrich D. Characterization of the major laccase isoenzyme from *Trametes pubescens* and regulation of its synthesis by metal ions. *Microbiology*. 2002; 148 (Pt 7): 2159-2169.

- George IA, Sudarsanam TD, Pulimood AB, Mathews MS. Acute abdomen: an unusual presentation of disseminated *Penicillium marneffe*i infection. *Indian J Med Microbiol.* 2008; 26(2): 180-182.
- Gómez BL, Nosanchuk JD. Melanin and fungi. *Curr Opin Infect Dis.* 2003; 16: 91-96.
- Gómez BL, Nosanchuk JD, Díez S, Youngchim S, Aisen P, Cano LE, *et al.* Detection of melanin-like pigments in the dimorphic fungal pathogen *Paracoccidioides brasiliensis* in vitro and during infection. *Infect Immun.* 2001; 69(9): 5760-5767.
- Grise G, Aouar M, Brasseur P, Humbert G. *Penicillium marneffe*i infection: a pathology to be known. *Ann Biol Clin (Paris).* 1997; 55(3): 241-242.
- Hamilton AJ, Gomez BL. Melanins in fungal pathogens. *J Med Microbiol.* 2002; 51(3): 189-191.
- Hamilton AJ, Jeavons L, Youngchim S, Vanittanakom N. Recognition of fibronectin by *Penicillium marneffe*i conidia via a sialic acid-dependent process and its relationship to the interaction between conidia and laminin. *Infect Immun.* 1999; 67(10): 5200-5205.
- Hamilton AJ, Jeavons L, Youngchim S, Vanittanakom N, Hay RJ. Sialic Acid-Dependent Recognition of Laminin by *Penicillium marneffe*i Conidia. *Infect Immun.* 1998; 66(12): 6024-6026.

- Heath TC, Patel A, Fisher D, Bowden FJ, Currie B. Disseminated *Penicillium marneffei*: presenting illness of advanced HIV infection; a clinicopathological review, illustrated by a case report. *Pathology*. 1995; 27(1): 101-105.
- Hien TV, Loc PP, Hoa NT, Duong NM, Quang VM, McNeil MM, *et al*. First cases of disseminated penicilliosis marneffei infection among patients with acquired immunodeficiency syndrome in Vietnam. *Clin Infect Dis*. 2001; 32(4): 78-80.
- Hsueh PR, Teng LJ, Hung CC, Hsu JH, Yang PC, Ho SW, *et al*. Molecular evidence for strain dissemination of *Penicillium marneffei*: an emerging pathogen in Taiwan. *J Infect Dis*. 2000; 181(5): 1706-1712.
- Hulshof CM, van Zanten RA, Sluiters JF, van der Ende ME, Samson RS, Zondervan PE, *et al*. *Penicillium marneffei* infection in an AIDS patient. *Eur J Clin Microbiol Infect Dis*. 1990; 9(5): 370.
- Hung CC, Hsueh PR, Chen MY, Hsiao CH, Chang SC, Luh KT. Invasive infection caused by *Penicillium marneffei*: An emerging pathogen in Taiwan. *Clin Infect Dis*. 1998; 26: 202-203.
- Huynh TX, Nguyen HC, Dinh Nguyen HM, Do MT, Odermatt-Biays S, Degrémont A, *et al*. *Penicillium marneffei* infection and AIDS. A review of 12 cases reported in the Tropical Diseases Centre, Ho Chi Minh City (Vietnam). *Sante*. 2003; 13(3): 149-153.
- Jacobson ES, Tinnell SB. Antioxidant function of fungal melanin. *J Bacteriol*. 1993; 175(21): 7102-7104.

- Julander I, Petrini B. *Penicillium marneffei* infection in a Swedish HIV-infected immunodeficient narcotic addict. *Scand J Infect Dis*. 1997; 29(3): 320-322.
- Jayanetra P, Nitiyanant P, Ajello L, Padhye AA, Lolekha S, Atichartakarn V, *et al*. Penicilliosis marneffei in Thailand: Report of five human cases. *Am J Trop Med Hyg*. 1984; 33(4): 637-644.
- Kaufman L, Standard PG, Jalbert M, Kantipong P, Limpakarnjanarat K, Mastro TD. Diagnostic antigenemia tests for penicilliosis marneffei. *J Clin Microbiol*. 1996; 34(10): 2503-2505.
- Kantipong P, Panich V, Pongsurachet V, Watt G. Hepatic penicilliosis in patients without skin lesions. *Clin Infect Dis*. 1998; 26(5): 1215-1217.
- Kellner H, Luis P, Zimdars B, Kieseld B, Buscot F. Diversity of bacterial laccase-like multicopper oxidase genes in forest and grassland Cambisol soil samples. *Soil Biol Biochem*. 2008; 40(3): 638–648.
- Ko KF. Retropharyngeal abscess caused by *Penicillium marneffei*: an unusual cause of upper airway obstruction. *Otolaryngol Head Neck Surg*. 1994; 110(4): 445-446.
- Koguchi Y, Kawakami K, Kon S, Segawa T, Maeda M, Uede T, *et al*. *Penicillium marneffei* causes osteopontin-mediated production of interleukin-12 by peripheral blood mononuclear cells. *Infect Immun*. 2002; 70(3): 1042-8.

- Kudeken N, Kawakami K, Kusano N, Saito A. Cell-mediated immunity in host resistance against infection caused by *Penicillium marneffei*. *J Med Vet Mycol.* 1996; 34(6): 371-8.
- Kudeken N, Kawakami K, Saito A. Cytokine-induced fungicidal activity of human polymorphonuclear leukocytes against *Penicillium marneffei*. *FEMS Immunol Med Microbiol.* 1999; 6(2): 115-24.
- Kummasook A, Pongpom P, Vanittanakom N. Cloning, characterization and differential expression of an hsp70 gene from the pathogenic dimorphic fungus, *Penicillium marneffei*. *DNA Seq.* 2007; 18(5): 385-94.
- Langfelder K, Streibel M, Jahn B, Haase G, Brakhage AA. Biosynthesis of fungal melanins and their importance for human pathogenic fungi. *Fungal Genet Biol.* 2003; 38(2): 143–158.
- Lam KY, Cheung F, Yam LYC, Lee CH, Fung KH. Atypical presentations in a patient with systemic lupus erythematosus. *J Clin Pathol.* 1997; 50: 174–176.
- Levine WG. “Laccase, a review,” In: Peisach J editor. *The biochemistry of copper*, New York: Academic Press Inc; 1965. p. 371-385.
- Li JS, Pan LQ, Wu SX, Su SX, Su SB, Shan LY. Disseminated penicilliosis marneffei in China. *Chin Med J.* 1991; 104(3): 247–251.
- Li PC, Tsui MC, Ma KF. *Penicillium marneffei*: indicator disease for AIDS in South East Asia. *AIDS.* 1992; 6(2): 240-241.

- Liao X, Ran Y, Chen H, Meng W, Xiang B, Kang M, *et al.* Disseminated *Penicillium marneffei* infection associated with AIDS, report of a case. *Zhonghua Yi Xue Za Zhi*. 2002; 82(5): 325-329.
- Lindquist S, Craig EA. The heat-shock proteins. *Annu Rev Genet*. 1988; 22: 631-677.
- Liu L, Tewari RP, Williamson PR. Laccase protects *Cryptococcus neoformans* from antifungal activity of alveolar macrophages. *Infect Immun*. 1999; 67(11): 6034-6039.
- Liu H, Wei L, Guo T, Tan W. Detection of DOPA-Melanin in the dimorphic fungal pathogen *Penicillium marneffei* and its effect on macrophage phagocytosis *in vitro*. *PLoS ONE*. 2014; 9(3): e92610.
- Liu H, Xi L, Zhang J, Li X, Liu X, Lu C, *et al.* Identifying differentially expressed genes in the dimorphic fungus *Penicillium marneffei* by suppression subtractive hybridization. *FEMS Microbiol Lett*. 2007; 270(1): 97-103.
- Lo CY, Chan DT, Yuen KY, Li FK, Cheng KP. *Penicillium marneffei* infection in a patient with SLE. *Lupus*. 1995; 4(3): 229-231.
- Lo Y, Tinteln K, Lippert U, Hoppe T. Disseminated *Penicillium marneffei* infection in an African AIDS patient. *Trans R Soc Trop Med Hyg*. 2000; 94(2): 187.
- LoBuglio K, Taylor J. Phylogeny and PCR identification of the human pathogenic fungus *Penicillium marneffei*. *J Clin Microbiol*. 1995; 33(1): 85-89.

- Louthrenoo W, Thamprasert K, Sirisanthana T. Osteoarticular penicilliosis marneffeii. A report of eight cases and review of the literature. *Br J Rheumatol*. 1994; 33(12): 1145-1150.
- Maniar JK, Chitale AR, Miskeen A, Shah K, Maniar A. *Penicillium marneffeii* infection: An AIDS-defining illness. *Indian Journal of Dermatology, Venereology and Leprology*. 2005; 71: 202-204.
- Mednick AJ, Nosanchuk JD, Casadevall A. Melanization of *Cryptococcus neoformans* affects lung inflammatory responses during cryptococcal infection. *Infect Immun*. 2005; 73(4): 2012-2019.
- Miller RA, Britigan BE. Role of oxidants in microbial pathophysiology. *Clin Microbiol Rev*. 1997; 10(1): 1-18.
- Missall TA, Lodge JK, McEwen JE. Mechanisms of resistance to oxidative and nitrosative stress: Implications for fungal survival in mammalian hosts. *Eukaryot Cell*. 2004; 3(4): 835-846.
- Missall TA, Moran JM, Corbett JA, Lodge JK. Distinct stress responses of two functional laccases in *Cryptococcus neoformans* are revealed in the absence of the thiol-specific antioxidant Tsa1. *Eukaryot Cell*. 2005; 4(1): 202-208.
- Mohri S, Yoshikawa K, Sagara H, Nakajima H. A case of *Penicillium marneffeii* infection in an AIDS patient: the first case in Japan. *Nihon Ishinkin Gakkai Zasshi*. 2000; 41(1): 23-6.

- Moon JL, Shaw LN, Mayo JA, Potempa J, Travis J. Isolation and properties of extracellular proteinases of *Penicillium marneffei*. *Biol Chem*. 2006; 387(7): 985-93.
- Morris-Jones R, Gomez BL, Diez S, Uran M, Morris-Jones SD, Casadevall A, *et al*. Synthesis of melanin pigment by *Candida albicans* *in vitro* and during Infection. *Infect Immun*. 2005; 73(9): 6147–6150.
- Morozova OV, Shumakovich GP, Shleev SV, Yaropolov YI. Laccase–mediator systems and their applications: A review. *Prikl Biokhim Mikrobiol*. 2007; 43(5): 583–597.
- Nagai M, Kawata M, Watanabe H, Ogawa M, Saito K, Takesawa T, *et al*. Important role of fungal intracellular laccase for melanin synthesis: purification and characterization of an intracellular laccase from *Lentinula edodes* fruit bodies. *Microbiology*. 2003; 149(Pt 9): 2455–2462.
- Ngaosuwankul P, Pongtanalert P, Engering A, Chaiyaroj SC. Differential gene expression profiles of human monocyte-derived antigen presenting cells in response to *Penicillium marneffei*: Roles of DC-SIGN (CD209) in fungal cell uptake. *Asian Pacific Journal of Allergy and Immunology*. 2008; 26: 151–163.
- Nosanchuk JD, Casadevall A. The contribution of melanin to microbial pathogenesis. *Cell Microbiol*. 2003; 5(4): 203–223.

- Nosanchuk JD, Casadevall A. Impact of melanin on microbial virulence and clinical resistance to antimicrobial compounds. *Antimicrobial Agents and Chemotherapy*. 2006; 50(11): 3519–3528.
- Nosanchuk JD, Duin D, Mandal P, Aisen P, Legendre AM, Casadevall A. *Blastomyces dermatitidis* produces melanin *in vitro* and during infection. *FEMS Microbiology Letters*. 2004; 239(1): 187–193.
- Nosanchuk JD, Gomez BL, Youngchim S, Diez S, Aisen P, Zancoppe-Oliveira RM, *et al.* *Histoplasma capsulatum* synthesizes melanin-like pigments *in vitro* and during mammalian infection. *Infect Immun*. 2002; 70(9): 5124-5131.
- Nosanchuk JD, Yu JJ, Hung CY, Casadevall A, Cole GT. *Coccidioides posadasii* produces melanin *in vitro* and during infection. *Fungal Genet*. 2007; 44: 517–520.
- Panichakul T, Chawengkirttikul R, Chaiyaroj SC, Sirisinha S. Development of a monoclonal antibody-based enzyme-linked immunosorbent assay for the diagnosis of *Penicillium marneffe* infection. *Am J Trop Med Hyg*. 2002; 67(4): 443-447.
- Piattelli M, Fattorusso E, Nicolus RA, Magno S. The structure of melanins and melanogenesis. *V Ustilago melanin Tetrahedron*. 1965; 21: 3229-3236.
- Piehl BT, Beschta RL, Pyles MR. Ditch-relief culverts and low-volume forest roads in the Oregon Coast Range. *Northwest Sci*. 1988; 62(3): 91–98.

- Pihet M, Vandeputte P, Tronchin G, Renier G, Saulnier P, Georgeault S, *et al.* Melanin is an essential component for the integrity of the cell wall of *Aspergillus fumigatus* conidia. *BMC Microbiol.* 2009; 9: 1-11.
- Pongpom P, Cooper CR Jr, Vanittanakom N. Isolation and characterization of a catalase-peroxidase gene from the pathogenic fungus, *Penicillium marneffei*. *Med Mycol.* 2005; 43(5): 403-11.
- Pongpom M, Sawatdeechaikul P, Kummasook A, Khanthawong S, Vanittanakom N. Antioxidative and immunogenic properties of catalase-peroxidase protein in *Penicillium marneffei*. *Med Mycol.* 2013; 51(8): 835-842.
- Prariyachatigul C, Chaiprasert A, Geenkajorn K, Kappe R, Chuchottaworn C, Termsetjaroen S, *et al.* Development and evaluation of a one-tube seminested PCR assay for the detection and identification of *Penicillium marneffei*. *Mycoses.* 2003; 46(11-12): 447-454.
- Pukkila-Worley R, Gerrald QD, Kraus PR, Boily MJ, Davis MJ, Gilles SS, *et al.* Transcriptional network of multiple capsule and melanin genes governed by the *Cryptococcus neoformans* cyclic AMP cascade. *Eukaryotic Cell.* 2005; 4(1): 190-201.
- Qiu Y, Davis MJ, Dayrit JK, Hadd Z, Meister DL, Osterholzer JJ, *et al.* Immune modulation mediated by cryptococcal laccase promotes pulmonary growth and brain dissemination of virulent *Cryptococcus neoformans* in mice. *PLoS ONE.* 2012; 7(10): 1-14.

- Ranjana KH, Priyokumar K, Singh TJ, Gupta ChC, Sharmila L, Singh PN, *et al.* Disseminated *Penicillium marneffei* infection among HIV-infected patients in Manipur state, India. *J Infect.* 2002; 45(4): 268-271.
- Raper KB, Thom CA. Manual of the penicillia. *Williams & Wilkins*. Baltimore, USA; 1949.
- Rappleye CA, Goldman WE. Defining virulence genes in the dimorphic fungi. *Annu Rev Microbiol.* 2006; 60: 281–303.
- Rimek D, Zimmermann T, Hartmann M, Prariyachatigul C, Kappe R. Disseminated *Penicillium marneffei* infection in an HIV-positive female from Thailand in Germany. *Mycoses.* 1999; 2: 25-8.
- Roilides E, Lyman CA, Sein T, Petraitiene R, Walsh TJ. Macrophage colony-stimulating factor enhances phagocytosis and oxidative burst of mononuclear phagocytes against *Penicillium marneffei* conidia. *FEMS Immunol Med Microbiol.* 2003; 36(1-2): 19-26.
- Rokiah I, Ng KP, Soo-Hoo TS. *Penicillium marneffei* infection in an AIDS patient-a first case report from Malaysia. *Med J Malaysia.* 1995; 50(1): 101-104.
- Romero-Martinez R, Wheeler M, Guerrero-Plata A, Rico G, Torres-Guerrero H. Biosynthesis and functions of melanin in *Sporothrix schenckii*. *Infect Immun.* 2000; 68(6): 3696-3703.

- Rongrungruang Y, Levitz SM. Interactions of *Penicillium marneffei* with human leukocytes *in vitro*. *Infect Immun*. 1999; 67(9): 4732-6.
- Sabiiti W, Robertson E, Beale MA, Johnston SA, Brouwer AE, Loyse A, *et al*. Efficient phagocytosis and laccase activity affect the outcome of HIV-associated cryptococcosis. *J Clin Invest*. 2014; 124(5): 2000-2008.
- Salas SD, Bennett JE, Kwon-Chung KJ, Perfect JR, Williamson PR. Effect of the laccase gene, CNLAC1, on virulence of *Cryptococcus neoformans*. *J Exp Med*. 1996; 184(2): 377-386.
- Samson RA, Yilmaz N, Houbraken J, Spierenburg H, Seifert KA, Peterson SW, *et al*. Phylogeny and nomenclature of the genus *Talaromyces* and taxa accommodated in *Penicillium* subgenus *Biverticillium*. *Stud Mycol*. 2011; 70(1): 159-183.
- Sapmak A. The role of *Penicillium marneffei* laccases against stress conditions, Thesis for Doctor of Philosophy in Microbiology, Chiang Mai University. 2012.
- Schmaler-Ripcke J, Sugareva V, Gebhardt P, Winkler R, Kniemeyer O, Heinekamp T *et al*. Production of pyomelanin, a second type of melanin, via the tyrosine degradation pathway in *Aspergillus fumigatus*. *Appl Environ Microbiol*. 2009; 75(2): 493–503.
- Segretain G. *Penicillium marneffei* n. sp., agent d'unemycose du systeme reticulo-endothelial. *Mycopathologia et Mycologia*. 1959; 11(4): 327–353.

- Sirisanthana T. *Penicillium marneffei* infection in patients with AIDS. *Emerg Infect Dis.* 2001; 7(3): 561.
- Sirisanthana T, Supparatpinyo K. Epidemiology and management of penicilliosis in human immunodeficiency virus-infected patients. *Int J Infect Dis.* 1998; 3(1): 48-53.
- Sirisanthana V, Sirisanthana T. Disseminated *Penicillium marneffei* infection in human immunodeficiency virus-infected children. *Pediatr Infect Dis J.* 1995; 14(11): 935-40.
- So SY, Chau PY, Jones BM, Wu PC, Pun KK, Lam WK, *et al.* A case of invasive penicilliosis in Hong Kong with immunologic evaluation. *Am Rev Respir Dis.* 1985; 131(4): 662-665.
- Srinoulprasert Y, Pongtanalert P, Chawengkirttikul R, Chaiyaroj SC. Engagement of *Penicillium marneffei* conidia with multiple pattern recognition receptors on human monocytes. *Microbiol Immunol.* 2009; 53(3): 162-172.
- Staib F. *Cryptococcus neoformans* und *Guizotia abyssinica*. *Z Hyg.* 1962; 148: 466-475.
- Sternberg S. The emerging fungal threat. *Science.* 1994; 266: 1632-1634.
- Subsai K, Kanoksri S, Siwaporn C, Helen L. Neurological complications in AIDS patients: the 1-year retrospective study in Chiang Mai University, Thailand. *Eur J Neurol.* 2004; 11(11): 755-759.

- Sugareva V, Härtl A, Brock M, Hübner K, Rohde M, Heinekamp T, *et al.*
Characterisation of the laccase-encoding gene *abr2* of the
dihydroxynaphthalene-like melanin gene cluster of *Aspergillus fumigatus*. *Arch*
Microbiol. 2006; 186(5): 345-55.
- Supparatpinyo K, Chiewchanvit S, Hirunsri P, Uthammachai C, Nelson KE,
Sirisanthana T. *Penicillium marneffei* infection in patients infected with human
immunodeficiency virus. *Clinical Infection Disease.* 1992; 14(4): 871-874.
- Supparatpinyo K, Kwamwan C, Baosoung V, Nelson KE, Sirisanthana T. Disseminated
Penicillium marneffei infection in Southeast Asia. *Lancet.* 1994; 344(8915):
1739-1743.
- Supparatpinyo K, Nelson KE, Merz WG, Breslin BJ, Cooper CR, Kamwan C, *et al.*
Response to antifungal therapy by human immunodeficiency virus-infected
patients with disseminated *Penicillium marneffei* infections and *in vitro*
susceptibilities of isolates from clinical specimens. *Antimicrob Agents*
Chemother. 1993; 37(11): 2407-2411.
- Supparatpinyo K, Perriens J, Nelson KE, Sirisanthana T. A controlled trial of
itraconazole to prevent relapse of *Penicillium marneffei* infection in patients
infected with the human immunodeficiency virus. *N Engl J Med.* 1998; 339(24):
1739-1743.

- Taborda CP, da Silva MB, Nosanchuk JD, Travassos LR. Melanin as a virulence factor of *Paracoccidioides brasiliensis* and other dimorphic pathogenic fungi: a minireview. *Mycopathologia*. 2008; 165(4-5): 331–339.
- Thirach S. Identification and isolation of virulent genes differentially expressed by *Penicillium marneffei* during macrophage infection, Thesis for Doctor of Philosophy in Microbiology, Chiang Mai University, 2008.
- Thirach S, Cooper CR Jr, Vanittanakom P, Vanittanakom N. The copper, zinc superoxide dismutase gene of *Penicillium marneffei*: cloning, characterization, and differential expression during phase transition and macrophage infection. *Med Mycol*. 2007; 45(5): 409-417.
- Thirach S, Vanittanakom N. Phagocytosis and killing of human pathogenic *Penicillium marneffei* and non-pathogenic, *Penicillium citrinum* by mouse macrophage J774.1 cells. *J Infect Dis Antimicrob Agents*. 2008; 25: 81-89.
- Thurston CF. The structure and function of of fungal laccases. *Microbiology*. 1994; 140(1): 19-26.
- Tsai H, Fujii I, Watanabe A, Wheeler MH, Chang YC, Yasuoka Y *et al*. Pentaketide melanin biosynthesis in *Aspergillus fumigatus* requires chain-length shortening of a heptaketide precursor. *J Biol Chem*. 2001; 276(31): 29292–29298.
- Tsang DNC, Li PKC, Tsui MS, Lau YT, Ma KF, Yeoh EK. *Penicillium marneffei*: another pathogen to consider in patients infected with human immunodeficiency virus. *Rev Infect Dis*. 1991; 13(4): 766–777.

- Tsui WM, Ma KF, Tsang DN. Disseminated *Penicillium marneffe*i infection in HIV-infected subject. *Histopathology*. 1992; 20(4): 287–293.
- Tong AC, Wong M, Smith NJ. *Penicillium marneffe*i infection presenting as oral ulcerations in a patient infected with human immunodeficiency virus. *J Oral Maxillofac Surg*. 2001; 59(8): 953-956.
- Vanittanakom N, Cooper CR Jr, Fisher MC, Sirisanthana T. *Penicillium marneffe*i infection and recent advances in the epidemiology and molecular biology aspects. *Clin Microbiol Rev*. 2006; 19(1): 95-110.
- Vanittanakom N, Merz WG, Sittisombat N, Khamwan C, Nelson KE, Sirisanthana T. Specific identification of *Penicillium marneffe*i by a polymerase chain reaction hybridization technique. *Med Mycol*. 1998; 36(3): 169-175.
- Vanittanakom N, Pongpom M, Praparattanapan J, Cooper CR, Sirisanthana T. Isolation and expression of heat shock protein 30 gene from *Penicillium marneffe*i. *Med Mycol*. 2009; 47(5): 521-526.
- Vanittanakom N, Sirisanthana T. *Penicillium marneffe*i infection in patients infected with human immunodeficiency virus. *Curr Top Med Mycol*. 1997; 8(1-2): 35-42.
- Vanittanakom N, Vanittanakom P, Hay RJ. Rapid identification of *Penicillium marneffe*i by PCR-based detection of specific sequences on the rRNA gene. *J Clin Microbiol*. 2002; 40(5): 1739-1742.

- Viviani MA, Tortorano AM, Rizzardini G, Quirino T, Kaufman L, Padhye AA, *et al.*
Treatment and serological studies of an Italian case of *Penicilliosis marneffei*
contracted in Thailand by a drug addict infected with the human
immunodeficiency virus. *Eur J Epidemiol.* 1993; 9(1): 79-85.
- Wada M, Nakamura Y. Type-II major-surface- glycoprotein family of *Pneumocystis*
carinii under the control of novel expression elements. . *DNA Res.* 1999; 6:
211–217.
- Wang Y, Aisen P, Casadevall A. Melanin, melanin “ghosts,” and melanin composition
in *Cryptococcus neoformans*. *Infection and immunity.* 1996; 64(7): 2420–2424.
- Williamson PR. Laccase and melanin in the pathogenesis of *Cryptococcus neoformans*.
Front Biosci. 1997; 2: e99–107.
- Wu TC, Chan JWM, Ng CK, Tsang DNC, Lee MP, Li PCK. Clinical presentations and
outcomes of *Penicillium marneffei* infections: a series from 1994 to 2004.
Hong Kong Med J. 2008; 14(2): 103-109.
- Xu F. Laccase. In: Flickinger MC, Drew SW, editors. Encyclopedia of bioprocess
technology: fermentation , biocatalysis, bioseparation. New York: John Wiley
& Sons Inc; 1999. p. 1545 – 1554.
- Yuen KY, Wong SS, Tsang DN, Chau PY. Serodiagnosis of *Penicillium marneffei*
infection. *Lancet.* 1994; 344(8920): 444-445.

Youngchim S, Hay RJ, Hamilton AJ. Melanization of *Penicillium marneffei* *in vitro* and *in vivo*. *Microbiology*. 2005; 151(Pt 1): 291-299.

Youngchim S, Vanittanakom N, Hamilton AJ. Analysis of the enzymatic activity of mycelial and yeast phases of *Penicillium marneffei*. *Med Mycol*. 1999; 37(6): 445-450.

Zhu X, Gibbons J, Garcia-Rivera J, Casadevall A, Williamson PR. Laccase of *Cryptococcus neoformans* is a cell wall-associated virulence factor. *Infect Immun*. 2001; 69(9): 5589-96.