CONTENTS

| | Page |
|--|------|
| Acknowledgement | d |
| Abstract in Thai | e |
| Abstract in English | g |
| List of Tables | 1 |
| List of Figure | m |
| List of Abbreviations | n |
| Chapter 1 Introduction | |
| 1.1 Rationale | 1 |
| 1.2 Purposes and hypotheses of the study | 4 |
| Chapter 2 Literature review | |
| 2.1 Chronic kidney disease | 5 |
| 2.2 Energy | 17 |
| 2.3 Hemodynamics Chiang Mai Univer | 22 |
| Chapter 3 Methods | |
| 3.1 Subjects | 26 |

| 3.2 Equipment | 27 |
|---|----|
| 3.3 Procedures | 29 |
| 3.4 Independent and dependent variables | 31 |
| 3.5 Location | 33 |
| 3.6 Statistical analysis | 33 |
| 3.7 Assumption of the study | 33 |
| Chapter 4 Results | 34 |
| Chapter 5 Discussion | |
| 5.1 Characteristics of patients | 50 |
| 5.2 Resting energy expenditure | 51 |
| 5.3 Hemodynamics | 54 |
| 5.4 Conclusion | 57 |
| 5.5 Clinical application and future study | 57 |
| 5.6 Limitations and suggestions | 58 |
| CoReferences ht Chiang Mai University | 59 |
| | |

Appendix

| 75 |
|----|
| 77 |
| 79 |
| 85 |
| 87 |
| 90 |
| , |

LIST OF TABLES

| | Page |
|---|------|
| Table 1 Characteristics of the hemodialysis patients | 34 |
| Table 2 VO ₂ , VCO ₂ and RER alterations for pre-, during and post- | 36 |
| hemodialysis procedures. | |
| Table 3 Percent change of VO ₂ , VCO ₂ and RER alterations for pre-, during | 37 |
| and post-hemodialysis procedures. | |
| Table 4 REE alterations for pre-, during and post-hemodialysis procedures | 41 |
| Table 5 The percent change of REE alterations in the pre-, during | 42 |
| and post-hemodialysis procedures. | |
| Table 6 Hemodynamics alteration at pre-, during and post-hemodialysis | 44 |
| procedures | |
| | |
| | |
| | |

LIST OF FIGURES

| | Page |
|--|------|
| Figure 1 Experimental procedure | 32 |
| Figure 2 Oxygen consumption (VO ₂) | 38 |
| Figure 3 Carbondioxide product (VCO ₂) | 39 |
| Figure 4 Respiratory exchange ratio (RER) | 39 |
| Figure 5 Resting energy expenditure (REE) | 43 |
| Figure 6 Heart rate (HR) | 46 |
| Figure 7 Stroke volume (SV) | 46 |
| Figure 8 Cardiac output (CO) | 47 |
| Figure 9 End-diastolic volume (EDV) | 47 |
| Figure 10 Ejection fraction (EF) | 48 |
| Figure 11 Total peripheral resistance (TPR) | 48 |
| Figure 12 Systolic blood pressure (SBP) | 49 |
| Figure 13 Diastolic blood pressure (DBP) | 49 |

LIST OF ABBREVIATIONS

CKD Chronic kidney disease

GFR Glomerular filtration rate

REE Resting energy expenditure

HD Hemodialysis

CHD Chronic hemodialysis patients

ESRD End stage renal disease

LVH Left ventricular hypertrophy

PTH Parathyroid hormone

CVD Cardiovascular disease

RRT Renal replacement therapy

CAPD Continuous ambulatory peritoneal dialysis

PD Peritoneal dialysis

BUN Blood urea nitrogen

UF Ultrafiltration

TEE Total energy expenditure

BMR Basal metabolic rate

ECV Extracellular volume

UFF Ultrafiltration failure

VE Ventilation

VO₂ Oxygen consumption

Carbondioxide product VCO₂ RER Respiratory exchange ratio HR Heart rate Stroke volume SV Cardiac output CO End-diastolic volume **EDV** EF Ejection fraction Total peripheral resistance **TPR** SBP Systolic blood pressure

DBP

Diastolic blood pressure