

REFERENCES

- Ahsan, G., Ahmed, J., Singhasivanon, P., Kaewkungwal, J., Okanurak, K., Suwannapong, N., et al. (2004). Gender difference in treatment seeking behaviors of tuberculosis cases in rural communities of Bangladesh. *Southeast Asian Journal Tropical Medicine Public Health*, 35(1), 126-135.
- Akkslip, S., Rasmithat, S., Maher, D., & Sawert, H. (1999). Direct observation of tuberculosis treatment by supervised family members in Yasothon Province, Thailand. *International Journal of Tuberculosis and Lung Disease*, 3(12), 1061-1065.
- American Thoracic Society. (1994). Treatment of tuberculosis and tuberculosis infection in adults and children. *American Journal of Respiratory and Critical Care Medicine*, 149, 1359-1374.
- Ariyothai, N., Kladphuang, B., Thanasomboon, V., & Kongsamsri, S. (2005). Defaulting from tuberculosis treatment among newly tuberculosis patients with smear positive. *Thai Journal of Tuberculosis Chest Disease and Critical Care*, 26, 167-173.
- Arkaravichien, W., Usawamethapun, S., & Soonthornpas, C. (2003). A comparative study of tuberculosis patients who can and cannot comply with DOTS. *Thai Journal of Tuberculosis Chest Diseases and Critical Care*, 24, 53-60.
- Armitage, C. J. & Conner, M. (2000). Social cognitive models and health behavior: A structured review. *Psychology and Health*, 15, 173-189.
- Bam, T. S., Gunneberg, C., Chamroonsawasdi, K., Bam, D. S., Aalberg, O., Kasland, O., et al., (2006). Factors affecting patient adherence to DOTS in urban Kathmandu, Nepal. *International Journal of Tuberculosis and Lung Disease*, 10(3), 270-276.

Bandura, A. (1986). *Social foundations of thought and action: A social cognitive theory*. New Jersey: Prentice-Hall.

Bandura, A. (1991). Social cognitive theory of self-regulation. *Organization Behavior and Human Decision Processes*, 50, 248-287.

Bandura, A. (1997). *Self-efficacy: The exercise of control*. New York: W. H. Freeman and Company.

Bandura, A. (1993). Perceived self-efficacy in cognitive development and functioning. *Educational Psychologist*, 28(2), 117-148.

Bandura, A. (1977). Self-efficacy: Toward a unifying theory of behavior change. *Psychological Review*, 84, 191-215.

Bandura, A. (2004). Health promotion by social cognitive means. *Health Education and Behavior*, 31(2), 143-164.

Bangalore, S., Kamalakkannan, G., Parkar, S., & Messerli, F. H. (2007). Fixed-dose combinations improve medication compliance: A meta-analysis. *American Journal of Medicine*, 120, 713-719.

Baranowski, T., Perry, C. L., & Parcel, G. S. (2002). How individuals, environments, and health behavior interact: Social cognitive theory. In K. Glanz, B. K., Rimer, & F. M. Lewis (Eds.), *Health behavior and health education: Theory, research, and practice* (pp. 165-184). San Francisco: Jossey-Bass.

Barnason, S., Zimmerman, L., Hertzog, M., & Schulz, P. (2010). Pilot testing of a medication self-management transition intervention for heart failure patients. *Western Journal of Nursing Research*, 32, 849-870.

Barnes, P. F., Verdegem, T. D., Vachon, L. A., Leedom, J. M., & Overturf, G. D. (1988). Chest roentgenogram in pulmonary tuberculosis: New data on an old test. *Chest*, 94(2), 316-320.

- Barofsky, I. (1978). Compliance, adherence, and the therapeutic alliance: Steps in the development of self-care. *Social Science and Medicine*, 12(5A), 369-376.
- Bashour, H., & Mamaree, F. (2003). Gender differences and tuberculosis in the Syrian Arab Republic: Patients' attitudes, compliance and outcomes. *Eastern Mediterranean Health Journal*, 9(4), 757-768.
- Becker, M. (1985). Patient adherence to prescribed therapies. *Medical Care*, 23, 539-555.
- Berben, L., Dobbels, F., Engberg, S., Hill, M. N., & De Geest, S. (2012). An ecological perspective on medication adherence. *Western Journal of Nursing Research*, 34(5), 635-653.
- Bissonnette, J. M. (2008). Adherence: A concept analysis. *Journal of Advanced Nursing*, 63(6), 634-643.
- Blanc, L., & Martinez, L. (2007). The international TB control targets. *Bulletin of the World Health Organ*, 85(5), 326.
- Boonpendecha, L. (2001). *An application of self-efficacy theory to compliance behaviors modification among pulmonary tuberculosis patients at Pranakhonsriayathaya hospital*. Unpublished master' thesis, Mahidol University, Bangkok, Thailand.
- Borgdorff, M. W., Floyd, K., & Broekmans, J. F. (2002). Interventions to reduce tuberculosis mortality and transmission in low- and middle-income countries. *Bulletin of the World Health Organization*, 80, 217-227.
- Boswell, K. A., Cook, C. L., Burch, S. P., Eaddy, M. T., & Cantrell, C. R. (2012). Associating medication adherence with improved outcomes: A systematic literature review. *The American Journal of Pharmacy Benefits*, 4(4), e97-e108.

- Breathnach, A. S., De Ruiter, A., Holdsworth, G. M. C., Bateman, N. T., O'Sullivan, D. G. M., Rees, P. J., et al. (1998). An outbreak of multi-drug-resistant tuberculosis in London teaching hospital. *Journal of Hospital Infection*, 39(2), 111-117.
- Bronner, L. E., Podewils, L.J., Peters, A., Somnath, P., Nshuti, L., Walt, M. V. D. & et al. (2012). Impact of community tracer teams on treatment outcomes among tuberculosis in South Africa. *BioMed Central Public Health*, 12, 621-630.
- Brown, S. A. (1990). Studies of educational interventions and outcomes in diabetic adults: A meta-analysis revisited. *Patient Education and Counseling*, 16, 189-215.
- Burakorn, J. (2004). *Factors associated with defaulted among pulmonary tuberculosis patient in Chaiyaphum province*. Unpublished master's thesis, Khon Kaen University, Thailand.
- Buring, S. M., Winner, L. H., Hatton, R. C., & Doering, P. L. (1999). Discontinuation rates of Helicobacter pylori treatment regimens: A meta-analysis. *Pharmacotherapy*, 19, 324-332.
- Carpenter, R. (2005). Perceived threat in compliance and adherence research. *Nursing Inquiry*, 12(3), 192-199.
- Centers for Disease Control and Prevention. (1999). *Self-study modules on tuberculosis: Module 9; Patient adherence to tuberculosis treatment*. Atlanta: CDC.
- Chang, K. C., Leung, C. C., & Tam, C. M. (2004). Risk factors for defaulting from anti-tuberculosis treatment under directly observed treatment in Hong Kong. *International Journal of Tuberculosis and Lung Disease*, 8(12), 1492-1498.
- Chatwiriyachareon, T. (2003). *The relationships between treatment compliance behaviors of pulmonary tuberculosis patients and outcomes of directly observed therapy-short course*, Surin province. Unpublished master's thesis, Khon Kaen University, Thailand.

- Chaulk, P., & Kazandjian, V. A. (2003). Comprehensive case management model for pulmonary tuberculosis. *Disease Manage Health Outcomes*, 11(9), 571-577.
- Chen, S. Y., Sheu, S., Chang, C. S., Wang, T. H., & Huang, M. S. (2010). The effects of the self-efficacy method on adult asthmatic patient self-care behavior. *Journal of Nursing Research*, 18(4), 266-274.
- Chierakul, N., & Chungsamarn, S. (2001). Disseminated tuberculosis. *Thai Journal of Tuberculosis and Chest Disease*, 22(4), 221-228.
- Chimbanrai, B., Fungladda, W., Kaewkungwal, J., & Silachamroom, U. (2008). Treatment-seeking behaviors and improvement in adherence to treatment regimen of tuberculosis patients using intensive triad-model program, Thailand. *Southeast Asian Journal of Tropical Medicine and Public Health*, 39(3), 526-541.
- Chindasub, A. (2007). Factors for the effect of treatment of tuberculosis by DOTS in Bangkok. *Thai Journal of Tuberculosis Chest Disease and Critical Care*, 28, 61-67.
- Chisholm, M. A. (2002). Enhancing transplant patients' adherence to medication therapy. *Clinical Transplantation*, 16, 30-38.
- Chuldeja, S. (1997). *An application of self-efficacy theory to modify compliance behavior among pulmonary tuberculosis patients at the Tuberculosis Regional Center 2, Saraburi province*. Unpublished master' thesis, Mahidol University, Bangkok, Thailand.
- Claxton, A. J., Cramer, J., & Pierce, C. (2001). A systematic review of the associations between dose regimens and medication compliance. *Clinical Therapeutics*, 23, 1296-1310.
- Connor, J., Nafter, N., & Rodgers, A. (2004). Do fixed-dose combination pills or unit-of-use packaging improve adherence? A systematic review. *Bulletin of the World Health Organization*, 82, 935-939.

Dannenberg, A. M. (1993). Immunopathogenesis of pulmonary tuberculosis. *Hospital Practice*, 15, 51-58.

Day, J. H., Charalambous, S., Fielding, K. L., Hayes, R. J., Churchyard, G. J., & Grant, A. D. (2006). Screening for tuberculosis prior to isoniazid preventing therapy among HIV-infected gold miners in South Africa. *International Journal of Tuberculosis and Lung Disease*, 10(5), 532-529.

Devine, E. C., & Reischneider, E. (1995). A meta-analysis of the effects of psychoeducational care in adults with hypertension. *Nursing Research*, 44, 237-245.

Dick, J., & Lombard, C. (1997). Shared vision-a health education project designed to enhance adherence to anti-tuberculosis treatment. *International Journal of Tuberculosis and Lung Disease*, 1(2), 181-186.

DiMatteo, M. R. (2004). Social support and patient adherence to medical treatment: A meta-analysis, *Health Psychology*, 23, 207-218.

DiMatteo, M. R., Giordani, P. J., Lepper, H. S., & Croghan, T. W. (2002). Patient adherence and medical treatment outcomes: A meta-analysis. *Medical Care*, 40(9), 794-811.

Dodor, E. A. (2004). Tuberculosis treatment default at the communicable disease unit of Effia-Nkwanta Regional Hospital: A 2-year experience. *International Journal of Tuberculosis and Lung Disease*, 8(11), 1337-1341.

Dolder, C. R., Lacro, J. P., Leckband, S., & Jeste, D. V. (2003). Interventions to improve antipsychotic medication adherence: Review of recent literature. *Journal of Clinical Psychopharmacology*, 23, 389-399.

Donald, P., & McAlleron, H. (2009). Antituberculosis drugs. In H. S. Schaaf & A. I. Zumla (eds.), *Tuberculosis: A comprehensive clinical reference* (pp. 608-617). British: Saunders Elsevier.

- Duangkaew, P. (1995). *Health belief model in relation to therapeutic compliance of pulmonary tuberculosis patients in community hospital of KhonKaen province*. Unpublished master's thesis, KhonKaen University, KhonKaen.
- Ertmer, P. A., Newby, T. J., & MacDougall, M. (1996). Students' responses and approaches to case-based instruction: The role of reflective self-regulation. *American Educational Research Journal*, 33, 719-752.
- Espinal, M. A., Kim, S. J., & Suarez, P. G. (2000). Standard short-course chemotherapy for drug-resistant tuberculosis: Treatment outcomes in 6 countries. *Journal of the American Medical Association*, 283, 2537-2545.
- Fennelly, K. P., Wartyny, J. W., Fulton, K. E., Orme, I. A., Cave, D. M., & Heifets, L. B. (2004). Cough-generated aerosols of Mycobacterium tuberculosis: A new method to study infectiousness. *American Journal of Respiratory and Critical Care Medicine*, 169, 604-609.
- Fine, R. N., Becker, Y., De Geest, S., Fisen, H., Ettenger, R., Evans, R., & et al. (2009). Nonadherence consensus conference summery report. *American Journal of Transplantation*, 9(1), 35-41.
- Fujiwara, P. I., Simone, P. M., & Munsiff, S. S. (2001). Treatment of tuberculosis. In L. B. Reichman & E. S. Hershfield (eds.), *Tuberculosis: A comprehensive international approach* (pp. 23-48). New York: Marcel Dekker.
- Garay, S. M. (2004). Pulmonary tuberculosis. In W. N. Rom & S. M. Garay (Eds.), *Tuberculosis* (pp. 345-394). Philadelphia: Lippincott Williams & Wilkins.
- Gelmanova, I. Y., Keshavjee, S., Golubchikova, V. T., Berezina, V. I., Strelis, A. K., Yanova, G. V., et al. (2007). Barriers to successful tuberculosis treatment in Tomsk, Russian Federation: non-adherence, default and the acquisition of multidrug resistance. *Bulletin of the World Health Organization*, 85, 703-711.
- Giuffrida, A., & Torgerson, D. J. (1997). Should we pay the patient? Review of financial incentive to enhance patient compliance. *British Medical Journal*, 315, 703-707.

- Grzemaka, M. (2009). Tuberculosis drug therapy in adults. . In H. S. Schaaf & A. I. Zumla (Eds.), *Tuberculosis: A comprehensive clinical reference* (pp. 638-648). British: Saunders Elsevier.
- Hansel, N. N., Wu, A. W., Chang, B., & Diette, G. B. (2004). Quality of life in tuberculosis: Patient and provider perspectives. *Quality of Life Research, 13*, 639-652.
- Haynes, R. B., Achloo, E., Sahota, N., McDonald, H. P., & Yao, X. (2008). Intervention for enhancing medication adherence. *Cochrane Database of Systematic Reviews, 2*, Art. No.: CD000011.
- Haynes, R. B., Montagof, P., Oraver, T., McKibbon, K. A., Brorwers, M. C., & Kanani, R. (2002). Interventions to assist patients to follow prescriptions for medications. *Cochrane Database of Systematic Reviews, 2*, Art. No.: CD000011.
- Haynes, R. B., Wang, E., & Goales, D. M. (1987). A critical review of interventions to improve compliance with prescribed medications. *Patient Education and Counselling, 10*, 155-166.
- Heneghan, C. J., Glasziou, P., & Perera, R. (2008). Reminder packaging for improving adherence to self-administered long-term medication. *Cochrane Database of Systematic Review, 1*, Art. No.: CD005025.
- Hirsch-Moverman, Y., Daftary, A., Franks, J., & Colson, P. W. (2008). Adherence to treatment for latent tuberculosis infection: Systemic review of studies in the US and Canada. *International Journal of Tuberculosis and Lung Disease, 12*(11), 1235-54.
- Hoffman, J. A., Cunningham, J. R., Suleh, A. J., Sundsmo, A., Dekker, D., Vago, F., et al. (2010). Mobile direct observation treatment for tuberculosis patients: A technical feasibility pilot using mobile phones in Nairobi, Kenya. *American Journal of Preventive Medicine, 39*(1), 78-80.

- Hoffmann, C. J., & Churchyard, G. J. (2009). Pulmonary tuberculosis in adults. In H. S. Schaaf & A. I. Zumla (Eds.), *Tuberculosis: A comprehensive clinical reference* (pp. 332-341). British: Saunders Elsevier.
- Hsieh, C. J., Lin, L. C., Kuo, B. I. T., Chiang, C. H., Su, W. J., & Shih, J. F. (2008). Exploring the efficacy of a management model using DOTs in the adherence of patients with pulmonary tuberculosis. *Journal of Clinical Nursing*, 17, 869-875.
- Jaiswal, A., Singh, V., Ogden, J. A., Porter, J. D. H., Sharma, P., Sarin, R., et al. (2003). Adherence to tuberculosis treatment: Lessons from the urban setting of Delhi, India. *Tropical Medicine and International Health*, 8(7), 625-633.
- Jakubowiak, W., Bogorodskaya, E., Borisov, S., Danilova, I., & Kourbatova, E. (2007). Risk factors associated with default among new pulmonary TB patients and social support in six Russian regions. *International Journal of Tuberculosis and Lung Disease*, 11(1), 46-53.
- Jakubowiak, W., Bogorodskaya, E., Borisov, S., Danilova, I., & Kourbatova, E. (2009). Treatment interruptions and duration associated with default among new patients with tuberculosis in six regions of Russia. *International Journal of Infectious Diseases*, 13, 362-368.
- Jakubowiak, W., Bogorodskaya, E., Borisov, S., Danilova, I., Lomakina, O. B., & Kourbatova, E. V. (2008). Impact of socio-psychological factors on treatment adherence of TB patients in Russia. *Tuberculosis*, 88, 495-502.
- Jasmer, R. M., Seaman, C. B., Gonzalez, L. C., Kawamura, L. M., Osmond, D.H., & Daley, C. L. (2004). Tuberculosis treatment outcomes: Directly observed therapy compared with self-administered therapy. *American Journal of Respiratory and Critical Care Medicine*, 170, 561-6.
- Jereb, J., Etkind, S. C., Joglar, O. T., Moore, M., & Taylor, Z. (2003). Tuberculosis contact investigations: Outcome in selected areas of the United States, 1999. *International Journal of Tuberculosis and Lung Disease*, 7, S384-390.

- Johnson, M. J. (2002). The medication adherence model: A guide for assessing medication taking. *Research and Theory for Nursing Practice: An International Journal*, 16(3), 179-192.
- Johnson, M. O., Chesney, M. A., Goldstein, R. B., Remien, R. H., Catz, S., & Gore-Felton, C. (2006). Positive provider interactions, adherence self-efficacy, and adherence to antiretroviral medications among HIV-infected adults: A mediated model. *AIDS Patient Care and STDs*, 20(4), 258-268.
- Kamnon, K. (2011). *Development of video media for prevention of tuberculosis transmission of newly diagnosed pulmonary tuberculosis patients*. Unpublished master's thesis. Chiang Mai University, Thailand.
- Kamolratanakul, P., Sawert, H., Lertmaharit, S., Kasetjaroen, Y., Akksilp, S., Tulaporn, C., et al. (1999). Randomized control trial of directly observed treatment (DOT) for patients with pulmonary tuberculosis in Thailand. *Transactions of the Royal Society of Tropical Medicine and Hygiene*. 93, 552-557.
- Kanchanapangka, U. (2002). The comparison of effectiveness by health care personal and family member or health volunteers in DOTS program for treatment of TB in department of health BMA 2000. *Thai Journal of Tuberculosis and Chest Disease*, 23, 255-262.
- Katmanee, A. (2004). *An application of self-efficacy theory to improve compliance behaviors among pulmonary tuberculosis patients of Ratchaburi Hospital*. Unpublished master's thesis, Mahidol University, Bangkok, Thailand.
- Keller, C., Fleury, J., Gregor-Holt, N., & Thompson, T. (1999). Predictive ability of social cognitive theory in exercise research: An integrated literature review. *Journal of Knowledge Synthesis for Nursing*, 6(2), 1-13.
- Kelly, P. (1999). Isolation and stigma: The experience of patients with active tuberculosis. *Journal of Community Health Nursing*. 16, 233-241.

- Khortwong, P. (2001). *An application of empowerment theory for improving smear-positive pulmonary tuberculosis patients' compliance during the intensive phase of treatment*. Unpublished master's thesis, Mahidol University, Bangkok, Thailand.
- Kladphuang, B., Limpasachon, P., & Boonpendetch, R. (1995). The analysis of defaulters among TB patients receiving short-course chemotherapy at regional hospitals, general hospitals and community hospitals. *Thai Journal of Tuberculosis Chest Disease and Critical Care*, 16, 275-281.
- Kowatanakul, R., Siangsung, J., & Nokyoongthong, M. (2001). Short Course Chemotherapy (SCC) and Directly Observed Therapy, Short Course (DOTS) patients' problems concerning on anti-TB drug. *Thai Journal of Health Research*, 15(2), 121-130.
- Kripalani, S., Yao, X., & Haynes, B. (2007). Interventions to enhance medication adherence in chronic medical conditions. *Archives of Internal Medicine*, 167, 540-550.
- Kruk, M. E., Schwalbe, N. R., & Aguiar, C. A. (2008). Timing of default from tuberculosis treatment: A systematic review. *Tropical Medicine and International Health*, 13(5), 703-712.
- Lawn, S. D. (2000). Tuberculosis in Ghana: Social stigma and compliance with treatment. *International Journal of Tuberculosis and Lung Disease*, 4(12), 1190-1192.
- Lehane, E., & McCarthy, G. (2007). Intentional and unintentional non-adherence: A comprehensive framework for clinical research and practice? A discussion paper. *International Journal of Nursing Studies*, 44, 1468-1477.
- Lepper, M. R., & Cordavo, D. I. (1992). A desire to be taught: Instructional consequence of intrinsic motivation. *Motivation and Emotion*, 16, 187-208.

- Lertmahirit, S., Kamol-Ratanakul, P., Sawert, H., Jittimanee, S., & Wangmanee, S. (2005). Factors associated with compliance among tuberculosis patients in Thailand. *Journal Medical Association of Thailand*, 88(Suppl.4), S149-156.
- Leventhal, H., & Cameron, L. (1987). Behavioral theories and the problem of compliance. *Patient Education and Counseling*, 10, 117-138.
- Lewin, S., Skea, Z., Entwistle, V. A., Zwarenstein, M., & Dick, J. (2009). Interventions for providers to promote a patient-centered approach in clinical consultations. *Cochrane Database Systematic Reviews*, 1, Art. No: CD003267.
- Liu, H., Golin, C. E., Miller, L. G., Hays, R. D., Beck, C. K., Sanandaji, S., et al. (2001). A comparison study of multiple measures of adherence to HIV protease inhibitors. *Annals of Internal Medicine*, 134(10), 968-977.
- Liu, Q., Abba, K., Alejandria, M. M., Balanag, V. M., Berba, R. P., & Lansang, M. A. D. (2008). Reminder systems and late patient tracers in the diagnosis and management of tuberculosis. *Cochrane Database of Systematic Reviews*, 4, Art. No.: CD006594.
- Llabre, M. M., Weaver, K. E., Duran, R. E., Antoni, M. H., McPherson-Baker, S., & Schneiderman, N. (2006). A measurement model of medication adherence to highly active antiretroviral therapy and its relation to viral load in HIV-positive adults. *AIDS Patient Care and STDs*, 20(10), 701-711.
- Loudon, R. G., & Roberts, R. M. (1967). Droplet expulsion from the respiratory tract. *American Review of Respiratory Disease*, 95, 435-442.
- Lowry, K. P., Dudley, T. K., Oddone, E. Z., & Bosworth, H. B. (2005). Intentional and unintentional nonadherence to antihypertensive medication. *The Annals of Pharmacotherapy*, 39, 1198-1203.
- Macharia, W. M., Leon, G., Rowe, B. H., Stephenson, B. J., & Haynes, R. B. (1992). An overview of interventions to improve compliance with appointment keeping for medical services. *Journal of the American Medical Association*, 267, 1813-1817.

- Maddax, J. E. & Stanley, M.A. (1986). Self-efficacy theory in contemporary psychology: An overview. *Journal of Social and Clinical Psychology*, 4(3), 249-255.
- Maher, D. (2009). The nature history of *Mycobacterium tuberculosis* infection in adults. In H. S. Schaaf & A. I. Zumla (Eds.), *Tuberculosis: A comprehensive clinical reference* (pp. 129-132). British: Saunders Elsevier.
- Mahmud, N., Rodriguez, J., & Nesbit, J. (2010). A text message-based intervention to bridge the healthcare communication gap in the rural developing world. *Journal Technology and Health Care*, 18(2), 137-144.
- Martins, N., Morris, P., & Kelly, P. M. (2009). Food incentives to improve completion of tuberculosis treatment: Randomized controlled trial in Dili, Timor-Leste. *British Medical Journal*, 339, 1-8.
- Mathew, J. (2009). Fixed-dose drug combination for tuberculosis. *Indian Pediatrics*, 46(17), 877-880.
- McCann, T. V., Clark, E., & Lu, S. (2008). The self-efficacy model of medication adherence in chronic mental illness. *Journal of clinical Nursing*, 17, 329-340.
- Meesattayanan, P. (1991). *Factors effecting medication behavior in pulmonary tuberculosis patients*. Unpublished master's thesis, Khonkaen University, Khonkaen.
- Menzies, D., Long, R., Trajman, A., Dion, M. J., Yang, J., Jahdali, H. A., & et al. (2008). Adverse events with 4 months of rifampin therapy or 9 months of isoniazid therapy for latent tuberculosis infection. *Annals of Internal Medicine*, 149, 689-697.
- Ministry of Public Health. (2008). *National guidelines for the management of tuberculosis control*. Nonthaburi: Department of Disease Control.
- Ministry of Public Health. (2009). *Community cooperation in tuberculosis control*. Nonthaburi: Department of Disease Control.

- Mishra, P., Hansen, E. H., Sabroe, S., & Kafle, K. K. (2006). Adherence is associated with the quality of professional-patient interaction in Directly Observed Treatment Short-course, DOTS. *Patient Education and Counseling*, 63, 29-37.
- Mitchison, D. A. (1998). How drug resistance emerges as a result of poor compliance during short course chemotherapy for tuberculosis. *International Journal of Tuberculosis and Lung Disease*, 2(1), 10-15.
- Morisky, D.E., Malotte, K. C., Choi, P., Davidson, P., Rigler, S., Sugland, B., & et al. (1990). A patient education program to improve adherence rates with anti-tuberculosis drug regimens. *Health Education Quarterly*, 17(3), 253-267.
- Morris, C. D., Bird, A. R., & Nell, H. (1989). The haematological and biochemical changes in severe pulmonary tuberculosis. *Quarterly Journal of Medicine*, 73(272), 1151-1159.
- Moulding, T. S., Redeker, A. G., & Kanel, G. C. (1989). Twenty isoniazid-associated deaths in one state. *American Review of Respiratory Disease*, 140, 700-705.
- Munro, S., Lewin, S., Swart, T, & Volmink, J. (2007). A review of health behavior theories: How useful are these for developing interventions to promote long-term medication adherence for TB and HIV/AIDS? *BioMed Central Public Health*, 7(104), 1-16.
- Newell, J. N., Baral, S. C., Pande, S. B., Bam, D. S., & Malla, P. (2006). Family-member DOTS for tuberculosis control in Nepal: Cluster-randomised controlled trial. *Lancet*, 367, 903-9.
- Nithakorn, P. (1999). *The effectiveness of health education program on modification of compliance behaviors of pulmonary tuberculosis patients at the Ban-Pong hospital, Banpong district, Ratchaburi province*. Unpublished master's thesis, Mahidol University, Bangkok, Thailand.
- Office of the National Economic and Social Development Board. (2013). *Poverty line of Thailand in 1988-2011*. Online Publication. http://www.nesdb.go.th/SocialStat/StatSubDefault_Final.aspx?catid=13. 28 July 2014.

- Osterberg, L., & Blaschke, T. (2005). Drug therapy: Adherence to medication. *The New England Journal of Medicine*, 353, 487-497.
- Pablos-Mendez, A., Knirsch, C. A., Barr, G., Lerner, B. H., & Frieden, T. R. (1997). Non-adherence in tuberculosis treatment: Predictors and consequences in New York City. *The American Journal of Medicine*, 102, 164-170.
- Parent, M. L. (1999). *A meta-analysis of the effectiveness of tuberculosis program: The influence of program components on outcomes*. Unpublished master's thesis, University of Toronto, Ottawa, Canada.
- Peltzer, K., Onya, H., Seoka, P., Tladi, F. M., & Malema, R. N. (2002). Factor at first diagnosis of tuberculosis associated with compliance with the Directly Observed Therapy (DOT) in the Limpopo Province, South Africa. *Curationis*, 25(3), 55-67.
- Phanchaiya, C. (2010). *Development of a clinical nursing practice guideline for health promotion behavior on self-care of pulmonary tuberculosis patients with short-course therapy*. Unpublished master's thesis, Thammasat University, Pratumthanee, Thailand.
- Phokaew, P., Arunkanjana, P., & Chaiwong, N. (2001). Dose Dot work?: A study in Chiang Mai Center. *Thai Journal of Tuberculosis Chest Disease*, 22, 113-123.
- Phuangngernmak, R. (2001). *Factors affecting treatment outcome of DOTS strategy in tuberculosis patient in Doi Saket district, Chiang Mai province*. Unpublished master' thesis, Chiang Mai university, Thailand.
- Piessens, W. F., & Nardell, E. A. (1993). Pathogenesis of tuberculosis. In L. B. Reichman & E. S. Hershfield (eds.), *Tuberculosis: A comprehensive international approach* (pp. 241-260). New York: Marcel Dekker.
- Pilote, L., Tulsky, J. P., Zolopa, A. R., Hahn, J. A., Schechter, G. F., & Moss, A. R. (1996). Tuberculosis prophylaxis in the homeless. *Archives of Internal Medicine*, 156, 161-5.

- Podewils, L. J., Gler, M. T. S., Quelapio, M. I., & Chen, M. P. (2013). Patterns of treatment interruption among patients with multidrug-resistant TB (MDR TB) and association with interim and final treatment outcomes. *PLoS ONE*, 8(7), e70064.
- Polit, D. F., & Beck, C. T. (2004). *Nursing Research: Principles and Methods* (7th ed.). Philadelphia: Lippincott Williams & Wilkins.
- Pradier, C., Bentz, L., Spire, B., Tourette-Turgis, C., Morin, M., Souville, M., & et al. (2003). Efficacy of an educational and counseling intervention on adherence to highly active antiretroviral therapy: French prospective controlled study. *HIV Clinical Trials*, 4, 121-131.
- Prasansueb, P. (2009). *Effects of group process and social supports on treatment of pulmonary tubercular patients at the Tuberculosis Clinics, Maha Chana Chai Hospital and Kho Wang Hospital in Yasothon Province*. Unpublished master's thesis, Mahasarakham University, Thailand.
- Punta, B. (2008). *Association between depression and treatment adherence among pulmonary tuberculosis patients at the Chest Disease Institute, Nonthaburi province, Thailand*. Unpublished master's thesis, Mahidol University, Bangkok, Thailand.
- Rajeswari, R., Balasubramanian, R., Muniyandi, M., Geetharamani, S., Thresa, X., & Venkatesan, P. (1999). Socio-economic impact of tuberculosis on patient and family in India. *International Journal of Tuberculosis and Lung Disease*, 3(10), 869-877.
- Rajeswari, R., Muniyandi, M., Balasubramanian, R., & Narayanan, P. R. (2005). Perception of tuberculosis patients about their physical, mental and social well-being: A field report from south India. *Social Science and Medicine*, 60(8), 1845-1853.

- Rand, C. S. (1993). Measuring adherence with therapy for chronic diseases: Implications for the treatment of heterozygous familial hypercholesterolemia. *American Journal of Cardiology*, 72, 68D-74D.
- Reichman, L. B., & Hershfield, E. S. (1993). *Tuberculosis: A comprehensive international approach*. New York: Marcel Dekker.
- Reynolds, N. R. (2003). The problem of antiretroviral adherence: A self-regulatory model for intervention. *AIDS Care*, 15(1), 117-124.
- Robinson, J. H., Callister, L. C., Berry, J. A., & Dearing, K. A. (2008). Patient-centered care and adherence: Definitions and applications to improve outcomes. *Journal of American Academy of Nurse Practitioners*, 20, 600-607.
- Rotter, D. L., Hall, J. A., Merisca, R., Nordstrom, B., Cretin, D., & Svarstad, B. (1998). Effectiveness of interventions to improve patient compliance: A meta-analysis. *Medical Care*, 36, 1138-1161.
- Rudd, P. (1979). In search of the gold standard for compliance measurement. *Archives of Internal Medicine*, 139, 627.
- Ruppar, T. M. (2010). Medication adherence research: More theory-driven interventions are needed. *Western Journal of Nursing Research*, 32, 847-848.
- Salles, C. L. G., Conde, M. B., Hofer, C., Cunha, A. J. L. A., Calcada, A. L., Menezes, D. F., et al. (2004). Defaulting from anti-tuberculosis treatment in a teaching hospital in Rio de Janeiro, Brazil. *International Journal of Tuberculosis and Lung Disease*, 8(3), 318-322.
- Santha, T., Garg, R., Frieden, T. R., Chandrasekaran, V., Subramani, R., Gopi, P. G., et al. (2002). Risk factors associated with default, failure and death among tuberculosis patients treated in a DOTS program in Tiruvallur District, South India, 2000. *International Journal of Tuberculosis and Lung Disease*, 6(9), 780-788.

- Sbarbaro, J. A. (1979). Compliance: Inducement and enforcements. *Chest*, 76S, 750S-756S.
- Schlenk, E. A., Bernardo, L. M., Organist, L. A., Klem, M. L., & Engberg, S. (2008). Optimizing medication adherence in older patients: A systematic review. *Journal of Clinical Outcome Management*, 15(12), 595-606.
- Schunk, D. H., & Ertmer, P. A. (2000). Self-regulation and academic learning self-efficacy enhancing interventions. In M. Boekaerts, P. R. Pintrich, & M. Zeidner (Eds.), *Handbook of self-regulation* (pp. 631-649). United States: Academic Press.
- Seeman, T. E., Lusignolo, T. M., Albert, M., & Berkman, L. (2001). Social relationships, social support, and patterns of cognitive aging in healthy, high-functioning older adults: MacArthur Studies of Successful Aging. *Health Psychology*, 20, 243-255.
- Shargie, E. B., & Lindtjorn, B. (2007). Determinants of treatment adherence among smear-positive pulmonary tuberculosis patients in Southern Ethiopia. *Public Library of Science Medicine*, 4(2), 280-287.
- Shortridge-Baggett, L. M. (2001). Self-efficacy: Measurement and intervention in nursing. *Scholarly Inquiry for Nursing Practice*, 15(3), 183-188.
- Singh, A., Bhardwaj, A., Mukherjee, K. A., Arya, R., & Mithra, P. (2013). Current status of timing of treatment interruption and pattern of default among tuberculosis patients on directly observed treatment. *Journal of Dr. NTR University of Health Sciences*, 2(3), 177-180.
- Sirur, R., Richardson, J., Wishart, L., & Hanna, S. (2009). The role of theory in increasing adherence prescribed practice. *Physiotherapy Canada*, 61(2), 68-77.
- Smith, S. R., Rublein, J. C., Marcus, C., Brock, T. P., & Chesney, M. A. (2003). A medication self-management program to improve adherence to HIV therapy regimens. *Patient Education and Counseling*, 50, 187-199.

- Steele, M. A., & Des Prez, R. M. (1988). The role of parazinamide in tuberculosis chemotherapy. *Chest*, 94(4), 845-850.
- Suksawat, S. (2002). *The effectiveness of an application of the self-efficacy theory and social support to behavioral modification among patients with pulmonary tuberculosis attending services at tuberculosis division department of communication disease control*. Unpublished master's thesis, Mahidol University, Bangkok, Thailand.
- Suntharasri, S. (1991). *The effectiveness of health education program on controlling pulmonary tuberculosis in N-SCC patients at Bangkok Chest Clinic*. Unpublished master's thesis, Mahidol University, Bangkok, Thailand.
- Suvateerapun, A. (1994). *The effectiveness of health education program on curative health behavior of pulmonary tuberculosis patients at Bangkok Chest Clinic*. Unpublished master's thesis, Mahidol University, Bangkok, Thailand.
- Suwannakeeree, W., & Picheansathian, W. (2014). Strategies to promote adherence to treatment by pulmonary tuberculosis patients: A systematic review. *International Journal of Evidence-Based Healthcare*, 12, 3-16.
- Taal, E., Rasker, J. J., Seydel, E. R., & Wiegman, O. (1993). Health status, adherence with health recommendations, self-efficacy and social support in patients with rheumatoid arthritis. *Patient Education and Counseling*, 20, 63-76.
- Tansakul, S., Luksamijarulkol, P., Kerdmongkol, P., & Sukwongtanon, D. (2003). The effectiveness of self-regulated learning on compliance with treatment among tuberculosis patients attending at Bangkok Cheat Clinic. *Thai Journal of Nursing*, 52(2), 135-43.
- Tekle, B., Mariam, D. H., & Ali, A. (2002). Defaulting from DOTS and its determinants in three districts of Arsi Zone in Ethiopia. *International Journal of Tuberculosis and Lung Disease*, 6(7), 573-579.
- The Global Fund. (2008). *Round 8 tuberculosis: Strengthening quality TB control among vulnerable populations in Thailand*. Geneva: The Global Fund.

The Office of Disease Prevention and Control 9 & Phitsanulok Provincial Health Office. (2013). The project of promoting access to quality of care, treatment, and disease prevention, and enhancing community empowerment for TB control in Thailand, 3rd year, Phitsanulok province, fiscal year of 2014. Project documents. Phitsanulok: The Office of Disease Prevention and Control 9.

The Office of Disease Prevention and Control 9. (2012). *The results of evaluating standard of TB care of the TB clinic in hospital, Phitsanulok province*. Report documents. Phitsanulok: The Office of Disease Prevention and Control 9.

The Office of Disease Prevention and Control 9. (2013). *The results of evaluating standard of TB care of the TB clinic in hospital, Phitsanulok province*. Report documents. Phitsanulok: The Office of Disease Prevention and Control 9.

The TB clinic of Buddhachinaraj Hospital. (2014). *Database of TB clinic management vol.13.57.05.05*. Phitsanulok: The TB clinic of Buddhachinaraj Hospital.

Thiam, S., LeFevre, A. M., Hane, F., Ndiaye, A., Ba, F., Fielding, K. L., & et al. (2007). Effectiveness of a strategy to improve adherence to tuberculosis treatment in a resource-poor setting: A cluster randomized controlled trial. *Journal of the American Medical Association*, 297(4), 380-6.

Thomas, A., Gopi, P. G., Santha, T., Chandrasekaran, V., Subramani, R., Selvakumar, N., et al. (2005). Predictors of relapse among pulmonary tuberculosis patients treated in a DOTS program in South India. *International Journal of Tuberculosis and Lung Disease*, 9(5), 556-561.

Thomson, K. A., Cheti, E.O., & Reid, T. (2011). Implementation and outcomes of an active defaulter tracing system for HIV, prevention of mother to child transmission of HIV (PMTCT), and TB patients in Kibera, Nairobi, Kenya. *Transactions of the Royal Society of Tropical Medicine and Hygiene*, 105(6), 320-326.

Tipaht, P. (2008). *Factors associated with success of treatment among new smear-positive pulmonary tuberculosis patients in Urban and Rural area in Chaiyaphum province, Thailand*. Unpublished master's thesis. Khon Kaen University, Thailand.

Tuldra, A., Fumaz, C. R., Ferrer, M. J., Bayes, R., Arno, A., Balague, M., et al. (2000). Prospective randomized two-arm controlled study to determine the efficacy of a specific intervention to improve long-term adherence to highly active antiretroviral therapy. *Journal of Acquired Immune Deficiency Syndromes*, 25(3), 221-228.

Ungcharoensup, S. (2000). *The effectiveness of an application of self-efficacy theory and community network to change tuberculosis patients' behaviors at Somdejprasangkaraj XVII hospital, Suphanburi Province*. Unpublished master's thesis, Mahidol University, Bangkok, Thailand.

Urquhart, J. (1996). Patient non-compliance with drug regimens: Measurement, clinical correlates, economic impact. *European Heart Journal*, 17 (Sup A), 8-15.

Van Dulmen, S., Sluijs, E., Van Dijk, L., De Ridder, D., Heerdink, R., & Bensing, J. (2007). Patient adherence to medical treatment: A review of reviews. *BioMed Central Health Service Research*, 7(55), 1-13.

Van Eijken, M., Tsang, S., Wensing, M., De Smet, P. A., & Grol, R. P. (2003). Interventions to improve medication compliance in older patients living in the community: A systematic review of the literature. *Drugs Aging*, 20, 229-240.

Vermeire, E., Hearnshaw, H., Van Royen, P. & Denekens, J. (2001). Patient adherence to treatment: Three decades of research: A comprehensive review. *Journal of Clinical Pharmacy and Therapeutics*, 31, 331-342.

Vlasnik, J. J., Aliotta, S. L., & Delor, B. (2005). Medication adherence: Factors influencing compliance with prescribed medication plans. *Case manager*, 16(2), 47-51.

- Volmink J, & Garner P. (2007). Directly observed therapy for treating tuberculosis. Cochrane Database of systematic reviews, 3, Art No: CD003343.
- Volmink J, & Garner P. (1997). Systematic review of randomized controlled trials of strategies to promote adherence to tuberculosis treatment. *British Medical Journal*, 315, 1403-6.
- Wang, J., & Shen, H. (2009). Direct observation and completion of treatment of tuberculosis in rural areas of China. *Scandinavian Journal of Public Health*, 37, 304-309.
- Wattanatorn, S. (2002). Factors affecting non-adherence to anti-tuberculosis treatment among patients with smear positive tuberculosis, Region 2, 2000. *Journal of Health Science*, 11, 885-892.
- Weber, R., Christen, L., Christen, S., Tschopp, S., Znoj, H., Schneider, C., et al. (2004). Effect of individual cognitive behavior intervention on adherence to antiretroviral therapy: Prospective randomized trial. *Antiviral Therapy*, 9, 85-95.
- WHO. (2004). *TB/ HIV: A clinical manual*. Geneva: WHO.
- WHO. (2009). *Global tuberculosis control: Epidemiology, strategy, financing: WHO report 2009*. Geneva: WHO.
- WHO. (2007). *Global tuberculosis control: Surveillance, planning, financing: WHO report 2007*. Geneva: WHO.
- WHO. (2006). *Quality supervision and monitoring of DOTS*. Geneva: WHO.
- WHO. (2010a). *Global tuberculosis control: WHO report 2010*. Geneva: WHO.
- WHO. (2010b). *Treatment of tuberculosis guidelines*. Geneva: WHO.
- WHO. (2003). *Adherence to long- term therapies: Evidence for action*. Geneva: WHO.
- WHO. (2013). *Global tuberculosis report 2013*. Geneva: WHO.

- Williams, G., Alarcon, E., Jittimanee, S., Walusimbi, M., Sebek, M., Berga, E., et al. (2008a). Care during the intensive phase: Promotion of adherence. *International Journal of Tuberculosis and Lung Disease*, 12(6), 601-605.
- Williams, G., Alarcon, E., Jittimanee, S., Walusimbi, M., Sebek, M., Berga, E., et al. (2008b). Care during the continuation phase. *International Journal of Tuberculosis and Lung Disease*, 12(7), 731-735.
- Wintachai, O. (1995). *Modification of compliance behaviors of pulmonary tuberculosis patients through group process and social support at The Tuberculosis Regional Center 5, Nakornratchasima*. Unpublished master's thesis, Mahidol University, Bangkok, Thailand.
- Wolfe, M. E. (2008). *An evaluation of an exercise adherence intervention using the social cognitive theory*. Unpublished doctor's thesis, Ohio State University, United States of American.
- Wright, M. T. (2000). The old problem of adherence: Research on treatment adherence and its relevance for HIV/AIDS. *AIDS Care*, 12, 703-710.
- Yone, E. W. P., Kengne, A. P., & Kuaban, C. (2011). Incidence, time and determinants of tuberculosis treatment default in Yaounde, Cameroon: a retrospective hospital register-based cohort study. *British Medical Journal Open*, 1, e000289.
- Zimmerman, B. J. (1989). A social cognitive view of self-regulated academic learning. *Journal of Educational Psychology*, 81, 329-339.
- Zimmerman, B. J. (2000). Attaining self-regulation: A social cognitive perspective. In M. Boekaerts, P. R. Pintrich, & M. Zeidner (Eds.), *Handbook of self-regulation* (pp. 13-39). United States: Academic Press.
- Zolnierek, K. B. H., & Dimatteo, M. R. (2009). Physician communication and patient adherence to treatment: A meta-analysis. *Medical Care*, 47(8), 826-834.

Zvavamwe, Z., & Ehlers, V. J. (2009). Experiences of a community-based tuberculosis treatment program in Namibia: A comparative cohort study. *International Journal of Nursing Studies*, 46, 302-9.

Zwarenstein, M., Schoeman, J. H., Vundule, C., Lombard, C. J., & Tatley, M. (2000). A randomized controlled trial of lay health workers as direct observers for treatment of tuberculosis. *International Journal of Tuberculosis and Lung Disease*, 4, 550-554.

Zygmunt, A., Olfson, M., Boyer, C. A., & Mechanic, D. (2002). Interventions to improve medication adherence in schizophrenia. *American Journal of Psychiatry*, 159, 1653-1664.

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright © by Chiang Mai University
All rights reserved