

REFERENCES

- Abrams, A. C., Lammon, C. B., Pennington, S. S., & Goldsmith, T. L. (2009). *Clinical drug therapy: Rationales for nursing practice* (9th ed.). Philadelphia: Wolter Kluwer Lippincott Williams & Wilkins.
- Alexopoulos, G. S. (2005). Depression in the elderly. *Lancet*, 365, 1961-1970.
- Aljasem, L. I., Peyrot, M., Wissow, L., & Rubin, R. R. (2001). The Impact of barriers and self-efficacy on self-care behaviors in type 2 diabetes. *The Diabetes Educator*, 27(3), 393-404. doi:10.1177/014572170102700309
- Al-Kandari, Y. Y. (2011). Relationship of strength of social support and frequency of social contact with hypertension and general health status among older adults in the mobile care unit in Kuwait. *Journal of Cross-Cultural Gerontology*, 26(2), 175-187. doi:10.1007/s10823-011-9139-9
- Alm-Roijer, C., Fridlund, B., Stagmo, M., & Erhardt, L. (2006). Knowing your risk factors for coronary heart disease improves adherence to advice on lifestyle changes and medication. *Journal of Cardiovascular Nursing*, 21(5), E24-E31.
- Alm-Roijer, C., Stagmo, M., Uden, G., & Erhardt, L. (2004). Better knowledge improves adherence to lifestyle changes and medication in patients with coronary heart disease. *European Journal of Cardiovascular Nursing*, 3(4), 321-330. doi:10.1016/j.ejcnurse.2004.05.002
- Anthony, H., Valinsky, L., Inbar, Z., Gabriel, C., & Varda, S. (2012). Perceptions of hypertension treatment among patients with and without diabetes. *BioMed Central Family Practice*, 13, 1-7. doi:10.1186/1471-2296-13-24
- Appel, L. J. (2007). Diet and blood Pressure. In H. R. Black & W. J. Elliott (Eds.), *Hypertension: A companion to Braunwald's heart disease* (pp. 201-212). Philadelphia: Saunders & Elsevier.

- Appel, L. J., Brands, M. W., Daniels, S. R., Karanja, N., Elmer, P. J., & Sacks, F. M. (2006). Dietary approaches to prevent and treat hypertension: A scientific statement from the American Heart Association. *Hypertension*, 47(2), 296-308.
- Aronow, W. S. (2008). Treatment of hypertension in the elderly. *Geriatrics*, 63(10), 21-25.
- Aronow, W. S., Fleg, J. L., Pepine, C. J., Artinian, N. T., Bakris, G., Brown, A. S., . . . Wesley, D. J. (2011). ACCF/AHA 2011 Expert consensus document on hypertension in the elderly. *Journal of the American Society of Hypertension*, 5(4), 259-352.
- Aslam, F., Haque, A., Agostini, J. V., Wang, Y., & Foody, J. M. (2010). Hypertension prevalence and prescribing trends in older US adults: 1999-2004. *Journal of Clinical Hypertension (Greenwich)*, 12(2), 75-81.
- Atulomah, N. O., Florence, O. M., & Oluwatosin, A. (2010). Treatment adherence and risk of non-compliance among hypertensives at a Teaching Hospital in Ogun state, southwest Nigeria. *The Journal of life and Physical Sciences (acta SATECH)*, 3(2), 143-149.
- Bandura, A. (1977). Self-efficacy: Toward a unifying theory of behavioral change. *Psychological Review*, 84(2), 191-215.
- Bandura, A. (1982). Self-efficacy mechanism in human agency. *American Psychologist*, 37(2), 121-147.
- Bandura, A. (1993). Perceived self-efficacy in cognitive development and functioning. *Educational Psychologist*, 28(2), 177-148.
- Bandura, A. (1997). *Self-efficacy: The exercise of control*. New York: W. H. Freeman.
- Banning, M. (2009). A review of interventions used to improve adherence to medication in older people. *International Journal of Nursing Studies*, 46(11), 1505-1515.
doi:10.1016/j.ijnurstu.2009.03.011

- Barclay, T. R., Hinkin, C. H., Castellon, S. A., Mason, K. I., Reinhard, M. J., Marion, S. D., . . . Durvasula, R. S. (2007). Age-associated predictors of medication adherence in HIV positive adults: Health beliefs, self-efficacy, and neurocognitive status. *Health Psychology*, 26(1), 40-49.
- Bardel, A., Wallander, M. A., & Svardsudd, K. (2007). Factors associated with adherence to drug therapy: A population-based study. *European Journal of Clinical Pharmacology*, 63(3), 307-314.
- Bayer-Fetzer Conference on physician-patient communication in medical education. (2001). Essential elements of communication in medical encounters: The Kalamazoo consensus statement. *Academic Medicine*, 76(4), 390-393.
- Bell, B. S., & Kozlowski, S. W. J. (2002). *Goal orientation and ability: Interactive effects on self-efficacy, performance, and knowledge*. Cornell University, School of Industrial and Labor Relations. Retrieved from <http://digitalcommons.ilr.cornell.edu/hrpubs/9/>
- Bell, G. B. (2013). *Factors affecting treatment adherence of African American women with chronic kidney disease who receive hemodialysis treatment: A quantitative study* (Doctoral dissertation). Available from ProQuest Dissertations and Thesis database. (UMI No. 3553907).
- Benner, J. S., Glynn, R. J., Mogun, H., Neumann, P. J., Weinstein, M. C., & Avorn, J. (2002). Long-term persistence in use of statin therapy in elderly patients. *Journal of the American Medical Association*, 288(4), 455-461.
- Bennett, J. K., Fuertes, J. N., Keitel, M., & Phillips, R. (2011). The role of patient attachment and working alliance on patient adherence, satisfaction, and health-related quality of life in lupus treatment. *Patient Education and Counseling*, 85, 53-59. doi:10.1016/j.pec.2010.08.005
- Bertoia, M. L., Waring, M. E., Gupta, P. S., Roberts, M. B., & Eaton, C. B. (2011). Implications of new hypertension guidelines in the United States. *Hypertension*, 58(3), 361-366.

- Bissonnette, J. M. (2008). Adherence: A concept analysis. *Journal of Advanced Nursing*, 63(6), 634-643.
- Blake, C., & O'Meara, Y. M. (2004). Subjective and objective physical limitations in high-functioning renal dialysis patients. *Nephrology Dialysis Transplant*, 19(12), 3124-3129. doi:10.1093/ndt/gfh538
- Bloch, M. J., & Basile, J. N. (2007). Hypertension in elderly. In H. R. Black & W. J. Elliott (Eds.), *Hypertension: A companion to Braunwald's heart disease* (pp. 457-467). Philadelphia: Saunders & Elsevier.
- Blumenthal, J. A., Babyak, M. A., Hinderliter, A., Watkins, L. L. Craighead, L., Lin, P.-H., . . . Sherwood, A. (2010). Effects of the DASH diet alone and in combination with exercise and weight loss on blood pressure and cardiovascular biomarkers in men and women with high blood pressure. *Archives of Internal Medicine*, 170(2), 126-135. doi:10.1001/archinternmed.2009.470
- Boonmeesrisap, A. (2007). *Determinants of eating behavior of patients with coronary artery heart disease* (Master's thesis). Retrieved from http://researchlogin.cmu.ac.th/go/tdc.thailis.or.th/tdc/search_result.php
- Bramley, T., Gerbino, P. P., Nightengale, B. S. & French-Tamas, F. (2006). Relationship of blood pressure control to adherence with antihypertensive monotherapy in 13 managed care organizations. *Journal of Managed Care Pharmacy*, 12(3), 239-245.
- Braverman, J., & Dedier, J. (2009). Predictors of medication adherence for African American patients diagnosed with hypertension. *Ethnicity & Disease*, 19(4), 396-400.
- Brinkman, W. B., Geraghty, S. R., Lanphear, B. P., Khoury, J. C., Gonzalez del Rey, J. A., DeWitt, T. G., & Britto, M. T. (2007). Effect of multisource feedback on resident communication skills and professionalism: A randomized controlled trial. *Archives of Pediatrics and Adolescent Medicine*, 161(1), 44-49.

- Bunten, D. (2001). Cognitive-perceptual pattern: Normal changes with aging. In M. Mass et al. (Eds.), *Nursing care of older adults: Diagnosis, outcomes, & interventions* (pp. 416-435). St. Louise: Mosby.
- Bureau of Non Communicable Disease, Ministry of Public Health. (2010). *A practical guide for health behavioral modification to reduce multiple risk factors on cardiovascular disease*. Retrieved from <http://thaincd.com/document/file/download/knowledge/cardiovascular%20disease.pdf>
- Bureau of Nutrition, Ministry of Public Health. (2011). *Starting with reduced sweet, fat and salt diet for healthy*. Retireved from http://nutrition.anamai.moph.go.th/temp/files/_low/%E0%B8%95%E0%B8%9E%E0%B8%A1%E0%B8%A1%E0%B8%9A%E0%B8%9A%E0%B8%9A%E0%B8%9A200154.pdf
- Bureau of Policy and Strategy, Ministry of Public Health. (2009). *Annual morbidity report 2009*. Cluster for Health information Division, Bureau of Policy and Strategy, Ministry of Public Health.
- Bureau of Policy and Strategy, Ministry of Public Health. (2011). *Statistical Thailand 2011*. Retrieved from <http://bps.ops.moph.go.th/Statistic/Statistical%20Thailand%202011/statistic%20thailand.html>
- Burns, N., & Glove, S. K. (2005). *The practice of nursing research: Conduct, critique, and utilization* (5th ed.). St. Louis: Elsevier Saunders.
- Byrd, C. E. (2004). *Understanding adherence to the typical antihypertensive treatment regimen: An expanded self-regulation theory based prediction model* (Doctoral dissertation). Available from ProQuest Dissertation and Thesis database. (UMI No. 3145375)
- Campbell, N. L., Boustani, M. A., Skopelja, E. N., Gao, S., Unverzagt, F. W., & Murray, M. D. (2012). Medication adherence in older adults with cognitive impairment: A systematic evidence-based review. *The American Journal of Geriatric Pharmacotherapy*, 10(3), 165-177. doi:10.1016/j.amjopharm.2012.04.004

- Cardenas-Valladolid, J., Martin-Madrazo, C., Salinero-Fort, M. A., Carrillo de-Santa Pau, E., Abanades-Herranz, J. C., & de Burgos-Lunar, C. (2010). Prevalence of adherence to treatment in homebound elderly people in primary health care: A descriptive, cross-sectional, multicentre study. *Drug Aging*, 27(8), 641-651. doi:10.2165/11537320-00000000-00000
- Carmeron, J., Warrall-Carter, L., Riegel, B., Lo, S. K., & Stewart, S. (2009). Testing a model of patient characteristics, psychologic status, and cognitive function as predictors of self-care in persons with chronic heart failure. *Heart and Lung the Journal of Acute and Critical Care*, 38(5), 410-418. doi:10.1016/j.hrtlng.2008.11.004
- Carpenter, C. J. (2010). A meta-analysis of the effectiveness of health belief model variables in predicting behavior. *Health Communication*, 25(8), 661-669. doi:10.1080/10410236.2010.521906
- Carpenter, D. M., DeVellis, R. F., Fisher, E. B., DeVellis, B. M., Hogan, S. L., & Jordan, J. M. (2010). The effect of conflicting medication information and physician support on medication adherence for chronically ill patients. *Patient Education and Counseling*, 81(2), 169-176. doi:10.1016/j.pec.2009.11.006
- Carpenter, R. (2005). Perceived threat in compliance and adherence research. *Nursing Inquiry*, 12(3), 192-199.
- Carpenter, R. D. (2008). *Cognitive appraisal of perceived threat of diabetes and adherence to self-management behaviors* (Doctoral dissertation). Available from ProQuest Dissertations and Thesis database. (UMI No. 3326470).
- Carretero, O. A., & Oparil, S. (2000). Essential hypertension part I: Definition and etiology. *Circulation*, 101(3), 329-335. doi:10.1161/01.CIR.101.3.329
- Carroll, D. G. (2011). *Functional evaluation: The Barthel Index*. Rehabilitation Section Baltimore City Medical Society. Retrieved from http://www.strokecenter.org/wp-content/uploads/2011/08/barthel_reprint.pdf

- Caskie, G. I. L., Sutton, M. A. C., & Margrett, J. A. (2010). The relation of hypertension to changes in ADL/IADL limitations of Mexican American older adults. *Journal of Gerontology: Psychological Sciences*, 65B(3), 296-305.
doi:10.1093/geronb/gbq001
- Cat, A. N. D., & Touyz, R. M. (2011). A new look at the rennin-angiotensin system: Focusing on the vascular system. *Peptides*, 32(10), 2141-2150.
doi:10.1016/j.peptides.2011.09.010
- Champion, V. L., & Skinner, C. S. (2008). The health belief model. In K. Glanz, B. K. Rimer, & K. Viswanath, (Eds.), *Health Behavior and health education: Theory, research, and practice* (4th ed., pp. 46-65). San Francisco, CA: Jossey-Bass.
- Chapman, R. H., Petrilla, A. A., Benner, J. S., Schwartz, S., & Tang, S. S. K. (2008). Predictors of adherence to concomitant antihypertensive and lipid-lowering medications in older Adults: A retrospective, cohort study. *Drugs Aging*, 25(10), 885-892.
- Chen, S.-Y., & Wang, H.-H. (2007). The relationship between physical function, knowledge of disease, social support and self-care behavior in patients with rheumatoid arthritis. *Journal of Nursing Research*, 15(3)183-192.
- Chobanian, A. V. (2009a). Impact of nonadherence to antihypertensive therapy. *Circulation*, 120, 1558-1560.
- Chobanian, A. V. (2009b). The hypertension paradox more uncontrolled disease despite improved therapy. *The New England Journal of Medicine*, 361, 878-887.
- Chobanian, A. V., Bakris, G. L., Black, H. R., Cushman, W. C., Green, L. A., Izzo, J. L., . . . Roccella, E. J. (2003). Seventh report of the joint national committee on prevention, detection, evaluation, and treatment of high blood pressure. *Hypertension*, 42, 1206-1252.
- Clouston, S. A. P., Brewster, P., Kuh, D., Richards, M., Cooper, R., Hardy, R., . . . Hofer, S. M. (2013). The dynamic relationship between physical function and cognition in longitudinal aging cohorts. *Epidemiologic Reviews*, 35, 33-50.

- Cohen, M. E., & Marino, R. J. (2000). The tools of disability outcomes research functional status measures. *Archives of Physical Medicine and Rehabilitation*, 81(Suppl. 2), S21-S29.
- Cohen, S. M. (2009). Concept analysis of adherence in context of cardiovascular risk reduction. *Nursing Forum*, 44(1), 25-36. doi:10.1111/j.1744-6198.2009.00124.x
- Cornwell, E. Y., & Waite, L. J. (2012). Social network resources and management of hypertension. *Journal of Health and Social Behavior*, 53(2), 215-231. doi:10.1177/0022146512446832
- Corsonello, A., Pedone, C., Garasto, S., Maiuri, G., Carelli, A., Zottola, C., & Lattanzio, F. (2010). The impact of comorbidity on medication adherence and therapeutic goals. *BioMed Central Geriatrics*, 10(Suppl. 1), L21.
- Department of Mental Health. (1999). *Hand book for nurses to care persons with mental health problems and psychiatrics*. Bangkok: Department of Mental health.
- Dickerson, L. M., & Gibson, M. V. (2005). Management of hypertension in older persons. *American Family Physician*, 71(3), 469-476.
- Dickson, V. V., Lee, C. S., & Riegel, B. (2011). How do cognitive function and knowledge affect heart failure self-care? *Journal of Mixed Method Research*, 5(2), 167-189. doi:10.1177/1558689811402355
- Dickson, V., Tkacs, N., & Riegel, B. (2007). Cognitive influences on self-care decision making in persons with heart failure. *American Heart Journal*, 154(3), 424-431.
- DiMatteo, M. R. (2004). Social support and patient adherence to medical treatment: A meta-analysis. *Health Psychology*, 23(2), 207-218.
- DiMatteo, M. R., Haskard, K. B., & Williams, S. L. (2007). Health beliefs, disease severity, and patient adherence: A meta-analysis. *Medical Care*, 45(6), 521-528.
- Dragomir, A., Cote, R., Roy, L., Blais, L., Lalonde, L., Berad, A., & Perreault, S. (2010). Impact of adherence to antihypertensive agents on clinical outcomes and hospitalization costs. *Medical Care*, 48(5), 418-425. doi:10.1097/MLR.0b013e3181d567bd

- Dumrikanlert, L., Thanunchai, J., & Keawket, W. (2012). In S. Chunharas (Ed.), *The situation of the Thai elderly: Annual report 2006* (1st ed.). Bangkok: The TQP.
- Dusek, J. A., Hibberd, P. L., Buczynski, B., Chang, B., Dusek, K. C., Johnston, J. M., . . . Zusman, R. M. (2008). Stress management versus lifestyle modification on systolic hypertension and medication elimination: A randomized trials. *The Journal of Alternative and Complementary Medicine*, 14(2), 129-138.
doi:10.1089/acm.2007.0623
- Edo, T. A. (2009). *Factors affecting compliance with anti-hypertensive drug treatment and required lifestyle modifications among hypertensive patients on Praslin Island* (Master thesis, University of South Africa). Retrieved from http://uir.unisa.ac.za/bitstream/handle/10500/3249/dissertation_edo_t.pdf
- Elliott, W. J., Plauschinat, C. A., Skrepnek, G. H., & Gause, D. (2007). Persistence, adherence, and risk of discontinuation associated with commonly prescribed antihypertensive drug monotherapies. *The Journal of the American Board of Family Medicine*, 20(1), 72-80.
- Epstein, D. E., Sherwood, A., Smith, P. J., Craighead, L., Caccia, C., Lin, P.-H., . . . Blumenthal, J. A. (2012). Determinants and consequences of adherence to the dietary approaches to stop hypertension diet in African-American and white adults with high blood pressure: Results from the ENCORE Trial. *Journal of the Academic of Nutrition and Dietetics*, 112(11), 1763-1773.
doi:10.1016/j.jand.2012.07.007
- Erkoc, S. B., Isikli, B., Metintas, S., & Kalyoncu, C. (2012). Hypertension Knowledge-Level Scale (HK-LS): A Study on development, validity and reliability. *International Journal of Environmental Research and Public Health*, 9(3), 1018-1029. doi:10.3390/ijerph9031018
- Feng, C.-C. (2009). *Influence of health beliefs, gender, income, and family/social support on compliance with hypertensive therapeutic regimens among Chinese immigrants in the United States* (Doctoral dissertation). Available from ProQuest Dissertation and Thesis database. (UMI No. 3348451)

- Fischer, M. J. (2009). Hypertension treatment and management concerns in the elderly. *Aging Health*, 5(5), 683-699.
- Fodor, G. J., Kotrec, M., Bacskai, K., Dorner, T., Lietava, J., Sonkodi, S., . . . Turton, P. (2005). Is interview a reliable method to verify the compliance with antihypertensive therapy? An international central-European study. *Journal of Hypertension*, 23(6), 1261-1266.
- Folstein, M. F., Folstein, S. E., & McHugh, P. R. (1975). "Mini-Mental State": A practical method for grading the cognitive state of patients for the clinician. *Journal of Psychiatric Research*, 12(3), 189-198.
- Fongwa, M. N., Evangelista, L. S., & Doering, L. V. (2006). Adherence to treatment factors in hypertensive African American women. *Journal of Cardiovascular Nursing*, 21(3), 201-207.
- Franco, V., Oparil, S., & Carretero, O. A. (2004). Hypertension therapy: Part II. *Circulation*, 109(25), 3081-3088.
- Franks, P., Jerant, A. F., Fiscella, K., Shields, C. G., Tancredi, D. J., & Epstein, R. M. (2006). Studying physician effects on patient outcomes: Physician interactional style and performance on quality of care indicators. *Social Science & Medicine*, 62(2), 422-432. doi:10.1016/j.socscimed.2005.05.027
- Fukutomi, M., & Kario, K. (2010). Aging and hypertension. *Expert Review of Cardiovascular Therapy*, 8(11), 1531-1539.
- Fung, V., Huang, J., Brand, R., Newhouse, J. P., & Hsu, J. (2007). Hypertension treatment in a medicare population: Adherence and systolic blood pressure control. *Clinical Therapeutics*, 29(5), 972-984.
- Gazmararian, J. A., Kripalani, S., Miller, M. J., Echt, K. V., Ren, J., & Rask, K. (2006). Factors associated with medication refill adherence in cardiovascular-related diseases: A focus on health literacy. *Journal of General Internal Medicine*, 21(12), 1215-1221.

- Gellad, W. F., Grenard, J. L., & Marcum, Z. A. (2011). A systematic review of barriers to medication adherence in the elderly: Looking beyond cost and regimen complexity. *American Journal Geriatric Pharmacotherapy*, 9(1), 11-23. doi:10.1016/j.amjopharm.2011.02.004
- George, J., & Shalansky, S. J. (2007). Predictors of refill non-adherence in patients with heart failure. *British Journal of Clinical Pharmacology*, 63(4), 488-493. doi:10.1111/j.1365-2125.2006.02800.x
- George, J., Phun, Y.-T., Bailey, M. J., Kong, D. C., & Stewart, K. (2004). Development and validation of the medication regimen complexity index. *Annual Pharmacotherapy*, 38(9), 1369-1376. doi:10.1345/aph.1D479
- Gonzales, B., Lupon, J., Parajon, T., Urrutia, A., Altimir, S., Coll, R., . . . Valle, V. (2004). Nurse evaluation of patients in a new multidisciplinary Heart Failure Unit in Spain. *European Journal of Cardiovascular Nursing*, 3, 61-69.
- Graf, C. (2008). The Lawton Instrumental Activities of Daily Living Scale. *American Journal Nursing*, 108(4), 52-62.
- Grenard, J. L., Munjas, B. A., Adams, J. L., Suttorp, M., Maglione, M., McGlynn, E. A., & Gellad, W. F. (2011). Depression and medication adherence in the treatment of chronic diseases in the United States: A meta-analysis. *Journal of General Internal Medicine*, 26(10), 1175-1182.
- Grover, M., Drossman, D. A., & Oxentenko, A. S. (2013). Direct trainee observation: Opportunities for enhanced physician-patient communication and faculty development. *Gastroenterology*, 144(7), 1330-1334. doi:10.1053/j.gastro.2013.04.039
- Ha, J. F., Anat, D. S., & Longnecker, N. (2010). Doctor-patient communication: A review. *The Ochsner Journal*, 10, 38-43.
- Hadi, N., & Rostami-Gooran, N. (2004). Determinant factors of medication compliance in hypertensive patients of Shiraz, Iran. *Archives of Iranian Medicine*, 7(4), 292-296.

- Hair, J. F., Anderson, R. E., Tatham, R. L., & Black, W. C. (1998). *Multivariate data analysis* (5th ed.). New Jersey: Pearson Prentice-Hall.
- Hair, J. F., Black, W. C., Babin, B. J., Anderson, R. E., & Tatham, R. L. (2006). *Multivariate data analysis* (6th ed.). New Jersey: Pearson Prentice-Hall.
- Hair, J. F., Black, W. C., Babin, B. J., & Anderson, R. E. (2010). *Multivariate data analysis* (7th ed.). New Jersey: Pearson Prentice-Hall.
- Hakim, A. (2011). Perception of risk and benefit in patient-centered communication and care. *Patient Intelligent*, 3, 39-48.
- Hamer, M., Kivimaki, M., Stamatakis, E., & Batty, G. D. (2012). Psychological distress as a risk factor for death from cerebrovascular disease. *Canadian Medical Association Journal*, 184 (13), 1461-1466. doi: HG:10.1503 /cmaj.111619
- Han, H.-R., Chan, K., Song, H., Nguyen, T., Lee, J.-E., & Kim, M. T. (2011). Development and evaluation of a hypertension knowledge test for Korean hypertensive patients. *The Journal of Clinical Hypertension*, 13(10), 750-757. doi:10.1111/j.1751-7176.2011.00497.x
- Harris, M. A., Oelbaum, R., & Flomo, D. (2007). State of the art reviews: Changing and adhering to lifestyle changes: What are the keys? *American Journal of Lifestyle Medicine*, 1(3), 214-219. doi:10.1177/1559827606298979
- Hart, E. C., Joyner, M. J., Wallin, B. G., Johnson, C. P., Curry, T. B., Eisenach, J. H., & Charkoudian, N. (2009). Age-related differences in the sympathetic-hemodynamic balance in men. *Hypertension*, 54, 127-133. doi:10.1161/HYPERTENSIONAHA.109.131417
- Hartley M., Repede E. (2011). Nurse practitioner communication and treatment adherence in hypertensive patients. *The Journal for Nurse Practitioners*, 7(8), 654-659.
- Hashmi, S. K., Afridi, M. B., Abbas, K., Sajwani, R. A., Saleheen, D., Frossard, P. M., . . . Ahmad, U. (2007). Factors associated with adherence to anti-hypertensive treatment in Pakistan. *PLoS ONE*, 3(e280), 1-8.

- Haskell, W. L., Lee, I. M., Pate, R. R., Powell, K. E., Blair, S. N., Franklin, B. A., . . . Bauman, A. (2007). Physical activity and public health: Updated recommendation for adults from the American College of Sports Medicine and the American Heart Association. *Medicine and Science in Sports and Exercise*, 39(8), 1423-1434 doi:10.1249/mss.0b013e3180616b27
- Hassan, N. B., Hasanah, C. I., Foong, K., Naing, L., Awang, R., Ismail, S. B., . . . Rahman, A. R. (2006). Identification of psychosocial factors of noncompliance in hypertensive patients. *Journal of Human Hypertension*, 20, 23-29.
- Hawkins, L. A., Kilian, S., Firek, A., Kashner, T. M., Firek, C. J., & Silvet, H. (2012). Cognitive impairment and medication adherence in outpatients with heart failure. *Heart & Lung*, 41(6), 572-582. doi:10.1016/j.hrtlng.2012.06.001
- Hawkshead, J., & Krousel-Wood, M. A. (2007). Techniques for measuring medication adherence in hypertensive patients in outpatient settings advantages and limitations. *Disease Management Health Outcomes*, 15(2), 109-118.
- Heisler, M., Bouknight, R. R., Hayward, R. A., Smith, D. M., & Kerr, E. A. (2002). The relative importance of physician communication, participatory decision making, and patient understanding in diabetes self-management. *Journal of General Internal Medicine*, 17(4), 243-252.
- Hekler, E. B., Lambert, J., Leventhal, E., Leventhal, H., Jahn, E., & Contrada, R. J. (2008). Commonsense illness beliefs, adherence behaviors, and hypertension control among African-Americans. *Journal of Behavioral Medicine*, 31(5), 391-400. doi:10.1007/s10865-008-9165-4
- Herndon, J. H., & Pollick, K. J. (2002). Continuing concerns, new challenges, and next steps in physician-patient communication. *The Journal of Bone & Joint Surgery*, 84-A(2), 309-315.
- Heymann, A. D., Gross, R., Tabenkin, H., Porter, B., & Porath, A. (2011). Factors associated with hypertensive patients' compliance with recommended lifestyle behaviors. *The Israel Medical Association Journal*, 13(9), 553-557.

- Hingle, S. T., & Robinson, S. B. (2009). Enhancing communication with older patients in the outpatient setting. *Seminars in Medical Practice*, 12, 1-7.
- Horne, R., Weinman, J., Barber, N., Elliott, R., Morgan, M., Cribb, A., & Kellar, I. (2005). *Concordance, adherence and compliance in medicine taking*. Report for the National Co-ordinating Centre for NHS Service Delivery and Organisation R & D (NCCSDO). Retrieved from http://www.netscc.ac.uk/hsdr/files/project/SDO_FR_08-1412-076_V01.pdf
- House, J. (1981). *Work stress and social support*. Massachusetts: Addison-Wesley.
- Hsu, Y.-H., Mao, C.-L., & Wey, M. (2010). Antihypertensive medication adherence among elderly Chinese Americans. *Journal of Transcultural Nursing*, 21(4), 297-305.
- Hussain, S. M., Boonshuyar, C., & Ekram, A. R. M. S. (2011). Non-adherence to antihypertensive treatment in essential hypertensive patients in Rajshahi, Bangladesh. *Anwer Khan Modern Medical College Journal*, 2(1), 9-14.
- Huther, J., von Wolff, A., Stange, D., Harter, M., Baehr, M., Dartsch, D. C., & Kriston, L. (2013). Incomplete medication adherence of chronically ill patients in German primary care. *Patient Preference and Adherence*, 7, 237-244.
doi:10.2147/PPA.S38373
- Hyman, R. B., Baker, S., Ephraim, R., Moadel, A., & Philip, J. (1994). Health belief model variables as predictors of screening mammography utilization. *Journal of behavioral Medicine*, 17(4), 391-406.
- Hyre, A. D., Krousel-Wood, M. A., Muntner, P., Kawasaki, L., & DeSalvo, K. B. (2007). Prevalence and predictors of poor antihypertensive medication adherence in an urban health clinic setting. *The Journal of Clinical Hypertension*, 9(3), 179-186.
- Inkster, M. E., Donnan, P. T., MacDonald, T. M., Sullivan, F. M., & Fahey, T. (2006). Adherence to antihypertensive medication and association with patient and practice factors. *Journal of Human Hypertension*, 20(4), 295-297.

- Insel, K., Morrow, D., Brewer, B., & Figueiredo, A. (2006). Executive function, working memory, and medication adherence among older adults. *Journal of Gerontology: Psychological Science*, 61B(2), 102-107.
- Institute for Population and Social Research, Mahidol University. (2013). *Estimated population at midyear 2013*. Retrieved from <http://www.ipsr.mahidol.ac.th/ipsr-th/download/Population2013.pdf>
- Ishikawa, H., Roter, D. R., Yamazaki, Y., & Takayam, T. (2005). Physician elderly patient companion communication and roles of companions in Japanese geriatric encounters. *Social Science & Medicine*, 60(10), 2307-2320.
- Ishine, M., Okumiya, K., Hirosaki, M., Sakamoto, R., Fujisawa, M., Hotta, N., . . . Mashinaga, K. (2008). Prevalence of hypertension and its awareness, treatment, and satisfactory control through treatment in elderly Japanese. *Journal of the American Geriatrics Society*, 56(2), 374-375.
- Janz, N. K., & Becker, M. H. (1984). The health belief model: A decade later. *Health Education Quarterly*, 11(1), 1-47.
- Janz, N. K., Champion, V. L., & Strecher, V. J. (2002). The health belief model. In K. Glanze, B. K. Rimer, & F. M. Lewis (Eds.), *Health behavior and health education: Theory, research and practice* (2nd ed., pp. 45-66). San Francisco, CA: Jossey-Bass.
- Jin, J., Sklar, G. E., Oh, V. M. S., & Li, C. S. (2008). Factors affecting therapeutic compliance: A review from the patient's perspective. *Therapeutics and Clinical Risk Management*, 4(1), 269-286.
- Jitapunkul, S., Kamolratanakul, P., & Ebrahim, S. (1994). The meaning of activities of daily living in a Thai elderly population: Development of a new index. *Age and Ageing*, 23(2), 97-101.
- Jitapunkul, S., Lailert, C., & Worakul, P. (1996). Chula mental test: A screening test for elderly people in less developed countries. *International Journal of Geriatric Psychiatry*, 11(8), 715-720.

- Johnson, M. J. (2002). The medication adherence model: A guide for assessing medication taking. *Research and Theory for Nursing Practice: An International Journal*, 16(3), 179-192.
- Johnson, N. (2011). *The Influence of social contacts on the medication adherence of older adults* (Doctoral dissertation). Available from ProQuest Dissertations and Thesis database. (UMI No. 3494326).
- Kalogianni, A. (2011). Factors affect in patient adherence to medication regimen. *Health Science Journal*, 5(3), 157-158.
- Kaplan, N. M. (2006). *Kaplan's clinical hypertension* (9th ed.). Philadelphia: Lippincott Williams & Wilkins.
- Kaplan, R. C., Bhalodkar, N. C., Brown, E. J., White, J., & Brown, D. L. (2004). Race, ethnicity, and sociocultural characteristics predict noncompliance with lipid-lowering medications. *Preventive Medicine*, 39(6), 1249-1255.
doi:10.1016/j.ypmed.2004.04.041
- Karaeren, H., Yokusoglu, M., Uzun, S., Baysan, O., Koz, C., Kara, B., . . . Uzu, M. (2009). The effect of the content of the knowledge on adherence to medication in hypertensive patients. *The Anatolian Journal of Cardiology*, 9(3), 183-188.
- Karakurt, P., & Kasikci, M. (2012). Factors affecting medication adherence in patients with hypertension. *Journal of Vascular Nursing*, 30(4), 118-126.
doi:10.1016/j.jvn.2012.04.002
- Karlsson, M., Edner, M., Henriksson, P., Mejhert, M., Persson, H., Grut, M., & Billing, E. (2005). A nursebased management program in heart failure patients affects females and persons with cognitive dysfunction most. *Patient Education and Counseling*, 58(2), 146-153.
- Keenan, N. L., & Rosendorf, K. A. (2011). Prevalence of hypertension and controlled hypertension-United States, 2005-2008. *Morbidity and Mortality Weekly Report*, 60, 94-97.

- Khuwatsamrit, K. (2006). *Adherence to self-requirements model: an empirical test among patients with coronary artery disease* (Master's thesis). Retrieved from http://researchlogin.cmu.ac.th/go/tdc.thailis.or.th/tdc/search_result.php
- Kim, E.-Y., Han, H.-R., Jeong, S., Kim, K. B., Park, H., Kang, E., . . . Kim, M. T. (2007). Does knowledge matter? intentional medication nonadherence among middle-aged Korean Americans with high blood pressure. *Journal of Cardiovascular Nursing*, 22(5), 397-404.
- Kim, K. I., Cho, Y. S., Choi, D. J., & Kim, C. H. (2008). Optimal treatment of hypertension in the elderly: A Korean perspective. *Geriatric Gerontology International*, 8, 5-11. doi:10.1111/j.1447-0594.2008.00440.x
- Kim, M. M., Howard, D. L., Kaufman, J. S., & Holmes, D. (2008). Predicting medication use in an elderly hypertensive sample: Revisiting the established populations for epidemiologic studies of the elderly study. *Journal of the National Medical Association*, 100(12), 1836-1393.
- Kim, M. T., Hill, M. N., Bone, L. R., & Levine, D. M. (2000). Development and testing of the Hill-Bone compliance to high blood pressure therapy scale. *Progress in Cardiovascular Nursing*, 15(3), 90-96.
- Kim, S. S., & Park, B. K. (2008). Patient-perceived communication styles of physicians in rehabilitation: the effect on patient satisfaction and compliance in Korea. *American Journal Physical Medicine Rehabilitation*, 87(12), 998-1005. doi: 10.1097/PHM.0b013e318186babf
- Kline, R. B. (2011). *Principles and practice of structural equation modeling* (3rd ed.). New York: The Guilford.
- Koschack, J., Marx, G., Schnakenberg, J., Kochen, M. M., & Himmel, W. (2010). Comparison of two self-rating instruments for medication adherence assessment in hypertension revealed insufficient psychometric properties. *Journal of Clinical Epidemiology*, 63(3), 299-306. doi:10.1016/j.jclinepi.2009.06.011

- Kotchen, T. (2008). Hypertensive vascular disease. In A. S. Fauci et al. (Ed.), *Harrison's principles of internal medicine* (17th ed.). New York: McGraw-Hill Medical.
- Kressin, N. R., Wang, F., Long, J., Bokhour, B. G., Orner, M. B., Rothendler, J, . . . Berlowitz, D. R. (2007). Hypertensive patients' race, health beliefs, process of care, and medication adherence. *Society of General Internal Medicine*, 22(6), 768-774. doi:10.1007/s11606-007-0165-9
- Krousel-Wood, M. A., Muntner, P., Islam, T., Morisky, D. E., & Webber, L. S. (2009). Barriers to and determinants of medication adherence in hypertension management: Perspective of the cohort study of medication adherence among older adults (CoSMO). *Medical Clinics of North America*, 93(3), 753-769.
- Krousel-Wood, M. A., Muntner, P., Joyce, C. J., Islam, T., Stanley, E., Holt, E. W., . . . Webber, L. S. (2010). Adverse effects of complementary and alternative medicine on antihypertensive medication adherence: Findings from the cohort study of medication adherence among older adults. *Journal of the American Geriatrics Society*, 58(1), 54-61.
- Krousel-Wood, M., Joyce, C., Holt, E., Muntner, P., Webber, L. S., Morisky, D. E., . . . Re, R. N. (2011). Predictors of decline in medication adherence: Results from CoSMO. *Hypertension*, 58(5), 804-810.
- Krousel-Wood, M., Thomas, S., Muntner, P., & Morisky, D. (2004). Medication adherence: A key factor in achieving blood pressure control and good clinical outcomes in hypertensive patients. *Current Opinion in Cardiology*, 19(4), 357-362.
- Lagu, T., Weiner, M. G., Eachus, S., Tang, S. S. K., Schwartz, J. S., & Turner, B. J. (2009). Effect of patient comorbidities on filling of antihypertensive prescriptions. *American Journal Managed Care*, 15(1), 24-30.
- Lakatta, E. G. (2003). Arterial and cardiac aging: Major shareholders in cardiovascular disease enterprises: Part III: Cellular and molecular clues to heart and arterial aging. *Circulation*, 107, 490-497. doi:10.1161/01.CIR.0000048894.99865.02

- Lam, P. W., Lum, C. M., & Leung, M. F. (2007). Drug non-adherence and associated risk factors among Chinese geriatric patients in Hong Kong. *Hong Kong Medical Journal*, 13(4), 284-292.
- Langford, H. P. C., Bowsher, J., Maloney, J. P., & Lillis, P. P. (1997). Social support: A conceptual analysis. *Journal of Advanced Nursing*, 25, 29-100.
- Lawton, M. P., & Brody, E. M. (1969). Assessment of older people: Self-maintaining and instrumental activities of daily Living. *Gerontologist*, 9(3), 179-186.
- Lee, G. K. Y., Wang, H. H. X., Liu, K. Q. L., Cheung, Y., Morisky, D. E., & Wong, M. C. S. (2013). Determinants of medication adherence to antihypertensive medications among a Chinese population using Morisky Medication Adherence Scale. *PLoS ONE*, 8(4), 1-7.
- Lee, J., Han, H., Song, H., Kim, J., Kim, K. B., Ryu, J. P., & Kim, T. M. (2010). Correlates of self-care behaviors for managing hypertension among Korea Americans: A questionnaire survey. *International Journal of Nursing Survey*, 47(4), 411-417. doi:10.1016/j.ijnurstu.2009.09.011
- Leidy, N. K. (1999). Psychometric properties of the functional performance inventory in patients with chronic obstructive pulmonary disease. *Nursing Research*, 48(1), 20-28.
- Lenz, E. R., & Shortridge-Baggett, L. M. (2002). *Self-efficacy in nursing: Research and measurement perspectives*. New York: Springer.
- Leventhal, H., Weinman, J., Leventhal, E. A., & Phillips, L. A. (2008). Health psychology: The search for pathways between behavior and health. *Annual Review of Psychology*, 59, 477-505.
- Levesque, A., Li, H. Z., & Pahal, J. S. (2012). Factors related to patients' adherence to medication and lifestyle change recommendations: Data from Canada. *International Journal of Psychological Studies*, 4(2), 42-55.

- Libby, A. M., Fish, D. N., Hosokawa, P. W., Linnebur, S. A., Metz, K. R., Nair, K. V., . . . Hirsch, J. D. (2013). Patient-level medication regimen complexity across populations with chronic disease. *Clinical Therapeutics*, 35(4), 385-398. doi:10.1016/j.clinthera.2013.02.019
- Limcharoen, S., Masingboon, K., & Kunsongkeit, W. (2007). Factors related to adherence to treatment among essential hypertensive patients. *The Journal of Faculty of Nursing Burapha University*, 15(1), 63-79.
- Lin, Y.-P., Huang, Y.-H., Yang, Y.-C., Wu, J.-S., Chang, C.-J., & Lu., F.-H. (2007). Adherence to antihypertensive medications among the elderly: A community-based survey in Tainan City, Southern Taiwan. *Taiwan Geriatrics & Gerontology*, 2(3), 176-189.
- Lloyd-Jones, D. M., Evans, J. C., & Levy, D. (2005). Hypertension in adults across the age spectrum: Current outcomes and control in the community. *The Journal of the American Medical Association*, 294(4), 466-472.
- Lowry, K. P., Dudley, T. K., Oddone, E. Z., & Bosworth, H. B. (2005). Intentional and unintentional nonadherence to antihypertensive medication. *Annual Pharmacotherapy*, 39(7-8), 1198-1203. doi:10.1345/aph.1E594
- Luckson, M. (2010). Hypertension management in older people. *British Journal of Community Nursing*, 15(1), 17- 21.
- Maeda, U., Shen, B-J., Schwarz, E. R., Farrell, K. A., & Mallon, S. (2013). Self-efficacy mediates the associations of social support and depression with treatment adherence in heart failure patients. *International Journal of Behavioral Medicine*, 20(1), 88-96. doi:10.1007/s12529-011-9215-0
- Mancia, G., De Backer, G., Dominiczak, A., Cifkova, R., Fagard, R., Germano, G., . . . Zamorano, J. L. (2007). Guidelines for the management of arterial hypertension. *European Heart Journal*, 28(12), 1462-1536.
- Mansur, N., Weiss, A., & Beloosesky, Y. (2012). Looking beyond polypharmacy: Quantification of medication regimen complexity in the elderly. *The American Journal of Geriatric Pharmacotherapy*, 10(4), 223-229.

- Mansur, N., Weiss, A., Hoffman, A., Gruenewald, T., & Beloosesky, Y. (2008). Continuity and adherence to long-term drug treatment by geriatric patients after hospital discharge: A prospective cohort study. *Drugs Aging*, 25(10), 861-870.
- Martin, J. E., & Sheaff, M. T. (2007). Renal ageing. *Journal of Pathology*, 211(2), 198-205. doi:10.1002/path.2111
- Matthews, S. M., Peden, A. R., & Rowles, G. D. (2009). Patient-provider communication: Understanding diabetes management among adult females. *Patient Education and Counseling*, 76, 31-37. doi:10.1016/j.pec.2008.11.022
- Mazzaglia, G., Ambrosioni, E., Alacqua, M., Filippi, A., Sessa, E., Immordino, V., . . . Mantovani, L. G. (2009). Adherence to antihypertensive medications and cardiovascular morbidity among newly diagnosed hypertensive patients. *Circulation*, 120(16), 1598-1605. doi:10.1161/CIRCULATIONAHA.108.830299
- McAlister, A. L., Perry, C. L., & Parcel, G. S. (2008). How individuals, environments, and health behaviors interact: Social cognitive theory. In K. Glanz, B. K. Rimer, & K. Viswanath (Eds.), *Health behavior and health education: Theory, research, and practice* (4th ed., pp. 169-188). Sanfrancisco: Jossey-Bass.
- McCabe, P. J., Schad, S., Hampton, A., & Holland, D. E. (2008). Knowledge and self-management behaviors of patients with recently detected atrial fibrillation. *Heart Lung*, 37(2), 79-90. doi:10.1016/j.hrtlng.2007.02.006
- Messerli, G. H., Williams, B., & Ritz, E. (2007). Essential hypertension. *Lancet*, 370(9587), 591-603. doi:10.1016/S0140-6736(07)61299-9
- Miller, C. A. (2004). *Nursing for wellness in older adults theory and practice* (4th ed., Chap. 3, pp. 123-164). Philadelphia: Lippincott Williams & Wilkins.
- Mishra, S. I., Gioia, D., Childress, S., Barnet, B., & Webster, R. L. (2011). Adherence to medication regimens among low-income patients with multiple comorbid chronic conditions. *Health & Social Work*, 36(4), 249-258.

- Morisky, D. E., Ang, A., Krousel-Wood, M., & Ward, H. J. (2008). Predictive validity of a medication adherence measure in an outpatient setting. *The Journal of Clinical Hypertension*, 10(5), 348-354.
- Morris, A. B., Li, J., Kroenke, K., Bruner-England, T. E., Young, J. M., & Murray, M. D. (2006). Factors associated with drug adherence and blood pressure control in patients with hypertension. *Pharmacotherapy*, 26(4), 483-492.
- Munger, M. A., van Tassell, B. W., & LaFleur, J. (2007). Medication nonadherence: An unrecognized cardiovascular risk factor. *Medscape General Medicine*, 9(3), 58.
- Naewbood, S. (2005). *Factors related to medication adherence among persons with hypertension* (Master's thesis). Retrieved from http://researchlogin.cmu.ac.th/go/tdc.thailis.or.th/tdc/search_result.php
- Nangyeam, A. (2007). *Determinants of eating behavior of hypertensive patients* (Master's thesis). Retrieved from http://researchlogin.cmu.ac.th/go/tdc.thailis.or.th/tdc/search_result.php
- Narkiewicz, K., Phillips, B. G., Kato, M., Hering, D., Bieniaszewski, L., & Somers, V. K. (2005). Gender-selective interaction between aging, blood pressure, and sympathetic nerve activity. *Hypertension*, 45(4), 522-525.
- Natarajan, N., Putnam, W., Aarsen, K. V., Lawson, B., & Burge, F. (2013). Adherence to antihypertensive medications among family practice patients with diabetes mellitus and hypertension. *Canadian Family Physician*, 59(2), e93-e100.
- National Health Examination Survey Office. (2010). *The 4th national health examination survey 2008-2009*. Retrieved from http://www.nheso.or.th/download_file.php?content_id=14&down_id=8
- National Heart, Lung, and Blood Institute. (2006). *Your guide to lowering your blood pressure with DASH*. Retrieved from http://www.nhlbi.nih.gov/health/public/heart/hbp/dash/new_dash.pdf
- National Statistic Office. (2008). *A report on the the survey of elderly in Thailand 2008*. Bangkok: Prime Minister's Office.

- Neter, J. E., Stam, B. E., Kok, F. J., Grobbee, D. E., & Geleijnse, J. M. (2003). Influence of weight reduction on blood pressure: A meta-analysis of randomized controlled trials. *Hypertension*, 42(5), 878-884.
- Neutel, J. M., & Smith, D. H. G. (2003). Improving patient compliance: A major goal in the management of hypertension. *The Journal of Clinical Hypertension*, 5(2), 127-132.
- Nguyen, H., Odelola, O. A., Rangaswami, J., & Amanullah, A. (2013). A Review of nutritional factors in hypertension management. *International Journal of Hypertension*. Advance online publication. doi:10.1155/2013/698940
- Nwankwo, T., Yoon, S. S., Burt, V., & Gu, Q. (2013). *Hypertension among adults in the United States: National Health and Nutrition Examination Survey, 2011-2012*. NCHS data Brief. Retrieved from <http://www.cdc.gov/nchs/data/databriefs/db133.pdf>
- Ogedegbe, G., & Pickering, T. G. (2011). Hurst's the heart. In V. Fuster., R. A. Walsh., & R. A., Harrington (Eds.), *Epidemiology of hypertension* (13th ed., pp. 1541-1543). New York: McGraw-Hill Medical.
- Ogedegbe, G., Mancuso, C. A., Allegrante, J. P., & Charlson, M. E. (2003). Development and evaluation of a medication adherence self-efficacy scale in hypertensive African-American patients. *Journal of Clinical Epidemiology*, 56(6), 520-529.
- Ogedegbe, G., Schoenthaler, A., & Fernandez, S. (2007). Appointment-keeping behavior is not related to medication adherence in hypertensive African Americans. *Society of General Internal Medicine*, 22(8), 1176-1179. doi:10.1007/s11606-007-0244-y
- Okoro, R. N., & Ngong, C. K. (2012). Assessment of patient's antihypertensive medication adherence level in non-comorbid hypertension in a tertiary hospital in Nigeria. *International Journal of Pharmacy and Biomedical Sciences*, 3(2), 47-54.

- Okuno, J., Yanaki, H., & Tomura, S. (2001). Is cognitive impairment a risk factor for poor compliance among Japanese elderly in the community? *European Journal of Pharmacology*, 57(8), 589-594. doi: 10.1007/s002280100347
- Onchim, W. (2002). *A Study of self-efficacy and self-care behavior of hypertensive patients* (Master's thesis). Retrieved from http://researchlogin.cmu.ac.th/go/tdc.thailis.or.th/tdc/search_result.php
- Ong, L. M., De Haes, J. C., Hoos, A. M., & Lammes, F. B. (1995). Doctor-patient communication: A review of the literature. *Social Science and Medicine*, 40(7), 903-918.
- Osamor, P. E., & Owumi, B. E. (2011). Factors associated with treatment compliance in hypertension in Southwest Nigeria. *Journal of Health, Population and Nutrition*, 29(6), 619-628.
- Osterberg, L., & Blaschke, T. (2005). Adherence to medication. *The New England Journal of Medicine*, 353, 487-497. doi:10.1056/NEJMra050100
- Painter, P. (2005). Physical functioning in end-stage renal disease patients: Update 2005. *Hemodialysis International*, 9(3), 218-235. doi:10.1111/j.1492-7535.2005.01136.x
- Parikh, A., Lipsitz, S. R., & Natarajan, S. (2009). Association between a DASH-like diet and mortality in adults with hypertension: Findings from a population-based follow-up study. *American Journal Hypertension*, 22(4), 409-416. doi:10.1038/ajh.2009.10
- Park, D. C., & Jones, T. (1997). Medication adherence and aging. In A. D. Fisk & W. A. Rogers (Eds.), *Handbook of human factors and the older adult* (pp. 257-287). San Diego, CA: Academic Press.
- Park, Y.-H., Kim, H., Jang, S.-N., & Koh, C. K. (2012). Predictors of adherence to medication in older Korean patients with hypertension. *European Journal of Cardiovascular Nursing*, 12(1), 17-24. doi:10.1016/j.ejcnurse.2011.05.006

- Parker, M. M., Moffet, H. H., Schillinger, D., Adler, N., Fernandez, A., Ciechanowski, P., & Karter, A. J. (2012). Ethnic differences in appointment-keeping and implications for the patient-centered medical home-findings from the Diabetes Study of Northern California (DISTANCE). *Health Services Research*, 47(2), 572-593. doi:10.1111/j.1475-6773.2011.01337.x
- Pereira, A. A., Weiner, D. E., Scott, T., & Sarnak, M. J. (2005). Cognitive function in dialysis patients. *American Journal of Kidney Diseases*, 45(3), 448-462.
- Phillips, L. A., Leventhal, E. A., & Leventhal, H. (2011). Factors associated with the accuracy of physicians' predictions of patient adherence. *Patient Education and Counseling*, 85(3), 461-467. doi: 10.1016/j.pec.2011.03.012
- Piette, J. D., & Heisler, M. (2006). The relationship between older adults' knowledge of their drug coverage and medication cost problems. *Journal of American Geriatric Society*, 54(1), 91-96. doi:10.1111/j.1532-5415.2005.00527.x
- Pinprapapan, E. (2013). *A Causal model of adherence to therapeutic regimens among persons with hypertension* (Doctoral dissertation). Retrieved from http://library.cmu.ac.th/digital_collection/theses/
- Pinprapapan, E., Panuthai, S., Vannarit, T., & Srisuphan, W. (2013). Casual model of adherence to therapeutic regimens among thaïs with hypertension. *Pacific Rim International Journal Nursing Research*, 17(3), 268-281.
- Pi-Sunyer, F. X., & Kokkoris, P. (2007). Obesity in hypertension. In H. R. Black & W. J. Elliott (Eds.), *Hypertension: A companion to Braunwald's heart disease* (pp. 370-380). Philadelphia: Saunders & Elsevier.
- Poirier, P., Turbide, G., Bourdages, J., Sauvageau, L., & Houle, J. (2006). Predictors of compliance with medical recommendations regarding pharmacological and nonpharmacological approaches in patient with cardiovascular disease. *Clinical and Investigative Medicine*, 29(2), 91-103.
- Polit, D. F., & Beck, C. T. (2008). *Nursing research: Generating and assessing evidence for nursing practice* (8th ed.). Philadelphia: Lippincott Williams & Wilkins.

- Rankins, J., Sampson, W., Brown, B., & Jenkins-Salley, T. (2005). Dietary Approaches to Stop Hypertension (DASH) intervention reduces blood pressure among hypertensive African American patients in a neighborhood health care center. *Journal of Nutrition Education and Behavior*, 37(5), 259-264.
- Riegel, B., Dickson, V. V., Cameron, J., Johnson, J. C., Bunker, S., Page, K., & Worrall-Carter, L. (2010). Symptom recognition in elders with heart failure. *Journal of Nursing Scholarship*, 42(1), 92-100. doi:10.1111/j.1547-5069.2010.01333.x
- Riouunin, R. (2007). *Health beliefs and disease control behaviors among persons with hypertension in primary care unit of Li Hospital, Lamphun province* (Master's thesis). Retrieved from http://researchlogin.cmu.ac.th/go/tdc.thailis.or.th/tdc/search_result.php
- Robinson, T. E., White, G. L., & Houchins, J. C. (2006). Improving communication with older patients: Tips from the literature. *Family Practice Management*, 13(8), 73-78.
- Roh, Y. S. (2005). Modeling adherence to therapeutic regimens in patients with hypertension. *Journal of Korean Academy of Nursing*, 35(4), 737-744.
- Rosenstock, I. M., Strecher, V. J., & Becker, M. H. (1988). Social learning theory and the health belief model. *Health Education Quarterly*, 15(2), 175-183.
- Rubin, R., R. (2005). Adherence to pharmacologic therapy in patients with type 2 diabetes mellitus. *The American Journal of Medicine*, 118(Suppl. 5A), 27s-34s. doi:10.1016/j.amjmed.2005.04.012
- Ruscin, J. M., & Semla, T. P. (1996). Assessment of medication management skills in older outpatients. *Annual Pharmacotherapy*, 30(10), 1083-1088.
- Russell, S., Daly, J., Highes, E., & Hoog, C. (2003). Nurses and 'difficult' patients: negotiating non-compliance. *Journal of Advanced Nursing*, 43(3), 281-287.

- Salas, M., In't Veld, B. A., Van der Linder, P. D., Hofman, A., Breteler, M., & Stricker, B. H. (2001). Impaired cognitive function and compliance with antihypertensive drugs in elderly: The Rotterdam study. *Clinical Pharmacology & Therapeutics*, 70(6), 561-566.
- Saleem, F., Hassali, M. A., Shafie, A. A., Awad, A. G., & Bashir, S. (2011). Association between knowledge and drug adherence in patients with hypertension in Quetta, Pakistan. *Tropical Journal of Pharmaceutical*, 10(2), 125-132.
- Sanjaithum, K. (2006). *Factors influencing nutritional self-management among older adults with diabetes mellitus* (Master's thesis). Retrieved from http://dcms.thailis.or.th/dcems/search_result.php
- Schafer, I., von Leitner, E.-C., Schon, G., Koller, D., Hansen, H., Kolonko, T., . . . van den Bussche, H. (2010). Multimorbidity patterns in the elderly: A new approach of disease clustering identifies complex interrelations between chronic conditions. *PLoS ONE*, 5(12), e15941. doi:10.1371/journal.pone.0015941
- Schlenk, E. A., Dunbar-Jacob, J., & Engberg, S. (2004). Medication non-adherence among older adults: A review of strategies and interventions for improvement. *Journal of Gerontological Nursing*, 30(7), 33-43.
- Schoenthaler, A., Chaplin, W. F., Allegrante, J. P., Fernandez, S., Diaz-Gloster, M., Tobin, J. N., & Ogedegbe, G. (2009). Provider communication effects medication adherence in hypertensive African Americans. *Patient Education Counseling*, 75(2), 185-191. doi:10.1016/j.pec.2008.09.018
- Schoenthaler, A., Ogedegbe, G., & Allegrante, J. P. (2009). Self-efficacy mediates the relationship between depressive symptoms and medication adherence among hypertensive African Americans. *Health Education & Behavior*, 36(1), 127-137.
- Schutte, C. (2006). *Medication adherence in the elderly: The predictive power of neuropsychological tests* (Doctoral dissertation). Available from ProQuest dissertation and Thesis database. (UMI No. 3221646)
- Schutzer, K. A., & Graves, B. S. (2004). Barriers and motivations to exercise in older adults. *Preventive Medicine*, 39(5), 1056-1061.

- Seeman, T., & Chen, X. (2002). Risk and protective factors for physical functioning in older adults with and without chronic conditions: MacArthur studies of successful aging. *The Journals of Gerontology: Social Sciences*, 57B(3), S135-S144.
- Shams, M. E. E., & Barakat, E. A. M. E. (2010). Measuring the rate of therapeutic adherence among outpatients with T2DM in Egypt. *Saudi Pharmaceutical Journal*, 18(4), 225-232. doi:10.1016/j.jsps.2010.07.004
- Shay, L. E. (2008). A concept analysis: Adherence and weight loss. *Nursing Forum*, 43(1), 42-52.
- Shieh, S.-C., Tung, H.-S., & Liang, S.-Y. (2012). Social support as influencing primary family caregiver burden in Taiwanese patients with colorectal cancer. *Journal of Nursing Scholarship*, 44(3), 223-231.
- Shin, Y. H., Yun, S. K., Pender, N. J., & Jang, H. J. (2005). Test of the health promotion model as a causal model of commitment to a plan for exercise among Korean adults with chronic disease. *Research in Nursing & Health*, 28(2), 117-125. doi:10.1002/nur.20060
- Sjolund, B.-M., Nordberg, G., Wimo, A., & von Strauss, E. (2010). Morbidity and physical functioning in old age: Differences according to living area. *The American Geriatrics Society*, 58(10), 1855-1862. doi:10.1111/j.1532-5415.2010.03085.x
- Skliros, E. A., Papadodima, S. A., Sotiropoulos, A., Xipnitos, C., Kollias, A., & Spiliopoulou, C. A. (2012). Relationship between alcohol consumption and control of hypertension among elderly Greeks: The Nemea primary care study. *Hellenic Journal Cardiology*, 53(1), 26-32.
- Song, M., Lee, M., & Shim, B. (2010). Barriers to and facilitators of self-management adherence in Korean older adults with type 2 diabetes. *International Journal of Older People Nursing*, 5(3), 211-218. doi:10.1111/j.1748-3743.2009.00189.x
- Sowapak, P. (2006). *Factors related to drug adherence among elders with hypertension* (Master's thesis). Retrieved from http://researchlogin.cmu.ac.th/go/tdc.thailis.or.th/tdc/search_result.php

- Sritarapipat, P., Pothiban, L., Panuthai, S., Lumlertgul, D., & Nanasilp, P. (2012). Causal model of elderly Thais' self-management behaviors of pre-dialysis chronic kidney disease. *Pacific Rim International Nursing Research*, 16(4), 277-293.
- Stilley, C. S., Bender, C. M., Dunbar-Jacob, J., Sereika, S., & Ryan, C. M. (2010). The impact of cognitive function on medication management: Three studies. *Health Psychology*, 29(1), 50-55. doi:10.1037/a0016940
- Stoehr, G., Lu, S. Y., Lavery, L., Bilt, J. V., Saxton, J. A., Chang, C. C., & Ganguli, M. (2008). Factors associated with adherence to medication regimens by older primary care patients: The Steel Valley Seniors Survey. *American Journal Geriatric Pharmacotherapy*, 6(5), 255-263. doi:10.1016/j.amjopharm.2008.11.001
- Stone, V. E., Hogan, J. W., Schuman, P., Rompalo, A. M., Howard, A. A., Korkontzelou, C., & Smith, D. K. (2001). Antiretroviral regimen complexity, self-reported adherence, and HIV patients' understanding of their regimens: Survey of women in the HER study. *Journal of Acquired Immune Deficiency Syndromes*, 28(2), 124-131.
- Sung, S. K., Lee, S. G., Lee, K. S., Kim, D. S., Kim, K. H., & Kim, K. Y. (2009). First-year treatment adherence among outpatients initiating antihypertensive medication in Korea: Results of a retrospective claims review. *Clinical Therapeutics*, 31(6), 1309-1320. doi:10.1016/j.clinthera.2009.06.011
- Suppapitiporn, S., & Suppapitiporn, S. (2005). The family functioning and glycemic control of non-insulin dependent diabetes mellitus. *Chula Medical Journal*, 49(5), 269-280.
- Tabachnick, B. G., & Fidell, L. S. (2007). *Using multivariate statistics* (5th ed.). Boston: Pearson Education.
- Taira, D. A., Gelber, R. P., Davis, J., Gronley, K., Chung, R. S., & Seto, T. B. (2007). Antihypertensive adherence and drug class among Asian Pacific Americans. *Ethnicity and Health*, 12(3), 265-281.
- Tanner, E. K. (2004). Chronic illness demands for self-management in older adults. *Geriatric Nursing*, 25(5), 313-317.

- Tantayothin, S. (2004). *Factors influencing nutritional and exercise behaviors of hypertensive patients in Sainoi District, Nonthaburi Province* (Master's thesis). Retrieved from http://researchlogin.cmu.ac.th/go/tdc.thailis.or.th/tdc/search_result.php
- Tepsuriyanont, S. (2010). *A causal model of medication adherence behavior in the elderly with hypertension* (Doctoral dissertation). Retrieved from http://researchlogin.cmu.ac.th/go/tdc.thailis.or.th/tdc/search_result.php
- Thailand Hypertension Society. (2012). *The guidelines on the treatment of hypertension update 2012*. Retrieved from http://www.thaihypertension.org/hypertension_update.php
- Thiruchselvam, T., Naglie, G., Moineddin, R., Charles, J., Orlando, L., Jaglal, S., . . . Tierney, M. C. (2012). Risk factors for medication nonadherence in older adults with cognitive impairment who live alone. *International Journal of Geriatric Psychiatry*, 27(12), 1275-1282. doi:10.1002/gps.3778
- Trivedi, R. B., Ayotte, B., Edelman, D., & Bosworth, H. B. (2008). The association of emotional well-being and marital status with treatment adherence among patients with hypertension. *Journal of Behavioral Medicine*, 31(6), 489-497. doi:10.1007/s10865-008-9173-4
- Turner, B. J., Hollenbeck, C., Weiner, M. G., Have, T. T., & Roberts, C. (2009). Barriers to adherence and hypertension control in a racially diverse representative sample of elderly primary care patients. *Pharmacoepidemiology and Drug Safety*, 18(8), 672-681. doi:10.1002/pds.1766
- United Nations, Department of Economic and Social Affairs. (2013). *World population ageing 2013*. ST/ESA/SER.A/348. Retrieved from <http://www.un.org/en/development/desa/population/publications/pdf/ageing/WorldPopulationAgeing2013.pdf>
- Uzun, S., Kara, B., Yokusoglu, M., Arslan, F., Yilmaz, M. B., & Karaeren, H. (2009). The assessment of adherence of hypertensive individuals to treatment and lifestyle change recommendations. *The Anatolian Journal of Cardiology*, 9(2), 102-109.

- Van Viet, M. J., Schuurmans, M. J., Grypdonck, M. H. F., & Duijnstee, M. S. H. (2006). Improper intake of medication by elders' insights on contributing factors: A review of the literature. *Research and Theory for Nursing Practice: An International Journal*, 20(1), 79-93.
- Vawter, L., Tong, X., Gemilyan, M., & Yoon, P. W. (2008). Barriers to antihypertensive medication adherence among adults-United States. *The Journal of Clinical Hypertension*, 10(12), 922-929. doi:10.1111/j.1751-7176.2008.00049.x
- Verdecchia, P., Staessen, J. A., Angeli, F., de Simone, G., Achilli, A., Ganau, A., . . . Reboldi, G. (2009). Usual versus tight control of systolic blood pressure in non-diabetic patients with hypertension (Cardio-Sis): An open-label randomized trial. *Lancet*, 374(9689), 525-533. doi:10.1016/S0140-6736(09)61340-4
- Vinyoles, E., De la Figuera, M., & Gonzalez-Segura, D. (2008). Cognitive function and blood pressure control in hypertensive patients over 60 years of age: COGNIPRES study. *Current Medical Research and Opinion*, 24(12), 3331-3340. doi:10.1185/03007990802538724
- Vitolins, M. Z., Rand, C. S., Rapp, S. R., Ribisl, P. M., & Sevick, M. A. (2000). Measuring adherence to behavioral and medical interventions. *Controlled Clinical Trials*, 21(Suppl. 5), 188S-194S.
- Voils, C. I., Steffens, D. C., Flint, E. P., & Bosworth, H. B. (2005). Social support and locus of control as predictors of adherence to antidepressant medication in an elderly population. *American Journal of Geriatric Psychiatry*, 13(2), 157-165.
- Warren-Findlow, J., Seymour, R. B., & Huber, L. R. B. (2012). The association between self-efficacy and hypertension self-care activities among African American adults. *Journal Community Health*, 37, 15-24. doi:10.1007/s10900-011-9410-6
- West, R., Jakubek, K., & Wymbs, N. (2002). Age-related declines in prospective memory: Behavioral and electrophysiological evidence. *Neuroscience & Biobehavioral Reviews*, 26(7), 827-833.

- Wiener, J. M., Hanley, R. J., Clark, R., & Van Nostrand, J. F. (1990). *Measuring the activities of daily living: Comparisons across national surveys*. U.S. Department of Health and Human Services. Retrieved from <http://aspe.hhs.gov/daltcp/reports/meacmpes.pdf>
- Woodford, H. J., & George, J. (2007). Cognitive assessment in the elderly: A review of clinical methods. *Oxford Journal Medicine*, 100(8), 469-484.
doi:10.1093/qjmed/hcm051
- World Federation for Mental Health. (2010). *Mental health and chronic physical illnesses the need for continued and integrated care*. Retrieved from <http://www.wfmh.org/2010DOCS/WMHDAY2010.pdf>
- World Health Organization. (2002). *Active ageing: A policy framework*. Kobe: The WHO Centre for Health Development (WKC).
- World Health Organization. (2003). *Adherence to long term therapy: Evidence for action*. Geneva: Author.
- World Health Organization. (2010). *Global status report on noncommunicable diseases 2010*. Retrieved from http://whqlibdoc.who.int/publications/2011/9789240686458_eng.pdf
- Wungthanakorn, S., Phatidumrongkul, C., & Khomchan, P. (2008). Factors affecting medication taking behaviors in hypertensive patients. *Songkla Medical Journal*, 26(6), 539-547.
- Xu, Y. (2005). *Understanding the factors influencing diabetes self management in Chinese people with Type 2 diabetes using structural equation modeling* (Doctoral dissertation, University of Cincinnati). Retrieved from http://rave.ohiolink.edu/etdc/view?acc_num=ucin1123715610
- Xu, Y., Toobert, D., Savage, C., Pan, W., & Whitmer, K. (2008). Factors influencing diabetes self-management in Chinese people with type 2 diabetes. *Research in Nursing & Health*, 31(1), 613-625. doi:10.1002/nur.20293

- Yiannakopoulou, E. C., Papadopoulos, J. S., Cokkinos, D. V., & Mountokalakis, T. D. (2005). Adherence to antihypertensive treatment: a critical factor for blood pressure control. *European Journal of Cardiovascular Prevention & Rehabilitation*, 12(3), 243-249.
- Zabihi, R. E., Ashktorab, T., Banaderakhshan, H., & Zaeri, F. (2012). Adherence to therapeutic regimens in patients with hypertension. *ARYA Atherosclerosis Journal*, 8, s190-s194.
- Zogg, J. B., Woods, S. P., Sauceda, J. A., Wiebe, J. S., & Simoni, J. M. (2012). The role of prospective memory in medication adherence: A review of an emerging literature. *Journal of Behavioral Medicine*, 35(1), 47-62. doi:10.1007/s10865-011-9341-9
- Zolnierek, K. B. H., & DiMatteo, R. M. (2009). Physician communication and patient adherence to treatment: A meta-analysis. *Medical Care*, 47(8), 826-834. doi:10.1097/MLR.0b013e31819a5acc

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved