

REFERENCES

- [1] Kloehn S. Evaluation of cervical anchorage force in treatment. *Angle Orthod* 1961;31:91-104.
- [2] Kingsley NW. A treatise on oral deformities as a branch of mechanical surgery. In: Ghosh J, Nanda R S (eds) Evaluation of an intraoral maxillary molar distalization technique. *Am J Orthod Dentofacial Orthop* 1980;110:639-46.
- [3] Kinzinger G, Wehrbein H, Byloff FK, Yildizhan F, Diedrich P. Innovative anchorage alternatives for molar distalization-an overview. *J Orofac Orthop* 2005;66(5):397-413.
- [4] Ghosh J, Nanda RS. Evaluation of an intraoral maxillary molar distalization technique. *Am J Orthod Dentofacial Orthop* 1996;110(6):639-46.
- [5] Bondemark L, Kurol J. Distalization of maxillary first and second molars simultaneously with repelling magnets. *Eur J Orthod* 1992;14(4):264-72.
- [6] Bondemark L, Kurol J, Bernhold M. Repelling magnets versus superelastic nickel-titanium coils in simultaneous distal movement of maxillary first and second molars. *Angle Orthod* 1994;64(3):189-98.
- [7] Bondemark L, Kurol J. Class II correction with magnets and superelastic coils followed by straight-wire mechanotherapy. Occlusal changes during and after dental therapy. *J Orofac Orthop* 1998;59(3):127-38.
- [8] Kinzinger GS, Fritz UB, Sander FG, Diedrich PR. Efficiency of a pendulum appliance for molar distalization related to second and third molar eruption stage. *Am J Orthod Dentofacial Orthop* 2004;125(1):8-23.
- [9] Kinzinger GS, Diedrich PR, Bowman SJ. Upper molar distalization with a miniscrew-supported Distal Jet. *J Clin Orthod* 2006;40(11):672-8.
- [10] Jones RD, White JM. Rapid Class II molar correction with an open-coil jig. *J Clin Orthod* 1992;26(10):661-4.

- [11] Gianelly AA, Vaitas AS, Thomas WM, Berger DG. Distalization of molars with repelling magnets. *J Clin Orthod* 1988;22(1):40-4.
- [12] Park HS, Jeong SH, Kwon OW. Factors affecting the clinical success of screw implants used as orthodontic anchorage. *Am J Orthod Dentofacial Orthop* 2006;130(1):18-25.
- [13] Suzuki EY, Suzuki B. Placement and removal torque values of orthodontic miniscrew implants. *Am J Orthod Dentofacial Orthop* 2011;139(5):669-78.
- [14] Nanda RS, Tosun Y. Physical principles. In: Nanda RS, Tosun Y, editors. *Biomechanics in Orthodontics: Principles and practice*. USA: Quintessence; 2010. p. 1-16.
- [15] Park HS, Lee SK, Kwon OW. Group distal movement of teeth using microscrew implant anchorage. *Angle Orthod* 2005;75(4):602-9.
- [16] Suzuki EY, Suzuki B. Adjustable traction hooks for anterior torque control with miniscrew anchorage. *J Clin Orthod* 2007;41(1):14-9.
- [17] Vikram NR HY, Karthikeyan MK. Finite element method in orthodontics. *Indian Journal of Multidisciplinary Dentistry* 2010;1(1):40-46.
- [18] Tanne K, Sakuda M, Burstone CJ. Three-dimensional finite element analysis for stress in the periodontal tissue by orthodontic forces. *Am J Orthod Dentofacial Orthop* 1987;92(6):499-505.
- [19] Cattaneo PM, Dalstra M, Melsen B. Strains in periodontal ligament and alveolar bone associated with orthodontic tooth movement analyzed by finite element. *Orthod Craniofac Res* 2009;12(2):120-8.
- [20] Chang JZ, Chen YJ, Tung YY, et al. Effects of thread depth, taper shape, and taper length on the mechanical properties of mini-implants. *Am J Orthod Dentofacial Orthop* 2011;141(3):279-88.
- [21] Liu TC, Chang CH, Wong TY, Liu JK. Finite element analysis of miniscrew implants used for orthodontic anchorage. *Am J Orthod Dentofacial Orthop* 2011;141(4):468-76.

- [22] Singh S, Mogra S, Shetty VS, Shetty S, Philip P. Three-dimensional finite element analysis of strength, stability, and stress distribution in orthodontic anchorage: a conical, self-drilling miniscrew implant system. *Am J Orthod Dentofacial Orthop* 2011;141(3):327-36.
- [23] Liang W, Rong Q, Lin J, Xu B. Torque control of the maxillary incisors in lingual and labial orthodontics: a 3-dimensional finite element analysis. *Am J Orthod Dentofacial Orthop* 2009;135(3):316-22.
- [24] Tominaga JY, Tanaka M, Koga Y, et al. Optimal loading conditions for controlled movement of anterior teeth in sliding mechanics. *Angle Orthod* 2009;79(6):1102-7.
- [25] Kojima Y, Fukui H. Effects of transpalatal arch on molar movement produced by mesial force: a finite element simulation. *Am J Orthod Dentofacial Orthop* 2008;134(3):335 e1-7; discussion 35-6.
- [26] Mo SS, Kim SH, Sung SJ, et al. Factors controlling anterior torque during C-implant-dependent en-masse retraction without posterior appliances. *Am J Orthod Dentofacial Orthop*;140(1):72-80.
- [27] Cifter M, Sarac M. Maxillary posterior intrusion mechanics with mini-implant anchorage evaluated with the finite element method. *Am J Orthod Dentofacial Orthop* 2011;140(5):e233-41.
- [28] Bolla E, Muratore F, Carano A, Bowman SJ. Evaluation of maxillary molar distalization with the distal jet: a comparison with other contemporary methods. *Angle Orthod* 2002;72(5):481-94.
- [29] Choi YJ, Lee JS, Cha JY, Park YC. Total distalization of the maxillary arch in a patient with skeletal Class II malocclusion. *Am J Orthod Dentofacial Orthop* 2011;139(6):823-33.
- [30] Bondemark L, Karlsson I. Extraoral vs intraoral appliance for distal movement of maxillary first molars: a randomized controlled trial. *Angle Orthod* 2005;75(5):699-706.
- [31] Wallshein A. Design of an improved sliding jig. *J Clin Orthod* 1974;8(8):473.

- [32] Berkman ME, Haerian A, McNamara JA, Jr. Interarch maxillary molar distalization appliances for Class II correction. *J Clin Orthod* 2008;42(1):35-42; quiz 33.
- [33] Lim JK, Jeon HJ, Kim JH. Molar distalization with a miniscrew-anchored sliding jig. *J Clin Orthod* 2011;45(7):368-77.
- [34] Bondemark L. A comparative analysis of distal maxillary molar movement produced by a new lingual intra-arch Ni-Ti coil appliance and a magnetic appliance. *Eur J Orthod* 2000;22(6):683-95.
- [35] Brickman CD, Sinha PK, Nanda RS. Evaluation of the Jones jig appliance for distal molar movement. *Am J Orthod Dentofacial Orthop* 2000;118(5):526-34.
- [36] Gulati S, Kharbanda OP, Parkash H. Dental and skeletal changes after intraoral molar distalization with sectional jig assembly. *Am J Orthod Dentofacial Orthop* 1998;114(3):319-27.
- [37] Papadopoulos MA, Mavropoulos A, Karamouzos A. Cephalometric changes following simultaneous first and second maxillary molar distalization using a non-compliance intraoral appliance. *J Orofac Orthop* 2004;65(2):123-36.
- [38] Chaimanee P, Suzuki B, Suzuki EY. "Safe zones" for miniscrew implant placement in different dentoskeletal patterns. *Angle Orthod*;81(3):397-403.
- [39] Poggio PM IC, Velo S, Carano A. "Safe zones": a guide for miniscrew positioning in the maxillary and mandibular arch. *Angle Orthod* 2006;76:191-97.
- [40] Oh YH, Park HS, Kwon TG. Treatment effects of microimplant-aided sliding mechanics on distal retraction of posterior teeth. *Am J Orthod Dentofacial Orthop* 2011;139(4):470-81.
- [41] Yamada K KS, Deguchi T, Takano-Yamamoto T, Yamashiro T. Distal movement of maxillary molars using miniscrew anchorage in the buccal interradicular region. *Angle Orthod* 2009;79(1):78-84.
- [42] Goyal A SB, Jyothikiran H, Patel V. Mini-implant supported molar distalization. *Journal of Dental Implants* 2012 2(2):136-40.

- [43] Sugawara J, Kanzaki R, Takahashi I, Nagasaka H, Nanda R. Distal movement of maxillary molars in nongrowing patients with the skeletal anchorage system. *Am J Orthod Dentofacial Orthop* 2006;129(6):723-33.
- [44] Cornelis MA, De Clerck HJ. Maxillary molar distalization with miniplates assessed on digital models: a prospective clinical trial. *Am J Orthod Dentofacial Orthop* 2007;132(3):373-7.
- [45] Kaya B AA, Uçkan S, Yazici AC. Comparison of the zygoma anchorage system with cervical headgear in buccal segment distalization. *Eur J Orthod* 2009;31:417-24.
- [46] Nur M, Bayram M, Celikoglu M, Kilis D, Pampu AA. Effects of maxillary molar distalization with Zygoma-Gear Appliance. *Angle Orthod* 2012;82(4):596-602.
- [47] Bechtold TE, Kim JW, Choi TH, Park YC, Lee KJ. Distalization pattern of the maxillary arch depending on the number of orthodontic miniscrews. *Angle Orthod* 2013;83(2):266-73.
- [48] Kinzinger GS, Gulden N, Yildizhan F, Diedrich PR. Efficiency of a skeletonized distal jet appliance supported by miniscrew anchorage for noncompliance maxillary molar distalization. *Am J Orthod Dentofacial Orthop* 2009;136(4):578-86.
- [49] Bussick TJ, McNamara JA, Jr. Dentoalveolar and skeletal changes associated with the pendulum appliance. *Am J Orthod Dentofacial Orthop* 2000;117(3):333-43.
- [50] Farah JW, Craig RG, Sikarskie DL. Photoelastic and finite element stress analysis of a restored axisymmetric first molar. *J Biomech* 1973;6(5):511-20.
- [51] Buranastidporn B, Hisano M, Soma K. Effect of biomechanical disturbance of the temporomandibular joint on the prevalence of internal derangement in mandibular asymmetry. *Eur J Orthod* 2006;28(3):199-205.
- [52] Cattaneo PM, Dalstra M, Melsen B. The finite element method: a tool to study orthodontic tooth movement. *J Dent Res* 2005;84(5):428-33.

- [53] Yan X, He W, Lin T, et al. Three-dimensional finite element analysis of the craniomaxillary complex during maxillary protraction with bone anchorage vs conventional dental anchorage. *Am J Orthod Dentofacial Orthop* 2013;143(2):197-205.
- [54] Geramy A, Kizilova N, Terekhov L. Finite element method (FEM) analysis of the force systems produced by asymmetric inner headgear bows. *Aust Orthod J* 2011;27(2):125-31.
- [55] Holberg C, Steinhauser S, Rudzki I. Surgically assisted rapid maxillary expansion: midfacial and cranial stress distribution. *Am J Orthod Dentofacial Orthop* 2007;132(6):776-82.
- [56] Holberg C, Heine AK, Geis P, Schwenzer K, Rudzki-Janson I. Three-dimensional soft tissue prediction using finite elements. Part II: Clinical application. *J Orofac Orthop* 2005;66(2):122-34.
- [57] Motoyoshi M, Yano S, Tsuruoka T, and Shimizu N. Biomechanical effect of abutment on stability of orthodontic mini-implant. A finite element analysis. *Clin Oral Implants Res* 2005;16:480-5.
- [58] Torut S SB, Suzuki E Y, Jotikasthira D. influence of miniscrew implant size and orthodontic loading force on stress distribution in miniscrew implant and in surrounding bone. *J Dent Assoc Thai* 2011;61(3):183-98.
- [59] Yu IJ, Kook YA, Sung SJ, et al. Comparison of tooth displacement between buccal mini-implants and palatal plate anchorage for molar distalization: a finite element study. *Eur J Orthod*. 2011 Nov 2. [Epub ahead of print]
- [60] Ueno S MM, Mayahara K, Saito Y, Akiyama Y, Son S, Shimizu N. Analysis of a force system for upper molar distalization using a trans-palatal arch and mini-implant: a finite element analysis study. *Eur J Orthod* 2013;35(5):628-33.
- [61] Nelson S J, M. AM. The Permanent Maxillary Molars. In: Nelson S J, M AM, editors. *Wheeler's Dental anatomy, Physiology, and Occlusion*. St. Louis: Elsevier; 2010. p. 171-188.

- [62] Proffit WR, Fields HW, DM S. Biomechanics, Mechanics & Contemporary Orthodontic Appliances. In: Proffit WR, Fields HW, DM S, editors. Contemporary Orthodontics. St. Louis, Missouri: Mosby Elsevier; 2007. p. 331-430.
- [63] Yoshida N, Jost-Brinkmann PG, Koga Y, Mimaki N, Kobayashi K. Experimental evaluation of initial tooth displacement, center of resistance, and center of rotation under the influence of an orthodontic force. *Am J Orthod Dentofacial Orthop* 2001;120(2):190-7.
- [64] Kojima Y, Fukui H. A finite element simulation of initial movement, orthodontic movement, and the centre of resistance of the maxillary teeth connected with an archwire. *Eur J Orthod*. 2011 Nov 2. [Epub ahead of print]
- [65] Tanne K, Sakuda M. Initial stress induced in the periodontal tissue at the time of the application of various types of orthodontic force: three-dimensional analysis by means of the finite element method. *J Osaka Univ Dent Sch* 1983;23:143-71.
- [66] Poppe M, Bourauel C, Jager A. Determination of the elasticity parameters of the human periodontal ligament and the location of the center of resistance of single-rooted teeth a study of autopsy specimens and their conversion into finite element models. *J Orofac Orthop* 2002;63(5):358-70.
- [67] Dermaut LR, Kleutghen JP, De Clerck HJ. Experimental determination of the center of resistance of the upper first molar in a macerated, dry human skull submitted to horizontal headgear traction. *Am J Orthod Dentofacial Orthop* 1986;90(1):29-36.
- [68] Nanda RS, Tosun Y. Correction of anteroposterior discrepancies. In: Nanda RS, Tosun Y, editors. Biomechanics in Orthodontics: Principles and practice. USA: Quintessence; 2010. p. 133-44.
- [69] Suttakul P. Parametric analysis on distortion and stress distribution in teeth and bone for orthodontics. Master of engineering (Mechanical Engineering),

Department of Mechanical engineering: Chiang Mai University, Thailand;
2014.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved