


CONTENTS

	Page
Acknowledgement	c
Abstract in Thai	d
Abstract in English	f
List of Tables	1
List of Figures	n
List of Abbreviations	p
Statement of Originality in Thai	q
Statement of Originality in English	r
Chapter 1 Introduction	1
1.1 Historical Background	1
1.2 Objectives	2
1.3 Literature Review	2
1.3.1 Lanna and Lanna medicinal plants	2
1.3.2 Mahoog	3
1.3.3 Antibacterial activity	3
1.3.4 Free radicals and active oxygen species	4
1.3.5 Oxidative stress	5
1.3.6 Antioxidants	5
1.3.7 Phenolic compounds	6
1.3.8 Flavonoids	7
1.3.9 <i>In vitro</i> antioxidant activity assay	10
1.3.10 Extraction method	11
1.3.11 Structure identification	11

	Page
1.3.12 Medicinal plants used in the present study	13
1.3.13 Chemical constituents and biological activities of medicinal plants used in Mahoong formula	36
Chapter 2 Material and methods	47
2.1 Plant materials	47
2.1.1 Source and Authentication of the plant materials	47
2.1.2 Lists of medicinal plants used in the present study	47
2.2 Mahoog formula	48
2.3 Bacterial strains	48
2.4 Chemicals	49
2.5 Instruments	49
2.6 Extraction	50
2.7 Determination of antibacterial and antioxidant activities	51
2.7.1 Antibacterial assay	51
2.7.2 Antioxidant assay	52
2.8 Phytochemical screening test	53
2.8.1 Test for alkaloids	53
2.8.2 Test for tannins	53
2.8.3 Test for coumarins	54
2.8.4 Test for anthraquinones	54
2.8.5 Test for saponins	54
2.8.6 Test for flavonoids	54
2.8.7 Test for steroids and terpenoids	54
2.8.8 Test for cardiac glycoside	55
2.8.9 Test for anthocyanins	55
2.9 Isolation and purification of chemical constituents by using bioassay-guided isolation	55
2.10 Structural identification	56
2.10.1 Mass spectra (MS)	56

	Page
2.10.2 Ultraviolet absorption spectra (UV)	56
2.10.3 Infrared absorption spectra (IR)	56
2.10.4 Proton and Carbon nuclear magnetic resonance spectra 1H-NMR and 13C-NMR	56
Chapter 3 Results	57
3.1 Percentage yield of water and ethanol extracts of 26 medicinal plants and Ya-Mud Mahoog	57
3.2 Antibacterial activity of 26 medicinal plants and Ya-Mud Mahoog	59
3.3 Determination of minimum inhibitory concentration (MIC) and minimum bactericidal concentration (MBC)	61
3.4 Antioxidant activity of 26 medicinal plants and Ya-Mud Mahoog	61
3.5 Phytochemical screening of plant species in Ya-Mud Mahoog	64
3.6 Bioassay guided isolation of bioactive compounds from <i>Leea rubra</i> (stem)	65
3.6.1 Extraction of <i>L. rubra</i>	66
3.6.2 Isolation of the ethylacetate extract	67
3.6.3 Isolation of LR2-05 fraction	70
3.6.4 Isolation of LR2-05-8 fraction	72
3.6.5 Isolation of LR2-05-8-4 fraction	74
3.6.6 Isolation of LR2-05-A2 fraction	75
3.6.7 Isolation of LR2-05-A2-1 fraction	75
3.6.8 Isolation of LR2-05-A2-2 fraction	75
3.7 Structure elucidation of the isolated compound	76
3.7.1 LR2-05-A2-1-P	76
3.7.1 LR2-05-A2-2-P	76
3.8 Antibacterial and antioxidant activities of isolated compounds	83
Chapter 4 Discussion	84
4.1 The yields of water and ethanol extracts of 26 medicinal plants and Ya-Mud Mahoog	85

	Page
4.2 Antibacterial activity of 26 medicinal plants and Ya-Mud Mahoog	87
4.3 Antioxidant activity of 26 medicinal plants and Ya-Mud Mahoog	91
4.4 Isolation and structure identification of bioactive compounds of <i>Leea rubra</i>	95
4.4.1 LR2-05-A2-1-P	95
4.4.2 LR2-05-A2-2-P	97
Chapter 5 Conclusion	100
References	103
List of Publications	122
Appendix	123
Curriculum Vitae	131



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
 Copyright© by Chiang Mai University
 All rights reserved

LIST OF TABLES

	Page	
Table 1.1	Advantage and disadvantage of natural and synthetic antioxidants	6
Table 1.2	Classes of phenolic compounds found in plants	7
Table 1.3	Chemical constituents and biological activities of medicinal plants containing in Mahoong formula	36
Table 2.1	Lists of medicinal plants used in the present study	47
Table 3.1	Percentage yield of water and ethanol extracts of 26 medicinal plants	57
Table 3.2	Antibacterial activity of 26 medicinal plants and Ya-Mud Mahoog	59
Table 3.3	The minimum inhibitory concentration (MIC) and minimum bactericidal concentration (MBC)	61
Table 3.4	Antioxidant activity of 26 medicinal plants and Ya-Mud Mahoog	61
Table 3.5	Phytochemical screening of plant species in Ya-Mud Mahoog	64
Table 3.6	Antibacterial activity of <i>L. rubra</i> extracts	66
Table 3.7	Antioxidant activity of <i>L. rubra</i> extracts	67
Table 3.8	Antibacterial activity of LR2-01 to LR2-10 fraction	68
Table 3.9	Antioxidant activity of LR2-01 to LR2-10 fraction	69
Table 3.10	Antibacterial activity of LR2-05-1 to LR2-05-10 fraction	71
Table 3.11	Antioxidant activity of LR2-05-1 to LR2-05-10 fraction	72
Table 3.12	Antioxidant activity of LR2-05-8-1 to LR2-05-8-11 fractions	73
Table 3.13	^1H and ^{13}C NMR spectral data of compound LR2-05-A2-1-P compared with reference	77
Table 3.14	Carbon-proton correlations of compound LR2-05-A2-1-P observed in the HMQC spectrum	78
Table 3.15	^1H and ^{13}C NMR spectral data of compound LR2-05-A2-1-P compared with reference	79
Table 3.16	^1H and ^{13}C NMR spectral data of compound LR2-05-A2-2-P compared with reference	80

	Page
Table 3.17 Carbon-proton correlations of compound LR2-05-A2-2-P observed in the HMQC spectrum	81
Table 3.18 ^1H and ^{13}C NMR spectral data of compound LR2-05-A2-2-P compared with reference	82
Table 3.19 Antibacterial activity of LR2-05-A2-1-P and LR2-05-A2-2-P	83
Table 3.20 Antioxidant activity of LR2-05-A2-1-P and LR2-05-A2-2-P	83
Table 4.1 The knowledge of Mahoog formula from local wisdom	85
Table 4.2 The classification of inhibitory responses against <i>B. subtilis</i>	88
Table 4.3 The classification of inhibitory responses against <i>S. aureus</i>	89
Table 4.4 The classification of inhibitory responses of Ya-Mud Mahoog and herbal compositions against <i>B. subtilis</i> and <i>S. aureus</i>	90
Table 5.1 The fulfillment of biological activity of each plant in Ya-Mud Mahoog	100

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
 Copyright[©] by Chiang Mai University
 All rights reserved

LIST OF FIGURES

	Page
Figure 1.1 Basic structure of flavonoid skeleton	8
Figure 1.2 The chemical structure of flavonoids	8
Figure 1.3 Biosynthetic pathway of flavonoid	9
Figure 1.4 <i>Millingtonia hortensis</i> L.f.	14
Figure 1.5 <i>Caesalpinia sappan</i> L.	15
Figure 1.6 <i>Celastrus paniculatus</i> Willd.	16
Figure 1.7 <i>Combretum quadrangulare</i> Kurz	17
Figure 1.8 <i>Terminalia bellerica</i> (Gaertn.) Roxb.	18
Figure 1.9 <i>Shorea obtusa</i> Wall. ex Blume	19
Figure 1.10 <i>Erythroxylum cuneatum</i> (Miq.) Kurz	21
Figure 1.11 <i>Trigonostemon reidioides</i> (Kurz) Craib	22
Figure 1.12 <i>Leea rubra</i> Blume ex Spreng.	23
Figure 1.13 <i>Leea indica</i> (Burm.f.) Merr.	24
Figure 1.14 <i>Pterocarpus macrocarpus</i> Kurz	26
Figure 1.15 <i>Thunbergia laurifolia</i> Lindl.	27
Figure 1.16 <i>Derris scandens</i> (Roxb.) Benth.	28
Figure 1.17 <i>Ventilago denticulata</i> Willd.	29
Figure 1.18 <i>Ziziphus oenoplia</i> (L.) Mill.	31
Figure 1.19 <i>Ziziphus cambodiana</i> Pierre	32
Figure 1.20 <i>Oxyceros horridus</i> Lour.	32
Figure 1.21 <i>Anomianthus dulcis</i> (Dunn) J.Sinclair	33
Figure 1.22 <i>Schleichera oleosa</i> (Lour.) Oken	34
Figure 1.23 <i>Holoptelea integrifolia</i> Planch.	35
Figure 2.1 Isolation and purification by using bioassay-guided isolation	55
Figure 3.1 The overall of isolation of bioactive compounds of <i>Leea rubra</i> stem	65
Figure 3.2 Extraction of dried powder of <i>L. rubra</i> stems	66

Figure 3.3	Isolation of EtOAcextract of <i>L. rubra</i> extracted by EtOAc (%yield)	68
Figure 3.4	Isolation of LR2-05 fraction (%yield)	70
Figure 3.5	Isolation of LR2-05-8 fraction (%yield)	73
Figure 3.6	Isolation of LR2-05-8-4 fraction (%yield)	74
Figure 3.7	Isolation of LR2-05-A2 fraction (%yield)	75
Figure 4.1	% Yield of water extracts of top five medicinal plants	86
Figure 4.2	% Yield of ethanol extracts of top five medicinal plants	87
Figure 4.3	Antibacterial activity of Ya-Mud Mahoog and its medicinal plants (Ethanol extracts)	92
Figure 4.4	Antibacterial activity of Ya-Mud Mahoog and its medicinal plants (Water extracts)	92
Figure 4.5	Antioxidant activity of Ya-Mud Mahoog and its medicinal plants (Ethanol extracts)	93
Figure 4.6	Antioxidant activity of Ya-Mud Mahoog and its medicinal plants (Water extracts)	93
Figure 4.7	Long-range C-H correlations of compound LR2-05-A2-1-P observed in HMBC spectrum	96
Figure 4.8	Structure of auriculasin (LR2-05-A2-1-P)	97
Figure 4.9	Long-range C-H correlations of compound LR2-05-A2-2-P observed in HMBC spectrum	98
Figure 4.10	Structure of pomiferin (LR2-05-A2-2-P)	99
Figure 5.1	The classification of medicinal plants containing in Mahoog formula following the biological activity	101

LIST OF ABBREVIATIONS

%	Percentage
$\mu\text{g}/\mu\text{L}$	Microgram per microliter
mg/mL	Milligram per milliliter
mL	Milliliter
mm	Millimeter
μM	Micromolar
μL	Microliter
ATCC	American Type Culture Collection
$^{\circ}\text{C}$	Degree Celsius
UV	Ultraviolet
IR	Infrared
NMR	Nuclear magnetic resonance spectrometry
MS	Mass Spectrometry
IC_{50}	The concentration that resulted in 50% inhibition of the activity
psi	pound per square inch
CFU	Colony Forming Unit
MIC	Minimum inhibitory concentration
MBC	Minimum bactericidal concentration
DMSO	Dimethyl sulphoxide
COX-2	Cyclooxygenases-2
<i>J</i>	Coupling constant
Hz	Megahertz


ข้อความแห่งการริเริ่ม

- เป็นการอนุรักษ์ภูมิปัญญาการแพทย์พื้นบ้านล้านนา ซึ่งเป็นความรู้ที่มีคุณค่าในการดูแลสุขภาพ วิทยานิพนธ์นี้จึงได้นำเสนอแนวความคิดของโรคและสาเหตุของโรคมะໂ Ngo รวมทั้งสมุนไพร ที่มีการใช้ในตำรับยามะໂ Ngo
- เพื่อศึกษาข้อมูลทางวิทยาศาสตร์ด้านฤทธิ์ต้านอนุมูลอิสระและฤทธิ์ต้านเชื้อแบคทีเรียของพืช สมุนไพรที่ใช้ในตำรับยามะໂ Ngo และองค์ประกอบทางเคมีของสมุนไพรบางชนิดในตำรับ ซึ่ง การนำเสนอในวิทยานิพนธ์นี้ เป็นข้อมูลสนับสนุนที่เชื่อมโยงและอธิบายองค์ความรู้จากภูมิปัญญา กับวิทยาศาสตร์เทคโนโลยี

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright © by Chiang Mai University
All rights reserved

STATEMENT OF ORIGINALITY

1. In order to conserve Lanna wisdom of traditional medicine for sustainable use in health care. A concept of Mahoog disease and Mahoog formula is proposed in this research.
2. Antioxidant and antibacterial activities of medicinal plants containing in Mahoog formula and Mahoog formula were investigated together with the phytochemicals of selected medicinal plant. The scientific data obtained in this study support the traditional uses.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved