

REFERENCES

- [Adejuwon, 2011] Adejuwon, A.O., Bisi-Johnson, M.A., Obuotor, T.M. and Agboola, O.A., "Bioactive compounds and antimicrobial efficacy of the extracts of *Combretum pincianum* Hook", Journal of Medicinal Plants Research, 5(15), 2011, 3561-3563.
- [Adeniyi, 1996] Adeniyi, B.A., Odelola, H.A. and Osa, B.A., "Antimicrobial Potentials of *Diospyros mespiliformis* (Ebenaceae)", African Journal of Medicine and Medical Science, 25, 1996, 221-224.
- [Adnyana, 2000a] Adnyana, I.K., Tezuka, Y., Awale, S., Banskota, A.H., Tran, K.Q. and Kadota, S., "Quadranosides VI-XI, Six new triterpene glucosides from the seeds of *Combretum quadrangulare*", Chemical and Pharmaceutical Bulletin, 48(8), 2000, 1114-1120.
- [Adnyana, 2000b] Adnyana, I.K., Tezuka, Y., Banskota, A.H., Xiong, Q., Tran, K.Q. and Kadota, S., "Quadranosides I-V, New triterpene glucosides from the seeds of *Combretum quadrangulare*", Journal of Natural Product, 64, 2000, 496-500.
- [Adnyana, 2000c] Adnyana, I.K., Tezuka, Y., Banskota, A.H., Tran, K.Q. and Kadota, S., "Hepatoprotective constituents of the seeds of *Combretum quadrangulare*", Biological and Pharmaceutical Bulletin, 23(11), 2000, 1328-1332.
- [Adnyana, 2001a] Adnyana, I.K., Tezuka, Y., Awale, S., Banskota, A.H., Tran, K.Q. and Kadota, S., "1-O-galloyl-6-O-(4-hydroxy-3,5-dimethoxy) benzoyl- β -D-glucose, a new hepatoprotective constituent from *Combretum quadrangulare*", Planta Medica, 67(4), 2001, 370-371.

- [Adnyana, 2001b] Adnyana, I.K., Tezuka, Y., Banskota, A.H., Tran, K.Q. and Kadota, S., “Three new triterpenes from the seeds of *Combretum quadrangulare* and their hepatoprotective activity”, Journal of Natural Product, 64(3), 2001, 360-363.
- [Agoramoorthy, 2007] Agoramoorthy, G., Chandrasekaran, M., Venkatesalu, V. and Hsu, M.J., “Antibacterial and antifungal activities of fatty acid methyl esters of the Blind-your-eye mangrove from India”, Brazillian Journal of Microbiology, 38, 2007, 739-742.
- [Akeem, 2012] Akeem, A.A., Ejikeme, U.C. and Okarafor, E.U., “Antibacterial potentials of the ethanolic extract of the stem bark of *Combretum micranthum* G. Don and its fractions”, Journal of Plant Studies, 1(2), 2012, 75-81.
- [Ahmed, 2004] Ahmed, [Ahmed, 2004] B., Al-Howiriny, T.A., Passreiter, C.M. and Mossa, J.S., “Combretene-A and B: Two new triterpene from *Combretum molle*”, Pharmaceutical Biology, 42(2), 2004, 109-113.
- [Ahmed, 2014] Ahmed, A.S., McGaw, L.J., Elgorashi, E.E., Naidoo, V. and Eloff, J.N., “Polarity of extracts and fractions of four *Combretum* (Combretaceae) species used to treat infections and gastrointestinal disorders in southern African traditional medicine has a major effect on different relevant *in vitro* activities”, Journal of Ethnopharmacology, 54(2), 2014, 339-350.
- [Alexander, 1992] Alexander, D.M., Bhana N., Bhika K.H. and Rogers C.B., “Antimicrobial testing of selected plant extracts from *Combretum* species”, South African Journal of Science, 88, 1992, 342-344.
- [Amir, 2013] Amir, F., Wong, K.C., Eldeen, I., Asmawi, M.Z. and Osman, H., “Evaluatio of biological activities of extracts and chemical constituents of *Mimusops elengi*”, Tropical Journal of Pharmaceutical Research, 12(4), 2013, 591-596.

- [Angeh, 2007] Angeh, J.E., Huang, X., Swan, G.E., Mollman, U., Sattler, I. and Eloff, J.N., “Novel antibacterial triterpenoid from *Combretum padoides* (Combretaceae)”, Archive for Organic Chemistry, 9, 2007, 113-120.
- [Banskota, 1998] Banskota, A.H., Tezuka, Y., Phung, L.K., Tran, K.Q., Saiki, I., Miwa, Y., Taga, T. and Kadota, S., “Cytotoxic cycloartane-type triterpenes from *Combretum quadrangulare*”, Bioorganic and Medicinal Chemistry Letters, 8, 1998, 3519-3524.
- [Banskota, 2000a] Banskota, A.H., Tezuka, Y., Adnyana, I.K., Xiong, Q., Hase, K., Tran, K.Q., Tanaka, K., Saiki, I. and Kadota, S., “Hepatoprotective effect of *Combretum quadrangulare* and its constituents”, Biological and Pharmaceutical Bulletin, 23(4), 2000, 456-460.
- [Banskota, 2000b] Banskota, A.H., Tezuka, Y., Tran, K.Q., Tanaka, K., Saiki, I. and Kadota, S., “Methyl quadrangularates A-D and related triterpenes from *Combretum quadrangulare*”, Chemical and Pharmaceutical Bulletin, 48(4), 2000, 496-504.
- [Banskota, 2000c] Banskota, A.H., Tezuka, Y., Tran, K.Q., Tanaka, K., Saiki, I. and Kadota, S., “Thirteen novel cycloartane-type triterpenes from *Combretum quadrangulare*”, Journal of Natural Product, 63, 2000, 57-64.
- [Banskota, 2003] Banskota, A.H., Tezuka, Y., Tran, Q.L. and Kadota, S., “Chemical constituents and biological activities of Vietnamese medicinal plants”, Current Topics in Medicinal Chemistry, 3, 2003, 227-248.
- [Bhatnagar, 2012] Bhatnagar, S., Sahoo, S., Mohapatra, A.K. and Behera, D.R., “Phytochemical analysis, antioxidant and cytotoxic activity of medicinal plant *Combretum roxburhii* (Family: Combretaceae)”, International Journal of Drug Development & Research, 4(1), 2012, 193-202.

- [Bisoli, 2008] Bisoli, E., Garcez, W.S., Hamerski, L., Tieppo, C. and Garcez, F.R., “Bioactive pentacyclic triterpene from the stems of *Combretum laxum*”, Molecules, 13, 2008, 2717-2728.
- [Castledon, 1985] Castledon, I.R., Hall, S.R., Nimgirawath, S., Thadanitti, S. and White, A.H., “The flavonoid of *Combretum quadrangulare* : Crystal structures of the polymorphic forms of 5-hydroxy-2-(4'-hydroxy-3',5'-dimethoxyphenyl)-3,7-dimethoxy-4H-1-benzopyran-4-one”, Australian Journal of Chemistry, 38, 1985, 1177-1185.
- [Changsen, 2003] Changsen, C., Franzblau, S.G. and Palittapongarnpim, P., “Improved green fluorescent protein reporter gene-based microplate screening for antituberculosis compounds by utilizing an acetamidase promoter”, Antimicrobial Agents Chemotherapy, 47, 2003, 3682-3687.
- [Chandrasekaran, 2011] Chandrasekaran, M., Senthilkumar, A. and Venkatesalu, V., “Antibacterial and antifungal efficacy of fatty acid methyl esters from the leaves of *Sesuvium portulacastrum* L.”, European Review for Medical and Pharmacological Sciences, 15, 2011, 775-780.
- [Christopher, 2014] Christopher, R., Nyandoro, S.S., Chacha, M. and de Koning, C.B., “A new cinnamoylglycoflavonoid, antimycobacterial and antioxidant constituents from *Heritiera littoralis* leaf extracts”, Natural Product Research, 28(6), 2014, 351-358.
- [Corbett, 1972] Corbett, R.E. and Cumming, S.D., “Lichens and Fungi. Part X.¹ 14 α -Taraxerane”, Journal of the Chemical Society, Perkin Transactions 1, 1972, 2827-2829.
- [Coulidiati, 2009] Coulidiati, T.H., Millogo-Kone, H., Lamien-Meda, A., Lamien, C.E., Lombo, M., Kiendrebeogo, M., Bakasso, S., Yougbare-Ziebrou, M., Millogo-Rasolodimby, J. and Nacoulma, O.G., “Antioxidant and antibacterial activities of *Combretum nioroense* Aubrev. Ex Keay (Combretaceae)”, Pakistan Journal of Biological Sciences, 12(3), 2009, 264-269.

- [Dawe, 2013] Dawe, A., Pierre, S., Tsala, D.E. and Habtemariam, S., “Phytochemical constituents of *Combretum* Loefl. (Combretaceae)”, Pharmaceutical Crops, 4, 2013, 38-59.
- [Dechandt, 2013] Dechandt, C.R.P., Siqueira, J.T., Pereira de Souza, D.L., Araujo, L.C.J., Claudia da Silva, V., Teixeira de Sousa Junior, P., Andrade, C.M.B., Kawashita, N.H. and Baviera, A.M., “*Combretum lanceolatum* flowers extract shows antidiabetic activity through activation of AMPK by quercetin”, Revista Brasileira de Farmacognosia Brazilian Journal of Pharmacognosy, 23(2), 2013, 291-300.
- [de Oliveira, 2012] de Oliveira, P.V., Lemos, R.P.L. and Conserva, L.M., “Chemical constituents of *Rourea doniana*”, Revista Brasileira de Farmacognosia Brazilian Journal of Pharmacognosy, 22(2), 2012, 451-454.
- [Eldeen, 2007] Eldeen, I.M.S. and van Staden, J., “In vitro pharmacological investigation of extracts from some trees used in Sudanese traditional medicine”, South African Journal of Botany, 73, 2007, 435-440.
- [Elegami, 2007] Elegami, A.A., Osman, S.M., Omer, M.E. and Ishag, K.M., “In vitro antibacterial activity on some Sudanese *Combretum* species”, International Journal of tropical medicine, 2(2), 2007, 45-51.
- [Eloff, 1999] Eloff, J.N., “It is possible to use herbarium specimens to screen for antibacterial components in some plants”, Journal of Ethnopharmacology, 67, 1999, 355-360.
- [Eloff, 2001] Eloff, J.N., Jager, A.K. and van Staden, J., “The stability and the relationship between anti-inflammatory activity and antibacterial properties of southern African *Combretum* species”, South African Journal of Science, 97, 2001, 291-293.

- [Eloff, 2005a] Eloff, J.N., Famakin, J.O. and Katerere, D.R.P., “*Combretum woodii* (Combretaceae) leaf extracts have high activity against gram-negative and gram-positive bacteria”, African Journal of Biotechnology, 4(10), 2005, 1161-1166.
- [Eloff, 2005b] Eloff, J.N., Famakin, J.O. and Katerere, D.R.P., “Isolation of antibacterial stilbene from *Combretum woodii* (Combretaceae) leaves,” African Journal of Biotechnology, 4(10), 2005, 1167-1171.
- [Eloff, 2008] Eloff, J.N., Katerere, D.R. and McGaw, L.J., “The biological activity and chemistry of the southern African Combretaceae”, Journal of Ethnopharmacology, 119, 2008, 686-699.
- [Euswas, 1988] Euswas, P., Srirod, S., Chunthanon, P. and Chompoochant, T., “Studies on anthelmintic activity of Sakae naa (*Combretum quadrangulare* Kurz) seeds on roundworms of buffalo calves”, Kasetsart University Journal, 22, 1988, 201-206.
- [Facundo, 1993] Facundo, V.A., Andrade, C.H.S., Silveira, E.R., Rraz-Filho, R. and Hufford, C.D., “Triterpenes and flavonoids from *Combretum leprosum*”, Phytochemistry, 32(2), 1993, 411-415.
- [Ferraro, 2000] Ferraro, M.J., Craig, W.A., Dudley, M.N., Eliopoulos, G.M., Hecht, D.W., Hindler, J., Reller, L.B., Sheldon, A.T., Swenson, J.M., Tenover, F.C., Testa, R.T., Weinstein, M.P. and Wikler, M.A., *Methods for dilution antimicrobial susceptibility tests for bacteria that grow aerobically*, The National Committee for Clinical Laboratory Standards (NCCLS), Approved standard-fifth edition. 20(2), 2000, 7-10.
- [Fru, 2013] Fru, C.F., Sandjo, L.P., Kuete, V., Liermann, J.C., Schollmeyer, D., Yeboah, S.O., Mapitse, R., Abegaz, B.M., Ngadjui, B.T. and Opitz, T., “Omphalocarpoidone, a new lanostane-type furano-spiro- γ -lactone from the wood of *Tridesmostemon omphalocarpoides* Engl. (Sapotaceae)”, Phytochemistry Letters, 6, 2013, 676-680.

- [Fyhrquist, 2002] Fyhrquist, P., Mwasumbi, L., Haeggstrom, C.-A., Vuorela, H., Hiltunen, R. and Vuorela, P., "Ethnobotanical and antimicrobial investigation on some species of *Terminalia* and *Combretum* (Combretaceae) growing in Tanzania", Journal of Ethnopharmacology, 79, 2002, 169-177.
- [Gallo, 2009] Gallo, M.B.C. and Sarachine, M.J., "Biological activities of Lupeol", International Journal of Biomedical and Pharmaceutical Sciences, 3(1), 2009, 46-66.
- [Ganzena, 1998] Ganzena, M., Ellmerer-Muller, E.P. and Stuppner, H., "Cycloartanetriterpenes from *Combretum quadrangulare*", Phytochemistry, 49(3), 1998, 835-838.
- [Geyid, 2005] Geyid, A., Abebe, D., Debella, A., Makonnen, Z., Aberra, F., Teka, F., Kebede, T., Urga, K., Yersaw, K., Biza, T., Mariam, B.H. and Guta, M., "Screening of some medicinal plants of Ethiopia for their anti-microbial properties and chemical profiles", Journal of Ethnopharmacology, 97, 2005, 421-427.
- [Gouveia, 2011] Gouveia, M.G.S., Xavier, M.A., Barreto, A.S., Gelain, D.P., Santos, J.P.A., Araujo, A.A.S., Silva, F.A., Quintans, J.S., Agra, M.F., Cabral, A.G.S., Tavares, J.F., Silva, M.S. and Quintans-Junior, L.J., "Antioxidant, antinociceptive, and anti-inflammatory properties of the ethanolic extract of *Combretum duarteana* in rodents", Journal of Medicinal Food, 14(11), 2011, 1389-1396.
- [Gronhaug, 2008] Gronhaug, T.E., Glaeserud, S., Skogsrud, M., Ballo, N., Bah, S., Diallo, D. and Paulsen, B.S., "Ethnopharmacological survey of six medicinal plants from Mali, West-Africa", Journal of Ethnobiology and Ethnomedicine, 4(26), 2008, 1-11.

- [Hernandez-Chavez, 2012] Hernandez-Chavez, I., Torres-Tapia, L.W., Sima-Polanco, P. Cedillo-Rivera, R., Moo-Puc, R. and Peraza-Sanchez, S.R., “Antigiardial activity of *Cupania dentata* bark and its Constituents”, Journal of the Mexican Chemical Society, 56(2), 2012, 105-108.
- [Hooker, 1879] Hooker, J.D., *Flora of British India*, England, Headley Brothers LTD., 2, 1879, 452-459.
- [Inngjerdingen, 2004] Inngjerdingen, K., Nergard, C.S., Diallo, D., Mounkoro, P.P. and Paulsen, B.S., “An ethnopharmacological survey of plants used for wound healing in Dogonland, Mali, West Africa”, Journal of Ethnopharmacology, 92, 2004, 233-244.
- [Jamal, 2008] Jamal, A.K., Yaacob, W.A. and Din, L.B., “A chemical study on *Phyllanthus reticulates*”, Journal of Physical Science, 19(2), 2008, 45-50.
- [Jerkovic, 2012] Jerkovic, I., Gaso-Sokac, D., Pavlovic, H., Marijanovic, Z., Gugic, M., Petrovic, I. and Kovac, S., “Volatile organic compounds from *Centaurium erythraea* Rafn (Croatia) and the antimicrobial potential of its essential oil”, Molecules, 17, 2012, 2058-2072.
- [Kabir, 2013] Kabir, M.Z., Rahman, M., Islam, M.R., Paul, P.K., Rahman, S., Jahan, R. and Rahmatullah, M., “A review on a mangrove species from the Sunderbans, Bangladesh: *Barringtonia racemosa* (L.) Roxb.”, American-Eurasian Journal of Sustainable Agriculture, 7(5), 2013, 356-372.
- [Kanwal, 2011] Kanwal, U. and Karim, A., “*Combretum pincianum* Hook has multiple antibacterial activities”, Ethnopharmacology, 1(1), 2011, 1-2.
- [Karou, 2005] Karou, D., Dicko, M.H., Simpore, J. and Traore, A.S., “Antioxidant and antibacterial activities of polyphenols from ethomedicinal plants of Burkina Faso”, African Journal of Biotechnology, 4(8), 2005, 823-828.

- [Katerere, 2003] Katerere, D.R., Gray, A. I., Nash, R. J. and Waigh, R.D., “Antimicrobial activity of pentacyclic triterpenes isolated from African Combretaceae”, *Phytochemistry*, 63, 2003, 81-88.
- [Kotze, 2000] Kotze, M., “An investigation of antibacterial compounds in *Combretum microphyllum* (Klotzsch)”, Master’s thesis, University of Pretoria, South Africa, 2000.
- [Kouam, 2005] Kouam, S.F., Florke, U., Krohn, K., Akhtar, M.N., Ngadjui, B.T. and Abegaz, B.M., “ 3β -Taraxerol from *Bridelia micrantha*”, *Acta Crystallographica Section E*, 6, 2005, 559-600.
- [Laphookhieo, 2004] Laphookhieo, S., Karalai, C. and Ponglimanont, C., “New sesquiterpenoid and triterpenoids from the fruits of *Rhizophora mucronata*”, *Chemical & pharmaceutical bulletin*, 52(7), 2004, 883-885.
- [Lengwahasatit, 1986] Lengwahasatit, P and Ngearndee, P., “The pharmacognostical studies on the seed of Sa-Kae (*Combretum quadrangulare* Kurz)”, *Bulletin of Department of Medicinal Science*, 28(4), 1986, 437-446.
- [Li, 2008] Li, D.L., Li, X.M. and Wang, B.G., “Pentacyclic triterpenoids from the mangrove plant *Rhizophora stylosa*”, *Natural Product Research*, 22(9), 2008, 808-813.
- [Lima, 2012] Lima, G.R.M., Sales, I.R.P., Filho, M.R.D.C., Jesus, N.Z.T., Falcão, H.S., Barbosa-Filho, J.M., Cabral, A.G.S., Souto, A.L., Tavares, J.F. and Batista, L.M., “Bioactivities of genus *Combretum* (Combretaceae): A review”, *Molecules*, 17, 2012, 9142-9206.
- [Mamidou Kone, 2007] Mamidou Kone, W., Kamanzi Atindehou, K., Kacou-N’Douba, A. and Dosso, M., “Evaluation of 17 medicinal plants from Northern Côte d’Ivoire for their in vitro activity against *Streptococcus pneumoniae*”, *African Journal of Traditional, Complementary and Alternative medicines*, 4(1), 2007, 17-22.

- [Mancini, 2009] Mancini, E., Arnold, N.A., Martino, L.D., Feo, V.D., Formisano, C., Rigano, D. and Senatore, F., “Chemical composition and phytotoxic effects of essential oils of *Salvia hierosolymitana* Boiss. and *Salvia multicaulis* Vahl. var. *simplicifolia* Boiss. growing wild in Lebanon”, *Molecules*, 4, 2009, 4725-4736.
- [Mangoyi, 2012] Mangoyi, R., Mafukize, W., Marobela, K. and Mukanganyama, S., “Antifungal activities and preliminary phytochemical investigation of *Combretum* species from Zimbabwe”, *Journal of Microbial & Biochemical Technology*, 4(2), 2012, 37-44.
- [Maregesi, 2007] Maregesi, S.M., Ngassapa, O.D., Pieters, L. and Vlietinck, A.J., “Ethnopharmacological survey of the Bunda district, Tanzania: Plants used to treat infectious diseases”, *Journal of Ethnopharmacology*, 113, 2007, 457-470.
- [Martini, 1998] Martini, N.D. and Eloff, J.N., “The preliminary isolation of several antibacterial compounds from *Combretum erythrophyllum* (Combretaceae)”, *Journal of Ethnopharmacology*, 62, 1998, 255-263.
- [Martini, 2004] Martini, N.D., Katerere, D.R.P. and Eloff, J.N., “Biological activity of five antibacterial flavonoids from *Combretum erythrophyllum* (Combretaceae)”, *Journal of Ethnopharmacology*, 93, 2004, 207-212.
- [Masika, 2002] Masika, P.J. and Afolayan, A.J., “Antimicrobial activity of some plants used for the treatment of livestock disease in the Eastern Cape, South Africa”, *Journal of Ethnopharmacology*, 83, 2002, 129-134.
- [Masoko, 2007] Masoko, P. and Eloff, J.N., “Screening of twenty-four south African *Combretum* and six *Terminalia* species (Combretaceae) for antioxidant activities”, *African Journal of Traditional, Complementary and Alternative Medicines*, 4(2), 2007, 231-239.

- [McGaw, 2000] McGaw L.J., Jager, A.K. and van Staden, J., “Antibacterial, anthelmintic and antiamoebic activity in South African medicinal plants”, Journal of Ethnopharmacology, 72, 2000, 247-263.
- [Moosophon, 2011] Moosophon, P., Kanokmedhakul S. and Kanokmedhakul, K., “Diarylpropanes and an arylpropyl quinone from *Combretum griffithii*”, Journal of Natural Products, 74, 2011, 2216-2218.
- [Mushi, 2012] Mushi, N.F., Mbwambo, Z.H., Innocent, E. and Tewtrakul, S., “Antibacterial, anti-HIV-1 protease and cytotoxic activities of aqueous ethanolic extracts from *Combretum adenogonium* Steud. Ex A. Rich (Combretaceae)”, BMC Complementary and Alternative Medicine, 12(163), 2012, 1-6.
- [Nakornchai, 1987] Nakornchai, S., Temsiririrkkul, R., Wongkrajang, Y., Jongtaveesuk, P. and Junjamjang, P., “Toxicity study of *Combretum quadrangulare* Kurz I”, Mahidol University Journal of Pharmaceutical Science, 14(4), 1987, 69-74.
- [Nakornchai, 1994] Nakornchai, S., Temsiririrkkul, R., Wongkrajang, Y. and Atisook, K., “Toxicity study of *Combretum quadrangulare* Kurz (part II)”, Mahidol University Journal of Pharmaceutical Science, 21(4), 1994, 118-125.
- [Nanakorn, 1986] Nanakorn, W., “The genus *Combretum* (Combretaceae) in Thailand”, Thai forest Bulletin, 16, 1986, 154-204.
- [Nantachit, 2006] Nantachit, K., Santiarvorn, D. and Khantawa, B., “Antibacterial activity of the seeds of *Combretum quadrangulare* Kurz (Combretaceae)”, Chiang Mai University Journal, 5(3), 2006, 333-339.

- [O'Brien, 2000] O'Brien, J., Wilson, I., Orton, T. and Pognan, F., "Investigation of the Alamar Blue (resazurin) fluorescent dye for the assessment of mammalian cell cytotoxicity", European Journal of Biochemistry, 267, 2000, 5421-5426.
- [Odda, 2008] Odda, J., Kristensen, S., Kabasa, J. and Waako, P., "Larvicidal activity of *Combretum collinum* Fresen against *Aedes aegypti*", Journal of Vector Borne Diseases, 45, 2008, 321-324.
- [Ojewole, 2008] Ojewole, J.A.O., "Analgesic and anti-inflammatory effects of mollic acid glucoside, a 1α -hydroxycycloartenoid saponin extractive from *Combretum molle* R. Br. Ex G. Don (Combretaceae) leaf", Phytotherapy research, 22, 2008, 30-35.
- [Osborne, 1984] Osborne, R. and Pegel, K.H., "Jessic acid and related acid triterpenoids from *Combretum elaeagnoides*", Phytochemistry, 23(3), 1984, 635-637.
- [Osonwa, 2012] Osonwa, U.E., Umeyor, C.E., Okon, U.V., Uronnachi, E.M. and Nwakile, C.D., "Stability studies on the aqueous extract of the fresh leaves of *Combretum micranthum* G. Don used as antibacterial agent", Journal of Chemistry and Chemical Engineering, 6, 2012, 417-424.
- [Pipitgool, 1987] Pipitgool, V., Sriboonlue, P., Na Nakorn, S., Choosilpa, K. and Simasthiensophon, S., "Study of herbal medicinal plant *Combretum quadrangulare* Kurzin treatment of threadworm in school children", Communicable Disease Journal, 13(1), 1987, 33-44.
- [Pegal, 1985] Pegal, K.H. and Rogers, C.B., "The characterisation of mollic acid 3β -D-xylooxide and its genuine aglycone mollic acid, two novel 1α -hydroxycycloartenoids from *Combretum molle*", Journal of the Chemical Society, Perkin Transection I, 1985, 1711-1715.

- [Pettit, 1986] Pettit, G.R., Singh, S.B., Niven, M.L. and Schmidt, J.M., “Cell growth inhibitory dihydrophenanthrene and phenanthrene constituents of the African tree *Combretum caffrum*”, Cancer Journal Chemistry, 66, 1986, 406-413.
- [Pettit, 1987] Pettit, G.R., Cragg, G.M. and Singh, S.B., “Antineoplastic agent, 122. constituents of *Combretum caffrum*”, Journal of Natural Products, 50(3), 1987, 386-391.
- [Pettit, 1995] Pettit, G.R., Cragg, Singh, S.B., Boyd, M.R., Hamel, E., Pettit, R.K., Schmidt, J.M. and Hogan, F., “Antineoplastic agent, 291. Isolation and synthesis of combretastatins A-4, A-5, and A-6”, Journal of Medicinal Chemistry, 38, 1995, 1666-1672.
- [Pietrovski, 2006] Pietrovski, E.F., Rosa, K.A., Facundo, V.A., Rios, K., Marques, M.C.A. and Santos, A.R.S., “Antinociceptive properties of the ethanolic extract and of the triterpene $3\beta,6\beta,16\beta$ -trihidroxilup-20(29)-ene obtained from the flowers of *Combretum leprosum* in mice”, Pharmacology, Biochemistry and Behavior, 83, 2006, 90-99.
- [Plumb, 1989] Plumb, J.A., Milroy, R. and Kaye, S.B., “Effect of the pH dependence of 3-(4,5-dimethylthiazol-2-yl)-2,5-diphenyltetrazolium bromide-formazan absorption on chemosensitivity determined by a novel tetrazolium base assay”, Cancer Research, 49, 1989, 4435-4440.
- [Prachayasittikul, 2010] Prachayasittikul, S., Saraban, P., Cherdtrakulkiat, R., Ruchirawat, S. and Prachayasittikul, V., “New bioactive triterpenoids and antimalarial activity of *Diospyros rubra* Lec.”, Experimental and Clinical Sciences, International Online Journal, 9, 2010, 1-10.
- [Prakash, 2012] Prakash, C.V.S. and Prakash, I., “Isolation and structure characterization of lupane triterpenes from *Polypodium vulgare*”, Research Journal of Pharmaceutical Sciences, 1(1), 2012, 23-27.

- [Radulovic, 2011] Radulovic, N., Dekic, M., Stojanovic Radic, Z. and Palic, R., “Chemical composition and antimicrobial activity of the essential oils of *Geranium columbinum* L. and *G. lucidum* L. (Geraniaceae)”, Turkish Journal of Chemistry, 35, 2011, 499-512.
- [Rahman, 2008] Rahman,M.S., Rahman, M.Z., Wahab, Md. A., Chowdhury, R. and Rashid, M.A., “Antimicrobial activity of some indigenous plants of Bangladesh”, Dhaka University Journal of Pharmaceutical Sciences, 7(1), 2008, 23-26.
- [Rogers, 1988a] Rogers, C.B., “Isolation of the 1 α -hydroxycycloartenoid mollic acid α -L-arabinoside from *Combretum edwardsii*”, Phytochemistry, 28(1), 1988, 279-281.
- [Rogers, 1988b] Rogers, C.B. and Subramony, G., “The structure of imberbic acid, a 1 α -hydroxy pentacyclic triterpenoid from *Combretum imberbe*”, Phytochemistry, 27(2), 1988, 531-533.
- [Rogers, 1998] Rogers, C.B., “Cycloartenoiddienone acids and lactones from *Combretum erythrophyllum*”, Phytochemistry, 49(7), 1998, 2069-2076.
- [Roberta, 1999] Roberta, R., Nicoletta, P., Anna, P., Ananth, P., Min, Y. and Catherine, R.-E., “Antioxidant activity applying an improved ABTS radical cation decolorization assay”, Free Radical Biology and Medicine, 26, 1999, 1231-1237.
- [Singh, 2002] Singh, B., Sahu, P.M. and Sharma, M.K., “Antiinflammatory and antimicrobial activities of triterpenoids from *Strobilanthes callosus* Nees.”, Phytomedicine, 9, 2002, 355-359.

- [Sahu, 2014] Sahu, M.C., Patnaik, R. and Padhy, R.N., “*In vitro* combinational efficacy of ceftriaxone and leaf extract of *Combretum albidum* G. Don against multidrug-resistant *Pseudomonas aeruginosa* and host-toxicity testing with lymphocytes from human cord blood”, Journal of Acute Medicine, 4, 2014, 26-37.
- [Sangeetha, 2010] Sangeetha, K.N., Sujatha, S., Muthusamy, V.S., Anand, S., Nithya, N., Velmurugan, D., Balakrishnan, A. and Lakshmi, B.S., “ 3β -taraxerol of *Mangifera indica*, a PI3K dependent dual activator of glucose transport and glycogen synthesis in 3T3-L1 adipocytes”, Biochumica et Biophysica Acta, 1800, 2010, 359-366.
- [Sangeetha, 2013] Sangeetha, K.N., Suhilpa, K., Kumari, B.S. and Lakshmi, B.S., “Reversal of dexamethasone induced insulin resistance in 3T3L1 adipocytes by 3β -taraxerol of *Mangifera indica*”, Phytomedicine, 20, 2013, 213-220.
- [Serage, 2003] Serage, S.A., “Isolation and characterization of antibacterial compounds in *Combretum apiculatum* Sond subsp. *apiculatum* Exell”, Master’s thesis, University of Pretoria, South Africa, 2003.
- [Setzer, 2000] Setzer, W.N., Shen X., Bates R.B., Burns J.R., McClure K.J., Zhang P., Moriarity D.M., Lawton R.O., “A Phytochemical investigation of *Alchornea latifolia*”, Fitoterapia, 71, 2000, 195-198.
- [Shrisha, 2011] Shrisha, D.L., Raveesha, K.A. and Nagabhushan, “Bioprospecting of selected medicinal plants for antibacterial activity against some pathogenic bacteria”, Journal of Medicinal Plants Research, 5(17), 2011, 4087-4093.
- [Sini, 2008] Sini, J.M., Umar, I.A., Anigo, K.M., Stantcheva, I., Bage, E.N. and Mohammed, R., “Antidiarrhoeal activity of aqueous extract of *Combretum sericeum* roots in rats”, African Journal of Biotechnology, 7(17), 2008, 3134-3137.

- [Smith, 2000] Smith, R.A., Calviello, C.M., DerMarderosian, A. and Palmer, M.E., “Evaluation of antibacterial activity of Belizean plants: An improved method”, *Pharmaceutical Biology*, 38(1), 2000, 25-29.
- [Smitinand, 1980] Smitinand, T., *Thai Plant Names (Botanical names-Vernacular names)*, Bangkok, Funny Publishing Limited Partnership, 2nd printing, 1980, 92.
- [Somanabandhu, 1984] Somanabandhu, A., “Thai crude drugs their preparations and specifications (*Combretum quadrangulare* Kurz, Sakae naa)”, *Mahidol University Journal of Pharmaceutical Science*, 11(1), 1984, 1-7.
- [Steenkamp, 2007] Steenkamp, V., Fernandes, A.C. and Van Rensburg, C.EJ., “Antibacterial activity of Venda medicinal plants”, *Fitoterapia*, 78, 2007, 561-564.
- [Suryati, 2011] Suryati, Hazli, N., Dachriyanus and Md Nordin, H.L., “Structure elucidation of antibacterial compound from *Ficus deltoidea* Jack leaves”, *Indonesian Journal of Chemistry*, 11(1), 2011, 67-70.
- [Thongchai, 2009] Thongchai, W., Liawruangrath, B. and Liawruangrath, S., “Flow injection analysis of total curcuminoids in turmeric and total antioxidant capacity using 2,2-diphenyl-1-picrylhydrazyl assay”, *Food Chemistry*, 122, 2009, 494-499.
- [Udoh, 2012] Udoh, IP, Nworu CS, Eleaza CI, Onyemelukwe FN, Esimone CO., “Antibacterial profile of extracts of *Combretum micranthum* G. Don against resistant and sensitive nosocomial isolated”, *Journal of Applied Pharmaceutical Science*, 2(4), 2012, 142-146.

- [Venkata, 2012] Venkata, R.B., Samuel, L.A., Pardha, S.M., Narashimha, R.B., Naga, V.K.A., Sudhakar, M. and Radhakrishnan, T.M., “Antibacterial, antioxidant activity and GC-MS analysis of *Eupatorium odoratum*”, Asian Journal of Pharmaceutical and Clinical research, 5(2), 2012, 99-106.
- [Washington, 1981] Washington, J.A., *Laboratory procedures in clinical microbiology*, New York, Springer Verlag, 1981.
- [Wongkham, 1995] Wongkham, S., Boonsiri, P., Trisonthi, C., Simasathiansophon, S., Wongkham, C. and Atisook, K., “Studies on lectins from Thai plants”, Journal of The Science Societyof Thailand, 21, 1995, 27-36.
- [Wungchinda, 1979] Wungchinda, S., “Phytochemical investigation of the roots and seeds of *Combretum quadrangulare* Kurz (Combretaceae)”, Master’s thesis, Mahidol University, Bangkok, 1979.
- [Yahaya, 2012] Yahaya, O., Yabefa, J.A. and Usman, B., “Phytochemical screening and antibacterial activity of *Combretum glutinosum* extract against some human pathogens”, British Journal of Pharmacology and Toxicology, 3(5), 2012, 233-236.
- [Yeo, 2012] Yeo, D., Bouagnon, R., Djyh, B.N., Tuo, C. and N’guessan, J.D., “Acute and subacute toxic study of aqueous leaf extract of *Combretum molle*”, Tropical Journal of Pharmaceutical Research, 11(2), 2012, 217-223.
- [Zito, 2010] Zito, P., Sajeva M., Bruno M., Maggio A., Rosselli S., Formisano C. and Senatore F., “Essential oil composition of stems and fruits of *Caralluma europaea* N.E.Br. (Apocynaceae)”, Molecules, 15, 2010, 627-638.

- [Website 1] The Wikimedia Commons, Wikipedia, the free encyclopedia, “Online Publication”, Available at http://en.wikipedia.org/wiki/File:Amphoe_5402.png Accessed 04/07/05.
- [Website 2] Hdamm, Wikipedia, the free encyclopedia, “Online Publication”, Available at http://en.wikipedia.org/wiki/Phrae_Province#mediaviewer/File:Thailand_Phrae_locator_map.svg Accessed 15/06/14.
- [Website 3] Information center administrative, Department of Provincial Administration, Ministry of Interior, “Online Publication”, Available at <http://www.amphoe.com/main.php> Accessed 26/05/13.
- [Website 4] Information center administrative, Department of Provincial Administration, Ministry of Interior, “Online Publication”, Available at <http://www.dopa.go.th/> Accessed 26/05/13.
- [Website 5] Information Data and Communication Division Office of Phrae Provincial Governor’s Office, Phrae City Hall, “Online Publication”, Available at <http://www.phrae.go.th/english/index.html>. Accessed 26/05/13.

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved

LIST OF PUBLICATIONS

- 1) Wimaluk Nopsiri, Sunee Chansakaow, Somporn Putiyanan, Surapol Natakankitkul and Dammrong Santiarworn, "Antioxidant and anticancer activities from leaf extracts of four *Combretum* species from the northern Thailand," Chiang Mai University Journal of Natural Sciences, Vol. 13, No. 2, 2014, 195-205.
- 2) Wimaluk Nopsiri, Yohji Ezure, Sunee Chansakaow, Somporn Putiyanan, Surapol Natakankitkul, Banyong Khantawa and Dammrong Santiarworn, "Antibacterial activity of four *Combretum* species used in Thai traditional medicine," Asian Journal of Traditional Medicines, Vol. 10, No. 1, 2015, 7-16.
- 3) Wimaluk Nopsiri, Sunee Chansakaow, Somporn Putiyanan, Surapol Natakankitkul, Khesorn Nantachit, Banyong Khantawa and Dammrong Santiarworn, "Chemical constituents and antibacterial activity of volatile oils of *Combretum latifolium* Bl. and *C. quadrangulare* Kurz leaves," Chiang Mai University Journal of Natural Sciences, Vol. 14, No. 3, 2015.

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved