

REFERENCES

- [Alman, 2014] Alman R.E., *ACSM's Resource manual for guidelines for exercise testing and prescription*, Lippincott Williams & Wilkins, 7th edition, 2014, pp. 335-354, ISBN-10: 1609139569 / ISBN-13: 978-1609139568.
- [Amano et al., 2011] Amano T., Ichinose M., Koga S., Inoue Y., Nishiyasu T., and Kondo N., "Sweating responses and the muscle metaboreflex under mildly hyperthermic conditions in sprinters and distance runners," *J Appl Physiol*; vol. 111, no. 2, 2011, pp. 524-529.
- [Bae et al., 2006] Bae J.S., Lee J.B., Matsumoto T., Othman T., Min Y.K., and Yang H.M., "Prolonged residence of temperate natives in the tropics produces a suppression of sweating," *Pflügers Arch*, vol. 453, no. 1, 2006, pp. 67-72.
- [Binkley et al., 2002] Binkley H.M., Beckett J., Casa D.J., Kleiner D.M., and Plummer P.E., "National athletic trainers' association position statement: exertional heat illnesses," *J Athl Train*, vol. 37, no. 3, 2002, pp. 329-343.
- [Boulant, 2000] Boulant J.A., "Role of the preoptic-anterior hypothalamus in thermoregulation and fever," *Clin Infect Dis*, vol. 31, no. Suppl 5, 2000, pp. 157-161.
- [Buono, 2000] Buono M.J., "Limb vs trunk sweat gland recruitment patterns during exercise in humans," *J Therm Biol*, vol. 25, no. 4, 2000, pp. 263-266.

- [Burns et al., 2010] Burns T., Breathnach S., Cox N., and Griffiths C., *Rook's textbook of dermatology*, John Wiley & Sons, 8th edition, 2010, pp. 3.1-3.3, ISBN: 1444317644 / ISBN: 9781444317640.
- [Chaddock et al., 2010] Chaddock L., Erickson K.I., Prakash R.S., Kim J.S., Voss M.W., Vanpatter M., et al., "A neuro imaging investigation of the association between aerobic fitness, hippocampal volume, and memory performance in preadolescent children," *Brain Res*, vol. 1358, 2010, pp. 172–183.
- [Koppe et al, 2004] Koppe C., Kovats S., Jendritzky G., Menne B., Baumuller J., Bitan A., et al., *Heat-waves: risks and responses*, World Health Organization, 2004, ISBN 92 890 1094 0.
- [Cooper, 2002] Cooper K.E., "Some historical perspectives on thermoregulation," *J Appl Physiol*, vol. 92, no. 4 , 2002, pp. 1717-1724.
- [Freinkel and Woodley, 2001] Freinkel R.K., and Woodley D.T., *The biology of the skin*, CRC Press, 2001, pp. 47-54, ISBN: 1850700060 / ISBN: 9781850700067.
- [Gomes et al., 2013] Gomes L.H., Carneiro-Junior M.A., and Marins J.C., "Thermoregulatory responses of children exercising in a hot environment," *Rev Paul Pediatr*, vol. 31, no.1, 2013, pp. 104-110.
- [Havenith et al., 1995] Havenith G., Inoue Y., Luttikholt V., and Kenney W.L., "Age predicts cardiovascular, but not thermoregulatory, responses to humid heat stress," *Eur J Appl Physiol Occup Physiol*, vol. 70, no. 1, 1995, pp. 88-96.

- [Hilz and Dutsch, 2006] Hilz M.J., and Dutsch M., “Quantitative studies of autonomic function,” *Muscle Nerve*, vol. 33, no. 1, 2006, pp. 6-20.
- [Hoath and Maibach, 2003] Hoath S.B., and Maibach H.I., *Neonatal Skin: Structure and Function*, CRC Press, 2nd edition, 2003, pp. 109-123, ISBN: 0203911717 / ISBN: 9780203911716.
- [Hoffman, 2006] Hoffman J., *Norms for Fitness, Performance, and Health*, Human Kinetics, 2006, ISBN-10: 0736054839 / ISBN-13: 978-0736054836.
- [Ichinose et al., 2009] Ichinose T.K., Inoue Y., Hirata M., Shamsuddin A.K., and Kondo N., “Enhanced heat loss responses induced by short-term endurance training in exercising woman,” *Exp Physiol*, vol. 94, no. 1, 2009, pp. 90-102.
- [Ichinose-Kuwahara et al., 2010] Ichinose-Kuwahara T., Inoue Y., Iseki Y., Hara S., Ogura Y., and Kondo N., “Sex differences in the effects of physical training on sweat gland responses during a graded exercise,” *Exp Physiol*, vol. 95, no. 10, 2010, pp. 1026-1032.
- [Illigens and Gibbons, 2009] Illigens B.M., and Gibbons C.H., “Sweat testing to evaluate autonomic function,” *Clin Auton Res*, vol. 19, no. 2, 2009, pp. 79-87.
- [Inoue et al., 1991] Inoue Y., Nakao M., Araki T., and Murakami H., “Regional differences in the sweating responses of older and younger men,” *J Appl Physiol*, vol. 71, no. 6, 1991, pp. 2453- 2459.
- [Inoue, 1996] Inoue Y., “Longitudinal effects of age on heat-activated sweat gland density and output in healthy active older men,” *Eur J Appl Physiol Occup Physiol*, vol. 74, no. 1-2, 1996, pp. 72-77.

- [Inoue and Shibasaki, 1996] Inoue Y., and Shibasaki M., “Regional differences in age related decrements of the cutaneous vascular and sweating responses to passive heating,” *Eur J Appl Physiol Occup Physiol*, vol. 74, no. 1-2, 1996, pp. 78-84.
- [Inoue et al., 1999] Inoue Y., Shibasaki M., Ueda H., and Ishizashi H., “Mechanisms underlying the age-related decrement in the human sweating response,” *Eur J Appl Physiol Occup Physiol*, vol. 79, no. 2, 1999, pp. 121-126.
- [Inoue et al., 2002] Inoue Y., Shibasaki M., and Araki T., *Exercise, Nutrition and Environmental Stress, Vol. 2*, Cooper Publishing Group, 2002, pp. 239-271, ISBN 1884125816, 9781884125812.
- [Inoue et al., 2004] Inoue Y., Kuwahara T., and Araki T., “Maturation and ageing-related changes in heat loss effector function,” *J Physiol Anthropol Appl Hum Sci*, vol. 23, no. 6, 2004, pp. 289-294.
- [Inoue et al., 2009a] Inoue Y., Ichinose-Kuwahara T., Nakamura S., Ueda H., Yasumatsu H., Kondo N., et al., “Cutaneous vasodilation response to a linear increase in air temperature from 28°C to 40°C in prepubertal boys and young men,” *J Physiol Anthropol*, vol. 28, no. 3, 2009a, pp. 137–144.
- [Inoue et al., 2009b] Inoue Y., Ueda H., Kubota T., Kondo N., Matsumoto T., Sutabhaha T., et al., “Sweat gland function in Thailand and Japanese males in relation to physical training,” *Proceeding to 13th International Conference of Environmental Ergonomics (Boston)*, August 2-6, 2009b.
- [Kondo et al., 2009] Kondo N., Taylor N.A., Shibasaki M., Aoki K., and Munir Che Muhamed A., “Thermoregulatory adaptation in humans

and its modifying factors,” *Global Environ Res*, vol. 13, no. 1, 2009, pp. 35-41.

- [Kuwahara et al., 2005] Kuwahara T., Inoue Y., Taniguchi M., Ogura Y., Ueda H., and Kondo N., “Effects of physical training on heat loss responses of young women to passive heating in relation to menstrual cycle,” *Eur J Appl Physiol*, vol. 94, no. 4, 2005, pp. 376–385.
- [Lee, 2008] Lee J.B., “Heat Acclimatization in hot summer for ten weeks suppress the sensitivity of sweating in response to iontophoretically-administered acetylcholine,” *Korean J Physiol Pharmacol*, vol. 12, no. 6, 2008, pp. 349-355.
- [Low, 2004] Low P.A., “Evaluation of sudomotor function,” *Clin Neurophysiol*, vol. 115, no. 7, 2004, pp. 1506–1513.
- [Low, 2012] Low P.A., *Primer on the Autonomic Nervous System*, Academic Press, 3rd Edition, 2012, pp. 249-251, ISBN-10: 0123865255 / ISBN-13: 978-0123865250
- [Nagashima, 2006] Nagashima K., “Central mechanisms for thermoregulation in a hot environment,” *Ind Health*, vol. 44, no. 3, 2006, pp. 359–367.
- [Ratamess, 2014] Ratamess N., *ACSM's Resource manual for guidelines for exercise testing and prescription*, Lippincott Williams & Wilkins, 7th edition, 2014, pp. 287-308, ISBN-10: 1609139569 / ISBN-13: 978-1609139568.
- [Shibasaki et al., 1997a] Shibasaki M., Inoue Y., Kondo N., and Iwata A., “Thermoregulatory responses of prepubertal boys and young men during moderate exercise,” *Eur J Appl Physiol Occup Physiol*, vol. 75, no. 3, 1997a, pp. 212-218.

- [Shibasaki et al., 1997b] Shibasaki M., Inoue Y., and Kondo N., “Mechanisms of underdeveloped sweating responses in prepubertal boys,” *Eur J Appl Physiol Occup Physiol*, vol. 76, no. 4, 1997b, pp. 340-345.
- [Shibasaki et al., 2004] Shibasaki M., Sakai M., Oda M., and Crandall C.G., “Muscle mechano receptor modulation of sweat rate during recovery from moderate exercise,” *J Appl Physiol*, vol. 96, no. 6, 2004, pp. 2115–2119.
- [Shibasaki et al., 2006] Shibasaki M., Wilson T.E., and Crandall C.G., “Neural control and mechanisms of eccrine sweating during heat stress and exercise,” *J Appl Physiol*, vol. 100, no. 5, 2006, pp.1692–1701.
- [Sinclair et al., 2007] Sinclair W.H., Crowe M.J., Spinks W.L., and Leicht A.S., “Pre-pubertal children and exercise in hot and humid environments: a brief review,” *J Sports Sci Med*, vol. 6, no. 4, 2007, pp. 385-392.
- [Ueda and Inoue, 2013] Ueda H., and Inoue Y., “Improved procedure for estimating time-dependent changes in local sweat rates by measuring local sweat volumes,” *J Ergonomics*, vol. 3, no. 3, 2013, pp. 121-127.
- [Vilches and Navarro, 2000] Vilches J.J., and Navarro X., “Evaluation of direct and axon reflex sweating in the mouse,” *J Auton Nerv Syst*, vol. 78, no. 2-3, 2000, pp. 136-140.
- [Wendt et al., 2007] Wendt D., van Loon L.J., and Lichtenbelt W.D., “Thermoregulation during exercise in the heat: strategies for maintaining health and performance,” *Sports Med*, vol. 37, no. 8, 2007, pp. 669-682.

[Wilke et al., 2007]

Wilke K., Martin A., Terstegen L., and Biel S.S., “A short history of sweat gland biology,” *Int J Cosmet Sci*, vol. 29, no. 3, 2007, pp. 169-179.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved