

CONTENTS


	Page
Acknowledgement	d
Abstract in Thai	e
Abstract in English	f
List of Tables	i
List of Figures	j
List of Abbreviations	k
Chapter 1 Introduction	1
Chapter 2 Literature review	5
1. Age-related difference of thermoregulation	5
2. Age-related difference of heat loss effectors function in the children	6
3. Age-related difference of heat loss effectors function in older men	6
4. Thermoregulation during exercise	7
5. Physical-fitness related difference of heat loss effectors function	7
6. Objectives of the study	8
7. Hypothesis	8
8. Application advantages of this study	8
Chapter 3 Material and Methods	10
1. Subjects	10
2. Preparation of subject prior to the experiment	10
3. Determination of subject's physical fitness	11
4. Heat loss effector function test	12
5. Statistical Analysis	16

Chapter 4 Results	17
1. Physical characteristics of subjects	17
2. Exercise test to separate between high physical fitness and sedentary groups	18
3. Sweat rate due to indirect ACh-mediated sweat gland activation (AXR)	19
4. Sweat rate due to direct ACh-mediated sweat gland activation (DIR)	20
5. Activated sweat gland density (ASG)	21
6. Activated sweat output per gland (SGO)	22
Chapter 5 Discussion	23
1. Physical fitness related difference effect to sweating responses	23
2. Regional related difference effect to sweating responses	25
References	26
Appendix	33
List of Publications	49
Curriculum Vitae	50

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
 Copyright© by Chiang Mai University
 All rights reserved

LIST OF TABLES

	Page
Table 4.1 Physical characteristics of subject	17



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved

LIST OF FIGURES

	Page
Figure 3.1 Subscapularis muscle site of skinfold thickness measured by caliper.	11
Figure 3.2 Triceps muscle site of skinfold thickness measured by caliper.	11
Figure 3.3 Forearm site of sweat gland responses measured.	14
Figure 3.4 Thigh site of sweat gland responses measured.	14
Figure 3.5 Hygrometer-ventilated capsule method was used to determined sweat gland function.	15
Figure 3.6 Quantitative sudomotor axon reflex test (a), directly stimulates sweat glands (b)	15
Figure 3.7 Schematic representation of experimental protocol.	16
Figure 4.1 Maximum oxygen uptake (VO_{2max}) of subjects in sedentary and high physical fitness groups.	18
Figure 4.2 Sweat rate for the forearm and thigh due to indirect ACh-mediated sweat gland activation (AXR) in the sedentary and high physical fitness groups.	19
Figure 4.3 Sweat rate for the forearm and thigh due to direct ACh-mediated sweat gland activation (DIR) in the sedentary and high physical fitness groups.	20
Figure 4.4 Active sweat gland for the forearm and thigh in the sedentary and high physical fitness groups.	21
Figure 4.5 Sweat gland output for the forearm and thigh in the sedentary and high physical fitness groups.	22

LIST OF ABBREVIATIONS

ACh	Acetylcholine
ASG	Active sweat gland
T _a	Ambient temperatures
AXR	Axon reflex-mediated sweating
cm	Centimeter
cm ²	Cubic centimeter
°C	Degree celsius
DIR	Direct sweating
h	Hour
kg	Kilogram
CVC _{max}	Maximal cutaneous vascular conductance
VO _{2max}	Maximum oxygen uptake
MAP	Mean arterial pressure
µg	Microgram
mg	Milligram
mm	Millimeter
min	Minute(s)
mL	Milliliter
QSART	Quantitative sudomotor axon reflex test
rpm	Revolutions per minute
S.E.M.	Standard error of the mean
SGO	Sweat output per gland
s	Second
SkBF	Skin blood flow
T _{sk}	Skin temperatures
vs	Versus
%	Percen