

REFERENCES

- Abadias, M., Usall, J., Oliviera, M., Alegre, I. and Viñas, I. 2008. Efficacy of neutral electrolyzed water (NEW) for reducing microbial contamination on minimally-processed vegetables. *Inter. Food Microbiol.* 123: 151-158.
- Acher, A., Fisher, E., Turnheim, R. and Manor, Y. 1997. Ecologically friendly wastewater disinfection techniques. *Water Res.* 31: 1398–1404.
- Adekunte, A. O., Tiwari, B. K., Cullen, P. J., Scannell, A. G. M. and O'Donnell, C. P. 2010. Effect of sonication on colour, ascorbic acid and yeast inactivation in tomato juice. *Food Chem.* 122 (3): 500-507.
- Al – Haq, M.I., Seo, Y., Oshita, S. and Kawagoe, Y. 2002. Disinfection effects of electrolyzed oxidizing water on suppressing fruit rot of pear caused by *Botryosphaeria berengeriana*. *Food Res. Int.* 35: 657 - 664.
- Al – Haq, M.I., Sugiyama, J. and Isobe, S. 2005. Application of electrolyzed water in agriculture and food industries. *Food Sci. Technol Res.* 11: 135 – 150.
- Alliger, H. 1975. Ultrasonic disruption. *American Laboratory.* 10: 75–85.
- Altintas, S. and Ugur, B. 2008. Effects of the commercial product based on *Trichoderma harzianum* on plant, bulb and yield characteristics of onion. *Sci Hortic.* 116: 219-222.
- Alvindia, D.G. and Natsuaki, K.T. 2008. Evaluation of fungal epiphytes isolated from banana fruit surfaces for biocontrol of banana crown rot disease. *Crop Prot.* 27: 1200-1207
- Amadioha, A. C. 1998. Control of powdery mildew in pepper (*Capsicum annuum* L.) by leaf extract of papaya (*Carica papaya* L.). *J. Herbs Spices Med. Plants.* 6(2): 41-47

Artés F, Gómez, P., Aguayo. E., Escalona, V. and Artés-Hernández, F. 2009. Sustainable sanitation techniques for keeping quality and safety of fresh-cut plant commodities. *Postharvest Biol. Technol.* 59: 287-296.

Australia government, Department of Agriculture, Fisheries and Forestry Biosecurity. [online]. Available: http://www.daff.gov.au/__data/assets/pdf_file/0004/2163973/Prov_final-malaysian_pineapplesIRA.pdf (March 15, 2014).

Avdiushko, S.A., Ye, X.S. and Kuc, J. 1993. Detection of several enzymatic activities in leaf prints of cucumber plant. *Physiol. Mol. Plant P.* 42: 441–454.

Ballester, A.R., Lafuente, M.T. and Gonzalez-Candelas, L. 2006. Spatial study of antioxidant enzymes, peroxidase and phenylalanine ammonia-lyase in the citrus fruit- *Penicillium digitatum* interaction. *Postharvest Biol. Technol.* 39: 115 - 124.

BAM. 2001. “Aerobic mesophiles” [Online]. Available: <http://www.cfsan.gov> (October 6, 2012).

BAM. 2001. “Yeast and Mould” [Online]. Available: <http://www.cfsan.gov> (October 6, 2012).

Bashan, Y., Okon, Y. and Henis, Y. 1985. Peroxidase, polyphenoloxidase, and phenols in relation to resistance against *Pseudomonas syringae* pv. *tomato* in tomato plants. *Can. J. Bot.* 65: 366-372.

Beaudoin-Eagan, L.D., and Thorpe, T.A. 1985. Tyrosine and phenylalanine ammonia lyase activities during shoot initiation in tobacco callus cultures. *Plant Physiol.* 78: 438-441.

Beuchat, L.R. 1996. Pathogenic microorganisms associated with fresh produce. *J. Food Prot.* 59: 204-216.

Bonde, M.R., Nester, S.E., Schaad, N.W., Frederick, R.D., and Luster, D.G., 2003. Improved detection of *Tilletia indica* teliospore in seed or soil by elimination of contaminating microorganisms with acidic electrolyzed water. *Plant Dis.* 87: 712-718.

- Bowles, J.D. 1990. Defense-related proteins in higher plants. *Annu. Rev. Biochem.* 59: 873 - 907.
- Brilhante São José, J.F. and Dantas Vanetti, M.C. 2012. Effect of ultrasound and commercial sanitizers in removing natural contaminants and *Salmonella enterica* *Typhimurium* on cherry tomatoes. *Food Cont.* 24: 95 - 99.
- Brogue, K., Chet, I., Holliday, M., Cressman, R., Biddle, P., Knowlton, S., Mauvais, C.J. and Broglie, R. 1991. Transgenic plants with enhanced resistance to the fungal pathogen *Rhizoctonia solani*. *Science.* 254: 1194-1197.
- Buck, J.W., Van Iersel, M.W., Oetting, R.D. and Hung, C.Y. 2002. *In vitro* fungicidal activity of acidic electrolyzed oxidizing water. *Plant Dis.* 86: 278-281.
- Butz, P. and Tauscher, B. 2002. Emerging technologies: chemical aspects. *Food Res. Int.* 35: 279-284.
- Cao, S., Hu, Z. and Pang, B. 2010a. Optimization of postharvest ultrasonic treatment of strawberry fruit. *Postharvest Biol. Technol.* 55: 150-153.
- Cao, S., Hu, Z., Pang, B., Wang, H., Xie, H. and Wu, F. 2010b. Effect of ultrasound treatment on fruit decay and quality maintenance in strawberry after harvest. *Food Cont.* 21: 529-532.
- Chen, Z. and Zhu, C. 2011. Combined effects of aqueous chlorine dioxide and ultrasonic treatment on postharvest storage quality of plum fruit (*Prunus salicina* L.). *Postharvest Biol. Technol.* 61: 117-123.
- Coates, L. and Johnson, G. 2013. Postharvest disease of fruit and vegetables. [online]. Available: [http://www.appsnet.org/Publications/Brown_Ogle/33%20Postharvest%20diseases%20\(LMC%26GIJ\).pdf](http://www.appsnet.org/Publications/Brown_Ogle/33%20Postharvest%20diseases%20(LMC%26GIJ).pdf) (November 27, 2014).
- Collins, J.L. 1968. The Pineapple. Leonard Hill, London. 295 pp.
- Coppens, d'Eeckenbrugge and Leal, F. 2003. Morphology, Anatomy and Taxonomy. ISHS, Netherlands. pp. 93-96.
- Cosio, C. and Dunand, C. 2009. Specific functions of individual class III peroxidase genes. *J. Exp. Bot.* 60: 391-408.

Dann, E.K. and Deverall, B.J. 2000. Activation of systemic disease resistance in pea by an avirulent bacterium or a benzothiadiazole, but not by a fungal leaf spot pathogen. *Plant Pathol.* 49: 324-332.

Defense-Related Proteins of Higher Plants. [online]. Available: <http://dmd.nihs.go.jp/latex/defense-e.html> (March 15, 2014).

Dehghani, M.H., Mahvi, A.H., Jahed, G.R. and Sheikhi, R. 2007. Investigation and evaluation of ultrasound reactor for reduction of fungi from sewage. *J. Zhejiang Univ. Sci. B* 8(7): 493-497.

Department Of Agriculture Kuala Lumpur Malaysia. 2004. Technical document For market access on Pineapple (*Ananas Comosus*). [Online]. Available: http://www.ippc.int/file_uploaded/1115281616033_Technical_Document_pineapple.pdf (March 5, 2012).

Department of Agriculture, Fisheries and Forestry Australia. 2012. Exportation activities of fresh pineapple to Australia. [Online]. Available: http://www.daff.gov.au/__data/assets/pdf_file/0004/2163973/Prov_final-malaysian_pineapplesIRA.pdf(May 10, 2014).

Deza, M.A., Araujo, M. and Garido, J. M. 2003. Inactivation of *Escherichia coli* O157:H7, *Salmonella enteritidis* and *Listeria monocytogenes* on the surface of tomatoes by neutral electrolyzed water. *J. Appl Microbiol.* 37: 482-487.

Ding, T., Rahman, S.M.E. and Oh, D-H. 2011. Inhibitory effects of low concentration electrolyzed water and other sanitizers against foodborne pathogens on oyster mushroom. *Food Cont.* 22: 318-322.

Djonovic, S., Vargas, W.A., Kolomiets, M.V., Hordenski, M., Wiest, A. and Kenerley, C.M. 2007. A proteinaceous elicitor Sm1 from the beneficial fungus *Trichoderma virens* is required for systemic resistance in maize. *Plant Physiol.* 145: 875-89.

Dull, G. G. 1971. The pineapple: general. In: A. C. Hulme (ed.). *The biochemistry of fruits and their products*, Academic Press, London, pp. 303-324.

Electrowave Ultrasonics Corporation. [online]. Available: <http://www.electrowave.org/Cavitation.html> (March 15, 2014).

Ferguson, I.B., Ben-Yehoshua, S., Mitcham, E.J. and McDonald, R.E. 2000. Postharvest heat treatments: introduction and workshop summary. *Postharvest Biol. Technol.* 21: 1-6.

Ferrareze, J.P., Fugate, K.K., Bolton, M.D., Deckard, E.L., Campbell, L.G. and Finger, F.L. 2013. Jasmonic acid does not increase oxidative defense mechanisms or common defense-related enzymes in postharvest sugar beet roots. *Postharvest Biol. Technol.* 77: 11-18.

Flurkey, W. H. and Jen, J. J. 1978. Peroxidase and polyphenol oxidase activities in developing peaches. *J. Food Sci.* 43: 1826-1831.

Freeman, B.C. and Beattie, G.A. 2008. An Overview of Plant Defenses against Pathogens and Herbivores. *The Plant Health Instructor*. [Online]. Available: <http://www.apsnet.org/edcenter/intropp/topics/Pages/OverviewOfPlantDiseases.aspx>. (March 15, 2014).

Gábor M Kovács. 2013. The fungal cell wall. [online]. Available: http://elte.prompt.hu/sites/default/files/tananyagok/plants_fungi/index.html (March 15, 2014).

Galis, I., Sime, P., Narisawa, T., Sasaki, M., Horiguchi, T., Fukuda, H. and Maatsuoka, K. 2006. A novel R2R3 MYB transcription factor NtMYBJS1 is a methyl jasmonate-dependent regulator of phenylpropanoid-conjugate biosynthesis in tobacco. *Plant J.* 46: 573-592.

Gogate, P. R., and Kabadi, A. M. 2009. A review of applications of cavitation in biochemical engineering/biotechnology. *Biochem. Eng. J.* 44: 60-72.

Graça, A., Abadias, M., Salazar, M. and Nunes, C., 2011. The use of electrolyzed water as a disinfectant for minimally processed apples. *Postharvest Biol. Technol.* 61: 172-177.

Grech, N.M. and Rijkenberg, F. H. J. 1992. Injection of electronically generated chlorine into citrus microirrigation systems for the control of certain waterborne root pathogens. *Plant Dis.* 76: 457-461.

Guentzel, J.L., Lam, K.L., Callan, M.A., Emmons, S.A. and Dunham, V.L. 2010. Postharvest management of gray mould and brown rot on surfaces of peaches and grapes using electrolyzed oxidizing water. *Int. J. Food Microbiol.* 143: 54-60.

Guentzel, J.L., Lam, K.L., Callan, M.A., Emmons, S.A. and Dunham, V.L. 2008. Reduction of bacteria on spinach, lettuce, and surfaces in food service areas using neutral electrolyzed oxidizing water. *Food Microbiol.* 25: 36-41.

Guerrero, S., Lopez-Malo, A. and Alzamora, S.M. 2001. Effect of ultrasound on the survival of *Saccharomyces cerevisiae*: influence of temperature pH and amplitude. *Innov. Food Sci. Emerg. Technol.* 2: 31-39.

Hammerschmidt, R., Nuckles, E.M. and Kuc, J. 1982. Association of enhanced peroxidase activity with induced systemic resistance of cucumber to *Colletotrichum lagenarium*. *Physiol. Mol. Plant Pathol.* 20: 73-82.

Hao, Z., Wang, L., Huang, F., and Tao, R. 2012 . Expression of defense genes and antioxidant defense responses in rice resistance to neck blast at the preliminary heading stage and full heading stage. *Plant Physiol. Biochem.* 57: 222-230.

Honée, G., Buitink, J., Jabs, T., de Kloe, J., Sijbolts, F., Apotheker, M., Weide, R., Sigen, T., Stuiver, M. and de Wit, P.J.G.M.1998. Induction of defence-related response in *Cf9* tomato cells by the AVR9 elicitor peptide of *Cladosporium fulvum* is developmentally regulated. *Plant Physiol.* 117: 809-820.

Hong, C.X., Michailides, T.J. and Holtz, B.A. 1998. Effects of wounding, inoculum density and biological control agents on postharvest brown rot of stone fruits. *Plant Dis.* 82: 1210-1216.

Hsu, S. 2005. Effects of flow rate, temperature and salt concentration on chemical and physical properties of electrolyzed oxidizing water. *J Food Control.* 66: 171-176.

- Huang, T.S., Xu, C.L., Walker, K., West, P., Zhang S.Q. and Weese, J. 2006. Decontamination efficacy of combined chlorine dioxide with ultrasonication on apples and lettuce. *J. Food Sci.* 71(4): 134 - 139.
- Huang, Y.R., Hung, Y.C., Hsu, S.Y., Huang, Y.W. and Hwang, D.F. 2007. Application of electrolyzed water in the food industry. *Food Cont.* 19: 329–345.
- Hung, Y-C., Tilly, P., and Kim, C. 2010. Efficacy of electrolyzed oxidizing (EO) water and chlorinated water for inactivation of *Escherichia Coli* 0157:H7 on strawberries and broccoli. *J. Food Qual.* 33: 559-577.
- Issa-Zacharia, A., Kamitani, Y., Miwa, N., Muhimbula, H. and Iwasaki, K. 2010. Application of slightly acidic electrolyzed water as a potential non-thermal food sanitizer for decontamination of fresh ready-to-eat vegetables and sprouts. *Food Cont.* 22: 601-607.
- Izumi, H. 1999. Electrolyzed water as a disinfectant for fresh-cut vegetables. *J Food Sci.* 64: 536–539.
- Jacobo-Velázquez, D.A., Martínez-Hernández, G.B., Del C, R. S., Cao, C.M., and Cisneros-Zevallos, L. 2011. Plants as biofactories: Physiological role of reactive oxygen species on the accumulation of phenolic antioxidants in carrot tissue under wounding and hyperoxia stress. *J. Agri. Food Chem.* 59: 6583-6593.
- Jane, L.G., Lam, K.L., Callan, M.A., Emmons, S.A. and Dunham, V.L. 2008. Reduction of bacteria on spinach, lettuce, and surfaces in food service areas using neutral electrolyzed oxidizing water. *Food Microbiol.* 25: 36-41.
- Jayasooriya, S.D., Bhandari, B.R., Torley, P. and D'Arcy, B.R. 2004. Effect of high power ultrasound waves on properties of meat: a review. *Int. J. Food Prop.* 7(2): 301-319.
- Jeffrey, C. E. 1996. Structure and ontogeny of plant cuticles. In *Plant Cuticles: An Integrated Functional Approach*, G. Kerstiens, ed., BIOS Scientific, Oxford, pp. 33–85.

Jha, S.N., Kingsly, A.R.P. and Chopra, S. 2006. Nondestructive determination of firmness and yellowness of mango during growth and storage using visual spectroscopy. *Biosyst. Eng.* 94(3): 397-402.

Joomwong, A. 2006. Impact of cropping season in northern Thailand on the quality of Smooth Cayenne pineapple. II. Influence on physico-chemical attributes. *Int. J. Agri. Biol.* 8(3): 330-336.

Ju, Y. K., Hyun, J.K., Geum, O. L., Sung, A. J. and Kyung, B.S. 2010. The effects of aqueous chlorine dioxide or fumaric acid treatment combined with UV-C on postharvest quality of 'Maehyang' strawberries. *Postharvest Biol. Technol.* 56: 254-256.

Kader, A. 2009. *Postharvest Handling. Systems: Tropical Fruits. (Banana, Pineapple & Papaya)*. [Online]. Available: <http://ucce.ucdavis.edu/files/datastore/234-1325.pdf> (March 5, 2012).

Kader, A.A. 1992. Postharvest biology and technology: an overview. In: Kader, A.A. (Ed.), *Postharvest Technology of Horticultural Crops*. University of California Division of Agricultural and Natural Resources, California, pp. 15-20.

Karban, R. and Myers, J.H. 1989. Induced plant responses to herbivory. *Annu. Rev. Ecol. Syst.* 20: 331-34.

Karthikeyan, M., Radhika, K., Mathiyazhagan, S., Bhaskaran, R., Samiyappan R. and Velazhahan, R. 2006. Induction of phenolics and defense-related enzymes in coconut (*Cocos nucifera* L.) roots treated with biocontrol agents. *Braz. J. Plant Physiol.* 18: 367-377.

Khayankarn, S., Uthaibutra, J., Seta, S. and Whangchai, K. 2013. Using electrolyzed oxidizing water combined with an ultrasonic wave on the postharvest diseases control of pineapple fruit cv. 'Phu Lae'. *Crop Prot.* 54: 43-47.

Kim, C., Hung, Y.C. and Brackett, R.E. 2000. Efficacy of electrolyzed oxidizing (EO) and chemically modified water on different types of foodborne pathogens. *Int. J. Food Microbiol.* 61: 199-207.

- Kim, C., Hung, Y.-C., Brackett, R.E. and LIN, C.-Y. 2003. Efficacy of electrolyzed water in inactivating *Salmonella* on alfalfa seeds and sprouts. *J. Food Prot.* 66: 208-214.
- Kim, J.Y., Kim, H.J., Lim, G.O., Jang, S.A. and Song, K.B. 2010. The effects of aqueous chlorine dioxide or fumaric acid treatment combined with UV-C on postharvest quality of 'Maehyang' strawberries. *Postharvest Biol. Technol.* 56: 254-256.
- Knorr, D., Zenker, M., Heinz, V. and Lee, D.-U. 2004. Applications and potential of ultrasonics in food processing. *Trends Food Sci. Technol.* 15: 261-266.
- Koidea, S., Shitanda, D., Notea, M. and Cao, W. 2011. Effects of mildly heated, slightly acidic electrolyzed water on the disinfection and physicochemical properties of sliced carrot. *Food Control* 22: 452 – 456.
- Kombrink, E. and Somssich, I.E. 1995. Defense responses of plants to pathogens. In: Andrews J.H., Tommerup I.C. (eds) *Advances in botanical research (incorporating advances in plant pathology)*. Academic Press, London. 21: 1-34.
- Koseki, S., Yoshida, Y. Kamitani, Y., and Itoh, K. 2003. Influence of inoculation method, spot inoculation site, and inoculation size on the efficacy of acidic electrolyzed water against pathogens on lettuce. *J. Food Prot.* 66: 2010-2016.
- Kozłowska, M., Fryder, K. and Wolko, B. 2001. Peroxidase involvement in the defense response of red raspberry to *Didymella applanata* (Niessl/Sacc.). *Acta Physiol Plant.* 23: 303-310.
- Lamondia, J. A. and Douglas, S. M. 1979. Sensitivity of *Botrytis cinerea* from Connecticut Greenhouses to Benzimidazole and Dicarboximide Fungicides. *Plant Dis.* 81(7): 729-732.
- Lana, M. M., Tijskens, L. M. M. and Kooten, O.V. 2005. Effect of storage temperature and fruit ripening on firmness of fresh-cut tomatoes. *Postharvest Biol Technol.* 35: 87-95.

- Len, S.V., Hung, Y.C., Chung, D., Anderson, J.L., Erickson, M.C. and Morita, K. 2002. Effects of storage conditions and pH on chlorine loss in electrolyzed oxidizing (EO) water. *J. Agric. Food Chem.* 50, 209-212.
- Li, L. and Steffens, J. 2002. Overexpression of polyphenol oxidase in transgenic tomato plants results in enhanced bacterial disease resistance. *Planta*. 215: 239-247.
- Likhitekaraj, S., Athipunyakom, P. and Sangudom, T. 2007. Effects of De-crowning Pineapple Fruits and Methyl Bromide Fumigation on Some Pests and Fruits Quality. Pages 671-677 In: Proceedings of the 45th Kasetsart University Annual Conference, Bangkok, Thailand, 30 January - 2 February, 2007.
- Lillard, H.S. 1993. Bactericidal effect of chlorine on attached *Sallmonellae* with and without sonification. *J. Food Protect.* 56: 716-717.
- Lincoln, T. and Eduardo, Z. 2010. Plant physiology, Chapter 13: Secondary Metabolites and Plant Defense. [online]. Available: <http://5e.plantphys.net/chapter.php?ch=13> (March, 15, 2014).
- Lopez-Galvez, G., Saltveit, M.E. and Cantwell, M.I. 1996. Wound-induced phenylalanine ammonia lyase activity: factors affecting its induction and correlation with the quality of minimally processed lettuce. *Postharvest Biol Technol.* 9: 223-233.
- Lowry, O.H., Rosebrough, N.J., Far, A.L. and Randall, R.J. 1951. Protein measurement with the folin phenol reagent. *J. Biol. Chem.* 193: 265-275.
- Lucas, G. B. 1965. Diseases of Tobacco. Scarecrow Press, New York.
- Lurie, S., Fallik, E. and Klein, J. D. 1996. The effect of heat treatment on apple epicuticular wax and calcium uptake. *Postharvest Biol. Technol.* 8: 271-277.
- Martínez-Hernández, G.B., Artés-Hernández, F., Gómez, P.A., Formica, A.C., Artés, F. 2013. Combination of electrolyzed water, UV-C and superatmospheric O₂ packaging for improving fresh-cut broccoli quality. *Postharvest Biol Technol.* 76: 125-134.

- Mayer, A.M. 2006. Polyphenol oxidases in plants and fungi: going places: A review. *Phytochem.* 67: 2318-2331.
- McCann, M.C. and Roberts, K. 1991. Architecture of the primary cell wall. In: Lloyd C.W. editor. *The Cytoskeletal Basis of Plant Growth and Form*. London: Academic Press; pp. 109-129.
- McClements, D.J. 1995. Advances in the application of ultrasound in food analysis and processing. *Trends Food Sci. Technol.* 6: 293-299.
- Molina, A., Bueno, P., Marin, M.C., Rodriguez-Rosales, M.P., Belver, A., Venema, K. and Donaire, J.P. 2002. Involvement of endogenous salicylic acid content, lipoxygenase and antioxidant enzyme activities in the response of tomato cell suspension cultures to NaCl. *New Phytol.* 156: 409-415.
- Münch-Garhoff, S., Neuhaus, J.M., Boller, T., Kemmerling, B. and Kogel, K.H. 1997. Expression of β -1,3-glucanase and chitinase in healthy, stem-rust affected and elicitor-treated near-isogenic wheat lines showing sr5-or sr24- specified race-specific rust resistance. *Planta*, 201: 235-244.
- Nadzirah, K. Z., Zainal, S., Noriham, A., Normah, I., Siti Roha, A. M. and Nadya, H. 2013. Physico- chemical properties of pineapple variety N36 harvested and stored at different maturity stages. *Int. Food Res J.* 20(1): 225-231.
- Nawrath, C., Heck, S., Parinthewong, N. and Metraux, J. P., 2002. EDS5, an essential component of salicylic acid-dependent signaling for disease resistance in *Arabidopsis*, is a member of the MATE transporter family. *Plant Cell.* 14, 275-286.
- Office of Agricultural Economics. 2011. Statistical Export – import. [online]. Available: http://www.oae.go.th/oae_report/export_import/export_result.php (September 10, 2011).
- Office of Agricultural Economics. 2013. Statistical Export – import. [Online]. Available: http://www.oae.go.th/oae_report/export_import/export_result.php (September 10, 2013).

O'Neill, M. and York, W. 2003. The composition and structure of primary cell walls. In Annual Plant Reviews, Vol. 8: The Plant Cell Wall, J. Rose, ed (Oxford/Boca Raton, FL: Blackwell Publishing/CRC Press), pp. 1–54.

Pailin, A.T. 1967. Methods for the determination, in water, of free and combined available chlorine dioxide and chlorite, bromine, iodine and ozone, using diethyl-P-phenylene diamine (DPD). J. Inst. Water Eng. 21: 537-547.

Palacios, P., Burgos, J., Hoz, L., Sanz, B. and Ordonez, J.A. 1991. Study of substances released by ultrasonic treatment from *Bacillus stearothermophilus* spores. J. Appl. Bacteriol. 71: 445-451.

Palin, A.T. 1967. Methods for the determination, in water, of free and combined available chlorine dioxide and chlorite, bromine, iodine and ozone, using diethyl-P-phenylene diamine (DPD). J. Inst. Water Eng. 21: 537-547.

Paola, C. L., Vivian, R.C., Mercado, M., Deaz, M. and Carrascal, A.K. 2005. Effectiveness of electrolyzed oxidizing water for inactivating *Listeria monocytogenes* in lettuce", Universitas. Sci., 10: 97-108.

Park, E.J., Alexander, E., Tarlor, G.A., Costa, R. and Kang, D.H. 2008. Effect of electrolyzed water for reduction of foodborne pathogens on lettuce and spinach. J. Food Microbiol. 73: 268-272.

Paull, R.E. 1992. Postharvest handling of Smooth Cayenne pineapple in Hawaii for the fresh fruit market. Acta Hort. 334: 273- 285.

Paull, R.E. and Rohrbach, K.G. 1985. Symptom development of chilling injury in pineapple fruit. J. Amer. Soc. Hort. Sci. 110: 100-105.

Peter, L.S. and William S.C. 2013. Postharvest Pathology. [Online]. Available: <http://www.ba.ars.usda.gov/hb66/022pathology.pdf> (March 15, 2014).

Phull, S.S., Newman, A.P., Lorimer, J.P., Pollet, B. and Mason, T.J. 1997. The development and evaluation of ultrasound in the biocidal treatment of water. Ultrason. Sonochem. 4 : 157-164.

Pineapple Diseases. [online]. Available: <http://nhb.gov.in/fruits/pineapple/pin002.pdf> (March 15, 2014).

Piyasena, P., Mohareb, E. and McKellar, R. C. 2003. Inactivation of microbes using ultrasound: a review. *Int. J. Food Microbiol.* 87(3): 207-216.

Popluechai, S., Onto, S. and Eungwanichayapant, P.D. 2007. Relationships between some Thai cultivars of pineapple (*Ananas comosus*) revealed by RAPD analysis. *Songklanakarin J. Sci. Technol.* 29(6): 1491-1497.

Raj, S.N., Sarosh, B.R. and Shetty, H.S. 2006. Induction and accumulation of polyphenol oxidase activities as implicated in development of resistance against pearl millet downy mildew disease. *Funct. Plant Biol.* 33: 563-571.

Rao, M.V., and Davis, K.R., 1999. Ozone-induced cell death occurs via two distinct mechanisms: the role of salicylic acid. *Plant J.* 17: 603-614.

Rohana, A. K., Kamarul Hawari, G., Nurul Wahidah, A., Nor Farizan, Z. and Nazriyah, C.Z. 2009. Pineapple maturity inspection using colour identification. *International Conference on Instrumentation, Control and Automation, Bandung, Indonesia.* 253-256.

Rohrbach, K. and Phillips, D.J. 1990. Postharvest diseases of pineapple. *Acta Hort.* 269: 503-508.

Rohrbach, K.G. and Paull, R.E. 1982. Incidence and severity of chilling induced browning of waxed 'Smooth Cayenne' pineapple. *J. Amer. Soc. Hort. Sci.* 107: 453-457.

Rohrbach, K.G. and Schmitt, D. 2003. Diseases of pineapple. In: (Ed. RC Ploetz). *Diseases of Tropical Fruit Crops.* CABI Publishing, Oxford. 443-464.

Romero, I., Sanchez-Ballesta, M.T., Maldonado, R., Escribano, M.I. and Merodio, C., 2006. Expression of class I chitinase and β -1,3-glucanase genes and postharvest fungal decay control of table grapes by high CO₂ pretreatment. *Postharvest Biol. Technol.* 41: 9-15.

- Saborowski, R., Buchholz, F., Vetter, R., Wirth, S. and Wolf, G. 1993. A soluble, dye-labelled chitin derivative adapted for the assay of krill chitinase. *Comp. Biochem. Physiol.* 105: 673-678.
- Sagong, H. G., Cheon, H. L., Kim, S.O., Lee, S.Y., Park, K.H. and Chung, M.S. 2013. Combined effects of ultrasound and surfactants to reduce *Bacillus cereus* spores on lettuce and carrots. *Int. J. Food Microbiol.* 160(3): 367-372.
- Sagong, H.-G., Lee, S.-Y., Chang, P.-S., Heu, S., Ryu, S., Choi, Y.-J. and Kang, D.H. 2011. Combined effect of ultrasound and organic acids to reduce *Escherichia coli* O157:H7, *Salmonella typhimurium* and *Listeria monocytogenes* on organic fresh lettuce. *Int. J. Food Microbiol.* 145(1): 287-292.
- Sala, F.J., Burgos, J., Condon, S., Lopez, P. and Raso, J. 1995. Effect of heat and ultrasound on microorganisms and enzymes. In: Gould, G.W. (Ed.), *New Methods of Food Preservation*. Blackie Academic & Professional, London, pp. 176–204.
- Salleh-Mack, S.Z. and Roberts, J.S. 2007. Ultrasound pasteurization: the effects of temperature soluble solids organic acids and pH on the inactivation of *Escherichia coli* ATCC 25922. *Ultrason. Sonochem.* 14: 323–329.
- Sandermann, H.Jr. 2000. Ozone/biotic disease interaction: molecular biomarkers as new experimental tool. *Environ. Pollut.* 108: 337-332.
- Saunders, J.A. and McClure, J.W. 1974. The suitability of a quantitative spectrophotometric assay for phenylalanine ammonia lyase activity in barley, buckwheat and pea seedlings. *Plant Physiol.* 54: 412-413.
- Scherba, G., Weigel, R.M. and Obrien, W.D., 1991. Quantitative assessment of the germicidal efficacy of ultrasonic energy. *App. Environ. Microbiol.* 57(7): 2079-2084.
- Scouten, A.J. and Beuchat, L.R. 2002. Combined effects of chemical, heat and ultrasound treatments to kill *Salmonella* and *Escherichia coli* O157:H7 on alfalfa seeds. *J. App. Microbiol.* 92: 668–674.

- Seung, K.L., and Kader, A.A. 2000. Preharvest and postharvest factors influencing vitamin C content of horticultural crops. *Postharvest Biol. Technol.* 20: 207-220.
- Shadle, G.L., Wesley, S.V., Korth, K.L., Chen, F., Lamb, C. and Dixon, R.A. 2003. Phenylpropanoid compounds and disease resistance in transgenic tobacco with altered expression of L-phenylalanine ammonia-lyase. *Phytochem.* 64: 153–161.
- Shen, S., Goodwin, P. and Hsiang, T. 2001. Hemibiotropic infection and identity of the fungus, *Colletotrichum destructivum* causing anthracnose of tobacco. *T. Brit. Mycol. Soc.* 11: 1340-1347.
- Shoji, K., Douglas, S., Mizuho, N. and Wei, C. 2011. Effects of mildly heated, slightly acidic electrolyzed water on the disinfection and physicochemical properties of sliced carrot. *Food Cont.* 22: 452-456.
- Silveira, C., Cunha, R.B. and Felix, C.R. 2006. Characterization of a β -glucanase produced by *Rhizopus microspores* var. *microsporus*, and its potential for application in the brewing industry. *BMC Biochem.* 7: 1-9.
- Spotts, R.A. and Chen, P.M. 1987. Prestorage heat treatment for control of decay of pear fruit. *Phytopathol.* 77: 1578-1582.
- Tahia, B., Rincon, M.A., Limon, M.C. and Codon, A.C. 2004. Biocontrol mechanisms of *Trichoderma* strains. *Int. Microbiol.* 7: 1-18.
- Tomás-Callejas, A., Martínez-Hernández, G.B., Artés, F., Artés-Hernández, F. and Trevor, V.S. 2011. Neutral and acidic electrolyzed water as emergent sanitizers for fresh-cut mizuna baby leaves. *Postharvest Biol. Technol.* 55: 114 -120.
- Valero, M., Recrosio, N., Saura, D., Muñoz, N., Martí, N. and Lizama, V. 2007. Effects of ultrasonic treatments in orange juice processing. *J. Food Eng.* 80(2): 509 - 516.
- Van loon, L. C. 1985 . Pathogenesis-related proteins. *Plant Mol. Biol.* 4: 111-116.
- Van Loon, L.C. and Van Kammen, A. 1970. Polyacrylamide disc electrophoresis of the soluble leaf proteins from *Nicotiana tabacum* var. “Samsun” and “Samsun NN” II. Changes in protein constitution after infection with tobacco mosaic virus. *Virology.* 40: 199-211.

- Van Loon, L.C., Bakker, P.A.H.M. and Pieterse, C.M.J. 1998. Systemic resistance induced by rhizosphere bacteria. *Ann. Rev. Phytopathol.* 36: 453-483.
- Van Loon, L.C., Rep, M. and Pieterse, C.M.J. 2006. Significance of inducible defense-related proteins in infected plants. *Ann. Rev. Phytopathol.* 44: 135-162.
- Venkitanarayanan, K. S., Ezeike, G.O., Hung, Y.C. and Doyle, M.P. 1999. Efficacy of electrolyzed oxidizing water for inactivating *Escherichia coli* 0157:H7, *Salmonella enteritidis*, and *Listeria monocytogenes*. *App. Environ. Microbiol.* 65: 4276-4279.
- Weerahewa, D. and Adikaram, N. K. B. 2005. Some biochemical factors underlying the differential susceptibility of two pineapple cultivars to internal browning disorder. *Cey. J. Sci. (Bio. Sci.)*. 34: 7-20.
- Whangchai, K., Saengnil, K., Singkamanee, C. and Uthaibutra, J. 2009. Use of electrolyzed oxidizing water to control postharvest disease during storage of tangerin cv. Sai Nam Pung. *Acta Hort.* 837: 211-215.
- Whangchai, K., Saengnil, K., Singkamanee, C. and Uthaibutra, J. 2010. Effect of electrolyzed oxidizing water and continuous ozone exposure on the control of *Penicillium digitatum* on tangerine cv. Sai Nam Pung during storage. *Crop Prot.* 29: 386-389.
- Whangchai, N., Nomura, N. and Matsumura, M. 2003. Factors affecting phytoplankton removal by electro-oxidation of artificial seawater. *Chiang Mai J. Sci.* 30(3): 255-259.
- Wijeratnam, W.R.S., Hewajulige, I.G.N. and Abeyratne, N. 2005. Postharvest hot water treatment for the control of *Thielaviopsis* blackrot of pineapple. *Postharvest Biol. Technol.* 36: 323-327.
- Wijesingha, C.J., Wijeratnama, W. R.S., Samarasekarab, J.K.R.R. and Wijesunderac, R.L.C. 2010. Biological control of *Thielaviopsis paradoxa* on pineapple by an isolate of *Trichoderma asperellum*. *Biol Control.* 53: 285-290.

Xiong, X. J., Meng, X.J. and Zheng, T.L. 2010. Biosorption of C.I. Direct Blue 199 from aqueous solution by nonviable *Aspergillus niger*. J. Hazard Mater. 175: 241-246.

Yahia, E.M., Soto-Zamora, G., Brecht, J.K. and Gardea, K. 2007. Postharvest hot air treatment effect on the antioxidant system in stored mature-green tomatoes. Postharvest Biol. Tech. 44: 107-115.

Yamaki, Y.T. 1998. Disease control with functional water. Work shop : Sustainable development in horticulture in Asia and Oceania. Nov. 10, 1998. The Univ. Tokyo, Japan. pp.10-15.

Yang, S., Zhang, H., Li ,Y., Qian, J. and Wang, W. 2005. The ultrasonic effect on biological characteristics of *Monascus* sp. Enzyme Microb. Technol. 37: 139 - 144.

Yang, Z., Cao, S., Cai, Y. and Zheng, Y. 2011. Combination of salicylic acid and ultrasound to control postharvest blue mold caused by *Penicillium expansum* in peach fruit. Innov. Food Sci. Emerg. 12: 310-314.


Ying-Zhang, L. , Zheng, X.H., Tang, H.L., Zhu, J.W. and Yang, J.M. 2003. Increase of β -1, 3-glucanase and chitinase activities in cotton callus cells treated by salicylic acid and toxin of *Verticillium dahlia*. Acta Botanic Sin. 45(7): 802-808.

Yoshida, K., Achiwa, N., and Katayose, M. 2004. Application of electrolyzed water for food industry in Japan. [online]. Available: http://ift.confex.com/ift/2004/techprogram/paper_20983.htm.

Youryon, P. 2011 . Analysis of internal browning symptoms in chilled pineapple. Ph.D Thesis. King mongkut's university of Technology Thonburi, Thailand. 111 pp.

Zabala, G., Zou. J., Tuteja, J., Gonzalez, D.O., Clough, S.J. and Vodkin, L.O. 2006. Transcriptome changes in the phenylpropanoid pathway of *Glycine max* in response to *Pseudomonas syringae* infection. BMC Plant Biol. 6: 26-4.

Zenker, M., Heinz, V. and Knorr, D., 2003, Application of ultrasound-assisted thermal processing for preservation and quality retention of liquid foods. *J. Food Prot.* 66(9): 1642–1649.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved