

REFERENCES

1. The British Mule Society. Mule information. 2005 [cited 2010 9 Aug]; Available from: <http://www.britishmulesociety.org.uk/>.
2. Trotter GW, editor. *Urogenital surgery*. Philadelphia: W.B. Saunders; 1988.
3. Adams SB, Fessler JF. *Atlas of equine surgery*. Philadelphia: W.B. Saunders; 2000.
4. Searle D, Dart AJ, Dart CM, Hodgson DR. Equine castration: review of anatomy, approaches, techniques and complications in normal, cryptorchid and monorchid horses. *Aust Vet J*. 1999 Jul; 77(7): 428-34.
5. McKelvey D, Hollingshead KW. *Veterinary anesthesia and analgesia*. 3rd ed. St. Louis: Mosby; 2003.
6. Doherty T, Valverde A. *Manual of equine anesthesia and analgesia*. Oxford: Blackwell; 2006.
7. Taylor PM, Clarke KW. *Handbook of equine anaesthesia*. London: W.B. Saunders; 1999.
8. Tranquilli WJ, Thurmon JC, Grimm KA, editors. *Lumb & Jones' veterinary anesthesia and analgesia*. 4th ed. Ames, Iowa: Blackwell Pub; 2007.
9. Hall LW, Clarke KW, Trim CM. *Veterinary anaesthesia*. 10th ed. London: W.B. Saunders; 2001.
10. Muir WW, Hubbell JAE. *Handbook of veterinary anesthesia*. 2nd ed. St. Louis: Mosby; 1995.

11. Riebold TW, Geiser DR, Goble DO. *Large animal anesthesia : principles and techniques*. 2nd ed. Ames: Iowa State University Press; 1995.
12. Doze V, Chen BX, Li Z, Maze M. Pharmacologic characterization of the receptor mediating the hypnotic action of dexmedetomidine. *Acta Vet Scand Suppl*. 1989; 85: 61-4.
13. England GC, Clarke KW. Alpha₂ adrenoceptor agonists in the horse—a review. *Br Vet J*. 1996 Nov; 152(6): 641-57.
14. Buttermann AE, Maze M. Alpha-₂ adrenergic agonists in anesthesiology. *Seminars in Anesthesia, Perioperative Medicine and Pain*. 1996 Mar; 15(1): 27-40.
15. Bertone JJ, Horspool LJI. *Equine clinical pharmacology*. Saunders; 2004.
16. Ahrens FA. *Pharmacology*. Williams&Wilkins; 1996.
17. Klein JPAMv, editor. ANESTHESIA IN DONKEYS (EQUUS ASINUS). VOORJAARS dagen European Veterinary Conference; 2007; Amsterdam.
18. Matthews NS, Taylor TS. Anesthetic management of donkeys and mules: International Veterinary Information Service 2000 [cited 2010 9 Aug]. Available from: http://www.ivis.org/advances/Steffey_Anesthesia/matthews_donkeys/chapter_frm.asp?LA=1
19. Matthews NS, Taylor TS. Anesthesia of donkeys and mules: How they differ from horses 2002 [cited 2010 9 Aug]; 48.
20. Matthews NS, Taylor TS, Hartsfield SM. Anaesthesia of donkeys and mules. *Equine Vet Educ*. 1997; 9(4): 198-202.
21. Matthews NS, Taylor TS, Hartsfield SM. Anaesthesia of donkeys and mules. *Equine Vet Educ*. 2005; 15(7): 102-7.

22. Muir WW, Hubbell JAE. *Equine anesthesia: monitoring and emergency therapy*. 2nd ed. St. Louis, Missouri: Saunders/Elsevier; 2009.
23. Muir WW, Hubbell JAE, Skarda RT, Bednarski RM. *Handbook of Veterinary Anesthesia*. 3rd ed. St. Louis: Mosby; 2000.
24. Ahlquist RP. A study of the adrenotropic receptors. *Amer J Physiol*. 1948; 153: 586-600.
25. Paton WD, Vizi E. The inhibitory action of noradrenaline and adrenaline on acetylcholine output by guinea-pig ileum longitudinal muscle strip. *Br J Pharmacol*. 1969 January; 35(1): 10-28.
26. Delbarre B, Schmitt H. A further attempt to characterize sedative receptors activated by clonidine in chickens and mice. *Eur J Pharmacol*. 1973 Jun; 22(3): 355-9.
27. Langer SZ. Presynaptic regulation of catecholamine release. *Biochem Pharmacol*. 1973; 23: 1793-800.
28. Timmermans PBMWM, Van Zwieten PA. Alpha₂ Adrenoceptors: classification, localization, mechanisms and targets for drugs. *J Med Chem*. [doi: 10.1021/jm00354a001]. 1982 Dec; 25(12): 1389-401.
29. Wikberg JES. Synthesis of 3H-acetylcholine in the rabbit lacrimal gland and its release by electrical field stimulation. *Acta Physiol Scand*. 1979 Jan; 105(1): 108-13.
30. Matsushima Y, Akabane S, Ito K. Characterization of alpha₁- and alpha₂-adrenoceptors directly associated with basolateral membranes from rat kidney proximal tubules. *Biochem Pharmacol*. 1986 Aug 1; 35(15): 2593-600.

31. Scheinin M, MacDonald E. An introduction to the pharmacology of alpha 2-adrenoceptors in the central nervous system. *Acta Vet Scand Suppl.* 1989; 85: 11-9.
32. Bylund DB, U'Prichard DC. Characterization of alpha 1- and alpha 2-adrenergic receptors. *Int Rev Neurobiol.* 1983; 24: 343-431.
33. Boyd RE. Alpha₂-Adrenergic Receptor Agonists as Analgesics. *Current Topics in Medicinal Chemistry.* 2001 Aug; 1(3): 193-97.
34. Maze M, Tranquilli W. Alpha-2 Adrenoceptor Agonists: Defining the Role in Clinical Anesthesia. *Anesthesiology.* 1991 Mar; 74(3): 581-605.
35. Philipp M, Brede M, Hein L. Physiological significance of α_2 -adrenergic receptor subtype diversity: one receptor is not enough. *Am J Physiol Regul Integr Comp Physiol.* [10.1152/ajpregu.00123.2002]. 2002 Aug; 283(2): R287-95.
36. Katzung BG, Masters SB, Trevor AJ. *BASIC AND CLINICAL PHARMACOLOGY.* 11st ed. Singapore: The McGraw-Hill Companies; 2009.
37. Masters SB, Stroud RM, Bourne HR. Family of G protein alpha chains: amphipathic analysis and predicted structure of functional domains. *Protein Eng.* 1986 Oct-Nov; 1(1): 47-54.
38. Rohrbach H, Korpivaara T, Schatzmann U, Spadavecchia C. Comparison of the effects of the alpha-2 agonists detomidine, romifidine and xylazine on nociceptive withdrawal reflex and temporal summation in horses. *Vet Anaesth Analg.* 2009 Jun; 36(4): 384-95.
39. Virtanen R. Antinociceptive activity and mechanism of action of detomidine. *J Vet Pharmacol Ther.* 1986 Sep; 9(3): 286-92.


40. Dyson DH, Pascoe PJ, Viel L, Staempfli H, Baird JD, Stevenson E. Comparison of detomidine hydrochloride, xylazine, and xylazine plus morphine in horses: a double blind study. *J Equine Vet Sci.* 1987; 7(4): 211-5.
41. Yamashita K, Tsubakishita S, Futaok S, Ueda I, Hamaguchi H, Seno T, et al. Cardiovascular effects of medetomidine, detomidine and xylazine in horses. *J Vet Med Sci.* 2000 Oct; 62(10): 1025-32.
42. Link RE, Desai K, Hein L, Stevens ME, Chruscinski A, Bernstein D, et al. Cardiovascular regulation in mice lacking α_2 -adrenergic receptor subtypes b and c. *Science.* 1996 Aug 9; 273(5276): 803-5.
43. Guimaraes S, Moura D. Vascular adrenoceptors: an update. *Pharmacol Rev.* 2001 Jun; 53(2): 319-56.
44. Sinclair MD. A review of the physiological effects of α_2 -agonists related to the clinical use of medetomidine in small animal practice. *Can Vet J.* 2003 Nov; 44(11): 885-97.
45. Hlady S, Kozakewich M, Paulsen L. Why can't horses throw up? 2011 [cited 2013 3 Dec]; Available from: http://heiferinyourtank.typepad.com/theres_a_heifer_in_your_t/horse/.
46. Wickens C. Equine Colic –Part 1. DELAWARE EQUINE NEWS. 2012 Aug/Sep: 16.
47. Xylazine. Budapest: Reanal Finechemical Private Ltd.; 2011.
48. Substance Name: Xylazine hydrochloride. Maryland: U.S. National Library of Medicine; [cited 2013 28 Nov]; Available from: <http://chem.sis.nlm.nih.gov/chemidplus/rn/23076-35-9>.

49. Garcia-Villar R, Toutain PL, Alvinerie M, Ruckebusch Y. The pharmacokinetics of xylazine hydrochloride: an interspecific study. *J Vet Pharmacol Ther.* 1981 Jun; 4(2): 87-92.
50. Latzel ST. Subspecies Studies: Pharmacokinetics and Pharmacodynamics of a Single Intravenous Dose of Xylazine in Adult Mules and Adult Haflinger Horses. *J Equine Vet Sci.* 2012 Jan 30; 32(12): 816-26.
51. Knottenbelt DC. *Saunders equine formulary*. Edinburgh: Saunders; 2006
52. Puumala T, Riekkinen Sr P, Sirviö J. Modulation of Vigilance and Behavioral Activation by Alpha-1 Adrenoceptors in the Rat. *Pharmacol Biochem Behav.* 1997 Apr; 56(4): 705-12.
53. 4-(2,3-DIMETHYL-BENZYL)-1H-IMIDAZOLE. Chemical book; 2010 [cited 2013 2 Dec].
54. Health PA. DORMOSEDAN (detomidine hydrochloride) gel [Pfizer Animal Health]. Maryland: U.S. National Library of Medicine; [updated Feb 2010; cited 2013 2 Dec]; Available from: <http://dailymed.nlm.nih.gov/dailymed/lookup.cfm?setid=a1cd4d17-f1af-45ed-ae9f-a0dccfa6eb56>.
55. Edgar181. Chemical structure of detomidine. In: Detomidine.png, editor: ikimedia.org; 2007.
56. Grimsrud KN, Mama KR, Thomasy SM, Stanley SD. Pharmacokinetics of detomidine and its metabolites following intravenous and intramuscular administration in horses. *Equine Vet J.* 2009 Apr; 41(4): 361-5.
57. Jochle W, Hamm D. Sedation and analgesia with Domosedan (detomidine hydrochloride) in horses: dose response studies on efficacy and its duration. *Acta Vet Scand Suppl.* 1986; 82: 69-84.

58. Wagner AE, Muir WWr, Hinchcliff KW. Cardiovascular effects of xylazine and detomidine in horses. *Am J Vet Res.* 1991 May; 52(5): 651-7.
59. Courouce-Malblanc A, Fortier G, Moulin M, Valette JP, Petit L, Dumonotier S, et al. REFERENCE VALUES ON HEMATOLOGY AND BIOCHEMICAL PARAMETERS IN FRENCH DONKEYS. Proceedings of the 10th International Congress of World Equine Veterinary Association. 2008: 458-60.
60. Yamashita K, Muir WW, Tsubakishita S, Abrahamsen E, Lerch P, Hubbell JA, et al. Clinical comparison of xylazine and medetomidine for premedication of horses. *J Am Vet Med Assoc.* 2002 Oct 15; 221(8): 1144-9.
61. Mama KR, Grimsrud K, Snell T, Stanley S. Plasma concentrations, behavioural and physiological effects following intravenous and intramuscular detomidine in horses. *Equine Vet J.* 2009; 41(8): 772-7.
62. DeRossi R, Medeiros Jr U, de Almeida RG, Righetto FR, Frazílio FO. Meperidine prolongs lidocaine caudal epidural anaesthesia in the horse. *Vet J.* 2008; 178(2): 294-7.
63. Grant B. Equine Wobbler Syndrome. 2008 [cited 2010 13 Sep]; Available from: http://www.equinewobblers.com/Diagnostics/Neurological_Examination.htm.
64. Auer JA, Stick JA. *Equine surgery.* 2nd ed. St. Louis: Elsevier; 1999.
65. Virtanen R, Nyman J. Evaluation of the alpha₁- and alpha₂-adrenoceptor effects of detomidine, a novel veterinary sedative analgesic. *Eur J Pharmacol.* 1985 Jan 22; 108(2): 163-9.
66. Peansukmanee S, Inta-Ngam C, Trinarong C, Rueangareerat P. Comparison of Sedative Effect between XylazineHCl and DetomidineHCl in Mules Following IV Administration. *Chiang Mai Veterinary Journal.* 2556; 11(3): Article In press.

67. Maze M, Fujinaga M. Alpha₂ adrenoceptors in pain modulation: which subtype should be targeted to produce analgesia?. *Anesthesiology*. 2000 Apr; 92(4): 934-6.
68. Savola JM, Ruskoaho H, Puurunen J, Kärki NT. Cardiovascular action of detomidine, a sedative and analgesic imidazole derivative with α -agonistic properties. *Eur J Pharmacol*. 1985; 118(1-2): 69-76.
69. Lizarraga I, Sumano H, Brumbaugh GW. Pharmacological and pharmacokinetic differences between donkeys and horses. *Equine Vet Educ*. 2004; 16(2): 102-12.
70. Peck KE, Matthews NS, Taylor TS, Mealey KL. Pharmacokinetics of sulfamethoxazole and trimethoprim in donkeys, mules, and horses. *Am J Vet Res*. 2002 Mar; 63(3): 349-53.
71. Matthews NS, Taylor TS, Blanchard TL, Appley M, Hilton M. Reproductive Issues in Donkeys and Mules. INTERNATIONAL ANIMAL HEALTH NEWS. 2003 August 2003; Sect. 1-8.
72. Hubbell JA, Sams RA, Schmall LM, Robertson JT, Hinchcliff KW, Muir WW. Pharmacokinetics of detomidine administered to horses at rest and after maximal exercise. *Equine Vet J*. 2009 May; 41(5): 419-22.
73. Parks CM, Manohar M. Distribution of blood flow during moderate and strenuous exercise in ponies (*Equus caballus*). *Am J Vet Res*. 1983 Oct; 44(10): 1861-6.
74. Upton RN, Huang YF. Influence of cardiac output, injection time and injection volume on the initial mixing of drugs with venous blood after i.v. bolus administration to sheep. *Br J Anaesth*. 1993 Mar; 70(3): 333-8.

75. Avram MJ, Sanghvi R, Henthorn TK, Krejcie TC, Shanks CA, Fragen RJ, et al. Determinants of thiopental induction dose requirements. *Anesth Analg*. 1993 Jan; 76(1): 10-7.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved