

REFERENCES

- Abucay, J. S., G. C. Mair., D. O. Skibinski and J. A. Beardmore. 1999. Environmental sex determination: the effect of temperature and salinity on sex ratio in *Oreochromis niloticus* L. *Aquaculture*. 173(1): 219-234.
- Alam, M. A., Y. Kobayashi., R. Horiguchi., T. Hirai and M. Nakamura. 2008. Molecular cloning and quantitative expression of sexually dimorphic markers Dmrt1 and Foxl2 during female-to-male sex change in *Epinephelus merra*. *General and comparative endocrinology*. 157(1): 75-85.
- Angienda, P. O., B. O. Aketch, B. O and E. N. Waindi. 2010. Development of all-male fingerlings by heat treatment and the genetic mechanism of heat induced sex determination in Nile Tilapia *Oreochromis niloticus* L. *International Journal of Biological and Life Sciences*. 6(1): 38-43.
- Azaza, M. S., M. N. Dhraief and M. M. Kraiem. 2008. Effects of water temperature on growth and sex ratio of juvenile Nile tilapia *Oreochromis niloticus* (Linnaeus) reared in geothermal waters in southern Tunisia. *Journal of thermal Biology*. 33(2): 98-105.
- Baroiller, J. F., H. d'Cotta., E. Bezault., S. Wessels and G. Hoerstgen-Schwark. 2009. Tilapia sex determination: where temperature and genetics meet. *Comparative Biochemistry and Physiology Part A: Molecular and Integrative Physiology*. 153(1): 30-38
- Baroiller, J.F. and H.D' Cotta. 2001. Environment and sex determination in farmed fish. *Coparative Biochemistry and Physiology. Part C* 130:(399-409).
- Baroiller, J. F., H. D'cotta and E. Saillant. 2009. Environmental effects on fish sex determination and differentiation. *Sexual Development*, 3(2-3): 118-135.

- Bezault, E., F. Clota., M. Derivaz., B. Chevassus and J. F. Baroiller. 2007. Sex determination and temperature-induced sex differentiation in three natural population of Nile tilapia *Oreochromis niloticus* adapted to extreme temperature conditions. *Aquaculture*. 272: S3-S16.
- Böhne, A., T. Sengstag and W. Salzburger. 2014. Comparative transcriptomics in East African cichlids reveals sex-and species-specific expression and new candidates for sex differentiation in fishes. *Genome biology and evolution*. 6(9): 2567-2585.
- Cnaani, A. 2013. The tilapias' chromosomes influencing sex determination. *Cytogenetic and genome research*. 141(2-3): 195-205.
- Cnaani, A., B. Y. Lee, B., N. Zilberman., C. Ozouf-Costaz., G. Hulata., M. Ron and E. Tomasino. 2008. Genetics of sex determination in tilapiine species. *Sexual Development*. 2(1): 43-54.
- D'cotta, H., A. Fostier., Y. Guiguen., M. Govoroun and J. F. Baroiller. 2001. Aromatase plays a key role during normal and temperature-induced sex differentiation of tilapia *Oreochromis niloticus*. *Molecular reproduction and development*. 59(3): 265-276.
- Devlin, R. H and Y. Nagahama. 2002. Sex determination and sex differentiation in fish: an overview of genetic, physiological, and environmental influences. *Aquaculture*. 208(3): 191-364.
- Eshel, O., A. Shirak., J. I. Weller., G. Hulata and M. Ron. 2012. Linkage and physical mapping of sex region on LG23 of Nile tilapia *Oreochromis niloticus*. *G3: Genes Genomes Genetics*. 2(1): 35-42.
- Eshel, O., A. Shirak, J. I. Weller, T. Slossman, G. Hulata, A. Cnaani and M. Ron. 2011. Fine-mapping of a locus on linkage group 23 for sex determination in Nile tilapia (*Oreochromis niloticus*). *Animal genetics*. 42(2), 222-224.

- Gennonotte, V., C. M  lard., H. D'Cotta., J. F. Baroiller and C. Rougeot. 2014. The sensitive period for male-to-female sex reversal begins at the embryonic stage in the Nile tilapia and is associated with the sexual genotype. *Molecular reproduction and development*. 81(12): 1146-1158.
- Heule, C., W. Salzburger and A. B  hne. 2014. Genetics of sexual development: an evolutionary playground for fish. *Genetics*. 196(3): 579-591.
- Ijiri, S., H. Kaneko., T. Kobayashi., D. S. Wang., F. Sakai., B. Paul-Prasanth and Y. Nagahama. 2008. Sexual dimorphic expression of genes in gonads during early differentiation of a teleost fish, the Nile tilapia *Oreochromis niloticus*. *Biology of Reproduction*. 78(2): 333-341.
- Kitano, T., K. Takamune., T. Kobayashi., Y. Nagahama and S. I. Abe. 1999. Suppression of P450 aromatase gene expression in sex-reversed males produced by rearing genetically female larvae at a high water temperature during a period of sex differentiation in the Japanese flounder *Paralichthys olivaceus*. *Journal of Molecular Endocrinology*. 23(2):167-176.
- Kobayashi, T., H. Kajiura-Kobayashi., G. Guan and Y. Nagahama. 2008. Sexual dimorphic expression of DMRT1 and Sox9a during gonadal differentiation and hormone-induced sex reversal in the teleost fish Nile tilapia *Oreochromis niloticus*. *Developmental Dynamics*. 237(1): 297-306.
- Kwon, J. Y., B. J. McAndrew and D. J. Penman. 2001. Cloning of brain aromatase gene and expression of brain and ovarian aromatase genes during sexual differentiation in genetic male and female Nile tilapia *Oreochromis niloticus*. *Molecular reproduction and development*. 59(4): 359-370.
- Lee, B-Y., D. J. Penman, and T. D. Kocher. 2003. Identification of a sex-determining region in Nile tilapia *Oreochromis niloticus* using bulked segregant analysis. *Animal genetics*. 34(5): 379-383.

- Lee, B. Y., W. J. Lee., J. T. Streelman., K. L. Carleton., A. E. Howe., G. Hulata and T. D. Kocher, T. D. 2005. A second-generation genetic linkage map of tilapia *Oreochromis spp.* *Genetics*. 170(1): 237-244.
- Lozano, C., B. Gjerde., H. B. Bentsen., E. E. Dionisio and M. Rye. 2011. Estimates of strain additive genetic, heterosis and reciprocal effects for male proportion in Nile tilapia, *Oreochromis niloticus* L. *Aquaculture*. 312(1): 32-42.
- Lühmann, L. M., C. Knorr., G. Hörstgen-Schwark and S. Wessels. 2012. First evidence for family-specific QTL for temperature-dependent sex reversal in Nile tilapia *Oreochromis niloticus*. *Sexual Development*. 6(5): 247-256.
- Mank, J. E and J. C. Avise. 2009. Evolutionary diversity and turn-over of sex determination in teleost fishes. *Sexual Development*. 3(2-3): 60-67.
- Martínez, P., A. M. Viñas., L. Sánchez., N. Díaz., L. Ribas and F. Piferrer. 2014. Genetic architecture of sex determination in fish: applications to sex ratio control in aquaculture. *Frontiers in genetics*, 5.
- Müller-Belecke, A and G. Hörstgen-Schwark. 1995. Sex determination in tilapia *Oreochromis niloticus* sex ratios in homozygous gynogenetic progeny and their offspring. *Aquaculture*. 137(1): 57-65.
- Nagahama, Y 2005. Molecular mechanisms of sex determination and gonadal sex differentiation in fish. *Fish physiology and biochemistry*. 31(2-3): 105-109.
- Ospina-Alvarez, N and F. Piferrer. 2008. Temperature-dependent sex determination in fish revisited: prevalence, a single sex ratio response pattern, and possible effects of climate change. *PLoS One*, 3(7): e2837-e2837.
- Palaiokostas, C., M. Bekaert., M. G. Khan., J. B. Taggart., K. Gharbi., B. J. McAndrew and D. J. Penman. 2015. A novel sex-determining QTL in Nile tilapia *Oreochromis niloticus*. *BMC genomics*. 16(1): 171.

- Palaiokostas, C., M. Bekaert., M. G. Khan., J. B. Taggart., K. Gharbi., B. J. McAndrew and D. J. Penman. 2013. Mapping and validation of the major sex-determining region in Nile tilapia *Oreochromis niloticus* L. using RAD sequencing. *Plos.* 8(7)
- Phelps, R. P and T. J. Popma. 2000. Sex reversal of tilapia. *Tilapia aquaculture in the Americas.* (2): 34-59.
- Poonlaphdecha, S., E. Pepey., S. H. Huang., M. Canonne., L. Soler., S. Mortaji and H. D'Cotta. 2011. Elevated amh gene expression in the brain of male tilapia *Oreochromis niloticus* during testis differentiation. *Sexual Development*, 5(1), 33-47.
- Poonlaphdecha, S., E. Pepey., M. Canonne., H. de Verdal., J. F. Baroiller and H. D'Cotta. 2013. Temperature induced-masculinisation in the Nile tilapia causes rapid up-regulation of both dmrt1 and amh expressions. *General and comparative endocrinology.* (193): 234-242.
- Shen, Zhi-Gang, and Han-Ping Wang. 2014. Molecular players involved in temperature-dependent sex determination and sex differentiation in Teleost fish. *Genet Select Evol.* 46, 26.
- Siegfried, K. R. 2010. In search of determinants: gene expression during gonadal sex differentiation. *Journal of fish biology.* 76(8): 1879-1902.
- Shirak, A., E. Seroussi., A. Cnaani., A. E. Howe., R. Domokhovsky., N. Zilberman and M. Ron. 2006. Amh and Dmrta2 genes map to tilapia *Oreochromis spp.* linkage group 23 within quantitative trait locus regions for sex determination. *Genetics.* 174(3): 1573-1581.
- Siegfried, K. R. 2010. In search of determinants: gene expression during gonadal sex differentiation. *Journal of fish biology,* 76(8): 1879-1902.

- Sofy, H. I., A. M. Layla and M. K. A. Iman. 2008. Karyotypic diversity of some tilapia species. *Nat Sci.* 6(1): 19-27.
- Tao, W., J. Yuan., L. Zhou., L. Sun., Y. Sun., S. Yang and D. Wang. 2013. Characterization of gonadal transcriptomes from Nile tilapia *Oreochromis niloticus* reveals differentially expressed genes. *Plos.* 8(7).
- Tessema, M., A. Müller-Belecke and G. Hörstgen-Schwark. 2006. Effect of rearing temperatures on the sex ratios of *Oreochromis niloticus* populations. *Aquaculture.* 258(1): 270-277.
- Tuan, P. A., G. C. Mair., D. C. Little and J. A. Beardmore. 1999. Sex determination and the feasibility of genetically male tilapia production in the Thai-Chitralada strain of *Oreochromis niloticus* (L.). *Aquaculture.* 173(1): 257-269.
- Uchida, D., M. Yamashita., T. Kitano and T. Iguchi. 2004. An aromatase inhibitor or high water temperature induce oocyte apoptosis and depletion of P450 aromatase activity in the gonads of genetic female zebrafish during sex-reversal. *Comparative Biochemistry and Physiology Part A: Molecular and Integrative Physiology.* 137(1): 11-20.
- Wang, L. H and C. L. Tsai. 2000. Effects of temperature on the deformity and sex differentiation of tilapia, *Oreochromis mossambicus*. *Journal of Experimental Zoology.* 286(5): 534-537.
- Wessels, S and G. Hörstgen-Schwark. 2007. Selection experiments to increase the proportion of males in Nile tilapia *Oreochromis niloticus* by means of temperature treatment. *Aquaculture.* 272: S80-S87.
- Wessels, S and G. Hörstgen-Schwark. 2011. Temperature dependent sex ratios in selected lines and crosses with a YY-male in Nile tilapia *Oreochromis niloticus*. *Aquaculture.* 318(1): 79-84.

Wessels, S., R. A. Sharifi., L. M. Luehmann., S. Rueangsri., I. Krause., S. Pach and C. Knorr. 2014. Allelic Variant in the Anti-Müllerian Hormone Gene Leads to Autosomal and Temperature-Dependent Sex Reversal in a Selected Nile Tilapia Line. Plosone. 9(8).



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved