CONTENTS

	Page
Acknowledgement	iii
Abstract in English	iv
Abstract in Thai	vi
List of Tables	xi
List of Figures	xii
List of Abbreviations	xiv
List of Symbols	xvi
List of Symbols Chapter 1 Introduction	
1.1 Objections	2
1.2 Education/application Advantages	3
Chapter 2 Literature reviews	
Chapter 2 Enterature reviews	
2.1Sex determination of Nile tilapia	4
2.1.1 Genetic sex determination system (GSD)	6
2.1.2 Environmental sex determination system (ESD)	9
2.2 Sex differentiation in Nile tilapia	14

	Page
2.3 Candidate genes for sex determination	
2.3.1 <i>Cyp 19a</i>	17
2.3.2 <i>Foxl2</i>	17
2.3.3 <i>Wt1</i>	18
2.3.4 Sox-gene family	18
2.3.4 Sox-gene family2.3.5 Dmrt1, dmrta2 and dmo2.3.6 Anti-Müllerian (amh) gene	19
2.3.6 Anti-Müllerian (amh) gene	19
Chapter 3 Materials and methods 3.1 Materials	
3.1.1 Experimental animals and sample collection	21
3.1.2 Equipments	22
3.1.3 Chemicals and kits	23
3.1.4 Solutions and buffers	23
3.1.5 Primers design	24
3.1.6 Softwares 3.2 Methods	25
3.2.1 DNA extraction	25
3.2.2 Polymerase chain reaction (PCR) of amh gene	26
3.2.3 Gel electrophoresis	27
3.2.4 PCR product purification with Exo-SAP-IT	28
3.2.5 DNA amplify sequencing	28
3.2.6 Sequence analysis	29

	Page
3.2.7 Statistical analysis	29
Chapter 4 Results and discussion	
4.1 Identification of polymorphic site in DNA sequence of the <i>amh</i> gene	30
4.2 Anotation of the <i>amh</i> variants	30
4.3 SNPs genotype frequencies	34
4.4 Association between SNPs and sex phenotype	35
4.5 Linkage disequilibrium (LD)	37
Chapter 5 Conclusions	38
References	39
Appendix A Appendix B	47
Appendix B	50
Appendix C	52
Curriculum Vitae	57
Copyright [©] by Chiang Mai University	
All rights reserved	

LIST OF TABLES

		Page
Table 2.1	Effect of 17α-methytestosterone, with different dose,	11
	using as dietary feed to Nile tilapia (fry) on sex ratio	
Table 2.2	Male proportion of temperature treated at 36°C from two	15
	strain of Nile tilapia	
Table 3.1	Primers used for SNP discovery and genotyping	24
Table 4.1	Observed SNP genotypes in three temperature-treated	31
	genetically female (XX) families of Nile tilapia	
Table 4.2	The genotypes, codon change and position of three SNPs	32
Table 4.3	The effect of three SNPs genotype frequencies and	36
	their interaction on the sex phenotype of temperature-	
	treated Nile tilapia	
Table 4.4	The analysis of linkage disequilibrium (LD)	37
	in amh gene detected in temperature-treated	
	genetically all-female (XX) Nile tilapia	
	ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่	
	Copyright [©] by Chiang Mai University	
	All rights reserved	

LIST OF FIGURES

		Page
Figure 2.1	The sex genetic system of sex determination	4
Figure 2.2	The three factors influencing sex: the genetic	5
	sex determination carried by the XX/XY	
	sex chromosomes, the minor genetic-	
	factors which are parental, and temperature,	
	the environmental factor	
Figure 2.3	The chromosome of Nile tilapia (Oreochromis niloticus)	8
Figure 2.4	The kaoryotype of Nile tilapia (Oreochromis niloticus).	8
Figure 2.5	The temperature-dependent sex determination (TSD) in fish	13
Figure 2.6	The main pathway leading to ovarian (female)	16
	and testicular (male differentiation in fish	
Figure 2.7	QTL mapping on LG 23	20
Figure 2.8	Nile tilapia amh gene structure with the 7 exons	20
Figure 3.1	The experiment pattern to obtain a genetically female	22
	(XX) population to study thermal effect on male proportion	
Figure 3.2	Amplifiedf amh gene in Biometra T-3000 Thermocycler (Biometra Gmb) Germany)	27
Figure 3.3	Gel electrophoresis with 2.0% agarose gel	27
	All rights reserved	

		Page
Figure 4.1	The genotype of <i>amh</i> gene in Nile tilapia	32
Figure 4.2	Nucleotide sequences of Nile tilapia amh gene	33
Figure 4.3	The percentage frequencies of sex phenotype of	34
	temperature-treated Nile tilapia	



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่ Copyright[©] by Chiang Mai University All rights reserved

LIST OF ABBREVIATIONS

Acc. no Accession number

Amh Anti-Mullerian Hormone

°C degree centigrade or celsius

Cyp1a Cytochrome P450, family 19, subfamily A

D Disequilibrium coefficient

D' Normalized disequilibrium coefficient

Dmrt1 Double sex and Map-3-Related Transcription factor 1

DNA Deoxyribonucleic acid

dNTP Deoxynucleotides triphospates

EE₂ 17 alpha ethynylestradiol

ESD Environtal Sex Determination

et al. et alia (Latin), and other (s)

FAO Food and Agriculture Organization of the United Nations

Foxl2 Forkhead box L2

GSD Genetic Sex Determination

GMT Genetically male tilapia

H² Heritability

LD Lingkage Disequilibrium

LG Linkage Group

17 α –MT 17 alpha methyl methyltestosterone

mg milligram

min minute
ml milliliter
No. Number

PCR Polymerase Chain Reaction

pH negative logarithm of hydrogen ion (H⁺) activity

pmol picomole

QTL Quantitative trait locus

R² Coefficient of determination

SD Sex Determination

sec second

SNP Single-nucleotide polymorphism

Sox SRY-related HMG box

SPSS the Statistical Package for Social Science

SRY Sex determination Regional of Y

TBE Tris-borate-EDTA

TSD Temperature Sex Determination

μg microgram

μL microliter

UTR Untranslated Region

Wt1 Wilm 's Tumor

ลิ**ปสิทธิ์มหาวิทยาลัยเชียงใหม**่ Copyright[©] by Chiang Mai University All rights reserved

LIST OF SYMBOLS

