
# NUTRIENT COMPOSITION OF FRESH AND PRESERVED PANGOLA GRASSES AT 45 DAYS OF REGROWTH STAGE CUTTING AND CATTLE RUMINAL DIGESTIBILITY



GRADUATE SCHOOL CHIANG MAI UNIVERSITY DECEMBER 2015

# NUTRIENT COMPOSITION OF FRESH AND PRESERVED PANGOLA GRASSES AT 45 DAYS OF REGROWTH STAGE CUTTING AND CATTLE RUMINAL DIGESTIBILITY



A THESIS SUBMITTED TO CHIANG MAI UNIVERSITY IN PARTIAL FULFILLMENT OF THE REQUIREMENTS FOR THE DEGREE OF MASTER OF SCIENCE IN ANIMAL SCIENCE

### GRADUATE SCHOOL, CHIANG MAI UNIVERSITY DECEMBER 2015

### NUTRIENT COMPOSITION OF FRESH AND PRESERVED PANGOLA GRASSES AT 45 DAYS OF REGROWTH STAGE CUTTING AND CATTLE RUMINAL DIGESTIBILITY

MASJARAT TASDEE

THIS THESIS HAS BEEN APPROVED TO BE A PARTIAL FULFILLMENT OF THE REQUIREMENTS FOR THE DEGREE OF MASTER OF SCIENCE IN ANIMAL SCIENCE

**Examination Committee :** 

**Advisory Committee :** 

Jonpay Juaniin Chairman

(Lect. Dr. Chirawath Phatsara)

(Lect. Dr. Sangtiwa Suriyong)

Advisor

(Assoc. Prof. Sompong Sruamsiri)

Member

(Lect. Dr. Chirawath Phatsara)

Samptima Suriyong Member

(Lect. Dr. Sangtiwa Suriyong)

(Dr. Amphon Waritthitham)

Sangtina Sinjang Co-advisor

Member

(Dr. Amphon Waritthitham)

28 December 2015 Copyright © by Chiang Mai University

ii

#### ACKNOWLEDGEMENT

I would like to express my sincere gratitude and deep appreciation to the following persons who have the completion of this thesis. Without them this would not have been possible.

Dr. Chirawith Phatsara, primary major advisor, for allowing me to discover the value of independent work, thinking, and research, for his assistance in the experimental studies and confidence in my abilities during two years of my graduate study. Similarly, I would also like to gratefully thanks Dr. Sangtiwa Suriyong and Dr. Amphon Waritthitham, secondary major advisor, for his guidance, kindness, invaluable advice, suggestion, proof reading, and concern in my work and technical advice during my work.

I would like to take this opportunity to thanks graduate school, Chiang Mai University for the graduate scholarship.

Furthermore, I would like to express my sincere thanks to Bahn-Hong community enterprise, the pangola farm owner who provided data and pangola cuttings for the field experiments with his kindness and welcome support.

I also thank my colleagues at Department of Animal and Aquatic Sciences, Faculty of Agricultural, Chiang Mai University, Thailand for their support and encouragement.

Finally, all appreciation and success of this research devoted to my beloved family and lovely friends for all their precious love, encouragement, and support everything throughout the Master's degree years.

Masjarat Tasdee