

CONTENTS

	Page
Acknowledgement	iv
Abstract in Thai	v
Abstract	vii
List of Tables	xi
List of Figures	xii
Chapter 1 Introduction	1
1.1 Jupiter	2
1.2 Io as the most volcanic active satellite of Jupiter	3
Chapter 2 Theory	5
2.1 Planetary Aurora	5
2.2 Motion of charged particles in magnetosphere	7
2.3 Interaction between planetary magnetic field and satellite	10
2.4 Io's magnetic footprint	13
2.5 Previous Studies	14
Chapter 3 Observations and Data Analysis	17
3.1 Advanced Camera for Surveys (ACS)	18
3.2 Space Telescope Imaging Spectrograph (STIS)	19
3.3 Numerical Analysis	21
Chapter 4 Result and Discussion	24
4.1 Feature of Magnetic Footprint Emission	26

Chapter 5 Conclusions	33
5.1 Future Work	34
Bibliography	35
Curriculum Vitae	40



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
 Copyright© by Chiang Mai University
 All rights reserved

LIST OF TABLES


	Page
Table 3.1 Advanced Camera for Surveys Facts	19
Table 3.2 Space Telescope Imaging Spectrograph Facts	20
Table 4.1 Comparison of magnetic footprint's brightness in northern hemisphere between February 2007 and March 2007	28
Table 4.2 Comparison of magnetic footprint's brightness in northern hemisphere between May 2007 and June 2007	30
Table 4.3 Comparison of magnetic footprint's brightness between May 2007 and June 2007 in southern hemisphere	32

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved

LIST OF FIGURES

	Page
Figure 1.1 Orbits of Galilean satellites around Jupiter.	1
Figure 1.2 Model of Jupiter's interior	2
Figure 1.3 Model of Io's interior	4
Figure 2.1 Sketch of interaction between solar wind and planetary magnetosphere	5
Figure 2.2 Earth's aurora	7
Figure 2.3 Motion of particles around a magnetic field.	8
Figure 2.4 Particles are reflected back toward the region of weaker field	9
Figure 2.5 Magnetic bottle and Loss cone	10
Figure 2.6 Aurora on Jupiter	11
Figure 2.7 Sketch of Io plasma torus	11
Figure 2.8 Alfvén disturbances and Alfvén wing down stream of Io.	12
Figure 2.9 Diagram of connection between Io and Jovian ionosphere	13
Figure 2.10 Io's footprint brightness corresponding to the location of Io	14
Figure 2.11 The brightness variation of MAW spot	15
Figure 2.12 Intensity of Jupiter's radio emission	16
Figure 3.1 The Hubble Space Telescope	18
Figure 3.2 Wavelengths sensitivity in nanometers of Hubble's instruments	19
Figure 3.3 Jupiter's aurora UV emission	20
Figure 3.4 Jupiter's aurora from HST observation	22
Figure 3.5 Zoomed-in image with the size of 100×100 pixel	22
Figure 4.1 Comparison of Io's magnetic footprint in northern and southern hemispheres	24
Figure 4.2 Fitted data in southern hemisphere	25

Figure 4.3	Fitted data in northern hemisphere	26
Figure 4.4	Comparison extended angles of footprint at similar longitudes in Northern hemisphere between February and March	27
Figure 4.5	Comparison extended angles of footprint at similar longitudes in Northern hemisphere between May and June	29
Figure 4.6	Comparison extended angles of footprint at similar longitudes in Southern hemisphere between May and June	31



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
 Copyright© by Chiang Mai University
 All rights reserved