

REFERENCES

- [Baek, 2015] Baek J, Chung N, Choi K, Hwang J, Lee J. (2015). Hull extracts from pigmented rice exert antioxidant effects associated with total flavonoid contents and induce apoptosis in human cancer cells. Food Sci. Biotechnol. 24, 241-247.
- [Banjerdpongchai, 2013] Banjerdpongchai R, Wudtiwai B, Sringarm K. (2013). Cytotoxic and apoptotic-inducing effects of purple rice extracts and chemotherapeutic drugs on human cancer cell lines. Asian Pac. J. Cancer Prev. 14, 6541-6548.
- [Bammler, 2000] Bammler TK, Slone DH, Eaton DL. (2000). Effects of dietary oltipraz and ethoxyquin on aflatoxin B1 biotransformation in non-human primates. Toxicol. Sci. 54, 30-41.
- [Chakuton, 2012] Chakuton K, Puangpronpitag D, Nakornriab M. (2012). Phytochemical content and antioxidant activity of colored and non-colored Thai rice cultivars. Asian J. Plant Sci. 11, 285-293.
- [Charoensin, 2010] Charoensin S, Punvittayagul C, Pompimon W, Mevatee U, Wongpoomchai R. (2010). Toxicological and clastogenic evaluation of pinocembrin and pinostrobin isolated from *Boesenbergia pandurata* in Wistar rats. Thai J. Toxicology. 25, 29-40.
- [Chatuphonprasert, 2012] Chatuphonprasert W, Jarukamjorn K. (2012). Impact of six fruits-banana, guava, mangosteen, pineapple, ripe mango and ripe papaya-on murine hepatic cytochrome P450 activities. J. Appl. Toxicol. 32, 994-1001.

- [Chen, 2013] Chen J, Song Y, Zhang L. (2013). Lycopene/tomato consumption and the risk of prostate cancer: a systematic review and meta-analysis of prospective studies. *J. Nutr. Sci. Vitaminol. (Tokyo)*. 59, 213-23.
- [Chen, 2006] Chen PN, Kuo WH, Chiang CL, Chiou HL, Hsieh YS, Chu, SC. (2006). Black rice anthocyanins inhibit cancer cells invasion via repressions of MMPs and u-PA expression. *Chem. Bio. Interact.* 163, 218–229.
- [Chewonarin, 2012] Chewonarin T, Wongpoomchai R, Banjerdpongchai R, Charoensin S. (2012). The effects of active ingredients from purple rice on cancer prevention and treatment. Agricultural research development agency (public organization), 98-115.
- [Chhabra, 2012] Chhabra N. (2012). UDP-glucuronyltransferase-reaction catalized and significance. *Detox. Met. Carbohydrate*. 1, 1-15.
- [Choi, 2007] Choi SP, Kang MY, Koh HJ, Nam SH, Friedman M. (2007). Antiallergic activities of pigmented rice bran extracts in cell assays. *J. Food Sci.* 72, 719–726.
- [Ciolino, 1998] Ciolino HP, Yeh GC. (1998). Effect of curcumin on the aryl hydrocarbon receptor and cytochrome P450 1A1 in MCF-7 human breast carcinoma cells. *Biochem. Pharmacol.* 56, 197-206.
- [Cohen, 2000] Cohen JH, Kristal AR, Stanford JL. (2000). Fruit and vegetable intakes and prostate cancer risk. *J. Natl. Cancer Inst.* 92, 61-68.
- [Dekant, 2009] Dekant W. (2009). The role of biotransformation and bioactivation in toxicity. *Experientia. Suppl.* 99, 57-86.
- [Deng, 2013] Deng GF, Xu XR, Zhang Y, Li D, Gan RY, Li HB. (2013). Phenolic compounds and bioactivities of pigmented rice. *Food Sci. Nutr.* 53, 296-306.
- [Doraia, 2014] Doraia T, Aggarwal BB. (2014). Role of chemopreventive agents in cancer therapy. *Cancer Lett.* 215, 129-140.

- [Dunn, 2012] Dunn IS. (2012). Xenorecognition and its influences. Searching for Molecular Solutions - Empirical Discovery and Its Future; John Wiley & Sons, Inc. 1-458.
- [Fan, 2015] Fan MJ, Wang IC, Hsiao YT, Lin HY, Tang NY, Hung TC, Quan C, Lien JC, Chung JG. (2015). Anthocyanins from black rice (*Oryza sativa* L.) demonstrate antimetastatic properties by reducing MMPs and NF- κ B expressions in human oral cancer CAL 27 cells. *Nutr. Cancer*. 67, 327-338.
- [Eastmond, 2009] Eastmond DA, Hartwig A, Anderson D, Anwar WA, Cimino MC, Dobrev I, Douglas GR, Nohmi T, Phillips DH, Vickers C. (2009). Mutagenicity testing for chemical risk assessment: update of the WHO/IPCS Harmonized Scheme. *Mutagenesis*. 24, 341-349.
- [Ferlay, 2010] Ferlay J, Shin HR, Bray F, Forman D, Mathers C, Parkin DM. (2008). GLOBOCAN, Cancer incidence and mortality worldwide: IARC CancerBase No. 10. International Agency for Research on Cancer: Lyon, France, 2010.
- [Gerhäuser, 1997] Gerhäuser C, You M, Liu J, Moriarty RM, Hawthorne M, Mehta RG, Moon RC, Pezzuto JM. (1997). Cancer chemopreventive potential of sulforamate, a novel analogue of sulforaphane that induces phase 2 drug-metabolizing enzymes. *Cancer Res*. 57, 272-278.
- [Guillemette, 2003] Guillemette C. (2003). Pharmacogenomics of human UDP-glucuronosyltransferase enzymes. *Pharmacogenomics J*. 3, 136-58.
- [Hamid, 2013] Hamid AS, Tesfamariam IG, Zhang Y, Zhang ZG. (2013). Aflatoxin B₁-induced hepatocellular carcinoma in developing countries: geographical distribution, mechanism of action and prevention (review). *Oncol. Lett*. 5, 1087-1092.

- [Higgins, 1931] Higgins GM, Anderson RM. (1931). Experimental pathology of the liver: restoration of the liver of the white rat following partial surgical removal. Arch. Pathol. 12, 186-202.
- [Huang, 2009] Huang W, Cai Y, Zhang Y. (2009). Natural phenolic compounds from medicinal herbs and dietary plants: potential use for cancer prevention. Nutr. Cancer. 62, 1-20.
- [Ichikawa, 2001] Ichikawa H, Ichiyangi T, Xu B, Yoshii Y, Nakajima M, Konishi T. (2001). Antioxidant activity of anthocyanin extract from purple black rice. J. Med. Food. 4, 211-218.
- [Inboot, 2012] Inboot W, Taya S, Chailungka A. (2012). Genotoxicity and antigenotoxicity of the methanol extract of *Cleistocalyx nervosum* var. *paniala* seed using a *Salmonella* mutation assay and rat liver micronucleus test. Mol. Cell Toxicol. 8, 19-24.
- [Jang, 2009] Jang S, Xu Z. (2009). Lipophilic and hydrophilic antioxidants and their antioxidant activities in purple rice bran. J. Agric. Food Chem. 57, 858-862.
- [Kawakami, 2007] Kawakami Y, Tsuzuki T, Nakagawa K, Miyazawa T. (2007). Distribution of tocotrienols in rats fed a rice bran tocotrienol concentrate. Biosci. Biotechnol. Biochem. 71, 464-471.
- [Kensler, 1997] Kensler TW. (1997). Chemoprevention by inducers of carcinogen detoxication enzymes. Environ. Health Perspect. 105, 965-970.
- [Kim, 2005] Kim SY, Laxmi YR, Suzuki N, Ogura K, Watabe T, Duffel MW, Shibutani S. (2005). Formation of tamoxifen-DNA adducts via O-sulfonation, not O-acetylation, of alpha-hydroxytamoxifen in rat and human livers. Drug Metab. Dispos. 33, 1673-1678.
- [Klaassen, 2013] Klaassen CD. (2013). Casarett & Doull's toxicology: the basic science of poisons. 8th ed; McGraw-Hill Education. 445-480.

- [Kochar, 2010] Kochar A, Sharma D, Johari P, Kumar M, Paul J, Bhardwaj P, Prendergast P, Kimura H, Kumar A. (2010). Oltipraz provides protection to Swiss albino mice against gamma-radiation. *Pharmacology online*. 2, 39-44.
- [Kotsopoulos, 2007] Kotsopoulos J, Ghadirian P, El-Sohemy A, Lynch HT, Snyder C, Daly M, Domchek S, Randall S, Karlan B, Zhang P, Zhang S, Sun P, Narod SA. (2007). The CYP1A2 genotype modifies the association between coffee consumption and breast cancer risk among BRCA1 mutation carriers. *Cancer Epidemiol. Biomarkers Prev.* 16, 912-16.
- [Kozuka, 2013] Kozuka C, Yabiku K, Takayama C, Matsushita M, Shimabukuro M, Masuzaki H. (2013). Natural food science based novel approach toward prevention and treatment of obesity and type 2 diabetes: recent studies on brown rice and γ -oryzanol. *Obes. Res. Clin. Pract.* 7, 165-172.
- [Krajka- Kuźniak V, 2005] Krajka-Kuźniak V, Szafer H, Baer-Dubowska W. (2005). Modulation of cytochrome P450 and phase II enzymes by protocatechuic acid in mouse liver and kidney. *Toxicology*. 216, 24-31.
- [Kuntz, 2015] Kuntz S, Asseburg H, Dold S, Römpf A, Fröhling B, Kunz C, Rudloff S. (2015). Inhibition of low-grade inflammation by anthocyanins from grape extract in an *in vitro* epithelial-endothelial co-culture model. *Food Funct.* 6, 1136-1149.
- [Langouet, 1995] Langouet S, Coles B, Morel F, Becquemont L, Beaune P, Guengerich FP, Ketterer B, Guillouzo A. (1995). Inhibition of CYP1A2 and CYP3A4 by oltipraz results in reduction of aflatoxin B-1 metabolism in human hepatocytes in primary culture. *Cancer Res.* 55, 5574–5579.
- [Langouet, 2000] Langouet S, Furge LL, Kerriguy N, Nakamura K, Guillouzo A, Guengerich FP. (2000). Inhibition of human cytochrome P450 enzymes by 1,2-dithiole-3-thione, oltipraz and its derivatives and sulforaphane. *Chem. Res. Toxicol.* 13, 245–252.

- [Lee, 2005] Lee J, Durst RW, Wrolstad RE. (2005). Determination of total monomeric anthocyanin pigment content of fruit juices, beverages, natural colorants, and wines by the pH. J. AOAC Int. 88, 1269-1278.
- [Lee, 2011] Lee JS, Ward WO, Liu J, Ren H, Vallanat B, Delker D. (2011). Hepatic xenobiotic metabolizing enzyme and transporter gene expression through the life stages of the mouse. PLoS One. 6, 1-11.
- [Liu, 2004] Liu RH. (2004). Potential synergy of phytochemicals in cancer prevention: mechanism of action. J. Nutr. 134, 3479-3485.
- [London, 2000] London SJ, Yuan JM, Chung FL, Gao YT, Coetzee GA, Ross RK, Yu MC. (2000). Isothiocyanates, glutathione S-transferase M1 and T1 polymorphisms, and lung-cancer risk: a prospective study of men in Shanghai, China. Lancet. 356, 724-729.
- [Luch, 2005] Luch A. (2005). Nature and nurture – lessons from chemical carcinogenesis. Nat. Rev. Cancer. 5, 113-125.
- [Manson, 2000] Manson MM, Gescher A, Hudson EA, Plummer SM, Squires MS, Prigent SA. (2000). Blocking and suppressing mechanisms of chemoprevention by dietary constituents. Toxicol. Lett. 112–113, 499-505.
- [Meireles, 2011] Meireles JR, Cerqueira E. (2011). Use of the micronucleus test on tradescantia (Trad-MCN) to evaluate the genotoxic effects of air pollution. Air Pollution - New Developments. InTech. 245-262.
- [Messina, 1997] Messina ES, Tyndale RF, Sellers EM. (1997). A Major Role for CYP2A6 in Nicotine C-Oxidation by Human Liver Microsomes J. Pharmacol. Exp. Ther. 282, 1608–1614.
- [Miao, 2003] Miao W, Hu L, Kandouz M, Batist G. (2003). Oltipraz is a bifunctional inducer activating both phase I and phase II drug-metabolizing enzymes via the xenobiotic responsive element. Mol. Pharmacol. 64, 346-354.

- [Michaud, 1999] Michaud DS, Spiegelman D, Clinton SK, Rimm EB, Willett WC, Giovannucci EL. (1999). Fruit and vegetable intake and incidence of bladder cancer in a male prospective cohort. *J. Natl. Cancer Inst.* 91, 605-613.
- [Moon, 2006] Moon YJ, Wang X, Morris ME. (2006). Dietary flavonoids: effects on xenobiotic and carcinogen metabolism. *Toxicol. In Vitro.* 20, 187-210.
- [Moudgil, 2013] Moudgil V, Redhu D, Dhanda S, Singh J. (2013). A review of molecular mechanisms in the development of hepatocellular carcinoma by aflatoxin and hepatitis B and C viruses. *J. Environ. Pathol. Toxicol. Oncol.* 32, 165-175.
- [Murphy, 2006] Murphy PA, Hendrich S, Landgren C, Bryant CM. (2006). Food mycotoxins: an update. *J. Food Sci.* 71, 51-65.
- [Nedelcheva, 1994] Nedelcheva V, Gut I. (1994). P450 in the rat and man: methods of investigation, substrate specificities and relevance to cancer. *Xenobiotica.* 24, 1151-1175.
- [Nowell, 2006] Nowell S, Falany CN. (2006). Pharmacogenetics of human cytosolic sulfotransferases. *Oncogene.* 25, 1673–1678.
- [Ogu, 2000] Ogu CC, Maxa JL. (2000). Drug interactions due to cytochrome P450. *Proc (Bayl Univ Med Cent).* 13, 421–423.
- [Oliveira, 2007] Oliveira PA, Colaço A, Chaves R, Guedes-Pinto H, De-La-Cruz P LF, Lopes C. (2007). Chemical carcinogenesis. *An. Acad. Bras. Ciênc.* 79, 593-616.
- [Osawa, 2007] Osawa Y, Osawa KK, Miyaishi A, Higuchi M, Tsutou A, Matsumura S, Tabuchi Y, Tsubota N, Takahashi J. (2007). NAT2 and CYP1A2 polymorphisms and lung cancer risk in relation to smoking status. *Asian Pac. J. Cancer Prev.* 8, 103-108.

- [Pandit, 2011] Pandit NK, Soltis R. (2011). Introduction to the pharmaceutical sciences: an integrated approach. 2nd ed; Lippincott Williams & Wilkins, 1- 375.
- [Pavek, 2013] Pavek P, Dvorak Z. (2013). Xenobiotic-induced transcriptional regulation of xenobiotic metabolizing enzymes of the cytochrome P450 superfamily in human extrahepatic tissues. *Curr. Drug Metab.* 9, 129-143.
- [Penner, 2012] Penner N, Woodward C, Prakash C. (2012). Drug metabolizing enzymes and biotransformation reactions. 1st ed; John Wiley & Sons, Inc. 545-565.
- [Phetpornpaisan, 2014] Phetpornpaisan P, Tippayawat P, Jay M, Sutthanut K. (2014). A local Thai cultivar glutinous black rice bran: a source of functional compounds in immunomodulation, cell viability and collagen synthesis, and matrix metalloproteinase-2 and -9 inhibition. *J. Funct. Foods.* 7, 650-661.
- [Poirier, 2012] Poirier MC. (2012). Chemical-induced DNA damage and human cancer risk. *Discov. Med.* 14, 283-288.
- [Pokharel, 2006] Pokharel YR, Han EH, Kim JY, Oh SJ, Kim SK, Woo ER, Jeong HG, Kang KW. (2006). Potent protective effect of isoimperatorin against aflatoxin B1-inducible cytotoxicity in H4IIE cells: bifunctional effects on glutathione S-transferase and CYP1A. *Carcinogenesis.* 27, 2483–2490.
- [Pratheeshkumar, 2012] Pratheeshkumar P, Sreekala C, Zhang Z, Budhraj A, Ding S, Son YO. (2012). Cancer prevention with promising natural products: mechanisms of action and molecular targets. *Anticancer Agents Med. Chem.* 12, 1-26.

- [Puatanachokchai, 1996] Puatanachokchai R, Noguchi T, Vinitketkumnue U. (1996). Rat liver micronucleus assay. Proceeding of the 4th Sountheast Asian Workshop on Short-term assays for detection of environmental mutagens, carcinogens and teratogens, Naresuan University, Phitsanulok, Thailand.
- [Punvittayagul, 2012] Punvittayagul C, Pompimon W, Wanibuchi H, Fukushima S, Wongpoomchai R. (2012). Effects of pinocembrin on the initiation and promotion stages of rat hepatocarcinogenesis. Asian Pac. J. Cancer Prev. 13, 2257-2261.
- [Punvittayagul, 2014] Punvittayagul C, Sringarm K, Chaiyasut C, Wongpoomchai R. (2014). Mutagenicity and antimutagenicity of hydrophilic and lipophilic extracts of Thai northern purple rice. Asian Pac. J. Cancer Prev. 15, 9517-9522.
- [Punyatong, 2008] Punyatong M, Pongpiachan P, Pongpiachan P, Karladee D, Mankhetkorn S. (2008). Cytotoxicity of crude proanthocyanidin extract from purple glutinous rice bran (*Oryza sativa* L.) (Kum Doi Saket) compared with cyanidin 3-glucoside on X63 myeloma cancer cell lines. Kasetsart J. (Nat. Sci.). 42, 676-681.
- [Rose, 2004] Rose RL, Hodgson E. (2004). Metabolism of toxicants. 3rd ed; A textbook of modern toxicology. John Wiley & Sons, Inc., 149-161.
- [Russo, 2005] Russo M, Tedesco I, Iacomino G, Palumbo R, Galano G, Russo GL. (2005). Dietary phytochemicals in chemoprevention of cancer. Curr. Med. Chem. – Immun., Endoc. & Metab. Agents. 5, 61-72.
- [Ryu, 1998] Ryu SN, Park SZ, Ho VT. (1998). High performance liquid chromatographic determination of anthocyanin pigments in some varieties of black rice. J. Food Drug Anal. 6, 729-736.

- [Saenjum, 2012] Saenjum C, Chaivasut C, Chansakaow S, Suttajit M, Sirithunyalug B. (2012). Antioxidant and anti-inflammatory activities of gamma-oryzanol rich extracts from Thai purple rice bran. *J. Med. Plants Res.* 6, 1070-1077.
- [Sankam, 2013] Sankam P, Punvittayagul C, Sringam K, Chaivasut C, Wongpoomchai R. (2013). Antimutagenicity and anticlastogenicity of glutinous purple rice hull using *in vitro* and *in vivo* testing systems. *Mol. Cell Toxicol.* 9, 169-176.
- [Saxena, 2013] Saxena M, Saxena J, Nema R, Singh D, Gupta A. (2013). Phytochemistry of medicinal plants. *J. Pharmacogn. Phytochem.* 1, 168-182.
- [Simic, 2009] Simic T, Savic-Radojevic A, Pljesa-Ercegovac M, Matic M, Mimic-Oka J (2009). Glutathione S-transferases in kidney and urinary bladder tumors. *Nat. Rev. Urology.* 6, 281-289.
- [Singh, 2007] Singh KB. (2007). Cytochrome P450 enzyme isoforms and their therapeutic implications: an update. *Indian J. Med. Sci.* 61, 102-116.
- [Shimada T, 2006] Shimada T. (2006). Xenobiotic-metabolizing enzymes involved in activation and detoxification of carcinogenic polycyclic aromatic hydrocarbons. *Drug Metab. Pharmacokinet.* 21, 257-76.
- [Surh, 1999] Surh Y. (1999). Molecular mechanisms of chemopreventive effects of selected dietary and medicinal phenolic substances. *Mutat. Res.* 428, 305-327.
- [Surh, 2003] Surh YJ. (2003). Cancer chemoprevention with dietary phytochemicals. *Nat. Rev. Cancer.* 3, 768-780.
- [Talalay, 1989] Talalay P. (1989). Mechanisms of induction of enzymes that protect against chemical carcinogenesis. *Adv. Enzyme Regul.* 28, 237-250.

- [Talalay, 1995] Talalay P, Fahey JW, Holtzclaw WD, Prester T, Zhang Y. (1995). Chemoprotection against cancer by phase 2 enzyme induction. *Toxicol. Lett.* 82-83, 173-179.
- [Tanaka, 2011] Tanaka J, Nakanishi T, Ogawa K, Tsuruma K, Shimazawa M, Shimoda H, Hara H. (2011). Purple rice extract and anthocyanidins of the constituents protect against light-induced retinal damage *in vitro* and *in vivo*. *J. Agric. Food Chem.* 59, 528-536.
- [Tanaka, 2012] Tanaka J, Nakamura S, Tsuruma K, Shimazawa M, Shimoda H, Hara H. (2012). Purple rice (*Oryza sativa* L.) extract and its constituents inhibit VEGF-induced angiogenesis. *Phytother. Res.* 26, 214-222.
- [Teixeira, 2010] Teixeira AR, Machado MC, Kubrusly MS, Molan NT, Bellodi-Privato M, Leite KR, D'Albuquerque LA. (2010). A new experimental model for acute hepatic failure in rats. *Acta. Cir. Bras.* 25, 269-274.
- [Townsend, 2003] Townsend DM, Tew KD. (2003). The role of glutathione-S-transferase in anti-cancer drug resistance. *Oncogene.* 22, 7369–7375.
- [Ugbogu, 2013] Ugbogu AE, Akubugwo EI, Iweala EJJ, Uhegbu FO, Chinyere GC, Obasi NA. (2013). Role of phytochemicals in chemoprevention of cancer: a review. *Int. J. Pharm. Chem. Sci.* 2, 566-575.
- [Umehara, 2004] Umehara K, Shimokawa Y, Miyamoto G. (2004). Effect of gamma-oryzanol on cytochrome P450 activities in human liver microsomes. *Biol. Pharm. Bull.* 27, 1151-1153.
- [Wang, 2000] Wang CJ, Wang JM, Lin WL, Chu CY, Chou FP, Tseng TH. (2000). Protective effect of *Hibiscus* anthocyanins against *tert*-butyl hydroperoxide-induced hepatic toxicity in rats. *Food Chem. Toxicol.* 38, 411-416.
- [Wattenberg, 1985] Wattenberg LB. (1985). Chemoprevention of cancer. *Cancer Res.* 45, 1-8.

- [Weiguang, 2006] Weiguang Y, Casimir CA, Loan F, Gerard K. (2006). Effects of phenolic compounds in blueberries and muscadine grapes on HepG2 cell viability and apoptosis. *Food Res. Int.* 39, 628–638.
- [Werner, 1996] Werner S, Kunz S, Wolff T, Schwarz LR. (1996). Steroidal drug cyproterone acetate is activated to DNA-binding metabolites by sulfonation. *Cancer Res.* 56, 4391-4397.
- [Weston, 2000] Weston A, Harris CC. (2000). *Cancer medicine*. 5th ed; Hamilton (ON): Decker Publishing, 1-47.
- [Xu, 2005] Xu C, Li CY, Kong AT. (2005). Induction of phase I, II and III drug metabolism/transport by xenobiotics. *Arch. Pharm. Res.* 28, 249-268.
- [Ye, 2010] Ye J, Meng X, Yan C, Wang C. (2010). Effect of purple sweet potato anthocyanins on beta-amyloid-mediated PC-12 cells death by inhibition of oxidative stress. *Neurochem. Res.* 35, 357-365.
- [Yim, 2005] Yim SK, Yun CH, Ahn T. (2005). A continuous spectrophotometric assay for NADPH-cytochrome P450 reductase activity using 3-(4, 5-dimethylthiazol-2-yl)-2, 5-diphenyltetrazolium bromide. *J. Biochem. Mol. Biol.* 38, 366-369.
- [Zawistowski, 2009] Zawistowski J, Kopec A, Kitts DD. (1999). Effects of a black rice extract (*Oryza sativa* L. *indica*) on cholesterol levels and plasma lipid parameters in Wistar Kyoto rats. *J. Funct. Foods.* 1, 50–56.
- [Zhang, 2015] Zhang H, Shao Y, Bao J, Beta T. (2015). Phenolic compounds and antioxidant properties of breeding lines between the white and black rice. *Food Chem.* 1, 630-639.
- [Zhang, 1992] Zhang Y, Talalay P, Cho CG, Posner GH. (1992). A major inducer of anticarcinogenic protective enzymes from broccoli: isolation and elucidation of structure. *Proc. Natl. Acad. Sci. USA.* 89, 2399-2403.