

REFERENCES

- Akif et al., 2010a Akif M, Georgiadis D, Mahajan A, Dive V, Sturrock ED, Isaac RE, Acharya KR (2010a) High-resolution crystal structure of *Drosophila melanogaster* angiotensin-converting enzyme in complex with novel inhibitors and antihypertensive drugs. J Mol Biol 400:502-517
- Akif et al., 2010b Akif M, Ntai I, Sturrock ED, Isaac RE, Bachmann BO, Acharya KR (2010b) Crystal structure of a phosphonotriptide K-26 in complex with angiotensin converting enzyme homologue (AnCE) from *Drosophila melanogaster*. Biochem Biophys Res Commun 398:532-536
- Alemán et al., 2011a Alemán A, Giménez B, Montero P, Gómez-Guillén MC (2011a) Antioxidant activity of several marine skin gelatins. LWT – Food Sci Technol 44:407-413
- Alemán et al., 2011b Alemán A, Pérez-Santín E, Bordenave-Juchereau S, Arnaudin I, Gómez-Guillén MC, Montero P (2011b) Squid gelatin hydrolysates with antihypertensive, anticancer and antioxidant activity. Food Res Int 44:1044-1051

- Arts et al., 2004 Arts MJTJ, Haenen GRMM, Voss HP, Bast A (2004) Antioxidant capacity of reaction products limits the applicability of the Trolox Equivalent Antioxidant Capacity (TEAC) assay. *Food Chem Toxicol* 42:45-49
- Benjakul and
Morrissey, 1997 Benjakul S, Morrissey MT (1997) Protein hydrolysates from Pacific whiting solid wastes. *J Agric Food Chem* 45:3423-3430
- Benjakul et al.,
2005 Benjakul S, Visessanguan W, Phongkanpai V, Tanaka M (2005) Antioxidative activity of caramelisation products and their preventive effect on lipid oxidation in fish mince. *Food Chem* 90:231-239
- BIOZYM 2015 BIOZYM. Product data sheets. [Online] Available from: <http://www.biozym.de/index.php> (11 Sep 2015)
- Borah et al., 2011 Borah A, Yadav RNS, Unni BG (2011) In vitro antioxidant and free radical scavenging activity of *Alternanthera sessilis*. *Int J Pharm Sci Res* 2:1502-1506
- Bougatef et al.,
2009 Bougatef A, Hajji M, Balti R, Lassoued I, Triki-Ellouz Y, Nasri M (2009) Antioxidant and free radical-scavenging activities of smooth hound (*Mustelus mustelus*) muscle protein hydrolysates obtained by gastro intestinal proteases. *Food Chem* 118:559-565

- Bwanika et al., 2004 Bwanika GN, Makanga B, Kizito Y, Chapman LJ, Balirwa J (2004) Observation on the biology of Nile tilapia, *Oreochromis niloticus*, L., in two Uganda Crater lakes. Afr J Ecol 42:93-101
- Byun and Kim, 2001 Byun HG and Kim SK (2001) Purification and characterization of angiotensin I converting enzyme (ACE) inhibitory peptides from Alaska Pollack (*Theragra chalcogramma*) skin. Process Biochem 36:1155-1162
- Chalamaiah et al., 2012 Chalamaiah M, Dinesh Kumar B, Hemalatha R, Jyothirmayi T (2012) Fish protein hydrolysate: Proximate composition, amino acid composition, antioxidant activities and application: A review. Food Chem 135:3020-3038
- Chandra Mohan et al., 2012 Chandra Mohan S, Balamurugan V, Thiripura Salini S, Rekha R (2012) Metal ion chelating activity and hydrogen peroxide scavenging activity of medicinal plant *Kalanchoe pinnata*. J Chem Pharm Res 4:197-202
- Cheng et al., 2012 Cheng XL, Wei F, Xiao XY, Zhao YY, Shi Y, Liu W, Zhang P, Ma SC, Tian SS, Lin RC (2012) Identification of five gelatins by ultra performance liquid chromatography/time-of-flight mass spectrometry (UPLC/Q-TOF-MS) using principal component analysis. J Pharm Biomed Anal 62:191-195

- Cheung et al., 2012 Cheung IWY, Cheung LKY, Tan NY, Li-Chan ECY (2012) The role of molecular size in antioxidant activity of peptide fractions from Pacific hake (*Merluccius productus*) hydrolysates. Food Chem 134:1297-1306
- Chi et al., 2015 Chi CF, Wang B, Wang YM, Zhang B, Deng SG (2015) Isolation and characterization of three antioxidant peptides from protein hydrolysate of bluefin leatherjacket (*Navodon septentrionalis*) heads. J Funct Food 12:1-10
- Chi et al., 2015a Chi CF, Hu FY, Wang B, Ren XJ, Deng SG, Wu CW (2015) Purification and characterization of three antioxidant peptides from protein hydrolyzate of croceine croaker (*Pseudosciaena crocea*) muscle. Food Chem 168:662-667
- Chi et al., 2015b Chi CF, Wang B, Wang YM, Zhang B, Deng SG (2015) Isolation and characterization of three antioxidant peptides from protein hydrolysate of bluefin leatherjacket (*Navodon septentrionalis*) heads. J Funct Food 2015:1-10
- Christopher et al., 2014 Christopher LP, Yao B, Ji Y (2014) Lignin biodegradation with laccase-mediator systems. Front Energy Res 2:1-13
- Danquah and Agyei, 2012 Danquah MK, Agyei D (2012) Pharmaceutical applications of bioactive peptides. OA Biotechnology 2012 Dec 29. 1(2):5

- De Gobba et al., 2014 De Gobba C, Tompa G, Otte J (2014) Bioactive peptides from caseins released by cold active proteolytic enzymes from *Arsukibacterium ikkense*. Food Chem 165:205-215
- De Hoffmann and Stroobant, 2007 De Hoffmann E, Stroobant V (2007) *Mass spectrometry: Principles and applications*. 3rd ed. Chichester: John-Wiley and Sons. 502 p.
- Dekkers et al., 2011 Dekkers E, Raghavan S, Kristinsson HG, Marshall MR (2011) Oxidative stability of mahi mah red muscle dipped in tilapia protein hydrolysates. Food Chem 124:640-645
- Donoghue et al., 2000 Donoghue M, Hsieh F, Baronas R, Godbout K, Gosselin M, Stagliano N, Donovan M, Woolf B, Robison K, Jeyaseelan R, Breibart RE, Acton S (2000) A novel angiotensin converting enzyme related carboxypeptidase (ACE2) converts angiotensin I to angiotensin 1-9. Circ Res 87:E1-E9
- Dunham et al., 2012 Dunham WH, Mullin M, Gingras AC (2012) Affinity-purification coupled to mass spectrometry: Basic principles and strategies. Proteom 12:1576-1590
- Eckert et al., 2014 Eckert E, Zambrowicz A, Pokora M, Setner B, Dąbrowska A, Szoltysik M, Szewczuk Z, Polanowski A, Trziszak T, Chrzanowska J (2014) Egg-yolk protein by-product as a source of ACE-inhibitory peptides obtained with using unconventional proteinase from Asian pumpkin (*Cucurbita ficifolia*) J Proteomics 110:107-116

- El-Sayed AM, 2006 El-Sayed AM (2006) Tilapia culture. Oxford: CABI publishing 1-24
- Espejo-Carpio et al., 2013 Espejo-Carpio FJ, De Gobba C, Guadix A, Guadix EM, Otte J (2013) Angiotensin I-converting enzyme inhibitory activity of enzymatic hydrolysates of goat milk protein fractions. Int Dairy J 32:175-183
- ExpASy 2015 ExpASy. Peptide Cutter. [Online] Available from: http://web.expasy.org/peptide_cutter/peptidecutter_enzymes.html (23 Nov 2015)
- Fan et al., 2012 Fan J, He J, Zhuang Y, Sun L (2012) Purification and identification of antioxidant peptides from enzymatic hydrolysates of tilapia (*Oreochromis niloticus*) frame protein. Mol 17:12836-12850
- FAO 2013 Food and Agriculture Organization of the United Nations. Globefish. Tilapia – June 2013 [Online] Available from: <http://www.globefish.org/tilapia-june-2013.htm> (5 Aug 2015)
- FAO 2015a Food and Agriculture Organization of the United Nations. Fisheries and Aquaculture Department. Cultured Aquatic Species Information Programme. *Oreochromis niloticus* [Online] Available from: http://www.fao.org/fishery/culturedspecies/Oreochromis_niloticus/en (5 Aug 2015)

- FAO 2015b Food and Agriculture Organization of the United Nations. Food safety and quality. Protease from *Aspergillus oryzae*, var. [Online] Available from:
<http://www.fao.org/ag/agn/jecfa-additives/specs/Monograph1/Additive-363.pdf> (11 Sep 2015)
- Fernández-Musoles et al., 2013 Fernández-Musoles R, Salom JB, Martínez-Maqueda D, López-Díez JJ, Recio I, Manzanares P (2013) Antihypertensive effects of lactoferrin hydrolyzates: Inhibition of angiotensin and endothelin-converting enzyme. *Food Chem* 139:994-1000
- GISD 2015 Global Invasive Species Database – *Oreochromis niloticus* [Online] Available from:
<http://www.issg.org/database/species/ecology.asp?si=1322&fr=1&st=s=sss&lang=EN> (5 Aug 2015)
- Griffin and Bhagooli, 2004 Griffin SP, Bhagooli R (2004) Measuring antioxidant potential in corals using the FRAP assay. *J Exp Mar Biol Ecol* 302:201-211
- Gómez-Guillén et al., 2011 Gómez-Guillén MC, Giménez B, López-Caballero ME, Montero MP (2011) Functional and bioactive properties of collagen and gelatin from alternative sources: A review. *Food Hydrocoll* 25:1813-1827
- He et al., 2013 He R, Alashi A, Malomo SA, Girgih AT, Chao D, Ju X, Aluko RE (2013) Antihypertensive and free radical scavenging properties of enzymatic rape seed protein hydrolysates. *Food Chem* 141:153-159

- Hernández-Ledesma et al., 2011 Hernández-Ledesma B, Contreras MM, Recio I (2011) Antihypertensive peptides: Production, bioavailability and incorporation into foods. *Adv Colloid Interface Sci* 165:23-25
- Himaya et al., 2012 Himaya SWA, Ngo DH, Ryu BM, Kim SK (2012) An active peptide purified from gastrointestinal enzyme hydrolysate of Pacific cod skin gelatin attenuates angiotensin-1 converting enzyme (ACE) activity and cellular oxidative stress. *Food Chem* 132:1872-1882
- Hsu K, 2010 Hsu K (2010) Purification of antioxidative peptides prepared from enzymatic hydrolysates of tuna dark muscle by-product. *Food Chem* 122:42-48
- Huang et al., 2005 Huang D, Ou B, Prior RL (2005) The chemistry behind antioxidant capacity assays. *J Agri Food Chem* 54:4696-4704
- Ichimaru et al., 2009 Ichimaru T, Yamanaka A, Otsuka T, Yamashita E, Maruyama S (2009) Antihypertensive effect of enzymatic hydrolysate of collagen and gly-pro in spontaneously hypertensive rats. *Biosci Biotechnol Biochem* 73:2317-2319
- Jamilah and Harvinder, 2002 Jamilah B, Harvinder KG (2002) Properties of gelatins from skins of fish-black tilapia (*Oreochromis mossambicus*) and red tilapia (*Oreochromis nilotica*). *Food Chem* 77:81-84
- Jeon et al., 1999 Jeon YJ, Byun HG, Kim SK (1999) Improvement of functional properties of cod frame protein hydrolysates using ultrafiltration membranes. *Process Biochem* 35:471-478

- Jiang et al., 2010 Jiang Z, Tian B, Brodkorb A, Huo G (2010) Production, analysis and *in vivo* evaluation of novel angiotensin-I-converting enzyme inhibitory peptides from bovine casein. *Food Chem* 123:779-786
- Jongjareonrak et al., 2008 Jongjareonrak A, Benjakul S, Visessanguan W, Tanaka M (2008) Antioxidative activity and properties of fish skin gelatin films incorporated with BHT and α -tocopherol. *Food Hydrocoll* 22:449-458
- Jung and Kim, 2006 Jung WK, Kim SK (2006) Angiotensin-I-converting enzyme inhibitory peptide from yellowfin sole (*Limanda aspera*) frame protein and its antihypertensive effect in spontaneously hypertensive rats. *Food Chem* 94:26-32
- Kapetsky and Nath, 1997 Kapetsky JM, Nath SS (1997) A strategic assessment of the potential for freshwater fish farming in Latin America. COPESCAL Tech Pap No 10 Rome, FAO 128p.
- Kim and Mendis, 2006 Kim SK and Mendis E (2006) Bioactive compounds from marine processing byproducts – A review. *Food Res Int* 39:383-393
- Kim and Wijesekara, 2010 Kim SK, Wijesekara I (2010) Development and biological activities of marine-derived bioactive peptides: A review. *J Funct Food* 2:1-9
- Kittiphattanabawon et al., 2013 Kittiphattanabawon P, Benjakul S, Visessanguan W, Shahidi F (2013) Inhibition of angiotensin converting enzyme, human LDL cholesterol and DNA oxidation by hydrolysates from blacktip shark gelatin. *LWT-Food Sci Technol* 21:177-182

- Kizhakekuttu and Widlansky, 2010 Kizhakekuttu TJ, Widlansky ME (2010) Natural antioxidants and hypertension: promise and challenges. *Cardiovasc Ther* 28:20-32
- Klaunig and Kamendulis, 2004 Klaunig JE, Kamendulis LM (2004) The role of oxidative stress in carcinogenesis. *Annu Rev Pharmacol Toxicol* 44:239-267
- Ko et al., 2012 Ko SC, Kang N, Kim EA, Kang MC, Lee SH, Kang SM, Lee JB, Jeon BT, Kim SK, Park SJ, Park PJ, Jung WK, Kim D, Jeon YJ (2012) A novel angiotensin-I-converting enzyme (ACE) inhibitory peptide from a marine *Chlorella ellipsoidea* and its antihypertensive effect in spontaneously hypertensive rats. *Process Biochem* 47:2005-2011
- Korhonen and Pihlanto, 2006 Korhonen H, Pihlanto A (2006) Bioactive peptides: Production and functionality. *Int Dairy J* 16:945-960
- Kramer et al., 2014 Kramer GJ, Mohd A, Schwager SL, Masuyer G, Acharya KR, Sturrock ED, Bachmann BO (2014) Interkingdom pharmacology of Angiotensin-I converting enzyme inhibitor phosphonates produced by actinomycetes. *ACS Med Chem Lett* 5:346-351
- Lee et al., 2004 Lee J, Koo N, Min DB (2004) Reactive oxygen species, aging, and antioxidative nutraceuticals. *Compr Rev Food Sci Food Saf* 3:21-33
- Li et al., 2004 Li GH, Le GW, Shi YH, Shrestha S (2004) Angiotensin I-converting enzyme inhibitory peptides derived from food proteins and their physiological and pharmacological effects. *Nutr Res* 24:469-486

- Li et al., 2013 Li Z, Wang B, Chi C, Gong Y, Luo H, Ding G (2013) Influence of average molecular weight on antioxidant and functional properties of cartilage collagen hydrolysates from *Sphyrna lewini*, *Dasyatis akeji* and *Raja porosa*. Food Res Int 51:283-293
- Liang and Kitts, 2014 Liang N, Kitts DD (2014) Antioxidant property of coffee components: assessment of methods that define mechanisms of action. Mol 19:19180-19208
- Li-Chan et al., 2012 Li-Chan ECY, Hunag SL, Jao CL, Ho KP, Hsu KC (2012) Peptides derived from atlantic salmon skin gelatin as dipeptidyl-peptidase IV inhibitors. J Agric Food Chem 60:973-978
- Lin et al., 2014 Lin HM, Deng SG, Huang SB (2014) Antioxidant activities of ferrous-chelating peptides isolated from five types of low-value fish protein hydrolysates. J Food Biochem 38:627-633
- Lin et al., 2012 Lin L, Lv S, Li B (2012) Angiotensin-I-converting enzyme (ACE)-inhibitory and antihypertensive properties of squid skin gelatin hydrolysates. Food Chem 131:225-230
- Mao et al, 2007 Mao XY, Ni JR, Sun WL, Hao PP, Fan L (2007) Value-added utilization of yak milk casein for the production of angiotensin-I-converting enzyme inhibitory peptides. Food Chem 103:1282-1287

- Matsui et al., 1993 Matsui T, Matsufuji H, Seki E, Osajima K, Nakashima M, Osajima Y (1993) Inhibition of angiotensin-I-converting enzyme by *bacillus licheniformis* alkaline protease hydrolyzates derived from sardine muscle. *Biosci Biotechnol Biochem* 57:922-925
- Medzihradzky et al., 2000 Medzihradzky KF, Campbell JM, Baldwin MA, Falick AM, Juhasz P, Vestal ML, Burlingame AL (2000) The characteristics of peptide collision-induced dissociation using a high-performance MALDI-TOF/TOF tandem mass spectrometer. *Anal Chem* 72:552-558
- Memarpour-Yazdi et al., 2013 Memarpour-Yazdi M, Mahaki H, Zare-Zardini H (2013) Antioxidant activity of protein hydrolysates and purified peptides from *Zizyphus jujube* fruits. *J Funct Food* 5:62-70
- Mendis et al., 2005 Mendis E, Rajapakse N, Kim SK (2005) Antioxidant properties of a radical-scavenging peptide purified from enzymatically prepared fish skin gelatin hydrolysate. *J Agric Food Chem* 53:581-587
- Muyonga et al., 2004 Muyonga JH, Cole CGB, Duodu KG (2004) Extraction and physio-chemical characterisation of Nile perch (*Late niloticus*) skin and bone gelatin. *Food Hydrocolloids* 18:581-592
- Nagpal et al., 2011 Nagpal R, Behare P, Rana R, Kumar A, Kumar M, Arora S, Morotta F, Jain S, Yadav H (2011) Bioactive peptides derived from milk proteins and their health beneficial potentials: an update. *Food Funct* 2:18-27

- Najafian and Babji, 2012 Najafian L and Babji AS (2012) A review of fish-derived antioxidant and antimicrobial peptides: Their production, assessment, and applications. *Pept* 33:178-185
- Ngo et al., 2010 Ngo D, Qian Z, Ryu B, Park JW, Kim S (2010) In vitro antioxidant activity of a peptide isolated from Nile tilapia (*Oreochromis niloticus*) scale gelatin in free radical-mediated oxidative systems. *J Funct Foods* 2:107-117
- Ngo et al., 2012 Ngo DH, Vo TS, Ngo DN, Wijesekara I, Kim SK (2012) Biological activities and potential health benefits of bioactive peptides derived from marine organisms. *Int J Biol Macromol* 51:378-383
- Ngo et al., 2014 Ngo DH, Ryu BM, Kim SK (2014) Active peptides from skate (*Okamejei kenojei*) skin gelatin diminish angiotensin-I-converting enzyme activity and intracellular free radical-mediated oxidation. *Food Chem* 143:246-255
- Ngo et al., 2015 Ngo DH, Kang KH, Ryu B, Vo TS, Jung WK, Byun HG, Kim SK (2015) Angiotensin-I converting enzyme inhibitory peptides from antihypertensive skate (*Okamejei kenojei*) skin gelatin hydrolysate in spontaneously hypertensive rats. *Food Chem* 174:37-43
- Nokthai, 2010 Nokthai P (2010) *Substrate specificity and active site comparison in molecular modeling of active sites of peroxidase and polyphenol oxidase*. M.S. Thesis. Chiang Mai University, Chiang Mai. pp. 29-31

- Oshima et al., 1979 Oshima G, Shimabukuro H, Nagasawa K (1979) Peptide inhibitors of angiotensin I-converting enzyme in digests of gelatin by bacterial collagenase. *Biochimica Biophysica Acta* 566:128-137
- Ovissipour et al., 2013 Ovissipour M, Rasco B, Shiroodi SG, Modanlow M, Gholami S, Nemati M (2013) Antioxidant activity of protein hydrolysates from whole anchovy sprat (*Clupeonella engrauliformis*) prepared using endogenous enzymes and commercial proteases. *J Sci Food Agric* 93:1718-1726
- Park et al., 2003 Park PJ, Je JY, Kim SK (2003) Angiotensin I converting enzyme (ACE) inhibitory activity of hetero-chitooligosaccharides prepared from partially different deacetylated chitosans. *J Agric Food Chem* 51:4930-4934
- Picker and Griffiths, 2011 Picker MD, Griffiths CL (2011) Alien and Invasive Animals – A South African Perspective. Randomhouse/Struik, Cape Town, South Africa 240 pp
- Pitija, 2009 Pitija K (2009) *Application of liquid chromatography-mass spectrometry and tandem mass spectrometry to the identification of anthocyanins in thai black rice cultivars*. M.S. Thesis. Chiang Mai University, Chiang Mai. pp. 51-52
- Pomponi SA, 1999 Pomponi SA (1999) The bioprocess-technological potential of the sea. *J Biotechnol* 70:5-13

- Prior et al., 2005 Prior RL, Wu X, Schaich K (2005) Standardized methods for the determination of antioxidant capacity and phenolics in foods and dietary supplements. *J Agric Food Chem* 53:4290-4302
- Raghavan and Kristinsson, 2009 Raghavan S, Kristinsson HG (2009) ACE-inhibitory activity of tilapia protein hydrolysates. *Food Chem* 117:582-588
- Saidi et al., 2014 Saidi S, Deratani A, Belleville MP, Amar RB (2014) Antioxidant properties of peptide fractions from tuna dark muscle protein by-product hydrolysate produced by membrane fractionation process. *Food Res Int* 65:329-336
- Saiga et al., 2003 Saiga A, Tanabe S, Nishimura T (2003) Antioxidant activity of peptides obtained from porcine myofibrillar proteins by protease treatment. *J Agric Food Chem* 51:3661-3667
- Sarmadi and Ismail, 2010 Sarmadi BH, Ismail A (2010) Antioxidative peptides from food proteins: A review. *Pept* 31:1949-1956
- Schmelzer et al., 2007 Schmelzer CEH, Schöps R, Reynell L, Ulbrich-Hofmann R, Neubert RHH, Raith K (2007) Peptic digestion of β -casein: Time course and fate of possible bioactive peptides. *J Chromatogr A* 1166:108-115
- Scolnick, 2001 Scolnick EM, *Drug discovery and design*, volume 56, Academic Press, 2001, pp. 22-32, ISBN: 0-12-034256-1

- Sharp et al., 2011 Sharp SI, Aarsland D, Day S, Sonnesyn H, Ballard C, Syst A (2011) Hypertension is a potential risk factor for vascular dementia: systematic review. *Int J Geriatr Psychiatry* 26:661-669
- Sies, 1993 Sies H (1993) Strategies of antioxidant defense. *Eur J Biochem* 215:213-219
- Sigma-Aldrich Sigma-Aldrich. Life Science. Metabolomics. Enzyme explorer. 2015 Analytical enzymes. Subtilisin [Online] Available from: <http://www.sigmaaldrich.com/life-science/metabolomics/enzyme-explorer/analytical-enzymes/subtilisin.html> (11 Sep 2015)
- Song et al., 2008 Song L, Li T, Yu R, Yan C, Ren S, Zhao Y (2008) Antioxidant activities of hydrolysates of *Arca subcrenata* prepared with three proteases. *Mar Drugs* 6:607-619
- Songchotikunpan et al., 2008 Songchotikunpan P, Tattiyakul J, Supaphol P (2008) Extraction and electrospinning of gelatin from fish skin. *Int J Biol Macromol* 42:247-255
- Tateing, 2012 Tateing S (2012) *Molecular docking and molecular dynamics simulations of bioactive compounds from andrographis paniculata against H1N1*. M.S. Thesis. Chiang Mai University, Chiang Mai. pp. 21-26
- Tavano, 2013 Tavano OL (2013) Protein hydrolysis using proteases: An important tool for food biotechnology. *J Mol Catal B: Enz* 90:1-11

- Thiansilakul et al., 2007 Thiansilakul Y, Benjakul S, Shahidi F (2007) Antioxidative activity of protein hydrolysate from round scad muscle using alcalase and flavourzyme. *J Food Biochem* 31:266-287
- Thitilertdecha, 2010 Thitilertdecha N (2010) *Extraction, isolation, purification, and structural identification of phenolic compounds from rambutan*. Ph.D thesis. Chiang Mai University, Chiang Mai. pp. 60-66
- Trott and Olson, 2010 Trott O, Olson AJ (2010) AutoDock Vina: improving the speed and accuracy of docking with a new scoring function, efficient optimization, and multithreading. *J Comput Chem* 31:455-461
- Vandanjon et al., 2009 Vandanjon L, Grignon M, Courois E, Bourseau P, Jaouen P (2009) Fractionating white fish fillet hydrolysates by ultrafiltration and nanofiltration. *J Food Eng* 95:36-44
- Vercruyse et al., 2005 Vercruyse L, Van CJ, Smagghie G (2005) ACE inhibitory peptides derived from enzymatic hydrolysates of animal muscle protein, a review. *J Agric Food Chem* 53:8106-8115
- Vo et al., 2011 Vo TS, Ngo DH, Kim JA, Ryu BM, Kim SK (2011) An antihypertensive peptide from tilapia gelatin diminishes free radical formation in murine microglial cells. *J Agric Food Chem* 59:12193-12197
- Wallace et al., 1995 LIGPLOT: a program to generate schematic diagrams of protein-ligand interactions. *Prot Eng* 8:127-134

- Watanabe-
Kamiyama et al.,
2010 Watanabe-Kamiyama M, Shimizu M, Kamiyama S, Taguchi Y, Sone H, Morimatsu F, Shirakawa H, Furukawa Y, Komai M (2010) Absorption and effectiveness of orally administered low molecular weight collagen hydrolysate in rats. *J Agric Food Chem* 58:835-841
- Westermeier and
Naven, 2002 Westermeier R, Naven T (2002) *Proteomics in practice: A laboratory manual of proteome analysis*. Weinheim: Wiley-VCH Verlag-GmbH. 316 p.
- Winterbourn, 1995 Winterbourn CC (1995) Toxicity of iron and hydrogen peroxide: the Fenton reaction. *Toxicol Lett* 82/83:969-974
- Worthington 2015 Worthington Biochemical Corporation. Neutral Protease (Dispase) [Online] Available from: <http://www.worthington-biochem.com/DISP/> (11 Sep 2015)
- Yang et al., 2008 Yang JI, Ho HY, Chu YJ, Chow CJ (2008) Characteristic and antioxidant activity of retorted gelatin hydrolysates from cobia (*Rachycentron canadum*) skin. *Food Chem* 110:128-136
- Yang et al., 2009 Yang JI, Liang WS, Chow CJ, Siebert KJ (2009) Process for the production of tilapia retorted skin gelatin hydrolysates with optimized antioxidative properties. *Process Biochem* 44:1152-1157
- Zhang et al., 2008 Zhang YX, Zou AH, Manchu RG, Zhou YC, Wang SF (2008) Purification and antimicrobial activity of antimicrobial protein from brown-spotted grouper, *Epinephelus fario*. *J Zool Syst Evol Res* 29:627-632

- Zhang et al., 2012 Zhang Y, Duan X, Zhuang Y (2012) Purification and characterization of novel antioxidant peptides from enzymatic hydrolysates of tilapia (*Oreochromis niloticus*) skin gelatin. Pept 38:13-21
- Zhang et al., 2013 Zhang Y, Olsen K, Grossi A, Otte J (2013) Effect of pretreatment on enzymatic hydrolysis of bovine collagen and formation of ACE-inhibitory peptides. Food Chem 141:2343-2354
- Zhao et al., 2009 Zhao Y, Li B, Dong S, Liu Z, Zhao X, Wang J, Zeng M (2009) A novel ACE inhibitory peptide isolated from *Acaudina molpadioidea* hydrolysate. Pept 30:1028-1033
- Zhou et al., 2013 Zhou P, Yang C, Ren Y, Wang C, Tian F (2013) What are the ideal properties for functional food peptides with antihypertensive effect? A computational peptidology approach. Food Chem 114:2967-2973
- Zhuang and Sun,
2011 Zhuang Y, Sun L (2011) Preparation of reactive oxygen scavenging peptides from tilapia (*Oreochromis niloticus*) skin gelatin: optimization using response surface methodology. J Food Sci 76:483-489