

REFERENCES

- [Ammonia, 2015] “Ammonia,” Website: http://www.waterboards.ca.gov/water_issues/programs/swamp/docs/cwt/guidance/3310en.pdf, 15 July 2015.
- [Borman, 2009] C.J. Borman, B.P. Sullivan 1, C.M. Eggleston , P.J.S. Colberg, “The use of flow-injection analysis with chemiluminescence detection of aqueous ferrous iron in waters containing high concentrations of organic compounds,” *Sensors*, 9, 2009, 4390-4406.
- [Cerdea, 2014] V. Cerda, L. Ferrer, J. Avivar, A. Cerda, “*Flow Analysis: A Practical Guide*,” Elsevier B.V., 2014, pp. 9-14, ISBN: 978-0-444-59596-6.
- [Chaturvedi , 2012] S. Chaturvedi, P.N. Dave, “Removal of iron for safe drinking water,” *Desalination*, 303, 2012, 1–11.
- [Cho, 2005] B.Y. Cho, “Iron removal using an aerated granular filter,” *Process Biochemistry*, 40, 2005, 3314–3320.
- [Cladera, 1995] A. Cladera, C. Tomàs, E. Gómez, J.M. Estela, V. Cerdà, “A new instrumental implementation of sequential injection analysis,” *Analytica Chimica Acta*, 302, 1995, 297-308.
- [Colorimetric analysis, 2015] “Colorimetric analysis,” Website: https://en.wikipedia.org/wiki/Colorimetric_analysis, 7 July 2015.
- [Colter , 2006] A. Colter, R.L. Mahler, “Iron in drinking water,” Website: <http://www.cals.uidaho.edu/edComm/pdf/pnw/pnw589.pdf>, 7 July 2015.

- [Correll, 1998] D.L. Correll, "The role of phosphorus in the eutrophication of receiving waters: A review," *Journal of Environmental Quality*, 27, 1998, 261-266.
- [Deming, 2003] S.N. Deming, Y. Michotte, D.L. Massart, L. Kaufman, B.G.M. Vandeginste, "Chemometrics: A Textbook: A Textbook," Elsevier B.V., 2003, pp. 107, ISBN: 0-444-42660-4.
- [Dvorak, 2014] B.I. Dvorak, S.O. Skipton, W. Woldt, "Drinking water: Iron and manganese," University of Nebraska, 2014.
- [Environmental Services, 2003] Environmental Services, "Iron and/or manganese in drinking water," Website: <http://des.nh.gov/organization/commissioner/pip/factsheets/dwgb/documents/dwgb-3-8.pdf>, 7 July 2015.
- [Frank, 2006] C. Frank, F. Schroeder, R. Ebinghaus, W. Ruck, "Using sequential injection analysis for fast determination of phosphate in coastal waters," *Talanta*, 70, 2006, 513–517.
- [Farland, 1914] M.L. M. Farland, M.C. Dozier, "Drinking water problems: iron and manganese," Website: <http://soiltesting.tamu.edu/publications/L-5451.pdf>, 15 July 2015.
- [Galhardo, 2000] C.X. Galhardo, J.C. Masini, "Spectrophotometric determination of phosphate and silicate by sequential injection using molybdenum blue chemistry," *Analytica Chimica Acta*, 417, 2000, 191–200.
- [Galhardo, 2001] C.X. Galhardo, J.C. Masini, "Sequential injection analysis as a tool for in situ monitoring of Fe(II), Fe(III), NO_3^- and NO_2^- in natural and waste waters," *Analytica Chimica Acta*, 438, 2001, 39–48.

- [Gao, 2013] X. Gao, Y. Sun, G. Zhu, J. Fan, "A green method for the determination of chromium(VI) and iron(III) in water by sequential injection analysis and spectrophotometric detection," *Instrumentation Science and Technology*, 41, 2013, 500–511.
- [Glennie, 2002] E.B. Glennie, C. Littlejohn, A. Gendebien, A. Hayes, R. Palfrey, D. Sivil, K. Wright, "Phosphates and alternative detergent builders," 2002.
- [Important water quality factors, 2007] "Important water quality factors," Website: <http://www.h2ou.com/h2wtrqual.htm>. 15 July 2015.
- [Infante, 2011] C.M.C. Infante, J.C. Masini, A.C.V. dos Santos, "Development of a spectrophotometric sequential injection analysis (SIA) procedure for determination of ammonium: A response surface methodology (RSM) approach," *Microchemical Journal*, 98, 2011, 97–102.
- [Iron & manganese in groundwater, 2007] "Iron & manganese in groundwater," Website: https://www.for.gov.bc.ca/hfd/library/documents/bib106076_iron_manganese.pdf, 7 July 2015.
- [Khlyntseva, 2011] S.V. Khlyntseva, A.B. Vishnikin, M.K.E.A. Al-Shwaiyat, H. Sklenárová, P. Solich, Y.R. Bazel, V. Andruch, "Sequential injection determination of orthophosphate as ion associate of 12-molybdophosphate with Astra Phloxine," *Talanta*, 84, 2011, 1355–1360.
- [Koçer, 2014] M.A.T. Koçer, H. Sevgili, "Parameters selection for water quality index in the assessment of the environmental impacts of land-based trout farms," *Ecological Indicators*, 36, 2014, 672–681.

- [Kozak, 2015] J. Kozak, J. Paluch, A. Węgrzecka, M. Kozak, M. Wieczorek, J. Kochana, P. Kościelniak, "Single peak parameters technique for simultaneous measurements: Spectrophotometric sequential injection determination of Fe(II) and Fe(III)," *Talanta*, Article in press, Corrected Proof, accepted 20 June 2015, doi:10.1016/j.talanta.2015.06.040.
- [Lebel, 2009] L. Lebel, P. Garden, N. Subsin, S. Na Nan, "Averted crises, contested transitions: water management in the Upper Ping River basin, northern Thailand," Website: http://www.sea-user.org/download_pubdoc.php?doc=3761, 4 July 2015.
- [Lemley, 2005] A.T. Lemley, J.J. Schwartz, L.P. Wagenet, "Iron and manganese in household drinking water," 2005, 1-5.
- [Mae Ping River , 2008] "Mae Ping River: Lifeline of Chiang Mai Province," Website: http://www.chiangmai-chiangrai.com/mae_ping_river.html, 4 July 2015.
- [Mas-Torres, 2004] F. Mas-Torres, J.M. Estela, M. Miró, A. Cladera, V. Cerdà. "Sequential injection spectrophotometric determination of orthophosphate in beverages, wastewaters and urine samples by electrogeneration of molybdenum blue using tubular flow-through electrodes," *Analytica Chimica Acta*, 510, 2004, 61–68.
- [Mesquita, 2013] R.B.R. Mesquita, R. Suárez, V. Cerdà, M. Rangel, A.O.S.S. Rangel, "Exploiting the use of 3,4-HPO ligands as nontoxic reagents for the determination of iron in natural waters with a sequential injection approach," *Talanta*, 108, 2013, 38–45.
- [Mesquita, 2009] R.B.R. Mesquita, A.O.S.S. Rangel, "A review on sequential injection methods for water analysis," *Analytica Chimica Acta*, 648, 2009, 7–22.

- [Mesquita,2011] Raquel B.R. Mesquita, M. Teresa S.O.B. Ferreira, Ildikó V. Tóth, Adriano A. Bordalo, Ian D. McKelvie, António O.S.S. Rangel, “Development of a flow method for the determination of phosphate in estuarine and freshwaters—Comparison of flow cells in spectrophotometric sequential injection analysis,” *Analytica Chimica Acta* 701 (2011) 15 - 22.
- [Mirabó, 2009] F.M.B. Mirabó, R. Forteza, V. Cerdà, “A multisyringe sequential injection method for monitoring water in the energy cogeneration system of a municipal waste incinerator,” *Talanta*, 79, 2009, 1011–1020.
- [Mosmann, 1983] T. Mosmann, “Rapid colorimetric assay for cellular growth and survival: application to proliferation and cytotoxicity assays.” *Journal of Immunological Methods*, 65, 1983, 55 - 63.
- [Napattalung, 1997] M. Napattalung, “Quality of running water in some areas of Chiang Mai based on chemical criteria,” Master's Thesis Department of Science Environmental Risk Assessment for Tropical Ecosystems, Graduate School, Chiang Mai University, 1997.
- [Ohno, 2006] S. Ohno, N. Teshima, T. Sakai, K. Grudpan, M. Polasek, “Sequential injection lab-on-valve simultaneous spectrophotometric determination of trace amounts of copper and iron,” *Talanta*, 68,2006, 527–534.
- [Oms, 1996] M.T. Oms, A. Cerdà, A. Cladera, V. Cerdà, R. Forteza, “Gas diffusion techniques coupled sequential injection analysis for selective determination of ammonium,” *Analytica Chimica Acta*, 318, 1996, 251-260.
- [Orion Colorimetry Theory, 2015] “Orion Colorimetry Theory,” Website: <http://www.evisdom.com/pdf/1100510011.pdf>, 7 July 2015.

- [Pollution Control Department of Thailand] “Water quality standards ,” Website:
http://www.pcd.go.th/info_serv/reg_std_water05.html, 10 December 2015.
- [Pragourpun, 2015] K. Pragourpun, U. Sakee, C. Fernandez, S. Kruanetr,
“Deferiprone, a non-toxic reagent for determination of iron in samples
via sequential injection analysis,” *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 142, 2015, 110–117.
- [Rahman, 2004] Md.M. rahman, K. Fujinaga, Y. Seike, M. Okumura, “A simple in
situ visual and tristimulus colorimetric method for the determination
of trace arsenic in environmental water after its collection on a
mercury(II)-impregnated paper,” *Analytical Sciences*, 20, 2004, 165
170.
- [Reda, 2012] A.G. Reda, N.K. Tripathi, P. Soni, T. Tipdecho, C.Vaddhanaphuti,
“Climate variability Ping river basin, northern Thailand,” 4th
International Conference of GIT4NDM, 7-8 November 2012,
Colombo, Sri Lanka.
- [Saetear, 2013] P. Saetear, K. Khamtau, N. Ratanawimarnwong, K. Sereenonchai,
D. Nacapricha, “Sequential injection system for simultaneous
determination of sucrose and phosphate in cola drinks using paired
emitter-detector diode sensor,” *Talanta*, 115, 2013, 361–366.
- [Sánchez, 2007] E. Sánchez, M.F. Colmenarejo, J. Vicente, A. Rubio, M.G. García, L.
Travieso, R. Borja, “Use of the water quality index and dissolved
oxygen deficit as simple indicators of watersheds pollution,”
Ecological Indicators, 7, 2007, 315–328.
- [Shakhashir, 2008] Shakhashir, “Ammonia,” Website: <http://scifun.chem.wisc.edu/chemweek/pdf/ammonia.pdf>, 15 July 2015.

- [Somnam, 2008] S. Somnam, K. Grudpan, J. Jakmune, "Hydrodynamic sequential injection spectrophotometric system for determination of manganese in soil," *Spectroscopy Letters*, 41, 2008, 221–227.
- [Standard Methods for the Examination of Water and Wastewater] Standard Methods for the examination of water and wastewater, 19th edition, APHA, AWWA, WEF, 1995.
- [Staden, 2004] J.F. van Staden, R.E. Taljaard, "Determination of lead(II), copper(II), zinc(II), cobalt(II), cadmium(II), iron(III), mercury(II) using sequential injection extractions," *Talanta*, 64, 2004, 1203–1212.
- [Staden, 2003] J.F. van Staden, L.V. Mulaudzi, R.I. Stefan, "Speciation of Mn(II) and Mn(VII) by on-line spectrophotometric sequential injection analysis," *Analytica Chimica Acta*, 499, 2003, 129–137.
- [Staden, 1997] J.F. van Staden, R.E. Taljaard, "Determination of ammonia in water and industrial effluent streams with the indophenol blue method using sequential injection analysis," *Analytica Chimica Acta*, 344, 1997, 281–289.
- [Themelis, 2004] D.G. Themelis, A. Economou, A. Tsiomlektsis, P.D. Tzanavaras, "Direct determination of phosphate in urine by sequential-injection analysis with single on-line dilution–calibration method and photometric detection," *Analytical Biochemistry*, 330, 2004, 193–198.
- [The National Environmental Board, 1994] Notification of the National Environmental Board, "Surface Water Quality Standards," No. 8, B.E. 2537, 1994, issued under the Enhancement and Conservation of National Environmental Quality Act B.E.2535, 1992.
- [Traichaiyaporn, 2008] S. Traichaiyaporn, C. Chitmanat, "Water quality monitoring in upper Ping river, Thailand," *Journal of Agriculture Social Sciences*, 4, 2008, 31–34.

- [Trilogy, 2015] Trilogy laboratory fluormeter, "Phosphate," Website: <http://www.turnerdesigns.com/t2/doc/appnotes/S-0077.pdf>, 15 July 2015.
- [Vickers, 1987] T.J. Vickers, Physical method in modern chemical analysis, T. Kuwana, Academic Press Inc, 1978, pp.238, ISBN: 0-12-430801-5 (v.1).
- [Water Reuse Center, 2014] Water Reuse Center, "Water quality," website: http://www.softwarethai.co.th/waterreusecenter/index.php?option=com_content&view=article&id=88%3A2013-06-14-16-01-43&catid=14%3Agis&Itemid=21, 30 September 2014.
- [WHO, 2003] WHO, "Iron in drinking-water," Website: http://www.who.int/water_sanitation_health/dwq/chemicals/iron.pdf, 7 July 2015.
- [WHO, 1996] WHO, "Ammonia in drinking-water," website: http://www.who.int/water_sanitation_health/dwq/ammonia.pdf, 15 July 2015.
- [WTW, 2003] WTW, "Phosphate Measurements," Website: http://www.wtw.de/fileadmin/upload//Kataloge/Online/US/Onl_062_069_Phosphate_445-KB_US-pdf.pdf, 15 July 2015.
- [Zagatto, 2012] E.A.G. Zagatto, C.C. Oliveira, A. Townshend, P.J. Worsfold, Flow Analysis with Spectrophotometric and Luminometric Detection, Elsevier, 2012, pp. 174-178, ISBN: 978-0-12-385924-2.