

CONTENTS

| | Page |
|-------------------------------------------------------------|------|
| Acknowledgement | c |
| Abstract in Thai | d |
| Abstract in English | f |
| List of Tables | k |
| List of Figures | l |
| List of Abbreviations | p |
| Chapter 1 Introduction | 1 |
| 1.1 Background | 1 |
| 1.2 Research Objective | 2 |
| 1.3 Research Scopes | 2 |
| 1.4 Educational Advantage | 2 |
| 1.5 Thesis Organization | 2 |
| Chapter 2 Literature Reviews and Related Literatures | 3 |
| 2.1 Basic Knowledge of Ultrasound Physics | 3 |
| 2.1.1 Image Creation | 4 |
| 2.2. Ultrasound Scanning of Fetal Heart | 5 |
| 2.3. Cardiomegaly | 8 |
| 2.4. Hemoglobin Bart's Disease | 9 |
| 2.5. Related literature | 9 |
| Chapter 3 Related Theories | 11 |
| 3.1. Digital Image Conversion | 11 |

| | |
|----------------------------------------------------------------------------|----|
| 3.2. Morphological Image Processing | 11 |
| 3.2.1 Dilation | 12 |
| 3.2.2 Erosion | 13 |
| 3.2.3 Opening | 14 |
| 3.2.4 Closing | 14 |
| 3.2.5 Labeling Connected Components | 15 |
| 3.3. Thresholding | 16 |
| 3.4. Image Rotation | 17 |
| 3.5. Optical Flow | 17 |
| 3.6. Optimal Thresholding | 20 |
| 3.7. Median Filtering | 21 |
| 3.8. Possibilistic C-means Algorithm | 21 |
| 3.9. Patch-Base Possibilistic C-means | 23 |
| Chapter 4 Research Designs and Methods | 24 |
| 4.1 Finding the Heart Reference Position | 26 |
| 4.2 Ribs' Position Determination | 27 |
| 4.3 Transverse Diameter (Td) Measurement | 28 |
| 4.4 Find Frames within End-diastolic and End-systolic Stage | 29 |
| 4.5 Heart Structure Segmentation | 31 |
| 4.6 Cardiac Diameter (Cd) Measurement | 33 |
| Chapter 5 Results and Discussion | 38 |
| 5.1 Result of Finding Heart Reference Position | 38 |
| 5.2 Result of Ribs' Position Determination | 39 |
| 5.3 Result of Transverse Diameter (Td) Measurement | 40 |
| 5.4 Result of Frames Selection within End-diastolic and End-systolic Stage | 46 |
| 5.5 Result of Heart Structure Segmentation | 51 |
| 5.6 Result of the Biggest Heart Frame Selection | 57 |
| 5.7 Result of Cardiac Diameter (Cd) measurement | 61 |

| | |
|-----------------------------------------------|----|
| 5.8 Result of Cardiothoracic Ratio (CT ratio) | 66 |
| 5.9 Result of Cardiomegaly Diagnosis | 70 |
| Chapter 6 Conclusion | 80 |
| References | 83 |
| List of Publications | 87 |
| Curriculum Vitae | 88 |



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved

LIST OF TABLES

| | Page |
|-------------------------------------------------------------------------------------------------------------------------------|------|
| Table 5.1 Results of Transverse diameter (Td) compared with 2 experts | 40 |
| Table 5.2 Result of selected frames in end-diastolic and end-systolic stages | 47 |
| Table 5.3 Example of end-diastolic frames differently selected by our proposed method compare with expert's selected frames | 50 |
| Table 5.4 Example result of heart structure determination on the selected frames within end-diastolic and end-systolic stages | 51 |
| Table 5.5 Segmentation error (Eseg) | 53 |
| Table 5.6 Result of the biggest heart frame number selection compared with 2 experts | 57 |
| Table 5.7 Result of cardiac diameter of our proposed method compared with 2 experts | 62 |
| Table 5.8 Result of CT ratio compared with 2 experts | 67 |
| Table 5.9 Confusion matrix of cardiomegaly detection from 99 patients compared to expert 1 | 71 |
| Table 5.10 Confusion matrix of cardiomegaly detection from 75 patients compared to expert 2 | 71 |
| Table 5.11 Result of cardiomegaly diagnosis compared with 2 experts | 71 |
| Table 5.12 The result of CT ratio and cardiomegaly diagnosis after new calculation to improve the value of Td and Cd | 75 |

LIST OF FIGURES

| | Page |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| Figure 2.1 Ultrasound device function by changing electrical signals to mechanical vibration and from mechanical vibration to electrical signals | 4 |
| Figure 2.2 Traveling of wave in human tissues | 4 |
| Figure 2.3 Acoustic impedance reflex from different density of objects | 5 |
| Figure 2.4 Standardized transverse scanning planes for fetal echocardiography | 6 |
| Figure 2.5 Four-chamber view of the fetal heart | 7 |
| Figure 2.6 Four-chamber view (FCV) of a normal fetus heart showing the positions of cardiac diameter (Cd), and transverse diameter (Td) | 7 |
| Figure 3.1 Dilation methodology, (a) rectangular object in the original image, (b) structuring element, (c) structuring element moved and translated to all 1-value pixel locations on the image, (d) output image | 12 |
| Figure 3.2 Erosion methodology, (a) original image with rectangular object, (b) structuring element, (c) structuring element translated to several locations on the image, (d) output image | 13 |
| Figure 3.3 Opening methodology, (a) set A and disk structuring element B , (b) translation of B that fits completely within set A , (c) the complete opening (gray color) | 14 |
| Figure 3.4 Closing methodology, (a) set A and structuring element B , (b) translation of B outside A , (c) the complete closing (gray color) | 15 |
| Figure 3.5 Connected components, (a) four objects of 4- connected components, (b) two objects of 8-connected components, (c) label matrix result by using 4-connectivity, (d) label matrix result by using 8-connectivity | 16 |
| Figure 3.6 Choosing a threshold (T) by visually analyzing a bimodal histogram | 17 |
| Figure 3.7 The partial derivatives of image brightness at the point (i, j) | 18 |
| Figure 3.8 The diagram of patch-based PCM | 23 |

| | | |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| Figure 4.1 | Flowchart of automatic cardiomegaly detection algorithm | 25 |
| Figure 4.2 | Original fetal heart ultrasound image (a) and the diagram shows the details in the image (b) | 26 |
| Figure 4.3 | Image of each step for finding heart reference position and ROI1, (a) example of magnitude velocity field, (b) additional result of all binarized magnitude velocity field images, (c) detected heart reference position, (d) ROI1 in a circular area and (e) ROI1 in ultrasound image background | 27 |
| Figure 4.4 | Rib1 and Rib2 of the same ultrasound image shown in figure 4.2(a) | 28 |
| Figure 4.5 | Method of Td measurements, (a) fitted circle to ribs, (b) determined arc lines and center of them, (c) found center and angle of line between center of the arc lines, (d) rotated line between center of arc lines to horizontal plane and measured Td | 28 |
| Figure 4.6 | Graph of average magnitude velocity fields inside ROI1 of a 20 frames/second ultrasound video. | 29 |
| Figure 4.7 | Images show steps of heart structure determination, (a) positions of d_1 , d_2 and ROI2 on ultrasound image back ground, (b) gray color density clustered by PCM in ROI2, (c) image of noise around heart structure, (d) heart structure after removing noise, (e) centroid position of the heart structure | 32 |
| Figure 4.8 | Method of finding average IVS line (a) image of degree template, (b) example of heart structure, (c) template angle which do not overlap to heart structure, (d) biggest part after cut around center and the middle angle, (e) IVS line of each heart structure, (f) adding IVS angle plus 180 degree, a new IVS line, (g) Cd length in arrow line | 34 |
| Figure 5.1 | Example result of finding heart reference position, (a) an original first frame, (b) addition result of all binarized magnitude velocity field images, (c) heart reference position, (d) ROI1 is an area inside the circle, (e) ROI1 on original image frame | 39 |

| | | |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| Figure 5.2 | Example results of ribs' position determination, (a) objects left after threshold, (b) rib 1 and rib 2 positions, (c) Td position and (d) selected ROI2 | 40 |
| Figure 5.3 | Td error from video number 44, (a) original ultrasound image and rib position, (b) the result of adaptive threshold following method from section 4.2, (c) the incomplete ribs selected by the program, (d) wrong Td position on incomplete ribs, (e) wrong Td position on ultrasound image and (f) Td position from expert | 44 |
| Figure 5.4 | Td error from video number 98, (a) original ultrasound image, (b) result of adaptive threshold following method from section 4.2, (c) program selected other object as ribs, (d) Td position from wrong ribs, (e) wrong Td position on ultrasound image and (f) Td position from expert | 45 |
| Figure 5.5 | Td error from video number 65, (a) original ultrasound image, (b) result of adaptive threshold following method from section 4.2, (c) program selected other object as ribs, (d) Td position from wrong ribs, (e) wrong Td position on ultrasound image and (f) Td position from expert | 46 |
| Figure 5.6 | Example of heart structure segmentation result in the biggest heart frame compare with expert, (a) expert segmentation result, (b) our proposed method segmentation result, (c) non-heart structure from expert segmentation but our proposed method assigns them to heart structure, (d) heart structure from expert segmentation but our proposed method assigns them to non-heart structure | 52 |
| Figure 5.7 | Example of error of heart structure segmentation from video number 70, (a) original ultrasound image, (b) our proposed method segmentation result, (c) expert segmentation result, (d) non-heart structure from expert segmentation but our proposed method assigns them to heart structure, (e) heart structure from expert segmentation but our proposed method assigns them to non-heart structure | 56 |

- Figure 5.8 Example of bigger atrium at end-systolic stage than ventricle at end-diastolic stage of patient number 58, (a) size of atrium in frame number 46 at end-systolic stage , (b) size of ventricle in frame number 35 at end-diastolic stage 61
- Figure 5.9 Example of position of IVS, Cd and Td on original image (a) IVS positioned by expert, (b) IVS position indicated by proposed method, (c) Td and Cd positions indicated by expert, (d) Td and Cd positions indicated by proposed method 61
- Figure 5.10 An example of patient number 54 with small Cd, (a) small heart size (in dashed circle) in the image, (b) result of heart structure before removing noise and (c) small heart structure after removing noise 66
- Figure 5.11 An example of patient number 41 with too big Cd, (a) original ultrasound image, (b) result of heart structure before removing noise and (c) high Cd value due to un-remove noise 66

LIST OF ABBREVIATIONS

| | |
|----------|-------------------------|
| CT ratio | Cardiothoracic Ratio |
| Cd | Cardiac Diameter |
| Td | Transverse Diameter |
| IVS | Interventricular Septum |
| ROI | Region of Interest |
| PCM | Possibilistic C-means |



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved