

REFERENCES

- [Abdel Aal, 2008] Abdel Aal, A., Barakat, M.A., Mohamed, R.M. 2008. Electrophoreted Zn–TiO₂–ZnO nanocomposite coating films for photocatalytic degradation of 2-chlorophenol. *Applied Surface Science*, 254(15), 4577-4583.
- [Apel, 2012] Apel, E., Ritzberger, C., Courtois, N., Reveron, H., Chevalier, J., Schweiger, M., Rothbrust, F., Rheinberger, V.M., Höland, W. 2012. Introduction to a tough, strong and stable Ce-TZP/MgAl₂O₄ composite for biomedical applications. *Journal of the European Ceramic Society*, 32(11), 2697-2703.
- [Barakat, 2005] Barakat, M.A., Schaeffer, H., Hayes, G., Ismat-Shah, S. 2005. Photocatalytic degradation of 2-chlorophenol by Co-doped TiO₂ nanoparticles. *Applied Catalysis B: Environmental*, 57(1), 23-30.
- [Bertelli, 2006] Bertelli, M., Selli, E. 2006. Reaction paths and efficiency of photocatalysis on TiO₂ and of H₂O₂ photolysis in the degradation of 2-chlorophenol. *Journal of Hazardous Materials*, 138(1), 46-52.
- [Borji, 2014] Borji, Saeedeh Hemmati, Simin Nasseri, Amir Hossein Maahvi, Ramin Nabizadeh, and Amir Hossein Javadi. 2014. “Investigation of photocatalytic degradation of phenol by Fe(III)-doped TiO₂ and TiO₂ particles.” *Journal of Environmental Health Science & Engineering*. 12:101.
- [Brundle, 1992] Brundle, C. R.; Evans, Jr. C. A. and Wilson, S., 1992. “Encyclopedia of Materials Characterization. Surfaces, Interfaces, Thin Films”. Butterworth-Heinemann, Reed Publishing Inc., USA.

- [Chen, 2009] Chen, L. C.; Ho, Y. C.; Guo, W. S.; Huang, C. M. and Pan, T. C., 2009. “Enhanced visible light-induced photoelectrocatalytic degradation of phenol by carbon nanotube-doped TiO₂ electrodes”. *Electrochimica Acta*. Vol. 54, p. 3884 –3891.
- [Chen, 2012] Chen, X., Wang, H., Gao, S., Wu, Z. 2012. Effect of pH value on the microstructure and deNOx catalytic performance of titanate nanotubes loaded CeO₂. *Journal of Colloid and Interface Science*, 377(1), 131-136.
- [Christoforidis, 2012] Christoforidis, Konstantinos C., Santiago J.a. Figueroa, and Marcos Fernández-García. 2012. “Iron–sulfur codoped TiO₂ anatase nano-materials: UV and sunlight activity for toluene degradation.” *Applied Catalysis B: Environmental* 117-118:310-316.
- [Czaplicka, 2006] Czaplicka, M., Kaczmarczyk, B. 2006. Infrared study of chlorophenols and products of their photodegradation. *Talanta*, 70(5), 940-949.
- [D'Auria, 2011] D'Auria, M. 2011. Chapter 2 - Photochemical and Photophysical Behavior of Thiophene. in: *Advances in Heterocyclic Chemistry*, (Ed.) R.K.F.R.S. Alan, Vol. Volume 104, Academic Press, pp. 127-390.
- [Datye, 1995] Datye, A. K., Riegel, G., Bolton, J. R., Huang, M., Prairie, M. R. 1995. Microstructure characteristic of fumed titanium dioxide photocatalyst. *Journal of Solid State Chemistry*. 115 (1995): 236-239.
- [Doong, 2001] Doong, R.-A., Chen, C.-H., Maithreepala, R.A., Chang, S.-M. 2001. The influence of pH and cadmium sulfide on the photocatalytic degradation of 2-chlorophenol in titanium dioxide suspensions. *Water Research*, 35(12), 2873-2880.

- [Elsalamony, 2012] Elsalamony, R.A., Mahmoud, S.A. 2012. Preparation of nanostructured ruthenium doped titania for the photocatalytic degradation of 2-chlorophenol under visible light. *Arabian Journal of Chemistry*(0).
- [Fan, 2006] Fan, C., Xue, P., Sun, Y. 2006. Preparation of Nano-TiO₂ Doped with Cerium and Its Photocatalytic Activity. *Journal of Rare Earths*, 24(3), 309-313.
- [Farooq, 2009] Farooq, M., Raja, I.A., Pervez, A. 2009. Photocatalytic degradation of TCE in water using TiO₂ catalyst. *Solar Energy*, 83(9), 1527-1533.
- [Fitzsimmons, 2015] Fitzsimmons, J.M., Mausner, L. 2015. Production scale purification of Ge-68 and Zn-65 from irradiated gallium metal. *Applied Radiation and Isotopes*, 101(0), 60-64.
- [Furukawa, 2008] Furukawa, K., Fujihara, H. 2008. Microbial degradation of polychlorinated biphenyls: Biochemical and molecular features. *Journal of Bioscience and Bioengineering*, 105(5), 433-449.
- [He, 2013] He, Z., Cai, Q., Fang, H., Situ, G., Qiu, J., Song, S., Chen, J. 2013. Photocatalytic activity of TiO₂ containing anatase nanoparticles and rutile nanoflower structure consisting of nanorods. *Journal of Environmental Sciences*, 25(12), 2460-2468.
- [He, 2011] He, Z., Wang, C., Wang, H., Hong, F., Xu, X., Chen, J., Song, S. 2011. Increasing the catalytic activities of iodine doped titanium dioxide by modifying with tin dioxide for the photodegradation of 2-chlorophenol under visible light irradiation. *Journal of Hazardous Materials*, 189(1–2), 595-602.

- [Herrmann, 2010] Herrmann, Jean-Marie. 2010. “Fundamentals and Misconceptions in Photocatalysis.” *Journal of Photochemistry and Photobiology A: Chemistry* 216:85-93.
- [Hung, 2009] Hung, C.-M. 2009. The effect of the calcination temperature on the activity of Cu–La–Ce composite metal catalysts for the catalytic wet oxidation of ammonia solution. *Powder Technology*, 191(1–2), 21-26.
- [Ilisz, 2002] Ilisz, I., Dombi, A., Mogyorósi, K., Farkas, A., Dékány, I. 2002. Removal of 2-chlorophenol from water by adsorption combined with TiO₂ photocatalysis. *Applied Catalysis B: Environmental*, 39(3), 247-256.
- [Juang, 2013] Juang, L.-C., Semblante, G.U., You, S.-J., Hong, S.-H. 2013. Degradation of 2-chlorophenol using carbon nanotube/titanium oxide composite prepared by hydrothermal method. *Journal of the Taiwan Institute of Chemical Engineers*, 44(3), 432-437.
- [Kim, 2008] Kim, K.N. and Hoffmann, M.R., 2008. “Heterogeneous photocatalytic degradation of ethylene glycol and propylene glycol”. *Korean Journal of Chemical Engineering*, Vol. 25, No. 1, p. 89 – 94.
- [Kiriakidou, 1999] Kiriakidou, Fotini, Dimitris I Kondarides, and Xenophon E Verykios. 1999. “The effect of operational parameters and TiO₂-doping on the photocatalytic degradation of azo-dyes.” *Catalysis Today* 54:119-130.
- [Kumar, 2015] Kumar, P.A., Jeong, Y.E., Gautam, S., Ha, H.P., Lee, K.J., Chae, K.H. 2015. XANES and DRIFTS study of sulfated Sb/V/Ce/TiO₂ catalysts for NH₃-SCR. *Chemical Engineering Journal*, 275(0), 142-151.

- [Ku, 2006] Ku, Y., Lee, Y.-C., Wang, W.-Y. 2006. Photocatalytic decomposition of 2-chlorophenol in aqueous solution by UV/TiO₂ process with applied external bias voltage. *Journal of Hazardous Materials*, 138(2), 350-356.
- [Ku, 1996] Ku, Y.; Leu, R. M. and Lee, K. C. 1996. "The effect of dissolved oxygen on the treatment of 2-chlorophenol in aqueous solution by the UV/TiO₂ process". *Journal of the Chinese Institute of Environmental Engineering*. Vol. 6, No. 1, p. 43 – 49.
- [Matějová, 2013] L. Matějová, V. Valeš, R. Fajgar, Z. Matěj, V. Holý, O. Solcová, J. Solid State Chem.198 (2013) 485–495.
- [Li, 2015] Li, F., Yang, J., Liao, J., Li, S., Liao, J., Prabhu, R., Williams, L.N., Yang, Y., Tang, J., Liu, N. 2015a. Direct synthesis of carbon-based microtubes by hydrothermal carbonization of microorganism cells. *Chemical Engineering Journal*, 276(0), 322-330.
- [Li, 2015] Li, P., Liu, Z., Ma, F., Shi, Q., Guo, Z., Wu, W. 2015b. Effects of pH, ionic strength and humic acid on the sorption of neptunium(V) to Na-bentonite. *Journal of Molecular Liquids*, 206(0), 285-292.
- [Lin, 2006] Lin, H., Huang, C.P., Li, W., Ni, C., Shah, S.I., Tseng, Y.-H. 2006. Size dependency of nanocrystalline TiO₂ on its optical property and photocatalytic reactivity exemplified by 2-chlorophenol. *Applied Catalysis B: Environmental*, 68(1–2), 1–11.
- [Lu, 1993] Lu, M. C.; Roam, G. D.; Chen, J. N. and Huang, C. P., 1993. "Factors affecting thephotocatalytic degradation of dichlorvos over titanium dioxide supported on glass". *Journal of Photochemistry and Photobiology A: Chemistry*. Vol. 76, p. 103 – 110.

- [Mozia, 2009] Mozia, S., Morawski, A.W., Toyoda, M., Inagaki, M. 2009. Application of anatase-phase TiO₂ for decomposition of azo dye in a photocatalytic membrane reactor. *Desalination*, 241(1–3), 97-105.
- [Nikolić, 2011] Nikolić, L.M., Milanović, M., Nedić, S., Giannakopoulos, K., Kontos, A.G. 2011. Hydrothermal conversion of Nb-anatase nanoparticles into layered titanates. *Ceramics International*, 37(1), 111-117.
- [Ortiz, 2012] Ortiz de la Plata, G.B., Alfano, O.M., Cassano, A.E. 2012. 2-Chlorophenol degradation via photo Fenton reaction employing zero valent iron nanoparticles. *Journal of Photochemistry and Photobiology A: Chemistry*, 233(0), 53-59.
- [Padmini, 2013] Padmini, E., Miranda, L.R. 2013. Nanocatalyst from sol-sol doping of TiO₂ with Vanadium and Cerium and its application for 3,4 Dichloroaniline degradation using visible light. *Chemical Engineering Journal*, 232(0), 249-258.
- [Park, 2009] Park, Y., Kim, W., Park, H., Tachikawa, T., Majima, T., & Choi, M. (2009). Carbon-doped TiO₂ photocatalyst synthesized without using an external carbon precursor and visible light activity. *Applied Catalysis B: Environmental*, 355-361.
- [Pedroza, 2007] Pedroza, A.M., Mosqueda, R., Alonso-Vante, N., Rodríguez-Vázquez, R. 2007. Sequential treatment via *Trametes versicolor* and UV/TiO₂/RuxSey to reduce contaminants in waste water resulting from the bleaching process during paper production. *Chemosphere*, 67(4), 793-801.
- [Pera-Titus, 2004] Pera-Titus, M., García-Molina, V., Baños, M.A., Giménez, J., Esplugas, S. 2004. Degradation of chlorophenols by means of advanced oxidation processes: a general review. *Applied Catalysis B: Environmental*, 47(4), 219-256.

- [Peral, 1992] Peral, Jose, and David F Ollis. 1992. "Heterogeneous Photocatalytic Oxidation of Gas-Phase Organics for Air Purification: Acetone , 1-Butanol , Butyraldehyde, Formaldehyde , and m-Xylene Oxidation." *Journal of Catalysis* 136:554-565.
- [Poole, 2003] Poole, Jr. C. P. and Owens, F. J., 2003. "Introduction to Nanotechnology". Wiley- Interscience. John Wiley and Sons, Inc., Hoboken, New Jersey.
- [Rafique, 2013] Rafique, M.Y., Pan, L., Zubair Iqbal, M., Javed, Q.-u.-a., Qiu, H., Rafi ud, d., Farooq, M.H., Guo, Z. 2013. 3-D flower like FeCo alloy nanostructures assembled with nanotriangular prism: Facile synthesis, magnetic properties, and effect of NaOH on its formation. *Journal of Alloys and Compounds*, 550(0), 423-430.
- [Reymond, 1999] Reymond, J. P. and Kolenda, F., 1999. "Estimation of the point of zero charge of simple and mixed oxides by mass titration". *Powder Technology*. Vol. 103, p. 30 – 36.
- [Samir, 2005] Samir, R., Essam, T., Ragab, Y., Hashem, A. Enhanced. 2005. photocatalytic–biological degradation of 2,4 dichlorophenoxyacetic acid. *Bulletin of Faculty of Pharmacy, Cairo University*(0).
- [Shchukin, 2004] Shchukin, D., Poznyak, S., Kulak, A., Pichat, P. 2004. TiO₂-In₂O₃ photocatalysts: preparation, characterisations and activity for 2-chlorophenol degradation in water. *Journal of Photochemistry and Photobiology A: Chemistry*, 162(2–3), 423-430.
- [Sikong, 2008] Sikong, L., Damchan, J., Kooptarnond, K., & Niyomwas, S. (2008). Effect of doped SiO₂ and calcinations temperature on phase transformation of TiO₂ photocatalyst prepared by sol-gel method. 385-391.

- [Šurca, 1999] Šurca, A., Benčič, S., Orel, B., Pihlar, B. 1999. Spectroelectrochemical studies of V/Ti-, V/Ti/Zr- and V/Ti/Ce-oxide counter-electrode films. *Electrochimica Acta*, 44(18), 3075-3084.
- [Tolosa, 2011] Tolosa, N.C., Lu, M.-C., Mendoza, H.D., Rollon, A.P. 2011. The effect of the composition of tri-elemental doping (K, Al, S) on the photocatalytic performance of synthesized TiO₂ nanoparticles in oxidizing 2-chlorophenol over visible light illumination. *Applied Catalysis A: General*, 401(1–2), 233-238.
- [Tsao, 2013] Tsao, H.S.J., Patel, M.H. 2013. An intuitive design pattern for sequentially estimating parameters of a 2k factorial experiment with active confounding avoidance and least treatment combinations. *Computers & Industrial Engineering*, 66(3), 601-613.
- [Wang, 2010] Wang, Hongfen, Zhiqi Wang, Haixia Wong, and Yansheng Yin. 2010. “Preparation of cerium-doped TiO₂ film on 304 stainless steel and its bactericidal effect in the presence of sulfate-reducing bacteria (SRB).” *Materials Chemistry and Physics* 124:791-794.
- [Wang, 2012] Wang, Xi-Kui, Chen Wang, Wen-Qiang Jiang, Wei-Lin Guo, and Jing-Gang Wang. 2012. “Sonochemical synthesis and characterization of Cl-doped TiO₂ and its application in the photodegradation of phthalate esters under visible light irradiation.” *Chemical Engineering Journal* 189-190:288-294.
- [Wang, 2011] Wang, Zhaojun, Wanhong Ma, Chuncheng Chen, Hongwei Ji, and Jincai Zhao. 2011. “Review: Probing paramagnetic species in titania-based heterogeneous photocatalysis by electron spin resonance (ESR) spectroscopy – A mini review.” *Chemical Engineering Journal* 170:353-362.

- [Yamaji, 2012] Yamaji, A., Yokota, Y., Yanagida, T., Kawaguchi, N., Futami, Y., Fujimoto, Y., Yoshikawa, A. 2012. Crystal growth and dopant segregation of Ce:LiSrAlF₆ and Eu:LiSrAlF₆ crystals with high dopant concentrations. *Journal of Crystal Growth*, 352(1), 106-109.
- [Yang, 2014] Yang, B., Zhang, J., Zhang, Y., Deng, S., Yu, G., Wu, J., Zhang, H., Liu, J. 2014. Promoting effect of EDTA on catalytic activity of highly stable Al–Ni bimetal alloy for dechlorination of 2-chlorophenol. *Chemical Engineering Journal*, 250(0), 222-229.
- [Yang, 2008] Yang, J., Bai, H., Jiang Q., Lian, J. Visible-light photocatalysis in nitrogen-carbondoped TiO₂ films obtained by heating TiO₂ gel-film in an ionized N₂ gas. *Thin Solid Films* 516 (2008): 1736-1742.
- [Yang, 2000] Yang, Jianjun, Dongxu Li, Zhijun Zhang, Qinglin Li, and Hanqing Wang. 2000. “A study of the photocatalytic oxidation of formaldehyde on Pt / Fe₂O₃ / TiO₂.” *Journal of Photochemistry and Photobiology A: Chemistry* 137:197-202.
- [Yu,2003] Yu, J.-H., Jia, H.-B., Pan, L.-Y., Yang, Q.-X., Wang, T.-G., Xu, J.-Q., Cui, X.-B., Liu, Y.-J., Li, Y.-Z., Lü, C.-H., Ma, T.-H. 2003. Hydrothermal synthesis, crystal structure and third-order non-linear optical property of a discrete decanuclear iodocuprate(I) [CuI10H2I16]⁴⁻ with [NiII(phen)₃]²⁺ as a template. *Journal of Solid State Chemistry*, 175(2), 152-158.
- [Yu, 2005] Yu, J., Zhou, M., Cheng, B., Yu, H., Zhao, X. Ultrasonic preparation of mesoporoustitanium dioxide nanocrystalline photocatalysts and evaluation of photocatalytic activity. *Journal of Molecular Catalysis A: Chemical* 227 (2005):75-80.
- [Zainullina, 2015] Zainullina, V.M., Zhukov, V.P., Korotin, M.A. 2015. Influence of oxygen nonstoichiometry and doping with 2p-, 3p-, 6p- and

3d-elements on electronic structure, optical properties and photocatalytic activity of rutile and anatase: Ab initio approaches. *Journal of Photochemistry and Photobiology C: Photochemistry Reviews*, 22(0), 58-83.

- [Zhao, 2003] Zhao, Juan, and Xudong Yang. 2003. "Photocatalytic oxidation for indoor air purification: a literature review." *Building and Environment* 38(5):645-654.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved