

## REFERENCES

- Ács, É., Reskone, N.M., Szabo, K., Taba, G. and Kiss, KT. 2005. Application of epiphytic diatoms in water quality monitoring of Lake Velence - recommendations and assignments. *Acta Botanica Hungarica*, 3(4): 211-223.
- Adejuwon, J.O. and Adelakun, M.A. 2012. Physico-chemical and bacteriological analysis of surface water in Ewekoro local government area of Ogun state, Nigeria: case study of Lala, Yobo and Agodo Rivers. *International Journal of Water Resource Environment*, 4(3): 66-72.
- Adekoyeni, O. and Salako, S. 2012. Microbiological, physicochemical and mineral quality of borehole water in Ijebu land, Ogun state, Nigeria. *International Science Advance Technology*, 2(1): 23-30.
- Alakananda, B., Mahesh, M.K., Supriya, G., Boominathan, M., Balachandran, C. and Ramachandra, T.V. 2011. Monitoring tropical urban wetlands through biotic indices. *Journal of Biodiversity*, 2(2): 91-106.
- Allan, J. D. 1995. *Stream Ecology*. Chapman and Hall, London.
- Álvares-blanco, I., Cejudo-Figueiras, C., Becares, E. and Blanco, S. 2011. Spatiotemporal changes in diatom ecological profiles: implications for biomonitoring. *Limnology*, 12:157-168.
- Anonymous, 1975. Proposals for a standardization of diatom terminology and diagnoses. *Nova Hedwigia Beiheft*, 53: 323–354.
- Atazadeh, I., Sharifi, M. and Kelly, M.G. 2007. Evaluation of the trophic diatom index for assessing water quality in river Gharasou, Western Iran. *Hydrobiologia*, 589: 165-173.
- Bahls, L. 1992. *Periphyton Bioassessment Methods for Montana Streams: Water Quality Bureau*. Department of Health and Environmental Science. Helena, Montana.

- Barber, H.G. and Haworth, E.Y. 1981. A Guide to the Morphology of the Diatom Frustule. The Freshwater Biological Association. Scientist Publication, Cumbria.
- Barbour, M.T., Gerritsen, J., Snyder, B.D. and Stribling, J.B. 1999. Rapid Bioassessment Protocols for Use in Streams and Wadeable Rivers: Periphyton, Benthic Macroinvertebrates and Fish. USEPA 8410B-99-002. Washington, D.C.
- Barnett, M. 2000. The Effect of Pollution and Seasons on Epilithic Diatom Assemblages in River Derwent and It's Tributaries. B.Sc. Thesis of Department of Biological Science, University of Essex, UK.
- Benenati, E.P., Shannon J.P. and Blinn D.W. 1998. Desiccation and recolonization of phytobenthos in a regulated desert river: Colorado River at Lees Ferry, Arizona, USA. *Regulated Rivers* 14(6): 519-532.
- Besch, W.K., Backhaus, D., Capblanc, Q.J. and Lavander, P. 1972. Données écologiques sur les algues benthiques de haute montagne dans les Pyrénées IDiatomées. *Annals of Limnology*, 8: 103-118.
- Biggs, B.J.F. and Hickey, C.W. 1994. Periphyton responses to a hydraulic gradient in a regulated river, New Zealand. *Freshwater Biology*, 32: 49–59.
- Biggs, B. J., Stevenson, F. R. J. and Lowe, R. L. 1998b. A habitat matrix conceptual model for stream periphyton. *Arch. Hydrobiological*, 143: 21–56.
- Blinn, D. W., Tuitt, R. and Pickart, A. 1989. Response of epiphytic diatom communities from the tailwaters of Glen Canyon Dam, Arizona, to elevated water temperature: *Regulated Rivers. Resource and Management*, 4: 91-96.
- Blinn, D.W. and Bailey, P.C.E. 2001. Land-use influence on stream water quality and diatom communities in Victoria, Australia: a response to secondary salinization. *Hydrobiologia*, 466: 231-244.
- Bold, H. C. and Wynne, M. J. 1985. Introduction to the Algae. Prentice Hall, Inc. Englewood Cliffs, New Jersey.

- Brönmark, C. and Hansson, L.A. 2005. *The Biology of Lakes and Ponds*. Oxford University Press, Oxford.
- Brown, A.L. 1987. *Freshwater Ecology*. Heinemann Educational Books, London.
- Chapman, D.J. and Chapman, V.J. 1973. *The Algae*. The Macmillan, London.
- Chatháin, B.N. and Harrington, T.J. 2008. Benthic diatoms of the River Deel: diversity and community structure. *Biology Environmental*, 108B (1): 29-42.
- Chen, S.H. and Wu, J.T. 1999. Paleolimnological environment indicated by the diatom and pollen assemblages in an alpine lake in Taiwan. *Journal of Paleolimnol*, 22: 149-158.
- Chessman, B., Grown, I., Currey, J. and Plunkett-Cole, N. 1999. Predicting diatom communities at the genus level for the rapid biological assessment of rivers. *Freshwater Biology*, 41: 317-331.
- Chung, J., Choi, J.S. and Lee, J.H. 1992. An assessment of water quality by epilithic diatoms of Yangsan-chon, Korean. *Journal of Environmental Biology*, 10: 9-23.
- Coste, M., Boutry, S., Tison-Rosebery, J. and Delmas, F. 2009. Improvements of the Biological Diatom Index (BDI): description and efficiency of the new version (BDI-2006). *Ecological Indicators*, 9: 621-650.
- Cox, E.J. 1996. *Identification of Freshwater Diatoms from Live Material*. Chapman and Hall, London.
- Cravotta, C. A. 2003. Size and performance of anoxic limestone drains to neutralize acidic mine drainage. *Journal of Environmental Quality*, 32: 1277-1289.
- Cushing, C. E. and Allan, J. D. 2001. *Streams: Their Ecology and Life*. Academic Press, San Diego.
- Darley, W.M. 1982. *Algal Biology: A Physiological Approach*. Blackwell Scientific Publication, London.

- Descy, J.P. and Coste, M. 1991. A test of methods for assessing water quality based on diatoms. *Limnology*, 24: 2112–2116.
- Dortch, M. S. 1997. Water quality considerations in reservoir management. *Journal of Contemporary Water Resources and Education*, 14: 32-42.
- Duncan, S.W. and Blinn, D.W. 1989. Importance of physical variables on the seasonal dynamics of epilithic algae in a highly shaded canyon stream. *Phycology*, 25(3): 455-461.
- Duong, T., Mazel, A., Coste, M., Dang, D. and Boudou, A. 2007. Dynamics of diatom colonization process in some rivers influenced by urban pollution (Hanoi, Vietnam). *Ecological Indicators*, 7: 839–851.
- Dufrêne, M. and Legendre, P. 1997. Species assemblages and indicator species: the need for a flexible asymmetrical approach. *Ecological Monographs* 67:345–366
- ERA for Tropical Ecosystems. 1997. Environmental Management of the Terrestrial and Aquatic Ecosystems of the Mae Sa Watershed (A Case Study). Faculty of Science, Chaing Mai University, Chaing Mai.
- Eaton, A.D., Clesceri, L.S., Rice, E.W., Greenberg, A.E. and Franson, M.A.H. 2005. Standard Methods for the Examination of Water and Wastewater. American Public Health Association (APHA), Washington DC.
- Foged, N. 1971. Freshwater Diatoms in Thailand. Odense Publisher, Odense.
- Fore, L.S. and Gafe, C. 2002. Using diatoms to assess the biological condition of large rivers in Idaho (U.S.A.). *Freshwater Biology*, 47: 2015-2037.
- García, L., Delgado, C. and Pardo, I. 2008. Seasonal changes of benthic communities in a temporary stream of Ibiza (Balearic Islands). *Limnetica*, 27 (2): 259-272.
- Garnier, J., Leporcq, B., Sanchez, N. and Philippon, X. 1999. Biogeochemical budgets in three large reservoirs of the seine basin (Marne, Seine and Aube reservoirs). *Biogeochemistry*, 47: 119-146.

- Gasse, F., Juggins, S. and Khelifa, L.B. 1995. Diatom-based transfer functions for inferring past hydrochemical characteristics of African lakes. *Paleoecology*, 117: 31-54.
- Giller, P.S. and Malmqvist, B. 1998. *The Biology of Streams and Rivers*. Oxford University Press, New York.
- Ghosh, M. and Gaur, J. P. 1998. Current velocity and the establishment of stream algal periphyton communities. *Aquaculture Botany*, 60: 1–10.
- Green, P.C. 2010. Modelling Water and Sediment Chemistry in Urban Canals Using Chironomid Pupal Exuviae. Ph.D. Thesis. School of Geography and Environmental Sciences, Birmingham University, Birmingham.
- Goldman, C.R. and Home, A.J. 1983. *Limnology*. New York McGraw-Hill Book Company, New York.
- Haque, M.I. 2008. Water resources management in Bangladesh. Anushilan, Chuadanga and Dhaka, 24-84 pp.
- Hasle, G.R. and Syvertsen, E.E. 1997. Marine Diatoms. In: Tomas, C.R. 1997, Identifying Marine Diatoms and Dinoflagellates. Academic Press, San Diego.
- Hardwick, C., Hoare, K., Owens, R., Hohn, H. P., Hook, M., Moore, D., Cripps, V., Austen, L., Nance, D. M. and Turley, E. A. 1992. Molecular cloning of a novel hyaluronan receptor that mediates tumor cell motility. *Journal of Cell Biology*, 117:1343-1350.
- Harrison, J.A., Maranger, R.J., Alexander, R.B., Giblin, A.E., Jacinthe, P.A., Mayorga, E., Seitzinger, S.P., Sobota, D.J. and Wollheim, W.M. 2009. The regional and global significance of nitrogen removal in lakes and reservoirs. *Biogeochemistry*, 93, 143-157.
- Hydro and Agro Informatics Institute. 2011. Report of Development Archive in 25 Watershed Projects [Internet], Hydro and Agro Informatics Institute, Available: <<http://goo.gl/oqk491>> [Accessed 9th July 2013].

- Hempattarasuwon, N. 2001. Ecology of Diatoms in the Pasak River: Relationships between Diatoms and Stream Runoff. M.S. thesis, Faculty of Science and Technology, Thammasart University.
- Hirano, M. 1967. Freshwater algae collected by joint Thai-Japanese Biological Expedition to Southeast Asia 1961-1962. Nature and life in Southeast Asia.
- Hunpongkittikul, A. 2003. Distribution of Phytoplankton in the Pasak Jolasid Reservoir, Lop Buri Province. M.S. Thesis, Faculty of Fisheries, Kasetsart University. Bangkok.
- Hustedt, F. 1930. *Bacillariophyta*. Pascher's Süsswasserflora. Mitteleuropas, 10: 1-468.
- Hynes, H.B.N. 1970. The Ecology of Running Waters. Liverpool University Press, Liverpool.
- Inthasotti, T. 2006a. Seasonal Distribution of Macroalgae and Benthic Diatoms in Mae Tang River, Wiang Haeng District, Chiang Mai Province between March 2004 - January 2005. Independent study for Master Degree, Biology Department, Faculty of Science, Chiang Mai University, Chiang Mai.
- Inthasotti, T. 2006b. Diversity of Macroalgae and Benthic Diatoms in Kham watershed, Chiang Rai Province. M.S. thesis, Biology Department, Faculty of Science, Chiang Mai University, Chiang Mai.
- John, J. 1998. Diatoms: Tools for Bioassessment of River Health. A Model for South-Western Australia. Water and Rivers Commission, Perth, Australia.
- John, D.M., Whitton, B.A. and Brook, A.J. 2002. The Freshwater Algae Flora of the British Isles. Cambridge Press, London.
- Jones, W. and Medrano S. 2006. Indiana Lake Water Quality Assessment Report for 1999-2003. School of Public and Environmental Affairs. Indiana University, Indiana.

- Jüttner, I., Sharma, S., Dahal, B.M., Ormerod, S. J., Chimonides, P. J. and Cox, E. J. 2003. Diatoms as indicators of stream quality in the Kathmandu valley and middle hills of Nepal and India. *Freshwater Biology*, 48:2065-2084.
- Jüttner, I., Krammer, K., Van de Vijver, B., Tuji, A., Simkhada, B., Gurung, S., Sharma, S., Sharma, C. and Cox, E.J. 2010. Oricymba (Cymbellales, Bacillariophyceae), a new cymbelloid genus and three new species from the Nepalese Himalaya. *Phycologia* 49(5): 407-423.
- John, D.M., Whitton, B.A. and Brook, A.J. 2002. *The Freshwater Algae Flora of the British Isles*. Cambridge Press, London.
- Kalff, J. 2002. *Limnology*. Prentice Hall, Upper Saddle, New Jersey.
- Kelly, M.G. and Whitton, B.A. 1995. The trophic diatom index: a new index for monitoring eutrophication in rivers. *Journal of Applied Phycology*, 7: 333–433.
- Kelly, M.G. 2000. Identification of common benthic diatoms in rivers. *Journal Field Studies*, 9: 583-700.
- Kelly, M.G. and Haworth, E. Y. 2002. Phylum Bacillariophyta. In John D.M., Whitton B.A., Brook A. J. (Eds). *The Fresh Water Algae Flora of the British Isles: An Identification Guide to Freshwater and Terrestrial Algae*. Cambridge University Press, Cambridge.
- Kelly, M.G., Cazaubon, A., Coring, E., Dell'uomo, A., Ector, L., Goldsmith, B., Guasch, H., Hurlimann, J., Jarlman, A., Kawecka, B., Kwadrans, J., Laugaste, R., Lindstrom, E.A., Leitao, M., Marvan, P., Padisak, J., Pipp, E., Prygiel, J., Rott, E., Sabater, S., Van Dam, H. and Vizinet, J. 1998. Recommendations for the routine sampling of diatoms for water quality assessments in Europe. *Journal of Applied Phycology*, 10: 215-224.
- Keeney, D.R. 1970. Nitrates in plants and water. *Journal of Milk and Food Technology*, 33:425-432.

- Kobayasi, H., Idei, M., Mayama, S., Nagumo, T. and Osada, K., 2006. H. Kobayasi's Atlas of Japanese Diatoms Based on Electron Microscopy 1. Uchida Rokakuho, Tokyo.
- Kochasaney, N. 1993. Fresh Water Ecology Manual. Chulalongkorn University Press, Bangkok.
- Korte, V. L. and Blinn, D. W. 1983. Diatom colonization on artificial substrata in pool and riffle zones studied by light and scanning electron microscopy. Phycology 19: 332–341.
- Köster, D. and Hübener, T. 2001. Application of diatom indices in a planted ditch constructed for tertiary treatment in Schwaan, Germany. International Review of Hydrobiology, 86: 241-252.
- Krammer, K. and Lange-Bertalot, H. 1986. *Bacillariophyceae*. Teil 1. *Naviculaceae*. Süßwasserflora von Mitteleuropa, Bd. 2, berg. Von A. Pascher. Gustav Fisher Verlag, Stuttgart.
- Krammer, K. 1997. *Die cymbelloiden Diatomeen. Eine Monographie der weltweit bekannten Taxa*. Teil 2. *Encyonema* part. *Encyonopsis* and *Cymbelopsis*. Bibliotheca Diatomologica, 37: 1-469.
- Krammer, K. and Lange-Bertalot, H. 1988. *Bacillariophyceae*. Teil 2. *Epithemiaceae* and *Surirellaceae*. Süßwasserflora von Mitteleuropa, Bd. 2, berg. Von A. Pascher. Gustav Fisher Verlag, Stuttgart.
- Krammer, K. and Lange-Bertalot, H. 1991a. *Bacillariophyceae*. Teil 3. *Centrales, Fragilariaeaceae* and *Eunotiaceae*. Süßwasserflora von Mitteleuropa, Bd. 2, berg. Von A. Pascher. Gustav Fisher Verlag, Stuttgart.
- Krammer, K. and Lange-Bertalot, H. 1991b. *Bacillariophyceae*. Teil 4. *Achnanthaceae. Kritische Ergänzungen zu Navicula*. Süßwasserflora von Mitteleuropa, Bd. 2, berg. Von A. Pascher. Gustav Fisher Verlag, Stuttgart.
- Klapper, H. 1991. Control of Eutrophication in Inland Waters. Ellis Horwood Press, New York.

- Kunpradid, T. 2005. Diversity of Macroalgae and Benthic Diatoms and Their Relationships with Nutrient Compounds in the Ping and Nan Rivers. Ph.D. Thesis, Biology Department, Faculty of Science, Chiang Mai University, Chiang Mai.
- Kupe, L., Schanz, F. and Bachofen, R. 2008. Biodiversity in the benthic diatom community in the upper river Töss reflected in water quality indices. *Clean-Soil, Air and Water*, 36(1): 84-91.
- Lange-Bertalot, H. 1979. Toleranzgrenzen und Populationsdynamik benthischer Diatomeen bei unterschiedlich starker Abwasserbelastung. *Arch. Hydrobiologia Supplement*, 56(2): 184-219.
- Lange-Bertalot, H. 2001. Diatoms of Europe. Koeltz Scientific Books, Stuttgart.
- Lee, J.H. and Kim, Y.J. 1996. Epilithic diatoms and trophic states of dam lakes in the Nakdong River system. *Korean Journal Environmental Biology*, 14: 18-28.
- Lee, R.E. 1999. Heterokontophyta, Bacillariophyceae. In: Lee RE (ed) *Phycology*. Cambridge University Press, Cambridge.
- Lee, R.E. 2008. *Phycology*. Cambridge University Press, Cambridge.
- Lee, K. and Yoon, S.K. 2003. Ecological studies on Togyo Reservoir in Chulwon, Korea: The List of Phytoplankton and Periphyton. *Algae*, 18(4): 263-272.
- Leelakahriengkrai, P. 2007. Diversity and Usage of Macroalgae and Benthic Diatoms to Monitor Water Quality of Ping River, Year 2004-2005. M.S. thesis, Biology Department, Faculty of Science, Chiang Mai University, Chiang Mai.
- Leelakahriengkrai, P. 2011. Diversity of Benthic Diatoms in Main Rivers of Thailand and Preparation of Water Qualities Index. Ph.D. Thesis. Environmental Science Program, Faculty of Science, Chiang Mai University, Chiang Mai.
- Leira, M. and Sabater, S. 2005. Diatom assemblages distribution in Catalan Rivers, NE Spain, in relation to chemical and physiographical factors. *Water Research*, 39: 73-82.
- Leland, H.V. and Porter, S.D. 2000. Distribution of benthic algae in the upper Illinois River basin in relation to geology and land use. *Freshwater Biology*, 44: 279–301.

- Lenoir, A. and Coste, M. 1996. Development of a Practical Diatom Index of Overall Water Quality Applicable to the French National Water Board Network. In: Whitton, B.A., Rott, E. Use of Algae for Monitoring Rivers II. Studia Student G.m.b.H, Innsbruck.
- Lewmanomont, K., Wongrat, L. and Supanwanid, C. 1995. Algae in Thailand. Office of Environmental Policy and Planning, Bangkok.
- Lobo, E.A., Callegaro, V.L.M., Bender, E.P. and Asaik, K. 1998. Water quality assessment of rivers of Southern Brazil using epilithic diatom assemblages. Abstract 15<sup>th</sup> International. Diatom Symposium, 28 September -2 October, 1998 Perth, Australia.
- Lorraine, L.J. and Vollenwieder, R.A. 1981. Summary report, The OECD cooperation programme on eutrophication. National Water Research Institute, Burlington.
- Lowe, R.L. 1974. Environmental requirements and pollution tolerance of freshwater diatoms: Natural Environmental Research Center Office of Research and Development U.S. Environmental Protection Agency, EPA 670/4-74-005.
- Lowe, R.L. and Pan, Y. 1996. Benthic algal communities as biological indicators. Academic Press, San Diego.
- Malaiwan, T. 2010. Water quality, distribution of phytoplankton in Phumibol Dam, Tak Province. Chiang Mai University Press, Chiang Mai.
- Metzmeier, L. 1991. Kentucky Division of Water: Use of a Diatom Bioassessment Index for Water Quality Assessment in Kentucky, Kentucky.
- Molisani, M.M., Cruz, A.L.V. and Maia, L.P. 2006. Estimativa da descarga fluvial para os estuários do Estado do Ceará, Brasil. Arquivos de Ciências do Mar, 39: 53- 60.
- Moore, J.W. 1977a. Seasonal succession of algae in a eutrophic stream in southern England. *Hydrobiologia*, 53: 181–192.
- Moore, J.W. 1977b. Seasonal succession of algae in rivers. II. Examples from Highland Water, a small woodland stream. *Hydrobiologia*, 80: 160–171.

- Meybeck, M. 2003. Global analysis of river systems: From Earth system controls to Anthropocene syndromes. *Philosophical Transactions of the Royal Society B* 358 (1440):1,935–1,955.
- Moss, B. 1998. *Ecology of Fresh Waters*. Blackwell Science, Tokyo.
- Nakagaki, K. and Taguchi, F. 2005. Receptor-independent spread of a highly neurotropic murine coronavirus JHMV strain from initially infected microglial cells in mixed neural cultures. *Journal of Virology*, 79: 6102–6110.
- Neal, C., Williams, R.J., Neal, M., Bhardwaj, L.C., Wickham, H., Harrow, M. and Hill, L.K. 2000. The water quality of the River Thames at a rural site downstream of Oxford. *The Science of the Total Environment*, 251-252: 441-457.
- Nehar, B., Blanco, S. and Hadjadjoul, S. 2014. Diversity and ecology of diatoms in Northwest of Algeria. *Applied Ecology and Environmental Research* 13(1): 37-52.
- Notification of the National Environmental Board, No. 8. 1994. Surface Water Quality Standards, issued under the Enhancement and Conservation of National Environmental Quality Act. *The Royal Government Gazette*, 111(16), 234-240.
- Novais, M.H. 2011. Benthic Diatoms in Portuguese Watercourses. PhD thesis, Universidade de Evora, Evora.
- OCC (Oklahoma Conservation Commission). 1993. Development of Rapid Bioassessment Protocols for Oklahoma Utilizing Characteristics of the Diatom Community. Oklahoma Conservation Commission, Oklahoma.
- Odum, E. P. 1971. *Fundamental of Ecology*. W.B. Saunders, Philadelphia.
- Oklahoma Conservation Commission. 1993. Development of rapid bioassessment protocols for Oklahoma utilizing characteristics of the diatom community, Oklahoma.
- O’Neil, P. 1993. *Environmental Chemistry*. Chapman and Hall, London.
- Östrup, E. 1902. Flora of Koh Chang contributions to the knowledge of the vegetative in the gulf of Siam Part VII, *Botanik Tidsskrift*.

- Panha, S. 1998. A new species of *Amphidromus* from Thailand. *Malacological Review*, 29: 131-132.
- Passy, S.I. 2002. Environmental randomness underlies morphological complexity of colonial diatoms. *Functional Ecology*, 16: 690–695.
- Patrick, R. 1936. A Taxonomic and Distribution Study of Some Diatoms from Siam and the Federated Malay State. *Academy Natural Science* 88, Philadelphia.
- Patrick, R. and Reimer, C. W. 1966. The diatoms of the United States, exclusive of Alaska and Hawaii, Volume 1-Fragilariaeae, Eunotiaceae, Achnanthaceae, Naviculaceae. *Academy of Natural Sciences of Philadelphia Monograph*, Philadelphia.
- Peerapornpisal, Y. 1996. Water quality, distribution and primary productivity of phytoplankton in Mae Kuang Reservoir. Chiang Mai University Press, Chiang Mai.
- Peerapornpisal, Y., Kunpradid, T. and Promkutkaew, S. 2002. Diversity of phytoplankton in Chiang Mai-Lumphun Basin. *Journal of Phycology*, 143 (3): 162
- Peerapornpisal, Y., Chaiubol, C., Pekkho, J., Chorum, M., Wannathong, P., Ngernpat, N., Jusakul, K., Thammawiwat, A., Chuananta, J. and Innthasothi, T. 2004. The Monitoring of water quality in Ang Kaew Reservoir of Chiang Mai University by using phytoplankton as bioindicator from 1995-2002. *Chiang Mai Journal of Science*, 31(1):85-94.
- Pekthong, T. 2002. Biodiversity of Benthic Diatoms and Their Application in Monitoring Water Quality of Mae Sa Stream, Doi Suthep- Pui National Park Chiang Mai. Ph.D. Thesis. Biology Department, Faculty of Science, Chiang Mai University, Chiang Mai.
- Petipong, P. 2004. Summary report, Thailand State of Pollution Report, Pollution Control Department and Ministry of Natural Resources and Environment. Bangkok.
- Pinder, L.C.V. 1999. Biological surveillance of freshwaters using macro-invertebrates and its application in South East Asia. *Proceedings of International Conference*

on Water Resources Management in Intermontane Basins. Chiang Mai University, Chiang Mai.

Pollution Control Department, 2010. Final report, Vol. 2, Survey, Collection and Analysis of Water Samples and Living Organisms in the Standing Water. Ministry of Natural Resources and Environment, Bangkok.

Potapova, M. G., Charles, D. F., Ponader, K. C. and Winter, D. M. 2004. Quantifying species indicator values for trophic diatom indices: a comparison of approaches. *Hydrobiologia*, 517: 25–41.

Potapova, M. and Charles, D.F. 2007. Diatom metrics for monitoring eutrophication in rivers of the United States. *Ecology Indicators*, 7: 48–70.

Pouličková, A., Duchoslav, M., Hekera, P., Hájková, P. and Novotný, R. 2002. Ecology of diatoms of sloping springs in the flesh area of the West Carpathians. – In: Economou-Amilli, A. (ed.): Proceedings of the 16<sup>th</sup> International Diatom Symposium.

Pouličková, A., Neustupa, J., Špaèková, J. and Škaloud, P. 2008. Distribution of epipelic diatoms in artificial fishponds along environmental and spatial gradients. *Hydrobiology*, 624: 81–90.

Pruetiworanan, S., 2008. Diversity of macroalgae and benthic diatoms in Mekong river passing Thailand and their application for water quality monitoring. M.Sc. Thesis, Chiang Mai University, Chiang Mai.

Reid, M.A. and Ogden, R.W. 2009. The importance of habitat, biogeography and hydrology as drivers of diatom distributions in floodplain lakes of the southeast Murray Basin (Australia) and implications for palaeolimnological studies. *Journal of Paleolimnology*, 41(3): 453–470.

Renberg, I. 1990. A procedure for preparing large sets of diatom slides from sediment cores. *Journal of Paleolimnology*, 4: 87–90.

Rothfritz, H., Juttner, I., Suren, A.M. and Ormerod, S.J. 1997. Epiphytic and epilithic diatom communities along environmental gradients in the Nepalese Himalaya:

- implications for the assessment of biodiversity and water quality. *Hydrobiologia*, 138: 465-482.
- Ross, R., Cox, E.J., Karayeva, N.I., Mann, D.G., Paddock, T.B.B., Simonsen, R. and Sims, P.A. 1979. An amended terminology for the siliceous components of the diatom cell. *Nova Hedwigia Beiheft*, 64: 513–533.
- Rott, E., Pfister, P. and Pipp, E. 1997. Use of Diatoms for Environmental Monitoring. Institut für Botanik der Universität Innsbruck, Innsbruck.
- Round, F.E., Crawford, R.M. and Mann, D.G. 1990. The Diatoms. Cambridge University Press, Cambridge.
- Sahün, B. 2004. Species Composition and Diversity of Epipelic Algae in Catal Lake (Sebinkarahisar-Giresun, Turkey). *Journal of Biology*, 28:103-109.
- Schiefele, S. and Kohmann, F. 1993. Bioindikation der Trophie in Fließgewässern. Bayerisches Landesamt für Wasserwirtschaft, Amtseiter.
- Shapiro J. and Wright D.I. 1984. Lake restoration by biomanipulation: round lake, Minnesota, the first two years. *Freshwater Biology*, 14:371-383.
- Sirisingh, K. 1982. Chemical Analysis of Waste Water. Faculty of Hygiene, Mahidol University, Bangkok.
- Smith, J.J. 1990. The effects of sandbar formation and inflows on aquatic habitat and fish utilization in Pescadero, San Gregorio, Waddell and Pomponio Creek estuary/lagoon systems, 1985-1989. Report to California Parks and Recreation.
- Smol, J.P. and Stoermer, E.F. 2010. The Diatoms: Applications for Environmental and Earth Sciences. Cambridge University Press, Cambridge.
- Soininen, J. 2004. Benthic Diatom Community Structure in Boreal Streams; Distribution Patterns along Environmental and Spatial Gradients. Academic Dissertation in Limnology, University of Helsinki, Helsinki.
- Soininen, J. and Könönen, K. 2004. Comparative study of monitoring South-Finnish rivers and streams using macro-invertebrate and benthic diatom community structure. *Aquatic Ecology*, 38: 63–75.

- Squires, S., Johnson, R. T. and Collins, A. R. S. 1982. Initial rates of DNA incision in UV-irradiated human cells: Differences between normal, xeroderma pigmentosum and tumor cells. *Mutation Research*, 95: 389-404.
- Stenger-Kovács, C., Padisák, J., Hajnal, É. and Buczkó, K. 2007. Epiphytic, littoral diatoms as bioindicators of shallow lake trophic status: Trophic Diatom Index for Lakes (TDIL) developed in Hungary. *Hydrobiologia*, 589:141–154.
- Stevenson, R. J. 1996. *Algal Ecology*. Academic Press, San Diego, CA.
- Stevenson, R.J. and Pan, Y. 1999. Assessing environmental conditions in rivers and streams with diatoms. In: Stoermer, E.F. and Smol, J.P. (eds.) *The Diatoms: Applications for the Environmental and Earth Sciences*. Cambridge University Press, Cambridge. 11-40.
- Stiling, P. 2002. *Ecological Theories and Applications*. Prentice Hall International. New Jersey.
- Stoermer, E.F. and Smol, J.P. 1999. *The Diatoms: Applications for the Environmental and Earth Sciences*. Cambridge, New York, Melbourne: Cambridge University Press. Cambridge.
- Suphan, S. 2004. Diversity of Macroalgae and Benthic Diatoms in the Area of Golden Jubilee Thong Pha Phum Project, Thong Pha Phum District, Kanchanaburi Province. M.S. Thesis, Biology Department, Faculty of Science, Chiang Mai University, Chiang Mai.
- Suphan, S. 2009. Benthic Diatoms and Their Application in Water Quality Monitoring of Mekong River in the Part of Thailand. Ph.D. Thesis, Department of Biology, Faculty of Science, Chiang Mai University. Chiang Mai, Thailand.
- Suphan, S. and Peerapornpisal, Y. 2010. Fifty three new record species of benthic diatoms from Mekong River and its tributaries in Thailand. *Chiang Mai Journal of Science*, 37(2): 326-343.

- Tang, T., Cai, Q. and Liu, J. 2006. Using Epilithic Diatom Communities to Assess Ecological Condition of Xiangxi River System. *Environmental Monitoring and Assessment*, 112: 347-361.
- Ter Braak, C.J.F. and Verdonschot, P.F.M. 1995. Canonical correspondence analysis and related multivariate methods in aquatic ecology. *Aqua Science*, 37: 130-137.
- Tien, C.J. 2004. Some aspects of water quality in a polluted lowland river in relation to the intracellular chemical levels in planktonic and epilithic diatoms. *Water Research*, 38: 1779–1790.
- Tison, J., Park, Y. S., Coste, M., Wasson, J. G., Ector L., Rimet, F. and Delmas, F. 2005. Typology of diatom communities and the influence of hydro-ecoregions: a study on the French hydrosystem scale. *Water Research*, 39: 3177–3188.
- Trivedi, R.C., Bhardwaj, R.M. and Adrawal, S. 2008. Biological Monitoring of Water Quality in India – Needs and Constraints. Proceeding of Taal 2007: 12<sup>th</sup> World Lake Conference. Jaipur, India.
- Townsend, S.A. and Gell, P.A. 2005. The role of substrate type on benthic diatom assemblages in the Daly and Roper Rivers of the Australian wet/dry tropics. *Hydrobiologia*, 548:101–115.
- Underwood, G.J.C. and Provot, L. 2000. Determining the environment preferences of four estuarine epipellic diatom taxa : growth across a range of salinity, nitrate and ammonium condition. *Europe Journal of Phycology*, 35: 173-182.
- UNEP, 2000. Lakes and Reservoirs: Similarities, Differences and Importance. Osaka: United Nations Environment Programme (UNEP IETC). URL [Accessed: 17.01.2012]
- Van Dam, H., Mertens, A. and Sinkledam, J. 1994. A coded checklist and ecological indicator values of freshwater diatoms from the Netherlands. *Netherlands Journal of Aquatic Ecology*, 28(1): 117-133.

- Vannote, R.L., Minshall, G.W., Cummins, K.W., Sedell, J.R. and Cushing, C.E. 1980. The river continuum concept. Canadian Journal of Fisheries and Aquatic Sciences, 37: 130–137.
- Wan Maznah, W.O. and Mansor, M. 2002. Aquatic pollution assessment based on attached diatom communities in the Pinang River Basin, Malaysia. *Hydrobiologia*, 487: 229–241.
- Wang, L., Lee, T., Chen, S. and Wu, J. 2010. Diatoms in Liyu Lake, Eastern Taiwan. *Taiwania*, 55(3): 228-242.
- Wehr, J.D. and Sheath, R.G. 2003. Freshwater Algae of North America. An Imprint of Elsevier, London.
- Wetzel, R.G. 2001. Limnology: Lake and River Ecosystems. Academic Press, San Diego, CA.
- Whitmore, T.J. 1989. Florida diatom assemblages as indicators of trophic state and pH. *Limnology and Oceanography*, 34(5): 882-895.
- Wojtal, A.Z. 2013. Species composition and distribution of diatom assemblages in spring waters from various geological formations in southern Poland. J. Cramer, Gebrüder Borntraeger Verlagsbuchhandlung, Stuttgart. Bibliotheca Diatomologica, 59: 1–436.
- Wongrat, L. 1998. The status of phytoplankton diversity in Thailand. Advances in Microalgal and Protozoa Studies in Asia, Global Environmental Forum Tsukuba, Tsukuba.
- Yana, E. and Peerapornpisal, Y. 2009. Diversity of benthic algae and water quality in tributaries of the Mekong River Passing Thailand and some parts of Lao PDR. KKU Science Journal, 37: 30-41.
- Yana, E. 2014. Seasonal Variation of Benthic Diatom Diversity in 2011-2012 and Establishment of Water Quality Index of Yom River. Ph.D. Thesis. Environmental Science Program, Faculty of Science, Chiang Mai University, Chiang Mai.

Yusano, M., Fukushima, S. and Sugaya, Y. 1991. Monitoring of benthic flora and fauna in channels draining a sewage plant. In D.W. Jeffrey and B. Madden (Eds.) Bioindicators and environmental management, Academic Press, London.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่  
Copyright© by Chiang Mai University  
All rights reserved