


CONTENTS

	Page
Acknowledgement	c
Abstract in Thai	d
Abstract in English	f
List of Tables	k
List of Figures	l
List of Abbreviations	o
Chapter 1 Introduction	1
1.1 Tropospheric Ozone	1
1.1.1 The formation of ozone	2
1.1.2 Effects of ozone	4
1.2 Ozone and meteorology	6
1.2.1 Radiation	6
1.2.2 Temperature	7
1.2.3 Winds	7
1.2.4 Relative humidity	7
1.2.5 Precipitation	7
1.2.6 Pressure	7
1.3 Introduction of active sampling method	7
1.3.1 Types of active sampling methods	8
1.3.2 Comparison of active sampling method with other methods	11
1.4 Literature review on development of active ozone sampling device	12
1.5 Research objectives	14

Chapter 2	Experimental	15
2.1	Chemicals	15
2.2	Apparatus	15
2.3	Instruments	16
2.4	Development of active ozone sampling device	18
2.4.1	Design of active ozone sampling device	19
2.5	Ozone sampling and analysis	22
2.5.1	Preparation of AOSD	22
2.5.2	Preparation of collection filters	22
2.5.3	Ozone sampling	23
2.5.4	Ozone analysis	23
2.5.5	Calculated ozone concentrations	24
2.6	Design for ozone sampling period under different ozone Concentrations	25
2.6.1	Selection of sampling period	25
2.6.2	Conditions for ozone sampling in the ambient air	27
2.7	Ozone sampling site	28
2.8	Validation of active ozone sampling device	30
2.9	Statistical analysis	30
2.10	Limit of detection (LOD) of active sampling method	31
Chapter 3	Results and discussion	32
3.1	The optimum configuration of active ozone sampling device	32
3.2	Performance of the developed active ozone sampling device	35
3.3	The optimum conditions of active ozone sampling device	36
3.4	The relationships between ozone concentrations and meteorological Conditions	46
3.5	Limit of Detection (LOD) of Ion chromatography	56
3.6	Limit of detection limit of active sampling method	56
Chapter 4	Conclusion	58
References		60

Appendix	65
Appendix A	65
Appendix B	66
Appendix C	73
Appendix D	79
Appendix E	86
Appendix F	92
Appendix G	95
Appendix H	98
Curriculum Vitae	99



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
 Copyright© by Chiang Mai University
 All rights reserved

LIST OF TABLES

	Page
Table 1.1 Summary of ozone health effects expected at various exposure level (ppm)	4
Table 1.2 Air Quality Index (AQI) and Health Concerns	5
Table 1.3 Instrumental air quality monitoring technique	11
Table 2.1 Conditions for ozone sampling in wet and dry season	27
Table 3.1 Performance of the AOSD comparing with AQM based on ozone Concentrations	34
Table 3.2 Comparison of the average ozone concentrations obtained from the developed AOSD and the reference values	35
Table 3.3 Comparison of the average hourly ozone concentrations obtained from the developed AOSD and the reference values	38
Table 3.4 %D of 1-hr ozone concentrations obtained from the developed AOSD with reference values from the AQM	44
Table 3.5 Summary of over/under values of samplers from the developed AOSD compared with the reference values	45
Table 3.6 Correlations between ozone concentrations and meteorological Parameters	46
Table 3.7 Limit of detection of IC (Metrohm)	56
Table 3.8 Standard deviation of nitrate concentrations of test blank	57
Table 3.9 Limit of detection of active sampling method	57

LIST OF FIGURES

	Page
Figure 1.1 Ozone in the stratosphere and the troposphere	2
Figure 1.2 The formation of ozone	3
Figure 1.3 Discoloration on leaves due to ozone	6
Figure 1.4 Active sampling method; (a) absorption bottles and (b) adsorbent Tubes	8
Figure 1.5 (a) adsorbent tubes and (b) adsorbent tubes connect connected to a Pump	9
Figure 1.6 Absorption bottles	9
Figure 1.7 Impregnated filter sampling device; (a) glass bulb with an impregnated filter inside and (b) the impregnated filter bulb is connected to a pump	10
Figure 1.8 (a) configuration of filter pack and (b) 4-stages filter pack	10
Figure 2.1 The 2-stage filter pack	19
Figure 2.2 NILU filter holder (4 stage, open face) (EANET, 2003)	19
Figure 2.3 Type I of AOSD; (a) device diagram including (1) plastic funnel, (2) plastic tube, (3) 2-stage filter pack holder, (4) flow meter and (5) pump, (b) 2-stage filter pack connected to flow meter and pump packed inside a plastic box, (c) 2-stage filter pack wrapped with an aluminum foil during the sampling and (d) flow meter (1-10 L/min)	20
Figure 2.4 Type II of AOSD; (a) device diagram including (1) 2-stage filter pack holder, (2) shelter, (3) plastic tube, (4) flow meter and (5) pump, (b) flow meter and pump packed inside a plastic box, (c) 2-stage filter pack wrapped with an aluminum foil packed inside the shelter and (d) flow meter (range: 0.3 to 3.0 L/min)	21
Figure 2.5 Preparation diagram of collection filters	23

Figure 2.6	Three years (2012-2014) hourly ozone concentrations in each season in Chiang Mai Province	25
Figure 2.7	Ozone concentrations within 24 hours in each month; (a) Low ozone concentration in wet season (<35 ppbv) during June – October, (b) Moderate ozone concentration in dry season (30-70 ppbv) during November – February and (c) High ozone concentration in dry season (>70 ppbv) during March - May	26
Figure 2.8	Information of sampling areas (a) Land use map around sampling areas, (b) YP site and (c) CH site	28
Figure 2.9	Surrounding area of YP site	29
Figure 2.10	Surrounding area of CH site	29
Figure 3.1	Ozone concentrations (3 hours) obtained from the same absorbing solution (0.1 % NaNO ₂ / 0.1 % Na ₂ CO ₃ / 1% ethylene glycol) with different air flow rates (L/min) (a) 2.0, (b) 1.5, (c) 1.0 and (d) 0.5	33
Figure 3.2	Comparison of 3 hours ozone concentrations of developed AOSD with reference values from the AQM	35
Figure 3.3	Average hourly ozone concentrations obtained from the developed AOSD and the reference values in (a) wet season (<35 ppbv), (b) dry season (30-70 ppbv) and (c) dry season (>70 ppbv)	37
Figure 3.4	Hourly ozone concentrations in wet season (<35 ppbv) (a) Comparison of ozone obtained from AOSD and AQM (b) Correlation of ozone concentrations from AOSD and AQM	40
Figure 3.5	Hourly ozone concentrations in wet season (30-70 ppbv) (a) Comparison of ozone obtained from AOSD and AQM (b) Correlation of ozone concentrations from AOSD and AQM	41
Figure 3.6	Hourly ozone concentrations in wet season (>70 ppbv) (a) Comparison of ozone obtained from AOSD and AQM (b) Correlation of ozone concentrations from AOSD and AQM	42

Figure 3.7	Comparison of 1 hour ozone concentrations obtained from the developed AOSD with reference values from the AQM under the optimum condition (a) Wet season (<35 ppbv), (b) Dry season (30-70 ppbv) and (c) Dry season (>70 ppbv)	43
Figure 3.8	Relationships of ozone concentrations with (a) Net radiation and (b) Pressure in wet season with low ozone concentrations	47
Figure 3.9	Patterns of parameters in wet season (a) ozone concentrations from AOSD, (b) ozone concentrations from AQM, (c) net radiation and (d) pressure	48
Figure 3.10	Relationships of ozone concentrations with (a) Solar radiation, (b) Net radiation and (c) Temperature in dry season with medium ozone concentrations	50
Figure 3.11	Patterns of parameters in dry season with medium ozone concentrations (a) ozone concentrations from AOSD, (b) ozone concentrations from AQM, (c) solar radiation, (d) net radiation and (e) temperature	51
Figure 3.12	Relationships of ozone concentrations with (a) Temperature, (b) Solar radiation, (c) Net radiation, (d) Pressure and (e) Relative humidity in dry season with high ozone concentrations	54
Figure 3.13	Patterns of parameters in dry season with high ozone concentrations (a) ozone concentrations from AOSD, (b) ozone concentrations from AQM, (c) solar radiation, (d) net radiation, (e) temperature, (f) relative humidity and (g) pressure	55

LIST OF ABBREVIATIONS

am	Ante Meridiem
DI	Deionized water
hr.	Hour
LOD	Limit of detection
min.	Minute
NR	Net radiation
NO	Nitric oxide (nitrogen monoxide)
NO ₂ ⁻	Nitrite
NO ₃ ⁻	Nitrate
NO _x	Nitrogen oxides
NO ₂	Nitrogen dioxide
NMHCs	Non-methane hydrocarbons
OH	Hydroxyl radical
ppbv	Part per billion by volume
ppbv/h	Part per billion by volume per hour
pm	Post Meridiem
PCD	Pollution Control Department, Thailand
ROO [•]	Hydro- and alkyl-peroxy radicals
RO [•]	Oxy radicals
RH	Relative humidity
s	Second
SR	Solar radiation
Temp	Temperature
VOC _s	Volatile organic compounds
WD	Wind direction
WS	Wind speed
°C	Degree Celsius