

CONTENTS

	Page
ACKNOWLEDGEMENT	iii
ABSTRACT (IN THAI)	iv
ABSTRACT (IN ENGLISH)	vi
CONTENTS	vii
LIST OF TABLES	xi
LIST OF FIGURES	xii
CHAPTER 1 INTRODUCTION	1
1.1 Introduction	1
1.2 Literature review	
1.2.1 Geology of green tourmaline from Madagascar, Mozambique and Tanzania	2
1.2.2 Crystallography, physical properties and optical properties of tourmaline	6
1.2.3 Structure and chemistry of tourmaline	7
1.2.4 The causes of coloration in green tourmaline	11
1.2.5 UV-Vis-NIR Spectroscopy of green tourmaline	12
1.2.6 Fourier Transform Infrared Spectroscopy (FTIR) of green tourmaline	15
1.2.7 Electron probe micro-analyser (EPMA) and Laser Ablation-Inductively Coupled Plasma-Mass Spectroscopy (LA-ICP-MS)	16
1.3 Aim and objectives	19
CHAPTER 2 MATERIALS AND METHODS	21
2.1 Samples preparation	21
2.2 Analytical techniques	26
2.2.1. Basic analytical techniques	26

	Page
2.2.2. Color grading	27
2.2.3 Advanced analytical techniques	30
(1) Ultraviolet-Visible-Near Infrared (UV-Vis-NIR) absorption spectroscopy	30
(2) Fourier Transform Infrared (FTIR) spectroscopy	31
(3) Electron probe micro-analyser (EPMA)	32
(4) Laser Ablation-Inductively coupled plasma-mass Spectroscopy (LA-ICP-MS)	34
 CHAPTER 3 RESULTS	 37
3.1 Gemological properties	37
3.2 Internal microscopic characteristics	40
3.3 Ultraviolet-Visible-Near Infrared (UV-Vis-NIR) spectra of samples	43
3.4 Fourier Transform Infrared (FTIR) spectra of samples	52
3.5 Chemical analyses using electron probe micro-analyser (EPMA)	60
3.5.1 Group I : The samples from Madagascar	60
3.5.2 Group II : The samples from Mozambique	63
3.5.3 Group III : The samples from Tanzania	65
3.6 Chemical analyses using Laser Ablation-Inductively coupled plasma-mass Spectroscopy (LA-ICP-MS)	67
3.6.1 Group I : The samples from Madagascar	67
3.6.2 Group II : The samples from Mozambique	68
3.6.3 Group III : The samples from Tanzania	70
 CHAPTER 4 DISCUSSIONS AND CONCLUSION	 71
4.1 Gemological properties	71
4.2 UV-Vis-NIR absorption spectroscopy	73
4.3 Infrared absorption spectroscopy	74

	Page
4.4 Chemical composition	76
4.5 Conclusion	79
REFERENCES	81
APPENDICES	86
APPENDIX A	86
UV-Vis-NIR absorption spectra of green tourmalines from Madagascar, Mozambique and Tanzania	
APPENDIX B	96
FTIR absorption spectra of green tourmaline from Madagascar, Mozambique and Tanzania	
APPENDIX C	106
Chemical analyses of green tourmaline samples from Madagascar, Mozambique and Tanzania using EPMA-WDS	
APPENDIX D	110
Chemical analyses of green tourmaline samples from Madagascar, Mozambique and Tanzania using LA-ICP-MS	
CURRICULUM VITAE	114

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved

LIST OF TABLES

	Page
Table 1.1 Chemical composition of green tourmaline species	10
Table 1.2 Causes of coloration in tourmaline group	11
Table 1.3 Chemical composition of tourmaline from other localities	17
Table 3.1 Gemological properties of green tourmaline samples from Madagascar	31
Table 3.2 Gemological properties of green tourmaline samples from Mozambique	38
Table 3.3 Gemological properties of green tourmaline samples from Tanzania	39
Table 3.4 EPMA analyses of green tourmaline of various colors from Madagascar	62
Table 3.5 EPMA analyses of green tourmaline of various colors from Mozambique	64
Table 3.6 EPMA analyses of green tourmaline of various colors from Tanzania	66
Table 3.7 LA-ICP-MS chemical data of green tourmaline of various colors from Madagascar	68
Table 3.8 LA-ICP-MS chemical data of green tourmaline of various colors from Mozambique	69
Table 3.9 LA-ICP-MS chemical data of green tourmaline of various colors from Tanzania	70
Table 4.1 Gemological properties of green tourmaline samples used in this study compared with reports from other localities	71
Table 4.2 EPMA analyses of green tourmaline of various colors from Madagascar, Mozambique and Tanzania	78
Table 4.3 LA-ICP-MS chemical data of green tourmaline of various colors from Madagascar, Mozambique and Tanzania	79

LIST OF FIGURES


	Page	
Figure 1.1	Idealized representation of a miarolitic cavity	4
Figure 1.2	Examples of miarolitic cavities	4
Figure 1.3	Major gem-pegmatite districts of the world	5
Figure 1.4	Major gem-pegmatite districts and notable gem minerals	5
Figure 1.5	Tourmaline crystals	7
Figure 1.6	The tourmaline structure projected parallel to the (0001) plane	8
Figure 1.7	Ternary system for the primary tourmaline groups based on the dominant occupancy of the X-site	9
Figure 1.8	Ternary subsystem species tourmaline within each subgroup on the dominant occupancy of the Y-site and Z-site	9
Figure 1.9	UV-Vis-NIR absorption spectra of vanadium-bearing, iron free tourmaline from southern Madagascar	13
Figure 1.10	UV-Vis-NIR absorption spectra of green tourmaline are from Brazil (G2), Africa(G3) and Tanzania(G8)	14
Figure 1.11	UV-Vis-NIR absorption spectra of Cu-bearing tourmaline are from Mozambique	14
Figure 1.12	Infrared spectra Trapiche Tourmaline from Zambia show O-H stretching region and the widely varying intrinsic bands	15
Figure 1.13	Mid-infrared spectra of green and pink tourmaline in (A.) O-H stretching region 3800-3200 cm^{-1} and (B.) low wavenumber region 1500-800 cm^{-1}	16
Figure 2.1	The samples used in this study from (a) Madagascar, (b) Mozambique and (c) Tanzania	21
Figure 2.2	Group I: The samples from Madagascar, with their abbreviations from Tm.Mc.001 to Tm.Mc.020	22
Figure 2.3	Group II: The samples from Mozambique, with their abbreviations from Tm.Mb.001 to Tm.Mb.020	23

	Page	
Figure 2.4	Group III: The samples from Tanzania, with their abbreviations from Tm.Tz.001 to Tm.Tz.020	25
Figure 2.5	Basic analytical instruments used in this study	27
Figure 2.6	The GIA Gemset from Gemological Institute of America	29
Figure 2.7	The Hitachi U4001 UV-Vis-NIR absorption spectrophotometer	31
Figure 2.8	The Bruker Tensor 27 FTIR spectrometer	32
Figure 2.9	Carbon coated on polish section of green tourmalines from (a) Madagascar, (b) Mozambique and (c) Tanzania	33
Figure 2.10	Electron Probe Micro Analyzer (JEOL Model JXA 8100)	34
Figure 2.11	The schematic diagram presents the component of laser ablation-inductively coupled plasma-mass spectroscopy (LA-ICP-MS)	36
Figure 2.12	Laser Ablation-Inductively Coupled Plasma-Mass Spectrometer (LA-ICP-MS)	36
Figure 3.1	Healed fractures containing fluid- and/or two-phase (liquid-gas) inclusions in Tm.Mc.011 (a) and trichite, which fluid-filled cavities linked by networks of very thin capillaries in Tm.Mc.001 (b).	40
Figure 3.2	Flat fluid inclusions in Tm.Mc.001 (a) and hollow tubes, oriented parallel to the C-axis in Tm.Mc.004 (b).	41
Figure 3.3	Fractures in Tm.Mc.014	41
Figure 3.4	Hollow tubes, oriented parallel to the C-axis in Tm.Mb.018 (a) and healed fractures containing fluid- and/or two-phase (liquid-gas) inclusions in Tm.Mb.020 (b).	41
Figure 3.5	Trichite, which fluid-filled cavities linked by networks of very thin capillaries in Tm.Mb.005 (a) and Tm.Mb.015 (b).	42
Figure 3.6	Fractures filled with ion stains in Tm.Mb.002	42
Figure 3.7	Fluid inclusion and negative inclusion in Tm.Tz.015 (a) and healed fractures containing fluid- and/or two-phase (liquid-gas) inclusions in Tm.Tz.008 (b).	42

	Page
Figure 3.8 Crystal inclusion in Tm.Tz.007 (a) and fractures filled with ion stains in Tm.Tz.001 (b).	43
Figure 3.9 UV-Vis-NIR absorption spectra of sample from Madagascar (Tm.Mc.005; green color)	44
Figure 3.10 UV-Vis-NIR absorption spectra of sample from Madagascar (Tm.Mc.017; green color)	45
Figure 3.11 UV-Vis-NIR absorption spectra of sample from Madagascar (Tm.Mc.006; bluish green color)	45
Figure 3.12 UV-Vis-NIR absorption spectra of sample from Madagascar (Tm.Mc.012; yellowish green color)	46
Figure 3.13 UV-Vis-NIR absorption spectra of sample from Madagascar (Tm.Mc.014; yellowish green color)	46
Figure 3.14 UV-Vis-NIR absorption spectra of sample from Mozambique (Tm.Mb.002; greenish blue color)	47
Figure 3.15 UV-Vis-NIR absorption spectra of sample from Mozambique (Tm.Mb.007; greenish blue color)	47
Figure 3.16 UV-Vis-NIR absorption spectra of sample from Mozambique (Tm.Mb.013; blue color)	48
Figure 3.17 UV-Vis-NIR absorption spectra of sample from Mozambique (Tm.Mb.017; green color)	48
Figure 3.18 UV-Vis-NIR absorption spectra of sample from Mozambique (Tm.Mb.019; bi-color)	49
Figure 3.19 UV-Vis-NIR absorption spectra of sample from Tanzania (Tm.Tz.002; yellowish green color)	49
Figure 3.20 UV-Vis-NIR absorption spectra of sample from Tanzania (Tm.Tz.009; yellowish green color)	50
Figure 3.21 UV-Vis-NIR absorption spectra of sample from Tanzania (Tm.Tz.017; Yellow-Green color)	50
Figure 3.22 UV-Vis-NIR absorption spectra of sample from Tanzania (Tm.Tz.018; green color)	51

	Page
Figure 3.23 UV-Vis-NIR absorption spectra of sample from Tanzania (Tm.Tz.019; green color)	51
Figure 3.24 Polarized FTIR absorption spectra of sample from Madagascar (Tm.Mc.005)	52
Figure 3.25 Polarized FTIR absorption spectra of sample from Madagascar (Tm.Mc.006)	53
Figure 3.26 Polarized FTIR absorption spectra of sample from Madagascar(Tm.Mc.011)	53
Figure 3.27 Polarized FTIR absorption spectra of sample from Madagascar (Tm.Mc.018)	54
Figure 3.28 Polarized FTIR absorption spectra of sample from Madagascar (Tm.Mc.019)	54
Figure 3.29 Polarized FTIR absorption spectra of sample from Mozambique (Tm.Mb.001)	55
Figure 3.30 Polarized FTIR absorption spectra of sample from Mozambique (Tm.Mb.004)	55
Figure 3.31 Polarized FTIR absorption spectra of sample from Mozambique (Tm.Mb.007)	56
Figure 3.32 Polarized FTIR absorption spectra of sample from Mozambique (Tm.Mb.010)	56
Figure 3.33 Polarized FTIR absorption spectra of sample from Mozambique (Tm.Mb.012)	57
Figure 3.34 Polarized FTIR absorption spectra of sample from Tanzania (Tm.Tz.003)	57
Figure 3.35 Polarized FTIR absorption spectra of sample from Tanzania (Tm.Tz.006)	58
Figure 3.36 Polarized FTIR absorption spectra of sample from Tanzania (Tm.Tz.008)	58
Figure 3.37 Polarized FTIR absorption spectra of sample from Tanzania (Tm.Tz.012)	59

	Page
Figure 3.38 Polarized FTIR absorption spectra of sample from Tanzania (Tm.Tz.017)	59
Figure 4.1 UV-Vis-NIR absorption spectra comparisons of green tourmaline from Madagascar, Mozambique and Tanzania	74
Figure 4.2 Polarized FTIR absorption spectra comparisons of sample from (a) Madagascar, (b) Mozambique and (c) Tanzania	75



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
 Copyright© by Chiang Mai University
 All rights reserved