

REFERENCES

- Adamson, H., Murgo, M., Boyle, M., Kerr, S., Crawford, M., & Elliott, D. (2004). Memories of intensive care and experiences of survivors of a critical illness: An interview study. *Intensive and Critical Care Nursing*, 20(5), 257-263.
doi:10.1016/j.iccn.2004.06.005
- Agard, A.S., Egerod, I., Tonnesen, E., & Lomborg, K. (2012). Struggling for independence: A grounded theory study on convalescence of ICU survivors 12 months post ICU discharge. *Intensive and Critical Care Nursing*, 28(2), 105-113.
doi:10.1016/j.iccn.2012.01.008
- Al-Abri, R. & Al-Balushi, A. (2014). Patient satisfaction survey as a tool towards quality improvement. *Oman Medical Journal*, 29(1), 3-7.
doi:10.5001/omj.2014.02
- Alasad, J. A., Abu Tabar, N., & Ahmad, M. M. (2015). Patients' experience of being in intensive care units. *Journal of Critical Care*, 30(4), 859.e7-859.e11.
doi:10.1016/j.jcrc.2015.03.021
- Arabi, A., & Tabvkol, K. (2009). Patient's experiences of mechanical ventilation. *Iranian Journal of Nursing and Midwifery Research*, 14(2), 83-88. Retrieved from www.ijnmr.mui.ac
- Ariely, D., & Carmon, Z. (2000). Gestalt characteristics of experiences. *Journal of Behavioral Decision Making*, 13(2), 191-201. doi:10.1002/(SICI)1099-0771(200004/06)13:2<191::AID-BDM330>3.0.CO;2-A
- Ariyo, P., & Swaboda, S. (2013). *Preparing patients for life after the ICU*. Society of Critical Care Medicine. Retrieved from www.sccm.org

- Asadi-Lari, M., Tamburini, M., & Gray, D. (2004). Patients' need, satisfaction, and health related quality of life: Towards a comprehensive model. *Health and Quality of Life Outcomes*, 2, 32. doi:10.1186/1477-7525-2-32
- Balas, M. C. (n.d.). *ICU survivors: Knowing you aren't alone*. Retrieved from icusrvivors.com
- Bell, M. O. (2013). *Posttraumatic stress disorder in the ICU and associated factors: Apreliminary* (Doctoral dissertation). University of Utah. Retrieved from content.lib.utah.edu
- Brislin, R. W., Lonner, W. J., & Thorndike, R. M. (1973). *Psychology*. Canada: John Wiley & Sons.
- Caiuby, A. V. S., Andreoli, P. B. A., & Andreoli, S. B. (2010). Post-traumatic stress disorder in intensive care unit patients. *Revista Brasileira de Terapia Intensiva*, 22(1), 77-84. Retrieved from www.scielo.br
- California Pacific Medical Center. (2014). *What is the ICU?* Retrieved from www.cpmc.org
- Cartwright, M. M. (2012). *The high incidence of post intensive care unit (ICU) anxiety and depression*. Retrieved from <https://www.psychologytoday.com/blog/food-thought/201202/the-high-incidence-post-intensive-care-unit-icu-anxiety-and-depression>
- Chee, H. L., & Barraclough, S. (2007). *Healthcare in Malaysia* (1st ed.). Malaysia: Taylor & Francis.
- Chen, Y. Y., & Koenig, H. G. (2006). Traumatic stress and religion: Is there a relationship? A review of empirical findings. *Journal of Religion and Health*, 45(3), 371-381. doi:10.1007/s10943-006-9040-y

- Choi, J., Hoffman, L. A., Schulz, R., Tate, J. A., Donahae, M. P., Ren, D., . . . Sherwood, P. R. (2013). Self-reported physical symptoms in intensive care unit (ICU) survivors: Pilot exploration over four months post-ICU discharge. *Journal of Pain and Symptom Management*, 47(2), 257-270.
doi:10.1016/j.jpainsymman.2013.03.019
- Clay, A. S. (2013). *Notes from an ICU bed and beyond: A physician's PICS experience*. Society of Critical Care Medicine. Retrieved from www.sccm.org
- Clinical Trial. (2014). *Improving psychological stress among critical illness survivors and their caregivers*. Identifier, NCT01983254. Retrieved from <http://clinicaltrials.gov>
- Corrigan, I., Samuelson, K. A. M., Fridlund, B., & Thome, B. (2007). The meaning of posttraumatic stress-reactions following critical illness or injury and intensive care treatment. *Intensive and Critical Care Nursing*, 23(4), 206-215.
doi:10.1016/j.iccn.2007.01.004
- Cuthbertson, B. H., Rattray, J., Johnston, M., Wildsmith, A. J., Wilson, E., Hernandez, R., . . . Campbell, M. (2007). A pragmatic randomised, controlled trial of intensive care follow up programmes in improving longer-term outcomes from critical illness. The PRACTICAL study. *BioMed Central Health Services Research*, 7, 116. doi:10.1186/1472-6963-7-116
- Davidson, J. E., Harvey, M. A., Schuller, J., & Black, G. (n.d). Post intensive care syndrome: What it is and how to help prevent it. *American Nurse Today*, 8(5), 32-38. Retrieved from <http://www.americannursetoday.com/assets/0/434/436/440/10226/10228/10232/10278/02ba438f-5b12-484e-8165-df5d365354f5.pdf>
- Davydow, D. S., Gifford, J. M., Desai, S. V., Needham, D. M., & Bienvenu, O. J. (2008). Posttraumatic stress disorder in general intensive care unit survivors: A systematic review. *General Hospital Psychiatry*, 30(5), 421-434.
doi:10.1016/j.genhosppsy.2008.05.006

- Davydow, S. D., Zatzick, D., Hough, C. L., & Katon, W. J. (2013). A longitudinal investigation of posttraumatic stress and depressive symptoms over the course of the year following medical-surgical intensive care unit admission. *General Hospital Psychiatric*, 35(3), 226-232. doi:10.1016/j.genhosppsych.2012.12.005
- Demir, Y., Korhan, E. A., Eser, I., & Khorshid, L. (2013). Factors affecting experiences of intensive care patients in Turkey: Patient outcomes in critical care setting. *Journal of Pakistan Medical Association*, 63(7), 821-825. Retrieved from www.jpma.org.pk
- Editors of the American Heritage Dictionaries. (2011). *The American Heritage dictionary of the english language* (5th ed.). Houghton Mifflin Harcourt Trade. Retrieved from <http://www.amazon.com/American-Heritage-Dictionary-English-Language/dp/0547041012>
- Engstrom, A., Nystrom, N., Sundelin, G., & Rattray, J. (2012). People's experiences of being mechanically ventilated in an ICU: A qualitative study. *Intensive and Critical Care Nursing*, 29(2), 88-95. doi:10.1016/j.iccn.2012.07.003
- Fredriksen, S. T. D., & Ringsberg, K. C. (2007). Living the situation stress experience among intensive care patients. *Intensive and Critical Care Nursing*, 23(3), 124-131. doi:10.1016/j.iccn.2006.09.002
- Granberg, A., Engberg, I. B., & Lundberg, D. (1998). Patients' experience of being critically ill or severely injured and cared for in an intensive care unit in relation to the ICU syndrome: Part 1. *Intensive and Critical Care Nursing*, 14(6), 294-307. Retrieved from www.ncbi.nlm.nih.gov
- Granja, C. (2004). *Outcomes in intensive care: Patients' physical and neuropsychological sequelae and their health-related quality of life* (Unpublished doctoral dissertation). University of Porto.

- Granja, C., Lopes, A., Moreira, S., Dias, C., Costa-Pereira, A., & Carneiro, A. (2005). Patient's recollections of experiences in the intensive care unit may affect their quality of life. *Critical Care*, 9(2), 96-109. doi:10.1186/cc3026
- Griffiths, J., Hatch, R. A., Bishop, J., Morgan, K., Jenkinson, C., Cuthbertson, B., & Brett, S. J. (2013). An exploration of social and economic outcome and associated health-related quality of life after critical illness in general intensive care unit survivors: A 12-month follow-up study. *Critical Care*, 17(3), R100. doi:10.1186/cc12745
- Hatchett, C., Langley, G., & Schmollgruber, S. (2010). Psychological sequelae following ICU admission at level 1 academic South African hospital. *South African Journal of Critical Care*, 26(2), 52. Retrieved from www.sajcc.org
- Haupt, M. T., Bekes, C. E., Brilli, R. J., Carl, L. C., Gray, A. W., Jastremski, M. S., . . . Wedel, S. K. (2003). Guidelines on critical care services and personnel: Recommendations based on a system of categorization of three levels of care. *Critical Care Medicine*, 31(11), 2677-2683. doi:10.1097/01.CCM.0000094227.89800.93
- Ho, S. E., Hamidah, H., Sanisah, S., & Syed, Z. (2008). Recollections expressed by mechanically ventilated patients of intensive care unit (ICU), Hospital University Kebangsaan Malaysia (HUKM). *Medicine and Health*, 3(1), 46-53. Retrieved from journalarticle.ukm.my/2011/
- Hofhuis, J. G. M., Spronk, P. E., Van Stel, H. F., Schrijvers, A. J. P., Rommes, J. H., & Bakker, J. (2008). Experiences of critically ill patients in the ICU. *Intensive and Critical Care Nursing*, 24(5), 300-313. doi:10.1016/j.iccn.2008.03.004
- Hopkin, R. O. (2013). *Strategies to ensure long-term quality of life in ICU survivors*. Retrieved from www.sccm.org
- Hupcey, J. E. (2000). Feeling safe: The psychosocial needs of ICU patients. *Journal of Nursing Scholarship*, 32(4), 361-367. doi:10.1111/j.1547-5069.2000.00361.x

- Jackson, J. C., Ely, E. W., Morey, M. C., Anderson, V. M., Denne, L. B., Clune, J., . . . Hoenig, H. (2012). Cognitive and physical rehabilitation of intensive care unit survivors: Result of the return randomized controlled pilot investigation. *Critical Care Medicine*, 40(4), 1088-1097. doi:10.1097/ccm.0b013e3182373115
- Jackson, J. C., Hart, R. P., Gordon, S. M., Hopkins, R. O., Girard, T. D., & Ely, E. W. (2007). Post-traumatic stress disorder and post-traumatic stress symptoms following critical illness in medical intensive care unit patients: Assessing the magnitude of the problem. *Critical Care*, 11(1), R27. doi:10.1186/cc5707
- Jalleh, R. P., Mukherjee, A., & Krishnan, M. M. S. (1987). Surgical intensive care: A university hospital experience. *Medical Journal of Malaysia*, 42(4), 242-247. Retrieved from www.ncbi.nlm.nih.gov
- Jones, C., Humphris, G., & Griffiths, R. D. (2000). Preliminary validation of the ICUM tool: A tool for assessing memory of the intensive care experience. *Clinical Intensive Care*, 11(5), 251-255. doi:10.3109/tcic.11.5.251.255
- Karlsson, V., Bergborn, I., & Forsberg, A. (2012). The lived experiences of adult intensive care patients who were conscious during mechanical ventilation: A phenomenological-hermeneutic study. *Intensive and Critical Care Nursing*, 28(1), 6-15. doi:10.1016/j.iccn.2011.11.002
- Konkani, A. (2013). *Noise in hospital Intensive Care Units (ICUs)*. Retrieved from health.embs.org
- Konkani, A., & Oakley, B. (2012). Noise in hospital intensive care units: A critical review of a critical topic. *Journal of Critical Care*, 27(5), 522.e1-522.e9. doi:10.1016/j.jcrc.2011.09.003
- Lee, P. R. (n.d.). *ICU outcomes (mortality and length of stay) methods, data collection, tool and data*. Institute for Health Policy Studies. Retrieved from <http://healthpolicy.ucsf.edu/content/icu-outcomes>

- Lof, L., Berggren, L., & Ahlstrom, G. (2006). Severely ill ICU patients recall of factual events and unreal experiences of hospital admission and ICU stay—3 and 12 months after discharge. *Intensive and Critical Care Nursing*, 22(3), 154-166. doi:10.1016/j.iccn.2005.09.008
- Lof, L., Berggren, L., & Ahlstrom, G. (2008). ICU patients' recall of emotional reactions in the trajectory from falling critically ill to hospital discharge: Follow-ups after 3 and 12 months. *Intensive and Critical Care Nursing*, 24(2), 108-121. doi:10.1016/j.iccn.2007.08.001
- Lynn, M. R. (1986). Determination and quantification of content validity. *Nursing Research*, 35(6), 382-385. doi:10.1097/00006199-198611000-00017
- Macnee, L. C., & McCabe, S. (2008). *Understanding nursing research: Using research in evidence-based practice*. New York: Lippincott William & Wilkins.
- Malaysia's Health. (2005). *Healthcare service*. Ministry of health Malaysia. Retrieved from <http://www.moh.gov.my>
- Malaysian Registry of Intensive Care. (2012). *MRIC 2012 report*. Clinical Research Centre. Retrieved from <http://www.mric.org.my>
- Malaysian Society of Intensive Care, Ministry of Health, & Anaesthesia Programme. (2012). *Management protocol in ICU*. Retrieved from <http://www.msic.org.my>
- Matthews, E. E. (2011). Sleep disturbances and fatigue in critically ill patients. *American Association of Critical-Care Nurses Advanced Critical Care*, 22(3), 204-224. doi:10.1097/NCI.0b013e31822052cb
- Merilainen, M., Kyngas, H., & Ala-Kokko, T. (2010). 24-Hour intensive care: an observational study of an environment and events. *Intensive and Critical Care Nursing*, 26(5), 246-253. doi:10.1016/j.iccn.2010.06.003

- Miller-Keane, & O'Toole, M. T. (2003). *Miller-Keane encyclopedia and dictionary of medicine, nursing, and allied health* (7th ed.). W.B. Saunders, Elsevier. Retrieved from <http://www.amazon.com/Miller-Keane-Encyclopedia-Dictionary-Medicine-Nursing/dp/1416026045>
- Myhren, H., Ekeberg, O., Toien, K., Karlsson, S., & Stokland, O. (2010). Posttraumatic stress, anxiety and depression symptoms in patients during the first year post intensive care unit discharge. *Critical Care*, 14(1), R14. doi:10.1186/cc8870
- National Health Service. (2012). *Intensive care*. Retrieved from <http://www.nhs.uk>
- National Heart, Lung, and Blood Institute. (2012). *Why is sleep important?* Retrieved from <http://www.nhlbi.nih.gov>
- National Quality Measures Clearinghouse. (2008). *Intensive care: Percentage of adult patients having had an intensive care unit (ICU) stay whose hospital outcome is death*. Retrieved from <http://www.qualitymeasures.ahrq.gov>
- O'Neil, B., & McAuley, D. (2011). Sequelae and rehabilitation after critical illness. *Critical Medicine*, 11(6), 609-614. Retrieved from <http://www.rcplondon.ac.uk>
- Patak, L., Gawlinski, A., Fung, N. I., Doering, L., & Berg, J. (2004). Patients reports of health care practitioner interventions that are related to communication during mechanical ventilation. *Heart & Lung*, 33(5), 308-320. Retrieved from <http://www.ncbi.nlm.nih.gov>
- Peris, A., Bonizzoli, M., Lozzelli, D., Migliaccio, M. L., Zagli, G., Bacchereti, A., . . . Belloni, L. (2011). Early intra-intensive care unit psychological intervention promotes recovery from post-traumatic stress disorders, anxiety and depression symptoms in critically ill patients. *Critical Care*, 15(1), R41. doi:10.1186/cc10003
- Petry, N. M. (2002). A comparison of young, middle-aged, and older adult treatment-seeking pathological gamblers. *The Gerontologist*, 42(1), 92-99. doi:10.1093/geront/42.1.92

- Pisani, M. A., Friese, R. S., Gehlbach, B. K., Schwab, R. J., Weinhouse, G. L., & Jones, S. F. (2015). Sleep in the intensive care unit. *American Journal of Respiratory and Critical Care Medicine*, 191(7), 731-738. doi:10.1164/rccm.201411-2099CI
- Ratini, M. (2015). *The healing power of sleep*. Retrieved from <http://www.webmd.com/a-to-z-guides/discomfort-15/better-sleep/healing-power-sleep>
- Rattray, J. E., Johnston, M., & Wildsmith, J. A. W. (2004). The intensive care experience: Development of the ICE questionnaire. *Journal of Advanced Nursing*, 47(1), 64-73. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/15186469>
- Rattray, J. E., Johnston, M., & Wildsmith, J. A. W. (2005). Predictors of emotional outcomes of intensive care. *Anaesthesia*, 60(11), 1085-1092. doi:10.1111/j.1365-2044.2005.04336.x
- Ringdal, M., Johansson, L., Lundberg, D., & Bergbom, I. (2006). Delusional memories from the intensive care unit—Experienced by patients with physical trauma. *Intensive and Critical Care Nursing*, 22(6), 346-354. doi:10.1016/j.iccn.2006.03.001
- Roberts, B. L., Rickard, C. M., Rajbhandari, D., & Reynolds, P. (2007). Factual memories of ICU: Recall at two years' post-discharge and comparison with delirium status during ICU admission—A multicentre cohort study. *Journal of Clinical Nursing*, 16(9), 1669-1677. doi:10.1111/j.1365-2702.2006.01588.x
- Roberts, B., & Chaboyer, W. (2004). Patients' dreams and unreal experiences following intensive care unit admission. *Nursing in Critical Care*, 9(4), 173-180. doi:10.1111/j.1362-1017.2004.00066.x
- Rochat, P. (2003). Five levels of self-awareness as they unfold early in life. *Consciousness and Cognition*, 12(4), 717-731. doi:10.1016/S1053-8100(03)00081-3

- Rotondi, A. J., Chelluri, L., Sirio, C., Mendelsohn, A., Schulz, R., Belle, S., . . . Pinsky, M. R. (2002). Patients' recollections of stressful experiences while receiving prolonged mechanical ventilation in an intensive care unit. *Critical Care Medicine*, 30(4), 746-752. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/11940739>
- Rovatti, K. B., Teodoro, M., & Kern de Castro, E. (2012). Memories and prevalence of posttraumatic stress disorder in intensive care units. *Psicologia: Reflexão e Crítica*, 25(3). doi:10.1590/S0102-79722012000300009
- Rundshagen, I., Schnabel, K., Wegner, C., & am Esch, S. (2002). Incidence of recall, nightmares and hallucinations during analog-sedation in intensive care. *Intensive Care Medicine*, 28(1), 38-43. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/11818997>
- Russell, S. (1999). An exploratory study of patients' perceptions, memories and experiences of an intensive care unit. *Journal of Advanced Nursing*, 29(4), 783-791. doi:10.1046/j.1365-2648.1999.00953.x
- Samuelson, K. A. (2010). Adult intensive care patients' perception of endotracheal tube-related discomfort: A prospective evaluation. *Heart & Lung*, 40(1), 49-55. doi:10.1016/j.hrtlng.2009.12.009
- Samuelson, K. A. (2011). Unpleasant and pleasant memories of intensive care in adult mechanically ventilated patients: Findings from 250 interviews. *Intensive and Critical Care Nursing*, 27(2), 76-84. doi:10.1016/j.iccn.2011.01.003
- Samuelson, K. A., Lundberg, D., & Fridlund, B. (2007). Stressful memories and psychological distress in adult mechanical ventilated intensive care patients—A 2-month follow-up study. *Acta Anaesthesiologica Scandinavica*, 51(6), 671-678. doi:10.1111/j.1399-6576.2007.01292.x
- Scragg, P., Jones, A., & Fauvel, N. (2001). Psychological problems following ICU treatment. *Anaesthesia*, 56(1), 9-14. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/11167429>

- Soh, K. L., Soh, K. G., Noor Airini, I., Nor Zehan, A., Salimah, J., & Rosna, A. R. (2014). Recalling ICU experiences: Patients' perspectives. *Middle-East Journal of Scientific Research*, 19(Innovation Challenges in Multidisciplinary Research and Practice), 106-111. doi:10.5829/idosi.mejsr.2014.19.icmrp.16
- Strahan, E. H. E., & Brown, R. J. (2005). A qualitative study of the experiences of patients following transfer from intensive care. *Intensive and Critical Care Nursing*, 21(3), 160-171. doi:10.1016/j.iccn.2004.10.005
- Sutter Health CPMC. (2005). *What is the ICU?* Retrieved from <http://www.cpmc.org>
- Tembo, A. C., Parker, V., & Higgins, I. (2012). Being in limbo: The experience of critical illness in intensive care and beyond. *Open Journal of Nursing*, 2(3), 270-276. doi:10.4236/ojn.2012.23041
- Tomlin, P. J. (1977). Psychological problems in intensive care. *The British Medical Journal*, 2(6084), 441-443. Retrieved from <http://www.jstor.org/stable/20415531>
- Van de Leur, J. P., Van der Schans, C. P., Loeff, B. G., Deelman, B. G., Geertzen, J. H. B., & Zwaveling, J. H. (2004). Discomfort and factual recollection in intensive care unit patients. *Critical Care*, 8(6), R467-R473. doi:10.1186/cc2976
- Van der Schaff, M., Beelen, A., Dongelmans, D. A., Vroom, M. B., & Nollet, F. (2009). Poor functional recovery after a critical illness: A longitudinal study. *Journal of Rehabilitative Medicine*, 41(13), 1041-1048. doi:10.2340/16501977-0443
- Wallen, K., Chaboyer, W., Thalib, L., & Creedy, D. K. (2008). Symptoms of acute posttraumatic stress disorder after intensive care. *American Journal of Critical Care*, 17(6), 534-543. Retrieved from <http://www.ajcc.aacnjournals.org>
- Wassenaar, A., Schoutten, J., & Schoonhoven, L. (2013). Factors promoting intensive care patients' perception of feeling safe: A systematic review. *International Journal of Nursing Studies*, 51(2), 261-273. doi:10.1016/j.ijnurstu.2013.07.003

- Weinhouse, G. L., & Schwab, R. J. (2006). Sleep in the critically ill patient. A Joint Publication of The Sleep Research Society and The American Academy of Sleep Medicine. *SLEEP*, 29(5), 707-716. Retrieved from <http://www.journalsleep.org/Articles/290519.pdf>
- Wenham, T., & Pittard, A. (2009). Intensive care unit environment. *Continuing Education in Anaesthesia, Critical Care and Pain*, 9(6), 178-183. Retrieved from <http://www.medscape.com>
- World Health Organization. (2015). *Intensive care unit*. Retrieved from <http://www.who.int>
- Yamane, T. (1973). *Statistics: An introductory analysis* (3rd ed.). New York: Harper & Row.
- Yousefi, H., & Abedi, H. A. (2011). Spiritual care in hospitalized patients. *Iran Journal of Nursing and Midwifery Research*, 16(1), 125-132. Retrieved from <http://www.ncbi.nlm.nih.gov>
- Zeilani, R., & Seymour, J. E. (2010). Muslim women's experiences of suffering in Jordanian intensive care units: A narrative study. *Intensive and Critical Care Nursing*, 26(3), 175-184. doi:10.1016/j.iccn.2010.02.002