

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่ Copyright[©] by Chiang Mai University All rights reserved

APPENDIX A

Information Sheet for Primiparous Pregnant Women

Research Title: Attitudes, Subjective norm, Perceived Behavioral Control, and

Intention towards Breastfeeding among Bangladeshi Primiparous Pregnant Women

Researcher: Moshammed Jaynab Begum

Contact address: Chandpur Nursing Institute, Chandpur, Bangladesh

Telephone Number: +8801818297288

Email address: jaynabbegum1@gmail.com

Dear participant,

I am Moshammed Jaynab Begum, a student of master degree program in maternal and child health nursing international program faculty of nursing Chiang Mai University, Thailand. I am conducting a study for the partial fulfillment of requirement of my master degree on "Attitude, Subjective norm, Perceived Behavioral Control, and Intention Towards Breastfeeding Among Bangladeshi Primiparous Pregnant Women" The objectives of the study are to describe the level of attitudes and intention towards breastfeeding among Bangladeshi primiparous pregnant women. To describe the level of subjective norm and intention towards breastfeeding among Bangladeshi primiparous pregnant women. To describe the level of perceived behavioral control and intention towards breastfeeding among Bangladeshi primiparous pregnant women. To describe the level of intention towards breastfeeding among Bangladeshi primiparous pregnant women.

This study requires 120 primiparous pregnant women. You are invited to be a participant in the study since you are primiparous pregnant women who are receiving treatment in outpatient department (OPD) at antenatal clinic. This may not have direct benefit to you but the result of the study can help to improve breastfeeding among mothers. When you understand the study information and agree to participate in this study, you will be asked to complete a consent form and a set of questionnaire. The

questionnaire for this study consists of five parts: Demographic Data Sheet (DDS) 8 items, attitudinal scale 52 items, subjective norm 13 items, perceived behavioral control 10 items and intention 3 items. The questionnaire will take 30 minutes of your time. Your participation in this study is completely voluntary and you are free to refuse participation or withdraw from this study at anytime without losing any benefits. Your participation or withdrawal in this study will not affect or harm.

To make confidentiality, the consent form and questionnaires will be provided to you in hand to hand. Please take your time to complete the questionnaire in a comfortable environment and return the questionnaires after 30 minutes. Participant's name and information will not be mentioned in my study and the result I obtain from this study will not be linked to any person but will be shared to public as an overall result. Any other benefit or copyrights that may be the result of this research project must be in accordance with the rules and regulations of Chiang Mai University.

If you have any questions regarding this study or would like additional information to help you reach a decision about your participation, please contact me, Moshammed Jaynab Begum (+8801818297288), or email: jaynabbegum1@gmail.com. Further, if you have questions to make clear, you can contact the Director DrHabibAbdullah Sohel, Telephone No. 08165401, FAX No. 08176343, Mobile No. 01712251046, Email comch@hospi.dghs.gov.bd. If you would like information related to your rights as a study participant, you can contact: Research Ethics Committee, Chiang Mai University Faculty of Nursing, Tel: (Office Hours) 0-5394-6080; Fax: 0-5389-4170.

Thank you for your consideration to be a participant for this study.

You're sincerely
Moshammed Jaynab Begum
Master student
Faculty of Nursing, Chiang Mai University,
Thailand
Date......

APPENDIX B

Consent Form of the Participants

I have read the information letter about this study. I have read the opportunity to ask my questions related to this study and any questions that I have asked have been answered to my satisfaction. I consent voluntarily to participate in this research.

Name of participant	
Signature of participant	1 2 1
Date	<u> </u>
1200	282
STATE OF THE PARTY	500
Print name of researcher	121
Signature of researcher	
Date	,A//
MILES	7//

APPENDIX C

Research Instruments

Attitudes	Subjective	norms	perceived	hehavioral	control	and	Intention	toward

Breastfeeding Questionnaire.

Instruction: This questionnaire aims to learn about attitudes; subjective norm, Perceived behavioral control and intention towards breastfeeding among primiparous pregnant women. Please provide your answer for each item in this questionnaire. Your answer is not right or wrong; your given information will help researcher/ health personnel of the antenatal care unit to improve the service of breast feeding.

This questionnaire includes 2 parts, namely

Part 1: Demographic data

Part 2: BAPT questionnaire

2.1 Attitudes

Code.....

- 2.2 Subjective norm
- 2.3 Perceived Behavior Control, and
- 2.4 Intention

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม Thank you for your cooperation.

rights reserved

Part 1: Demographic data

Instruction: Please provide your answer for each item put in the ticking mark. Please mark only one answer unless otherwise indicated.

geyears old.	
eligion:	
1. Islam	
 Islam Hinduism 	
3. Buddhist	
4. Christian	
Marital Status:	5
1. Single	/
2. Married	
2. Married3. Divorce	
4. Other (please specify)	2
ducational level:	
1. Primary level	e d
2. Secondary/high school level	
3. Bachelor of degree	
4. Master degree.	
5. Other (please specify)	

Employment:
1. Full time job
2. Part time job
3. Unemployment
4. House wife
5. Farmer Monthly income:
Monthly income:
1. BDT 3000 – 6000
2. BDT 6001 – 1, 0000
3. More than 1, 0000
Type of family:
1. Nuclear family
2. Extended family
ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright [©] by Chiang Mai University All rights reserved

Part 2: BAPT questionnaire

2.1 Attitudinal scale

Instructions: There are two forms of these attitudinal scales. Please answer these two forms by ticking only one number of each item that most closely describes how you feel about each statement.

SN	Level of agreement	Strongly disagree				y agree
	Statement	Strongly	31			Strongly agree
1	Breast feeding is more convenient than formula feeding.	. \	1000	'\		
2	Breastfeeding is painful.		ris	24		
3	Formula feeding allows the mother more freedom.		员	5		
4	Infant formula can cause allergies.	1	D	. //	J.	
5	Breast milk is healthy for the baby	/	0	//		
6	No one else can help feed the baby when you breastfeed.	1	7			
7	It is difficult to breastfeed in public.	0				
8	Formula fed babies tend to get sick.	1				
9	Breast milk is more nutritious than infant formula.					
10	Breast feeding makes your breasts sag.			0	1	
11	Formula feeding is easier than breastfeeding.	8	16) [r	11	
12	Formula fed babies are fussy than breastfed babies.	11.			ida.	
13	Breast feeding makes you closer to your baby.	U	IIV	CIS	ity	
14	Breastfeeding makes returning to work difficult.	6		/ e	a	
15	Formula fed babies are easier to satisfy than breastfed					
	babies.					
16	Formula fed babies tend to be overweight.					
17	Breastfeeding is more economical than formula feeding.					
18	When you breastfed you never know if the baby is getting enough milk.					

SN	Level of agreement	
	Statement Statem	Strongly agree
	Statement	Str
19	Mothers who formula feed get more rest than	
	breastfeeding mothers.	
20	Breastfeeding is natural.	
21	Breastfeeding is more time consuming than formula	
	feeding.	
22	Formula feeding lets the father become close to the baby.	
23	Infant formula can cause constipation.	
24	Breast feeding is best for the baby.	
25	Breastfeeding is personally satisfying.	
26	Breastfeeding is messy.	
27	Breastfeeding ties your down.	
28	Breastfeeding helps you bond with your baby.	
29	Mothers who formula feed get back into shape sooner.	
	MAI UNIVERSITY	

Please indicate below how important each of the following statements are to you.

SN	Level of agreement	ne.					
	Statement	NOT important to me.					Important to me.
43	Using a feeding method that is convenient is:	1	2	3	4	5	6
44	Using a feeding method that doesn't cause me pain is:						
45	Using a feeding method that lets me have some freedom is:	3	31				
46	Using a feeding method that won't cause allergies is:	1	503	1			
47	Using a feeding method that is healthy for my baby is:	_ 1					
48	Using a feeding method that lets someone else feed my baby is:		S				
49	Using a feeding method that is easy to do in public is:		3	+/			
50	Using a feeding method that protects my baby from getting sick is:	1	10				
51	Using a feeding method that is nutritious is:	0					
52	Using a feeding method that won't make my breasts sag is:						
53	Using a feeding method that is easy is:	C.		2		11	
54	Using a feeding that keeps by baby from being fussy is:	ŀΰ	B	Dti	11		
55	Using a feeding method that lets me be close to my baby is:	U	niv	ers	ity		
56	Using a feeding method that makes it easy to return to work is:	2		V	s u		
57	Using a feeding method that satisfies my baby is:						
58	Using a feeding method that keeps my baby from being overweight is:						
59	Using a feeding method that is economical is:						

SN	Level of agreement Statement	NOT important to me.					Important to me.
60	Using a feeding method where I know the baby is						
	getting enough is:						
61	Using a feeding method that lets me gets lots of rest:						
62	Using a feeding method that a natural is:	8					
63	Using a feeding method that saves time is:	.0	21				
64	Using a feeding method that lets the father be close to the baby is:		100				
65	Using a feeding method that doesn't cause constipation is:		3				
66	Using a feeding method that is best for my baby is:						
67	Using a feeding method that is personally satisfying is:	1	8	5 //			
68	Using a feeding that is not messy is:		2	//			
69	Using a feeding method that doesn't tie me down is:	£	Y /				
70	Using a feeding method that helps me bond with my baby is:						
71	Using a feeding method that lets me get back into shape is:	R	514	1	K1	ı	

Copyright[©] by Chiang Mai University All rights reserved

2.2: Subjective norm

Instruction: Please indicate how much do you care about the following people's opinion on how should feed your baby. Please tick only one number for each statement.

SN	Degree of agreement							
	Statements	Do not care at all					Care very much	Not applicable
01	The baby's father	1	2	3	4	5	6	0
02	your mother			6	1/13			
03	Your mother- in- law.		7	\ '	7			
04	Your sister			10	26			
05	Your closest female friend			Q.	Ġ.			
06	Your doctor.			/ 3	14			
07	Your midwife.	1		6/				
08	La Leche League			4				
09	Your hospital nurse	00						
10	Your baby's doctor	FIL						
11	Your childbirth educator							
12	Other relatives (Please specify)	136	18	81	al.	KI		
13	People who are important to you	MA	: 1	1		24		

Copyright by Chiang Mai University

All rights reserved

2.3: Perceived Behavioral Control

Please indicate the degree to which you agree or disagree with the following statements:

SN	Degree of agreement						
	Statements	Strongly disagree					Strongly agree
01	I have the necessary skills to breastfeed	4/2	2	3	4	5	6
02	I am physically able to breastfeed	1	80	1/18			
03	I know how to breastfeed		1	3			
04	I am emotionally ready to breastfeed	Z		2			
05	I am determined to breastfeed			2024			
06	I won't need help to breastfeed		1	355			
07	I have total control over my breastfeeding		1	A	1		
08	Breastfeeding is easy		15	8/	1		
09	I am confident I can breastfeed		A	//			
10	I know I will have enough milk for the baby	120	1				

2.4: Intention

Instructions: Please circle only one answer of question number 1 and 2, and fill in the blank of question number 3.

- 95. What is the primary method of infant feeding are you using with your new baby?
 - 2. Formula feeding

1. Breastfeeding

- 96. How long do you intend to breastfeed as you select in question number 1?
 - 1. Less than 6 months
 - 2. More than six months
- 99. What will be the main reasons you chose to breastfeed (List as many reasons that apply)

APPENDIX D

Research Instruments (Bengali)

স্থল্যপান করালোর প্রতি মলোভাব, বিষ্মী নিয়ম, অনুভূত আচরণগত নিয়ন্ত্রণ এবং অভিপ্রায় প্রস্নাবলী1

নির্দেশ্যবলী: এই প্রশ্নবলী স্থন্যপান করানোর প্রতি মনোভাব, বিষয়ী আদর্শ, অনুভূত আচরণগত নিয়ন্ত্রণ এবং অভিপ্রায় সম্পর্কে আপনার কাছ থেকে জানতে চায় I এই প্রশ্নবলীর প্রতিটি আইটেমের জন্য আপনার উত্তর প্রদান করুন I আপনার উত্তর সঠিক বা ভূল নয়; আপনার দেওয়া তখ্য স্থন থাওয়ানোর পরিষেবা উন্নত করার জন্য জন্মপূর্ব কেয়ার ইউনিট এর গবেষক / স্বাস্থ্য কর্মীদের সাহায্য করবে I

এই প্রশ্লাবলীতে দুই টি অংশ আছে:

এক: জনসংখ্যাতাত্বিক তথ্য

पूरे : BAPT भ्रमावनी:

পার্ট এক: দৃষ্টিভঙ্গি স্কেল

পার্ট দৃই: বিষয়ী আদর্শ

পার্ট ভিন: অনুভূত আচরণগত নিয়ন্ত্রণ

পার্ট চার: বুকের দুধ থাওয়ানোর অভিগ্রায়

আপনার সহযোগিতার জন্য ধন্যবাদ.

All rights reserved

পার্টএক: জনসংখ্যাতাত্বিকতখ্য

নির্দেশাবলী: থালিস্থানপূরণবাণ্রাসঙ্গিকউত্তরপ্রতিনিধিম্বকারীসংখ্যায়টিকিচ্ছি $(\sqrt{})$ দ্বারাপ্রতিটিআইটেমেরজন্যআপনারউত্তরচিছিতকরুন I কেবলএকটিউত্তরচিছিতকরুন I

- 1. ব্যুসবছর
- ২. ধর্ম: i)ইসলাম ii) হিন্দু iii)থৃস্টান iv)বৌদ্ধ
- 3. বৈবাহিকঅবস্থা: i)অবিবাহিত ii)বিবাহিত iii)বিবাহবিচ্ছিন্ন iv) বিধবা
- 4. শিচ্ছাগতবোগ্যতা:
 i) প্রাথমিক ii) মাধ্যমিক
 iii) উচ্চমাধ্যমিক
 v) প্লাতকোত্তর
 vi) অন্যান্য
- 5. দেশা: i)পূৰ্ণকালীন চাকুরী ii) থন্ডকালীন চাকরী iii) বেকারম্ব iv) গৃহিনী v) কৃষক
- 6. মাসিকআ্ম: i) 3000 6 000 টাকা ii) 6001-10, 00 iii) 10,000 টাকারঅধিক
- 7. পরিবারের ধরন: i) এককপরিবার ii) মৌখপরিবার

পার্ট - ২: দৃষ্টিভঙ্গি ক্ষেল

নির্দেশাবলী: এই দৃষ্টিভঙ্গি স্কেলের ছুইটি ফর্ম আছে, প্রতিটি বিবৃতির সাথে আপনার মতামত বা মত বিরোধ প্রদান করা কলামে শুধুমাত্র একটি সংখ্যায় টিক চিহ্ন (√) দ্বারা উত্তর দিন (১= অতিমাত্রায় অসম্মতি, ৬ = অতিমাত্রায় সম্মতি)

ফর্ম ১

ক্রমিক সংখ্যা	বিবৃতি	2	2	0	8	æ	b
۵	স্তন খাওয়ান কৌটার দুধ খাওয়ানোর চেয়ে আরও বেশি সুবিধাজনক						
4	স্তন্যপান করান বেদনাদায়ক						
v	কৌটার ছধ খাওয়ানো মা আরো স্বাধীনতা পাবে						
8	কৌটার ছধ এলার্জি হতে পারে.						
œ	বুকের দ্বধ শিশুর জন্য স্বাস্থ্যকর						
৬	যখন আপনি শিশুকে বুকের দুধ খাওয়ান অন্য কেহ সাহায্য করতে পারেনা						
٩	পাবলিকের মধ্যে বুকের ছধ খাওয়ানো কঠিন						
ь	কৌটার দ্বধ খাওয়ানো শিশুদের অসুস্থ করে থাকতে পারে						
8	বুকের দ্বধ কৌটার দ্বধের চেয়ে বেশি পুষ্টিকর						
20	স্তন খাওয়ানো আপনার স্তন পাশে ঝুলিয়া পড়া করে তোলে.						

22	কৌটার দুধ খাওয়ানো স্তন্যপান করানো তুলনায় অনেক		
	সহজ		
১২	কোঁটার ছধ খাওয়ানো শিশুরা স্তন্যপান করানো শিশুদের		
	তুলনায় ব্যস্তবাগীশ		
১৩	স্তন খাওয়ানো আপনাকে আপনার শিশুর কাছাকাছি		
	করে তোলে		
28	স্তন খাওয়ানো কাজ ফিরে যাওয়া কঠিন করে তোলে.		
24	কৌটার দুধ খাওয়ানো শিশুদের সম্ভষ্ট করা সহজ হয়		
	বুকের ছধ খাওয়ানো শিশুদের তুলনায়।		
১৬	কৌটার ছধ খাওয়ানো শিশুদের অতিরিক্ত ওজন হতে থাকে	,	
১৭	স্তন খাওয়ানো কৌটার ছুধ খাওয়ানোর চেয়ে বেশি		
	লভিজনক হয়		
24	শিশুর যথেষ্ট দুধ হয় কিনা আপনি জানেন না যখন		
	আপনি বুকের, ছধ খাওয়ান		
29	কৌটার ছধ খাওয়ানো মায়েরা স্তন্যপান করানো মায়েদের		
	চেয়ে ৰেশি বিশ্ৰাম পায়		
२०	স্তন খাওয়ানো স্বাভাবিক/প্রকৃতির উপহার		
২১	স্তন খাওয়ানো কৌটার দুধ খাওয়ানোর চেয়ে আরো সময়		
	গ্রাসকারী		
२२	কৌটার দুধ খাওয়ানো শিশুর বাবা কাছের হয়		
२७	কৌটার ছধ কোষ্ঠকাঠিন্য করতে পারে.		
२ 8	স্তন খাওয়ানো শিশুর জন্য সবচেয়ে ভাল		
২৫	স্তন খাওয়ানো ব্যক্তিগতভাবে সন্তোষজনক.		

২৬	স্তন খাওয়ানো অপরি <mark>চ্ছন্ন</mark>			
২৭	স্তন খাওয়ানো আপনার শিশুর সঙ্গে আপনাকে বেঁধে দেয়			
২৮	স্তন খাওয়ানো আপনার শিশুর সঙ্গে বন্ধনে সাহায্য করে.	1		
२५	কৌটার হুধ খাওয়ানো মায়েরা আকৃতি দ্রুত ফিরে পায়			

নির্দেশাবলী: নিম্নলিখিত প্রতিটি বিবৃতি আপনার কাছে কতটা গুরুত্বপূর্ণ নির্দেশ করে উত্তর দিন (১= আমার কাছে গুরুত্বপূর্ণ নয়, ৬= আমার কাছে গুরুত্বপূর্ণ) ফর্ম ২

ক্রমিক সংখ্যা	বিৰ্তি	٥		৬
80	একটি খাওয়ানোর পদ্ধতি ব্যবহার করা যা সুবিধাজনক :			
88	একটি খাওয়ানোর পদ্ধতি ব্যবহার করা যাতে আমার ব্যথা হতে পারে না: আমার কাছে শুরুত্বপূর্ণ / আমার কাছে শুরুত্বপূর্ণ না			
8¢	একটি খাওয়ানোর পদ্ধতি ব্যবহার করা যা আমাকে কিছু স্বাধীনতা দেয়:			
8৬	একটি খাওয়ানোর পদ্ধতি ব্যবহার করা যাতে এলার্জি হয় না:			
89	একটি খাওয়ানোর পদ্ধতি ব্যবহার করা যা আমার শিশুর জন্য স্বাস্থ্যকর:			

আমার শিশুর ভোজন করাতে পারে: একটি খাওয়ানোর পদ্ধতি ব্যবহার করা যাতে জনসাধারণের				
একটি খাওয়ানোর পদ্ধতি ব্যবহার করা যাতে জনসাধারণের				
1				
মধ্যে কাজ করা সহজ হয়:				
একটি খাওয়ানোর পদ্ধতি ব্যবহার করা যা আমার শিশুকে		- 2.0		
অসুস্থতা থেকে রক্ষা করে:				
একটি খাওয়ানোর পদ্ধতি ব্যবহার করা যা পুষ্টিকর :				
একটি খাওয়ানোর পদ্ধতি ব্যবহার করা যাতে আমার বুকের			1	
পাশে ঝুলিয়া পড়া করবে না:				
একটি খাওয়ানোর পদ্ধতি ব্যবহার করা যা সহজ:				
একটি খাওয়ানোর পদ্ধতি ব্যবহার করা যা শিশুকে ব্যস্তবাগীশ				
থেকে দূরে রাখে:				
একটি খাওয়ানোর পদ্ধতি ব্যবহার করা যা আমার শিশুকে				
আমার কাছাকাছি করে তোলে:				
একটি খাওয়ানোর পদ্ধতি ব্যবহার করা যা কাজ ফিরে যাওয়া				
সহজ করে তোলে:				
একটি খাওয়ানোর পদ্ধতি ব্যবহার করা যা আমার শিশুকে				
সম্ভষ্ট করে:				
একটি খাওয়ানোর পদ্ধতি ব্যবহার করা যা আমার বাচ্চাকে				
অতিওজন থেকে দূরে রাখে:				
একটি খাওয়ানোর পদ্ধতি ব্যবহার করা যা লাভজনক:				
একটি খাওয়ানোর পদ্ধতি ব্যবহার করা যেখানে আমি জানি				
	অসুস্থতা থেকে রক্ষা করে: একটি খাওয়ানোর পদ্ধতি ব্যবহার করা যা পুষ্টিকর : একটি খাওয়ানোর পদ্ধতি ব্যবহার করা যাতে আমার বুকের পাশে ঝুলিয়া পড়া করবে না: একটি খাওয়ানোর পদ্ধতি ব্যবহার করা যা সহজ: একটি খাওয়ানোর পদ্ধতি ব্যবহার করা যা শিশুকে ব্যন্তবাগীশ থেকে দূরে রাথে: একটি খাওয়ানোর পদ্ধতি ব্যবহার করা যা আমার শিশুকে আমার কাছাকাছি করে তোলে: একটি খাওয়ানোর পদ্ধতি ব্যবহার করা যা কাজ ফিরে যাওয়া সহজ করে তোলে: একটি খাওয়ানোর পদ্ধতি ব্যবহার করা যা আমার শিশুকে সম্ভষ্ট করে: একটি খাওয়ানোর পদ্ধতি ব্যবহার করা যা আমার শিশুকে সম্ভষ্ট করে: একটি খাওয়ানোর পদ্ধতি ব্যবহার করা যা আমার বাচ্চাকে অতিওজন থেকে দূরে রাখে: একটি খাওয়ানোর পদ্ধতি ব্যবহার করা যা লাভজনক:	অসুস্থতা থেকে রক্ষা করে: একটি খাওয়ানোর পদ্ধতি ব্যবহার করা যা পুষ্টিকর : একটি খাওয়ানোর পদ্ধতি ব্যবহার করা যাতে আমার বুকের গাশে ঝুলিয়া পড়া করবে না: একটি খাওয়ানোর পদ্ধতি ব্যবহার করা যা সহজ: একটি খাওয়ানোর পদ্ধতি ব্যবহার করা যা শিশুকে ব্যস্তবাগীশ থেকে দূরে রাখে: একটি খাওয়ানোর পদ্ধতি ব্যবহার করা যা আমার শিশুকে আমার কাছাকাছি করে তোলে: একটি খাওয়ানোর পদ্ধতি ব্যবহার করা যা কাজ ফিরে যাওয়া সহজ করে তোলে: একটি খাওয়ানোর পদ্ধতি ব্যবহার করা যা আমার শিশুকে সম্ভষ্ট করে: একটি খাওয়ানোর পদ্ধতি ব্যবহার করা যা আমার বাচ্চাকে অতিওজন থেকে দূরে রাখে: একটি খাওয়ানোর পদ্ধতি ব্যবহার করা যা লাভজনক:	অসুস্থতা থেকে রক্ষা করে: একটি খাওয়ানোর পদ্ধতি ব্যবহার করা যা পুষ্টিকর : একটি খাওয়ানোর পদ্ধতি ব্যবহার করা যাতে আমার বুকের পাশে ঝুলিয়া পড়া করবে না: একটি খাওয়ানোর পদ্ধতি ব্যবহার করা যা সহজ্ঞ: একটি খাওয়ানোর পদ্ধতি ব্যবহার করা যা শিশুকে ব্যস্তবাগীশ থেকে দূরে রাখে: একটি খাওয়ানোর পদ্ধতি ব্যবহার করা যা আমার শিশুকে আমার কাছাকাছি করে তোলে: একটি খাওয়ানোর পদ্ধতি ব্যবহার করা যা কাজ ফিরে যাওয়া সহজ করে তোলে: একটি খাওয়ানোর পদ্ধতি ব্যবহার করা যা আমার শিশুকে সম্ভষ্ট করে: একটি খাওয়ানোর পদ্ধতি ব্যবহার করা যা আমার শিশুকে অতিওজন থেকে দূরে রাখে: একটি খাওয়ানোর পদ্ধতি ব্যবহার করা যা লাভজনক:	অসুস্থতা থেকে রক্ষা করে: একটি খাওয়ানোর পদ্ধতি ব্যবহার করা যা পুষ্টিকর : একটি খাওয়ানোর পদ্ধতি ব্যবহার করা যাতে আমার বুকের গাশে ঝুলিয়া পড়া করবে না: একটি খাওয়ানোর পদ্ধতি ব্যবহার করা যা সহজ: একটি খাওয়ানোর পদ্ধতি ব্যবহার করা যা শিশুকে ব্যস্তবাগীশ থেকে দূরে রাখে: একটি খাওয়ানোর পদ্ধতি ব্যবহার করা যা আমার শিশুকে আমার কাছাকাছি করে তোলে: একটি খাওয়ানোর পদ্ধতি ব্যবহার করা যা কাজ ফিরে যাওয়া সহজ করে তোলে: একটি খাওয়ানোর পদ্ধতি ব্যবহার করা যা আমার শিশুকে সম্ভষ্ট করে: একটি খাওয়ানোর পদ্ধতি ব্যবহার করা যা আমার বাচ্চাকে অতিওজন থেকে দূরে রাখে: একটি খাওয়ানোর পদ্ধতি ব্যবহার করা যা লাভজনক:

	শিশু যথেষ্ট পায়:		
৬১	একটি খাওয়ানোর পদ্ধতি ব্যবহার করা যা আমাকে প্রচুর বিশ্রাম দেয়:		
৬২	একটি খাওয়ানোর পদ্ধতি ব্যবহার করা যা প্রাকৃতিক:		
৬৩	একটি খাওয়ানোর পদ্ধতি ব্যবহার করা যা সময় সংরক্ষণ করে:		
৬ 8	একটি খাওয়ানোর পদ্ধতি ব্যবহার করা যা শিশুর পিতাকে কাছের হতে দেয়:		
৬৫	একটি খাওয়ানোর পদ্ধতি ব্যবহার করা যাতে কোষ্ঠকাঠিন্য হতে পারে না:		
৬৬	একটি খাওয়ানোর পদ্ধতি ব্যবহার করা যাতে আমার শিশুর জন্য সবচেয়ে ভাল হয়:		
৬৭	একটি খাওয়ানোর পদ্ধতি ব্যবহার করা যাতে ব্যক্তিগতভাবে পরিতৃপ্ত হয়:		
৬৮	একটি খাওয়ানোর পদ্ধতি ব্যবহার করা যাতে নোংরা হয় না:		
ଜଧ	একটি খাওয়ানোর পদ্ধতি ব্যবহার করা যা আমাকে শিশুর সঙ্গে বেঁধে দেয় না :		
90	একটি খাওয়ানোর পদ্ধতি ব্যবহার করা যা আমার শিশুর সঙ্গে আমার বন্ধনে সাহায্য করে:		
۹۵	একটি খাওয়ানোর পদ্ধতি ব্যবহার করা যা আমাকে আকৃতি মধ্যে ফিরে পেতে দেয়:		

পার্ট ু ৩: বিষয়ী আদর্শ

নির্দেশাবলী: আপনার শিশুকে খাওয়ানো উচিত সম্পর্কে নিমলিখিত ব্যক্তিদের মতামত আপনি কতটা মূল্যায়ন করবেন? (১ = মোটেই মূল্যায়ন করবেন না, ৬ = অনেক মূল্যায়ন করবেন, ০ = প্রযোজ্য নয়)

ক্ৰমিক সংখ্যা	বিবৃতি				
٥	শিশুর বাবার মতামত	٥		৬	0
2	আমার মার মতামত		11		
৩	আমার শাশুড়ীর মতামত				
8	আমার বোন মতামত				
¢	আমার কাছের মহিলা বন্ধুর মতামত				
৬	আমার ডাক্তারের মতামত		11		
9	আমার ধাত্রীর মতামত				
ь	লা লীচি লীগ এর মতামত		1		1
እ	আমার হাসপাতালের নার্সদের মতামত		$\exists \exists$		
20	আপনার শিশুর ডাক্তার এর মতামত				t
22	আপনার প্রসব শিক্ষাব্রতীএর মতামত				F
১২	মতামতঅন্যান্য আত্মীয়দের মতামত				
১৩	আপনার পক্ষে গুরুত্বপূর্ণ মানুষ যারা তাদের মতামত				\vdash

পার্ট ৪: অনুভূত আচরণগত নিয়ন্ত্রণ

নির্দেশাবলী: নিম্নলিখিত বিবৃতির সাথে আপনার সম্মতি বা অসম্মতির ডিগ্রী নির্দেশ করুন (১= অতিমাত্রায় অসম্মতি, ৬ = দৃঢ়ভাবে সম্মত)

ক্রমিক সংখ্যা	<u> </u>	٥		৬
ועראו	াববৃাত			
2	আমার বুকের দুধ খাওয়ানোর প্রয়োজনীয় দক্ষতা আছে			
2	আমি বুকের দুধ খাওয়ানোর জন্য শারীরিকভাবে সক্ষম			
৩	আমি জানি কিভাবে বুকের দ্বধ খাওয়াতে হয়			
8	আমি বুকের ত্বধ খাওয়াতে মানসিকভাবে প্রস্তুত		-	
¢	আমি বুকের দ্বধ খাওয়াতে নিশ্চিত			
৬	আমার বুকের দ্বধ খাওয়াতে সাহায্যের প্রয়োজন হবে না			
٩	আমার স্তন্যপান করানোর উপর সম্পূর্ণ নিয়ন্ত্রণ আছে			
ь	বুকের দুধ খাওয়ানো সহজ			
৯	আমি বুকের দ্বধ খাওয়াতে আত্মবিশ্বাসী			
50	আমি জানি শিশুর জন্য বুকের দুধ যথেষ্ট থাকবে			

পার্ট ৫: বুকের ছধ খাওয়ানোর পূর্ব পরিকল্পনা

নির্দেশনা: নিম্নলিখিত প্রশ্নের উত্তরের জন্য সঠিক সংখ্যায় বৃত্ত বা খালি স্থান পূরণ করুন: ৯৫. আপনি আপনার নতুন শিশুর জন্য প্রধান শিশু খাওয়ানো পদ্ধতি হিসাবে কি বেছে নিবেন?

- ১. বুকের ছুধ খাওয়ানো
- ২. কৌটার দুধ খাওয়ানো

৯৬. আপনি প্রশ্ন সংখ্যা এক এ নির্বাচিত শিশু খাওয়ানোর প্রধান পদ্ধতি হিসাবে জন্মের পর কত দিন পর্যন্ত খাওয়ানোর মনস্থ করেছেন?

- ১. জন্মের পর ছয় মাস পর্যন্ত
- ২. জন্মের পর অধিক ছয় মাস পর্যন্ত

৯৯. আপনি প্রশ্ন এ শিশু খাওয়ানে	ার প্রধান পদ্ধতি হিসাবে (বছে নেওয়ার প্রধান কারণ কি?
ζ	•••••••••••••••••••••••••••••••••••••••	•••••••
	7.0 10	
12		3
TE.		
	TAI UNIV	ERS

APPENDIX E

Information Sheet (Bengali)

প্রথম গর্ভবতী মহিলাদের জন্য তথ্য শীট

গবেষণার শিরোনাম: বাংলাদেশের প্রথম গর্ভবতী মহিলাদের স্তন খাওয়ান অভিব্যক্তি, বিষয়ী আদর্শ, অনুভূত আচরণগত নিয়ন্ত্রণ, এবং উদ্দেশ্য

গ্ৰেষক: জয়নব বেগম

যোগাযোগের ঠিকানাঃ চাঁদপুর নার্সিং ইনস্টিটিউট, চাঁদপুর, বাংলাদেশ

মোবাইল নম্বর: +৮৮০১৮১৮২৯৭২৮৮

दे(महेन: jaynabbegum1@gmail.com

প্রিয় অংশগ্রহণকারী,

আমি জমনব বেগম, থাইল্যান্ডের চিমাং মাই বিশ্ববিদ্যাল্য নার্সিং অনুষদ এ মা ও শিশু স্বাস্থ্য নার্সিং বিভাগ এ মাইটার ডিগ্রী আন্তর্জাতিক প্রোগ্রাম এর একজন ছাত্রী [] আমি আমার ডিগ্রীর আংশিক প্রয়োজন সিদ্ধির জন্য "বাংলাদেশ প্রথম গর্ভবতী মহিলাদের স্তন খাওয়ান অভিব্যক্তি, বিষয়ী আদর্শ, অনুভূত আচরণগত নিমন্ত্রণ, এবংউদ্দেশ্য " শিরোনামে একটি গবেষণা আবহ করছি [] গবেষণার উদ্দেশ্য: বাংলাদেশের প্রথম গর্ভবতী মহিলাদের মধ্যে স্তন্যপান করানোর প্রতি মনোভাব এবং উদ্দেশ্য স্তর বর্ণনা করা, বাংলাদেশের প্রথম গর্ভবতী মহিলাদের মধ্যে স্তন্যপান করানোর প্রতি বিষয়ী আদর্শ এবং উদ্দেশ্য স্তর বর্ণনা করা, বাংলাদেশের প্রথম গর্ভবতী মহিলাদের মধ্যে স্তন্যপান করানোর প্রতি অনুভূত আচরণগত নিমন্ত্রণ এবং উদ্দেশ্য স্তর বর্ণনা করা, বাংলাদেশের প্রথম গর্ভবতী মহিলাদের মধ্যে স্তন্যপান করানোর প্রতি উদ্দেশ্য স্তর বর্ণনা করা, এবংবাংলাদেশের প্রথম গর্ভবতী মহিলাদের মধ্যে স্তন্যপান করানোর প্রতি মনোভাব, বিষয়ী আদর্শ, অনুভূত আচরণগত নিমন্ত্রণ, এবং উদ্দেশ্য এদের মধ্যে সম্পর্ক, তদন্ত করা []

এই গবেষণায় ১২০ জন প্রথম গর্ভবতী মহিলা প্রয়োজন 🛭 আপনি গবেষণায় নির্বাচন করা মহিলাদের মধ্যে একজন, এজন্য আপনাকে গবেষণায় অংশগ্রহণ করার জন্য আমন্ত্রণ জানানো হয় 🖺 এতে আপনার সরাসরি সুবিধা নাও থাকতে পারে কিন্ত অধ্যয়নের কলে মান্তোদের মধ্যে স্তন্যপান করানো উন্নতিতে সাহায্য করতে পারেন 🖟 যদি আপনি অধ্যয়নের তথ্য বুঝাতে এবং এই গবেষণায় অংশগ্রহণের জন্য সম্মত হন তাহলে

আপনাকে একটি সম্মতি ফর্ম এবং প্রশ্নাবলীর একটি সেট সম্পন্ন করতে হবে [] এই অধ্যানের জন্য প্রশ্নাবলী পাঁচটি অংশ নিয়ে গঠিত: জনসংখ্যাতাত্ত্বিক তথ্য নিট চ আইটেম, দৃষ্টিভাগ দেল ৫২ আইটেম, ১০ আইটেম বিষয়ী আদর্শ, আচরণগত নিয়ন্ত্রণ ১০ আইটেম এবং উদ্দেশ্য ৩ আইটেম অনুভূত, প্রশ্নাবলী আপনার সময় ৩০ মিনিট সময় প্রয়োজন হবে [] এই গবেষণায় আপনার অংশগ্রহণ সম্পূর্ণরূপে স্বেজ্ব স্বী এবং আপনি অংশগ্রহণ প্রত্যাখ্যান বা কোন বেনিফিট হারানো ছাড়া যে কোন সময়ে এই গবেষণা থেকে নিজেকে প্রত্যাহার করতে পারবেন, এই গবেষণায় আপনার অংশগ্রহণ বা প্রত্যাহার প্রভাবিত অথবা আপনার কোন ফতি হবে না

গোপনীয়তা রক্ষা করার জন্য, সম্মতি ফর্ম এবং প্রশ্নাবলীর একটি খাম আপনাকে প্রদান করা হবে 🛭 একটি আরামদায়ক পরিবেশে প্রশ্নাবলী সম্পন্ন করার পর আমাকে ফেরত দিবেন 🕽 অংশগ্রহণকারীর নাম এবং তথ্য আমার গবেষণায় উল্লেখ করা হবে না এবং এই গবেষণা থেকে প্রাপ্ত ফলাফল কোন ব্যক্তিকে লিম্ক করা হবে না, কিন্তু একটি সামগ্রিক ফলে জনসাধারণের জন্য প্রচার করা হবে 🗈 এই গবেষণা প্রকল্পের ফলাফল চিয়াং মাই বিশ্ববিদ্যালয়ের সুবিধা বা কপিরাইট নিয়ম অনুযায়ী হবে 🗈 আপনি আপনার অংশগ্রহণ সম্পর্কে একটি সিদ্ধান্ত নিতে সাহায্য করার জন্য অতিরক্তি তথ্য এই গবেষণা সংক্রোন্ত কোন প্রশ্ন থ কলে জয়নব বেগম, মোবাইল নম্বর: +৮৮০১৮১৮২৯৭২৮৮ বা ইমেইল: jaynabbegum la gmail.com আমার সাথে যোগাযোগ করুন 🗈 আপনার প্রশ্ন অধিক পরিধার করতে আপনি আমার প্রধান উপত্রে টা ডান্ডার হাবিব আবদুল্লাহ সোহেল, কুমিল্লা মেডিকেল কলেজ হাসপাতাল, কুমিল্লা টেলিফোন নম্বর: ১৮১৬৫৪০১, ফ্যাপ্র: ০৮১৭৬৩৪৩, মোবাইল নম্বর: ০১৭১২২৫১০৪৬, বা ইমেইল: cometra hospic discovabil যদি আপনি গবেষণায় অংশগ্রহণকারী হিসেবে আপনার অধিকার সম্পর্কিত তথ্য চান তাহলে, যোগাযোগ করতে পারেন: চিয়াং মাই বিশ্ববিদ্যালয়ের নার্সংঅনুষদ, গবেষণা এথিক্স কমিটি: (অফিস সময়) ০-৫৩৯৪-৬০৮০:

णामः o-৫৩৮৯-8১৭० [

এই গবেষণায় অংশগ্রহণকারী হতে আপনার বিবেচনার জন্য আপনাকে ধন্যবাদ 🛭 আপনার বিনীত

জয়নব বেগম, মাস্টার ডিগ্রীর ছাত্রী নার্সিং অনুষদ, চিয়াং মাই বিশ্ববিদ্যালয়, থাইল্যাড তারিখ

APPENDIX F

Consent Form of the Participants (Bengali)

অবগত সম্মতি ফ্রম

আমার এই গবেষণা সম্পর্কে তথ্য চিঠি পড়া হয়েছে [] আমাকে এই গবেষণা সংক্রান্ত প্রশ্ন এবং তার সম্ভব্তি উত্তর দেওয়া হয়েছে [] এবং যে কোন প্রশ্ন জিজ্ঞাসা করার সুযোগ আছে বল হয়েছে [] আমি এই গবেষণায় অংশগ্রহণের জন্য স্বেজ্ঞায় সম্মতি দিলাম []

जर्नाध्ययन्त्रवाजनायः
অংশগ্রহণকারীর স্বাক্ষর
তারিখ
গবেষকের প্রিন্ট নাম
গ্ৰেষকের স্বাহ্দর
তারিখ

APPENDIX G

Certificate for Ethical Clearance



Certificate of Approval

No. 042/2015

Name of Ethics Committee: Ethics Committee, Faculty of Nursing, Chiang Mai University

Address of Ethics Committee: 110 Inthawaroros road., SriPhum, Chiang Mai 50200

Principal Investigator: Mrs. Moshammed Jaynab Begum

Master of Nursing Science Program (International Program)

Faculty of Nursing, Chiang Mai University

Protocol title: Attitude, Subjective Norm, Perceived Behavioral Control, and Intention

Towards Breastfeeding Among Bangladeshi Primiparous Pregnant Women

STUDY CODE: FULL - 011 - 2558

Sponsor: -

Documents filed	Document reference
Research protocol	- Version date April 3 , 2015
Informed consent documents /Patient information sheet	- Version date April 3, 2015
ase Record Form	- Version date April 3, 2015
Principal Investigator Curriculum vitae	- Version date April 3, 2015

Opinion of the Ethics Committee/Institutional Review Board: Full board review on March 26, 2015

The Ethics Committee has reviewed the protocol and documents above and give the favorable opinion

Date of Approval: April 3, 2015 Expiration Date: April 2, 2016

Progress report is required to be submitted to the Ethics Committee for continuing review

] at 3 month interval

] at 6 month interval

[/] annually (in this case please submit at least 60 days prior to expiration date)

This Ethics Committee is organized and operates according to GCPs and relevant international ethical guidelines, the applicable laws and regulations.

Signed: Wichit Supplement (Professor Emerita Dr. Wichit Srisuphan)

Chairperson, Faculty of Nursing, Chiang Mai University

Signed:

(Professor Dr. Wipada Kunaviktikul)

Dean, Faculty of Nursing, Chiang Mai University

GENERAL CONDITION OF APPROVAL:

- Prior Research Ethics Committee approval is required before implementing any changes in the consent documents or protocol unless those changes are required urgently for the safely of subjects.
- Any event or new information that may affect the benefit/risk ratio of the study must be reported to the REC promptly.
- Any protocol deviation/violation must be reported to the REC.

APPENDIX H

Permission Letter to Use the Instruments of BAPT

Fwd: Asking for permission to use BAPT

Usanee JINTRAWET <ujjusanee@gmail.com>

12/24/14

to me

Forwarded conversation

Subject: Asking for permission to use BAPT

From: Usanee JINTRAWET <ujjusanee@gmail.com>

Date: 2014-12-23 17:02 GMT+07:00

To: jrjanke@uaa.alaska.edu

Dear Dr. Janke

First, I would like to introduce myself. My name is Usanee Jintrawet a faculty member in the Faculty of Nursing, Chiang Mai University, and Chiang Mai, Thailand. One of my master students from Bangladesh plans to use your instrument "BAPT" in her study. The objective of her study is to explore the attitudes, subjective norms, and intention of first time pregnant women towards breastfeeding.

I have found that the "BAPT" is appropriate to her study. Thus, I would like to ask your permission to use the instrument.

I would be appreciating to your kind consideration. If you have any question, please feel free to contact me. I look forward to hearing from you soon.

by Chiang Mai University ights reserved

Best Regards,

Usanee Jintrwaet, RN, PhD

Faculty of Nursing, Chiang Mai University Chiang Mai, 50200

Thailand.

From: Jill R Janke <jrjanke@uaa.alaska.edu>

Date: 2014-12-23 19:50 GMT+07:00

To: Usanee JINTRAWET <ujjusanee@gmail.com>

You and your student have my permission to use and modify as needed the BAPT. My only condition is I would like a copy of the modified BAPT and the final paper/report. I do recommend you look closely at the subjective norm scale and modify it for your population. Attached is the tool and scoring instructions. The demographic part is what I used, and is not part of the psychometrics of the BAPT ... changing whatever you like, or use your own. Let me know if you have questions. (Also please note the tool is in MS word and depending on the software you open it with alignment of the scales may be messed up.

Regards, Jill Janke

From: Usanee JINTRAWET [mailto:ujjusanee@gmail.com]

Sent: Tuesday, December 23, 2014 1:02 AM

To: Jill R Janke

Subject: Asking for permission to use BAPT

From: Usanee JINTRAWET <ujjusanee@gmail.com>

Date: 2014-12-24 16:30 GMT+07:00 To: Jill R Janke <jrjanke@uaa.alaska.edu>

Dear Dr. Janke

Thank you very much for your quick reply. I will notify the modification of BAPT. The final report will be delivered to you after the research is finished.

Regards, Usanee



APPENDIX I

Permission Letter of the Comilla Medical College Hospital

Government of the People's Republic of Bangladesh Office of the Director Comilla Medical College Hospital Comilla, Bangladesh.

Memo No: CoMCH/2015/-

Date:

" Office Order "

Mrs. Moshammed Joynab Begum, ID Code 561235803, a student in the Master of Nursing Science (International Program) Field of Maternal and Child Health Nursing, Chiang Mai University, Thailand is permited to Collect Data from Comilla Medical College Hospital for her thesis entitled "Attitudes, Subjective norm, Percived Behavioral Control and Intention towards Breastfeeding among Bangladeshi Primiparous Pregnant Women".

This order is issued as per request of the Chiang Mai University, Thailand vide Ref. No. 6393 (7)/1871 Dated: April 8, 2015 and Ref, No. 6393 (7)/1872 Dated: April 8, 2015.

34-

(Dr. Habib Abdullah Sohel)
Director
Comilla Medical College Hospital
Comilla, Bangladesh.

Memo No: CoMCH/2015/- 771/6

Date: 18,04,2015

Copy farowerded for necessary action:

1. Deputy Dean, Faculty of Nursing, Chiang Mai University, Thailand.

 Rsident Surgeon (Gynae)/Medical Officer (Gynae OPD), Comilla Medical College Hospital, Comilla, Bangladesh.

3. Nursing Superintendent, Comilla Medical College Hospital, Comilla, Bangladesh.

4. Statistician, Comilla Medical College Hospital, Comilla, Bangladesh.

5. Ward Incharge...., Comilla Medical College Hospital, Comilla, Bangladesh.

6. Office copy.

Comilla Medical College Hospital
Comilla, Bangladesh.

1814/15

APPENDIX J

Frequency and Percentage of Each Item of Positive Breastfeeding Sentiment (PBS) Attitudinal Scale

Frequency and Percentage of Each Item of Positive Breastfeeding Sentiment (PBS) Attitudinal Scale (n = 120)

Rating	1	2	3	4	5	6	8	9	10	12	15	16	18	20	24	25	30	36
Items	n(%)	n(%)	n(%)	n(%)	n(%)	n(%)	n(%)	n(%)	n(%)	n(%)	n(%)	n(%)	n(%)	n(%)	n(%)	n(%)	n(%)	n(%)
1:43	0	0	0	0	0	0	0	0	@ 0/h	0	0	1(0.8)	0	3(2.5)	7(5.8)	11(9.2)	38(31.7)	60(50.0)
4:46	4(3.3)	7(5.8)	23(19.2)	45(37.5)	26(21.7)	15(12.5)	0	0	0	0	0	0	0	0	0	0	0	0
5:47	0	0	0	0	1(0.8)	0	0	0	1(0.8)	2(1.7)	9(7.5)	0	2(1.7)	19(15.8)	10(8.3)	21(17.5)	41(34.2)	14(11.7)
8:50	0	0	0	1(0.8)		3(2.5)	0	0	1(0.8)	3(2.5)	2(1.7)	4(3.3)	8(6.7)	13(10.8)	12(10.0)	10(8.3)	20(16.7)	43(35.8)
9:51						1(0.8)	0	1(0.8)	1(0.8)	W /	1(0.8)	2(1.7)	1(0.8)	7(5.8)	7(5.8)	29(24.2)	36(30.0)	34(28.3)
12:54	33(27.5)	14(11.7)	3(2.5)	20(16.7)	1(0.8)	12(10.0)	4(3.3)	2(1.7)	7(5.8)	7(5.8)	3(2.5)	0	1(0.8)	1(0.8)	1(0.8)	0	1(0.8)	10(8.3)
13:55	0	0	0	0	11(9.2)	3(2.5)	2(1.7)	1(0.8)	6(5.0)	9(7.5)	7(5.8)	3(2.5)	2(1.7)	13(10.8)	10(8.3)	12(10.0)	29(24.2)	12(10.0)
16:58	0	0	0	0	0	0	0	0	0	3(2.5)	4(3.3)	5(4.2)	4(3.3)	11(9.2)	3(2.5)	27(22.5)	42(35.0)	21(17.5)
17:59	0	0	0	0	0	0	0	0	1(0.8)	1(0.8)	1(0.8)	10(8.3)	0	12(10.0)	12(10.0)	18(15.0)	43(35.8)	22(18.3)
20:62	0	0	0	0	0	3(2.5)	0	0	1(0.8)	0	1(0.8)	0	1(0.8)	1(0.8)	7(5.8)	21(17.5)	41(34.2)	44(36.7)
23:65	0	0	1(0.8)	1(0.8)	2(1.7)	6(5.0)	0	0	3(2.5)	3(2.5)	9(7.5)	2(1.7)	7(5.8)	28(23.3)	7(5.8)	25(20.8)	18(15.0)	8(6.7)
24:66	0	0	0	0	1(0.8)	2(1.7)	2(1.7)	0	5(4.2)	3(2.5)	6(5.0)	6(5.0)	3(2.5)	18(15.0)	13(10.8)	23(19.2)	23(19.2)	15(12.5)
25:67	0	0	0	0	1(0.8)	2(1.7)	1(0.8)	0	2(1.7)	9(7.5)	6(5.0)	8(6.7)	4(3.3)	22(18.3)	11(9.2)	19(15.8)	23(19.2)	12(10.0)
28:70	0	0	0	0	0	0	0	0	1(0.8)	0	0	1(0.8)	00	18(15.0)	10(8.3)	25(20.8)	50(41.7)	15(12.5)



APPENDIX K

Number and Frequency of Subjective Norm

Number and Frequency of Subjective Norm (n = 120)

Rating		1		2		3		4		5		6
Subjective norm												
Subjective norm <	n	%	n	%	1nº	%	n	%	n	%	n	%
The baby's	0	0	0	0	14	11.70	46	38.30	60	50	0	0
father	Ü	///_	0/0			11.70	10		00	30	Ü	O
Your mother	0	0	8	6.70	61	50.80	35	29.20	9	7.50	7	5.80
Your mother in	0	0	37	39.80	61	50.80	16	13.30	4	3.30	2	1.70
law	//	3.	/		7,	展		_ \	505	.		
Your sister	11	9.20	45	37.50	54	45.00	8	6.70	1	0.80	1	0.80
Your closest	37	30.80	48	40.00	25	20.80	3	2.50	5	4.20	2	1.70
female friend	1.5	12.		7	0	(2)			1.5	2		
Your doctor	0	0	0	0	1	0.80	31	25.80	63	52.50	25	20.80
Your midwife	0	0	0	0	0	0	0	0	0	0	0	0
La Leche	0	0	0	0	0	0	0	0	0	0	0	0
League	1	7			1		10	_ /	9			
Your hospital	0	0	0	0	0	0	2	1.70	20	16.70	98	81.70
nurse	•		Q,	0	QT.	0		00				0
Your baby's	0	0	0	10	0	0	0	0	0	0	0	0
doctor	0	0		311	Ų	NI	0	0	0	0	0	0
Your child birth	0	0	0	0	0	0	0	0	0	0	0	0
educator	8	50	10	15.00	01	(7.50	10	0.20	5	1.20	0	0
Other relatives	6	5.0	18	15.00 53.30	81		10	8.30 3.30	5	4.20	0	0
People who are	21	17.50	64	33.30	_				U	-0	-0	0
important to you	pyi	right		by	Ch	iang	M	ai U	niv	ersit	У	
A	т	l'	1 9	r h	1 6	1 1	0	S P	r	v e	d	
			. 5	2 "	- 0			0				

Note. 1 = Do not care at all 2 = Do not care 3 = Care somewhat

4 = Care 5 = Care much 6 = Care very much

APPENDIX L Frequency and Percentage of Each Item of Perceived Behavioral Control

Frequency and Percentage of Each Item of Perceived Behavioral Control (n = 120)

ItemsRating -		2	3	4	5	6
nemskanig	n(%)	n(%)	n(%)	n(%)	n(%)	n(%)
1. I have necessary skills to breastfeed.	58(48.3)	37(30.8)	20(16.7)	0	2(1.7)	3(2.5)
2. I am physically able to breastfeed.	0	2(1.7)	6(5.0)	38(31.7)	43(35.8)	31(25.8)
3. I know how to breastfeed	0	1(0.8)	2(1.7)	15(12.5)	60(50.0)	42(35.0)
4. I am emotionally ready to breastfeed.	0	1(0.8)	3(2.5)	17(14.2)	51(42.5)	48(40.0)
5. I am determined to breastfeed.	0	0 2	6(5.0)	26(21.7)	43(35.8)	45(37.5)
6. I won't need help to breastfeed.	3(2.5)	6(5.0)	29(24.2)	31(25.8)	17(14.2)	34(28.3)
7. I have total control over my breastfeeding.	1(0.8)	0	4(3.3)	10(8.3)	49(40.8)	56(46.7)
8. Breastfeeding is easy.	0	0	0	30(25.0)	40(33.3)	50(41.7)
9. I am confident I can breastfeed.	0	0	0	7(5.8)	54(45.0)	59(49.2)
10. I know I will have enough milk for the baby.	OAI	1(0.8)	4(3.3)	10(8.3)	30(25.0)	75(62.5)



APPENDIX M

Frequency and Percentage of Each Item of Intention Towards Breastfeeding and Duration

Frequency and Percentage of Each Item Of Intention Towards Breastfeeding and Duration (n=120)

Intention	Mean	SD	n = 120	Percentage
1. breastfeeding	1.00	.00	120	100
2. Less than 6 months	1.00	.00	120	100



APPENDIX N

Individual Score of Positive Breastfeeding Sentiment (PBS)

Individual Score of Positive Breastfeeding Sentiment (PBS) (n= 120)

Positive item	1,43	4,46	5,47	8,50	9,51	12,54	13,55	16,58	17,59	20,62	23,65	24,66	25,67	28,70	total
Sample				1306	1 2	(June	S S	1		100					
1	36	30	30	36	36	5	30	30	30	36	30	20	36	36	421
2	24	36	36	36	36	1	5	36	30	36	30	30	30	36	402
3	36	25	30	25	25	10	30	36	36	36	36	36	30	36	427
4	36	36	36	30	30	4	18	36	30	25	15	8	12	24	340
5	36	25	25	36	36	2	10	30	24	20	25	20	20	20	329
6	36	15	25	30	30	4	20	30	30	30	25	25	25	30	355
7	36	20	20	30	30	AII	25	30	30	25	25	25	25	25	347
8	36	25	25	36	6	1	5	30	30	30	25	25	25	25	324
9	36	4	24	36	36	10	25	30	30	36	25	25	25	25	358
10	36	30	30	36	36		30	36	36	36	36	36	36	30	445
11	36	12	24	24	30	hy C	6	_ 30	30	36	25	20	20	30	324
12	36	1	30	24	30	7/1	25	30	30	30	4	24	24	25	314
13	36	10	30	30	25	n ₁ t	55	30	25	24	3	20	20	30	289

Positive item	1,43	4,46	5,47	8,50	9,51	12,54	13,55	16,58	17,59	20,62	23,65	24,66	25,67	28,70	total
Sample						0181	2121								
14	36	2	30	24	36	10	15	30	30	30	30	30	30	36	369
15	36	4	24	30	30	2	5	30	30	36	20	20	20	30	317
16	36	8	30	36	36	1	5	25	30	36	18	24	24	30	339
17	36	3	30	30	30	36	5	30	30	30	6	36	5	36	343
18	36	4	36	30	36	1 min	5	30	30	30	30	30	30	25	353
19	36	30	30	36	36	P	30	30	30	30	36	36	36	10	407
20	36	5	36	36	36	D.	30	30	30	30	6	36	36	30	378
21	24	6	24	36	36	1	6	36	36	36	30	5	24	36	336
22	36	6	15	18	15	2	25	30	30	30	20	25	15	30	297
23	36	8	30	36	36	1	24	36	36	36	25	25	25	30	384
24	36	3	30	36	36	1	30	36	36	18	25	25	25	30	367
25	30	6	18	36	30	1	30	30	30	30	10	25	25	30	331
26	36	6	30	36	36	AI	24	30	30	25	20	30	18	30	352
27	36	8	36	30	25	3	25	25	25	6	10	12	12	30	283
28	36	12	12	18	18	6	5	30	30	30	12	36	6	20	271
29	36	36	5	12	30		6	36	36	30	5	10	10	25	278
30	20	16	25	36	16	36	20	25	16	25	25	12	20	25	317
31	24	6	15	30	25	7/1	5	30	30	36	24	25	25	20	296
32	30	2	30	36	30	2	510	30	36	25	25	25	25	30	336

Positive item	1,43	4,46	5,47	8,50	9,51	12,54	13,55	16,58	17,59	20,62	23,65	24,66	25,67	28,70	total
Sample						0181	2121								
33	30	3	30	18	36	2	30	30	30	30	20	24	25	36	344
34	30	8	24	36	25	1	25	30	30	24	25	20	20	20	318
35	36	8	30	36	25	4	30	25	25	30	25	30	25	24	353
36	36	12	30	6	30	1	30	30	30	30	25	25	25	30	340
37	36	6	25	36	25	1,000	30	25	25	30	15	25	25	30	334
38	25	8	25	18	30	36	30	25	25	30	20	15	15	24	326
39	36	4	20	36	25	2	10	36	36	30	24	25	30	30	344
40	24	8	30	36	25	1	25	25	25	25	20	30	25	25	324
41	36	8	15	36	25	2	20	25	10	25	20	24	20	20	286
42	25	12	25	20	25	2	30	25	25	10	15	25	25	20	284
43	30	3	25	36	25	10	20	25	25	24	25	30	20	20	318
44	36	12	20	36	25	9	20	25	30	25	25	30	20	25	338
45	36	18	30	36	30	41	25	30	30	6	15	20	20	30	327
46	36	2	25	36	30	1_	30	36	36	30	15	25	25	25	352
47	36	3	25	36	30	1	36	30	30	36	25	10	12	30	340
48	36	3	30	36	36	ng)	36	30	30	36	15	15	15	30	349
49	36	2	30	36	30	2	36	30	30	36	25	25	25	30	373
50	36	12	25	36	30	⁰ / ₁	30	36	36	30	5	6	12	30	325
51	24	25	30	20	9 8	8	30	24	30	15	18	8	30	30	301

Positive item	1,43	4,46	5,47	8,50	9,51	12,54	13,55	16,58	17,59	20,62	23,65	24,66	25,67	28,70	total
Sample						0031	2121								
52	30	24	30	30	36	4	30	36	36	30	6	24	30	30	376
53	36	25	36	24	24	10	24	36	30	24	30	30	24	36	389
54	36	24	30	36	25	4	36	36	36	30	18	6	30	30	377
55	30	24	30	24	30	4	25	36	36	36	6	36	36	36	389
56	36	18	36	24	30	6	36	36	36	36	6	24	30	36	390
57	24	6	10	6	24	2	36	30	30	36	6	20	30	30	290
58	30	30	24	20	30	4	30	24	20	36	16	15	30	30	339
59	30	18	30	36	30	9	36	15	24	36	24	30	30	30	378
60	25	20	30	20	30	2	18	30	24	24	20	30	24	30	327
61	30	12	18	24	25	15	30	18	16	36	18	20	12	24	298
62	30	18	25	25	24	20	30	16	25	36	30	36	20	30	365
63	30	18	20	20	30	15	30	25	36	36	18	20	18	30	346
64	36	30	20	12	20	36	30	30	16	30	30	10	24	24	348
65	36	18	20	12	20	30	30	18	20	30	30	15	24	30	333
66	36	18	20	6	20	12	10	18	25	36	30	15	20	30	296
67	30	24	15	10	24	4	24	30	30	36	20	12	12	30	301
68	30	12	15	18	16	3	30	12	25	36	24	15	16	25	277
69	30	30	24	4	30	2	30	24	20	30	18	20	30	30	322
70	30	12	15	24	10	8	15	25	36	36	24	25	24	30	314

Positive item	1,43	4,46	5,47	8,50	9,51	12,54	13,55	16,58	17,59	20,62	23,65	24,66	25,67	28,70	total
Sample						0031	2121	B							
71	25	20	12	20	30	15	36	12	16	36	25	36	15	36	334
72	36	18	20	30	30	2	30	18	25	36	18	20	20	30	333
73	30	8	36	18	20	4	24	30	24	36	15	30	24	24	323
74	20	16	25	20	30	4	8	25	24	36	30	16	30	25	309
75	30	20	20	24	25	24	15	12	25	30	12	30	12	20	299
76	30	12	20	18	30	4	25	30	30	36	25	24	24	20	328
77	30	20	20	20	30	4	15	36	16	24	15	16	36	30	312
78	30	16	30	25	36	36	10	16	15	30	20	30	16	30	340
79	30	20	30	30	30	6	15	16	25	36	20	20	18	30	326
80	30	20	20	20	36	6	15	25	24	36	20	30	16	30	328
81	30	16	15	20	36	3	20	15	30	24	30	16	18	25	298
82	30	24	20	16	25	4	20	16	25	36	16	25	36	30	323
83	24	16	25	15	20	4	25	20	20	30	30	24	20	25	298
84	25	20	30	15	24	6	20	20	20	30	20	20	30	25	305
85	20	12	20	25	36	4	20	16	30	36	20	30	16	25	310
86	25	20	24	36	25	8	12	20	20	36	20	20	8	25	299
87	16	20	20	30	30	4	16	20	20	30	15	24	20	25	290
88	25	20	24	24	25	2	15	25	24	30	25	36	12	25	312
89	30	16	30	20	30	10	8	25	24	36	20	20	36	25	330

Positive item	1,43	4,46	5,47	8,50	9,51	12,54	13,55	16,58	17,59	20,62	23,65	24,66	25,67	28,70	total
Sample						9781	<u> </u>	To the second							
90	25	20	30	25	30	6	20	20	20	30	25	30	15	25	321
91	30	16	15	20	30	36	24	25	16	30	20	18	20	25	325
92	25	20	30	24	20	36	20	20	12	25	25	18	20	20	315
93	36	16	25	25	25	36	16	30	24	25	20	18	16	16	328
94	30	12	30	16	25	12	12	25	16	25	24	25	24	20	296
95	30	16	30	16	25	12	12	20	20	25	25	16	30	25	302
96	30	16	25	25	36	12	20	25	24	25	20	25	16	25	324
97	25	30	24	16	25	10	24	15	30	25	20	16	20	20	300
98	30	20	20	25	24	4	12	25	16	30	20	20	30	25	301
99	30	16	25	18	20	12	16	30	24	25	20	20	20	20	296
100	36	20	20	30	25	12	12	20	20	25	20	30	16	30	316
101	36	30	30	36	36	1	24	30	30	36	36	36	36	24	421
102	36	36	36	36	36	41	5	36	36	36	36	36	36	24	426
103	36	36	36	36	36	6	25	36	36	36	36	36	6	30	427
104	36	36	36	36	36	6	30	36	36	36	36	36	36	36	468
105	36	36	30	36	36	6	36	36	36	30	30	30	30	30	438
106	36	36	36	36	36	hy C	5	30	30	30	30	30	30	30	396
107	36	30	30	36	36	⁰ / ₁	30	30	30	6	30	30	30	30	385
108	36	30	30	36	36	6	30	30	30	30	30	30	30	30	414

\	7	2
1	\	٥
-		

Positive item	1,43	4,46	5,47	8,50	9,51	12,54	13,55	16,58	17,59	20,62	23,65	24,66	25,67	28,70	total
Sample						0031	9191								
109	36	36	36	30	36	1	36	30	36	30	24	36	36	36	439
110	36	36	36	30	36	6	36	30	36	36	30	30	30	36	444
111	30	24	20	25	24	12	9	15	16	25	36	24	15	20	295
112	30	16	20	20	30	4	12	25	20	25	20	16	16	20	274
113	25	16	30	25	25	36	12	25	16	25	20	24	12	30	321
114	30	16	15	30	25	4	12	20	30	25	20	25	20	24	296
115	30	16	25	30	25	36	36	25	20	25	12	10	20	24	334
116	36	16	25	30	36	18	24	20	25	30	25	24	25	20	354
117	36	20	25	36	25	4	12	20	25	36	25	25	30	36	355
118	36	16	25	24	25	6	20	25	24	36	20	24	20	20	321
119	30	20	30	30	36	8	24	25	25	30	20	25	25	20	348
120	30	30	30	36	30	10	10	25	30	30	10	10	10	30	321
		<u> </u>				AI	UNI	VE				I	I	$\overline{X} =$	325.83

CURRICULUM VITAE

Name Mrs. Moshammed Jaynab Begum

Date of Birth September 30, 1975

Educational Background

1994 Diploma in Nursing

Bangladesh Nursing Council (BNC)

1995 Diploma in Midwifery

Bangladesh Nursing Council (BNC)

2007 Bachelor of Science in Public Health Nursing

Dhaka University

Professional Experiences Nursing Instructor, Chandpur, Bangladesh

