

REFERENCES

- Adelaide Health Technology Assessment [AHTA]. (2010). *Depression in adolescents and young adults: Evidence review*. Retrieved from <https://www.adelaide.edu.au/ahta/pubs/depression-in-adolescents-and-young-adults.pdf>
- Ajahn Jayasaro. (2013). *'Without and within' questions and answers on the teachings of Theravāda Buddhism*, Panyaprateep Foundation. Retrieved from <http://www.bia.or.th> and www.jayasaro.panyaprateep.org
- Allen, J. P. (2003). *An overview of Beck's cognitive theory of depression in contemporary literature*. Retrieved from <http://www.personalityresearch.org/papers/allen.html>
- American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders* (5th ed.). USA: Author.
- Anderson, J. Q. (2012). *Hyperconnected will benefit and suffer*. Pew Research Center's Internet & American Life Project. Retrieved from <http://www.pewinternet.org/Reports/2012/Hyperconnected-lives.aspx>
- Bansal, V., Goyal, S., & Srivastava, K. (2009). Study of prevalence of depression in adolescent students of a public school. *Industrial Psychiatry Journal*, 18(1), 43-46. doi:10.4103/0972-6748.57859
- Barbaranelli, C., Caprara, G. V., & Pastorelli, C. (1996). Mechanisms of moral disengagement in the exercise of moral. *Journal of Personality and Social Psychology*, 71(2), 364-374.
- Beck, J. S. (2005). *Cognitive therapy: Basic and beyond*. New York: The Guilford Press.
- Bhatia, S., & Bhatia, S. C. (2007). Childhood and adolescent depression. *American Academy of Family Physicians*, 75(1), 73-80.

- Bhikkhu Payutto. (2007). *Vision of the Dhamma: A collection of Buddhist writings in English*. Nakhon Pathom, Thailand.
- Birmaher, B., Axelson, D., Monk, K., Kalas, C., Goldstein, B., Hickey, M. B., . . . Brent, D. (2009). Lifetime Psychiatric disorders in school-aged offspring of parents with bipolar disorder: The Pittsburg Bipolar Offspring study. *Archives of General Psychiatry*, 66(3), 287-296. doi:10.1001/archgenpsychiatry.2008.546
- Bond, L., Toumbourou, J. W., Thomas, L., Catalano, R. F., & Patton, G. (2005). Individual, family, school, and community risk and protective factors for depressive symptoms in adolescents: A comparison of risk profiles for substance use and depressive symptoms. *Prevention Science*, 6(2), 73-88.
- Botha, L. C. (2012). *Hormonal honeys - ages 12 to 15 - suffer from increased rate of depression*. Holy Hormones Journal. Retrieved from <http://holyhormones.com/holy-hormones-honey-the-greatest-story-never-told/hormonal-honeys/hormonal-honeys-ages-12-15-suffer-increased-rate-depression/>
- Bray, R. M., Brown, J. M., & Lane, M. E. (2013). Alcohol and drug prevention adolescents and college students, gambling. In *Intervention for addiction Vol. 3*. USA: Elsevier.
- Brennan, P., Le Brocque, R., & Hammen, C. (2003). Maternal depression, parent- child relationships, and resilient outcomes in adolescence. *Journal of the American Academy of Child Adolescent Psychiatry*, 42(12), 1469-1477. doi:10.1097/00004583-200312000-00014
- Breton, J., Labelle, R., Berthiaume, C., Royer, C., St-Georges, M., Ricard, D., . . . Guilé, J. (2015). Protective factors against depression and suicidal behavior in adolescence. *Canadian Journal of Psychiatry*, 60(2, Suppl. 1), S5-S15.

- Brock, R. L., & Kochanska, G. (2015). Decline in the Quality of family relationships predicts escalation in children's internalizing symptoms from middle to late childhood. *Journal of Abnormal Child Psychology*, 43(7), 1295-1308.
doi:10.1007/s10802-015-0008-9
- Callahan, P., Liu, P., Purcell, R., Parker, A. G., & Hetrick, S. E. (2012). Evidence map of prevention and treatment interventions for depression in young people. *Depression Research and Treatment*, 2012, Article ID 820735.
doi:10.1155/2012/820735
- Chaveepojnkamjorn W, Pichainarong N, Adthasangsri V, Sativipawee P, Prasertsong C. (2016). Depression and its Associated Factors among Senior High School Students in Nonthaburi Province, Thailand: A Cross-sectional Study. *J Public Health Dev Ctries*, 2(3): 224-234.
- Charoenthaweesub, M. (2011). Thai family communication patterns: parent-adolescent communication and the well-being of Thai families. *Special Issue of the International Journal of the Computer, the Internet and Management*, 19(SP1), 84.1-84.6.
- Chen, M. C., Hamilton, J. P., & Gotlib, I. H. (2010). Decreased hippocampal volume in healthy girls at risk of depression. *Archives of General Psychiatry*, 67(3), 270-276.
doi:1001/archgenpsychiatry.2009.202
- Clark, T. C. (2007). *Factors associated with reduced depression and suicide risk among Māori high school* (Unpublished doctoral dissertation). University of Minnesota.
- Cohen, D., & Crabtree, B. (2008). *Qualitative research guidelines project*. Lincoln and Guba's evaluative criteria. Retrieved from <http://www.qualres.org/HomeLinc-3684.html>
- Collins, J. (2012). *Plastic surgery, depression, death 3 reasons women risk their lives*. Retrieved from: www.totallifecounseling.com

- Crutzen, R., de Nooijer, J., Brouwer, W., Oenema, A., Brug, J., & de Vries, N. K. (2008). Internet-delivered interventions aimed at adolescents: A Delphi study on dissemination and exposure. *Health Education Research*, 23(3), 427-439. doi:10.1093/her/cym094
- Daviss, W. B. (2008). A review of co-morbid depression in pediatric ADHD: Etiologies, phenomenology, and treatment. *Journal of Child Adolescent Psychopharmacology*, 18(6), 565-571. doi:10.1089/cap.2008.032
- De Los Reyes, A., & Kazdin, A. E. (2006). Conceptualizing changes in behavior in intervention research: the range of possible changes model. *Psychological Review*, 113(3), 554-583. doi:10.1037/0033-295X.113.3.554
- Deborah, N. (2012). *Pew study: Is the Internet ruining or improving today's youth?* The Los Angeles Times. Retrieved from <http://www.latimes.com/business/technology/la-fi-tn-pew-research-future-of-internet-survey>
- Department of Mental Health, Ministration of Public Health, Thailand. (2016). *E-report: 2009-2013*. Retrieved from <http://www.dmh.go.th/ebook/dl.asp?id=330>
- DiMiceli1, L.E., Sherman,S.G., Aramrattana, A., Sirirojn, B. & Celentano, D.D. (2016). Methamphetamine use is associated with high levels of depressive symptoms in adolescents and young adults in Rural Chiang Mai Province, Thailand. *BMC Public Health* 16:168 DOI 10.1186/s12889-016-2851-1
- Dumesnil, H., &Verger, P. (2009). Awareness campaigns about depression and suicide: A review. *Psychiatric Services*, 60(9), 1203-1213. doi:10.1176/ps.2009.60.9.1203
- Eccles., J. S. (2010). The Development of children ages 6 to 14. *The Future of Children*, 9(2), 30-44.
- Eisendrath, S., Chartier, M., & McLane, M. (2011). Adapting mindfulness-based cognitive therapy for treatment-resistant depression: A clinical case study. *Cognitive and Behavioral Practice*, 18(3), 362-370. doi:10.1016/j.cbpra.2010.05.004

- Felder, J. N., Dimidjian, S., & Segal, Z. (2012). Collaboration in mindfulness-based cognitive therapy. *Journal of Clinical Psychology*, 68(2), 179-186.
doi:10.1002/jclp.21832
- Fritscher, L. (2011). *Learning theory and phobias from behaviorism to cognitive theory*. Retrieved from <http://phobias.about.com/od/causesand development/>
- Gladstone, T. R. G., Beardslee, W. R., & O'Connor, E. E. (2011). The prevention of adolescent depression. *Psychiatric Clinics of North America*, 34(1), 35-52.
doi:10.1016/j.psc.2010.11.015
- Glanz, K., Rimer, B. K., & Viswanath, K. (2008). *Health behavior and health education: Theory, research, and practice* (4th ed.). USA: Josey-Bass a Wiley Imprint.
- Glaring Facts. (2011). *Erich Fromm & humanistic psychoanalysis*. Retrieved from <http://www.theglaringfacts.com/erich-fromm-humanistic-psychoanalysis/>
- Grabe, S., Hyde, J. S., & Lindberg, S. M. (2007). Body objectification and depression in adolescents: The role of gender, shame, and rumination. *Psychology of Women Quarterly*, 31(2), 164-175. doi:10.1111/j.1471-6402.2007.00350.x
- Harrison, N. A., Singer, T., Rotshtein P., Dolan, R. J., & Critchley, H. D. (2006). Pupillary contagion: central mechanisms engaged in sadness. *Social Cognitive Affective Neuroscience*, 1(1), 5-17. doi:10.1093/scan/nsl006
- Hernández, O. S., Méndez Carrillo, F. J., & Garber, J. (2014). Prevention of depression in children and adolescents. *Review and Reflection*, 19(1), 63-76.
- Hoek, W., Marko, M., Fogel, J., Schuurmans, J., Gladstone, T., Bradford, N., . . . Van Voorhees, B.W. (2011). Randomized controlled trial of primary care physician motivational interviewing versus brief advice to engage adolescents with an Internet-based depression prevention intervention: 6-month outcomes and predictors of improvement. *Translational Research*, 158(6), 315-325.
doi:10.1016/j.trsl.2011.07.006

- Hoek, W., Schuurmans, J., Koot, H. M., & Cuijpers, P. (2009). Prevention of depression and anxiety in adolescents: A randomized controlled trial testing the efficacy and mechanisms of Internet-based self-help problem-solving therapy. *Trials*, 10, 93. doi:10.1186/1745-6215-10-93
- Hughes, J.R. (2016). *The effects of divorce on children*. Department of Human and Community Development, University of Illinois at Urbana-Champaign. Available at <http://sukhsanti.blogspot.com/2016/02/divorceandthe-effectsonchildren.html>
- Johnson, B. S., Mohr, W. K., & Cronin, S. N. (2003). Work with pediatric clients. In B. S. Johnson (Ed.), *Psychiatric mental health nursing* (5th ed.). Philadelphia: Lippincott Williams & Wilkins.
- Kaewpornawan, T. & Tuntasood, B. (2012). The Prevalence of depression in 2nd year high school students in Bangkok. *J Psychiatr Assoc Thailand*, 57(4): 395-402.
- Kemmis, S., & McTaggart, R. (2007). *Participatory action research: communicative action and the public sphere*. Retrieved from <http://citeseerx.ist.psu.edu/>
- Kim, J. (2016). Youth involvement in participatory action research (PAR): Challenges and barriers. *Critical Social Work*, 17(2), 38-53.
- Kindt, K., Van Zundert, R., & Engels, R. (2012). Evaluation of a Dutch school-based depression prevention program for youths in high risk neighborhoods: Study protocol of a two-armed randomized controlled trial. *BMC Public Health*, 12, 212. doi:10.1186/1471-2458-12-212
- Kirby Institute. (2013). Policy and intervention to reduce HIV risk. *Intervention for Addiction*, 3. doi:10.1016/B978-0-12-398338-1.000774
- Kongsuk, T., Loiha, S., Jirawatkul, S., Arunpongpaisal, S., Rungreangkulkij, S., Maneethorn, N., . . . Sukjai, S. (2010). *Development Thai surveillance system for depression*. Department of Mental Health, Ministry of Public Health, Thailand.

- Langone, K. G., & Glickman, R. M. (2003). Mother blues-child blues how maternal depression affects children. *Child Study Center*, 7(3).
- Leahy, R. L. (2010). *The cost of depression*. Retrieved from http://www.huffingtonpost.com/robert-leahy-phd/the-cost-of-depression_b_770805.html
- Lieberman, R., & Cowan, K.C. (2011). *Bullying and youth suicide: Breaking the connection. Principal leadership*. Available at www.nasponline.org/resources/principals
- Leighton, S. (2006). Nursing children and young people with emotional disorder. In T. McDougall (Ed.), *Child and adolescent mental health nursing*. Oxford: Blackwell.
- Loh, J. (2013). Inquiry into issues of trustworthiness and quality in narrative studies: A perspective. *The Qualitative Report*, 18(65), 1-15.
- Manicavasgar, V., Parker, G., & Perich, T. (2011). Mindfulness-based cognitive therapy vs. cognitive behavior therapy as a treatment for non-melancholic depression. *Journal of Affective Disorders*, 130(1-2), 138-144. doi:10.1016/j.jad.2010.09.027
- March, J. S., Silva, S., Petrycki, S., Curry, J., Wells, K., Fairbank, J., . . . Severe, J. (2008). The treatment for adolescents with depression study (TADS): Long-term effectiveness and safety outcomes. *Archives of General Psychiatry*, 65(1), 101. doi:10.1001/archpsyc.64.10.1132
- Masman, K. (2010). *The uses of sadness: Why feeling sad is no reason not to be happy*. USA: Allen & Unwin.
- Maughan, B., Collishaw, S., & Stringaris, A. (2013). Depression in childhood and adolescence. *Jornal of the Canadian Academy of Child and Adolescent Psychiatry*, 22(1), 35-40.
- Mental Health and Psychiatry Division, Mae Tha Hospital. (2013). *Annual report*. Thailand: Mae Tha Hospital.

- Merry, S. N., & Spence, S. H. (2007). Review article attempting to prevent depression in youth: A systematic review of the evidence. *Early Intervention in Psychiatry, 1*, 128-137. doi:10.1111/j.1751-7893.2007.0003.x
- Miles, MB., Huberman, AM., Saldaña, J. (2014). *Qualitative data analysis: A methods sourcebook*. (3rd ed.). LA, SAGE publishing, Inc.: 105-275.
- Min, J. A., Lee, C. U., & Lee, C. (2013). Mental health promotion and illness prevention: A Challenge for Psychiatrists. *Psychiatry Investigation, 10*(4), 307-316. doi:10.4306/pi.2013.10.4.307
- Mourlas, C., Tsianos, N., & Germanakos, P. (2009). *Cognitive and emotional process in web-based education: Integrating human factors and personalization*. New York: Information Science Reference.
- National Academy of Sciences, National Academy of Engineering, Institute of Medicine, & National Research Council. (2009). *The National Academies report brief*. USA.
- National Institute of Mental Health. (2007). *Intensive psychotherapy more effective than brief therapy for treating bipolar depression*. Retrieved from <https://www.nimh.nih.gov/news/science-news/2007/intensive-psychotherapy-more-effective-than-brief-therapy-for-treating-bipolar-depression.shtml>
- Nauta, M. H., Festen, H., Reichart, C. G., Nolen, W. A., Stant, A. D., Bockting, C., . . . de Vries, S. O. (2012). Preventing mood and anxiety disorders in youth: A multi-centre RCT in the high risk offspring of depressed and anxious patients. *BMC Psychiatry, 12*, 31. doi:10.1186/1471-244X-12-31
- Ninthachan, P., Vanaleesin, S., Sanseea, L., & Thummathai, K. (2011). Resilience and Thai youth risk behavior. *Rama Nurse Journal, 17*(3), 430-442.

- Nirattcharadorn, M., Phancharoenworakul, Gennaro, K. S., Vorapongsathorn, T., & Sitthimongkol, Y. (2005). Self-Esteem, social support and depression in Thai adolescent mothers. *Thai Journal of Nursing Research*, 9(1), 63-75.
- Office of the National Economic and Social Development Board Office of the Prime Minister. (2017). The tenth national economic and social development plan (2007-2011).[cited 2017 October 15]. Available from http://www.nesdb.go.th/download/plan10/summary_plan10.pdf
- Oldehinkel, A.J., Ormel, J., Veenstra, R., De Winter, A.F., Verhuls, F.C. (2008). *Parental divorce and offspring depressive symptoms: Dutch developmental trends during early adolescence*. Online published: 7 APR 2008 Available at <http://onlinelibrary.wiley.com/doi/10.1111/j.1741-3737.2008.00481.x/>
- Onunaku, N. (2005). *Improving maternal and infant mental health: Focus on Maternal depression*. Los Angeles, CA: National Center for Infant and Early Childhood Health Policy at UCLA.
- Palazidou, E. (2012). The neurobiology of depression. *British Medical Bulletin*, 101, 127-145. doi:10.1093/bmb/lds004
- Phatthrayuttawat, S. (2013). *Manual of psychological testing* (5th ed.). Bangkok: Medical Media.
- Piet, J., & Hougaard, E. (2011). The Effect of mindfulness-based cognitive therapy for prevention of relapse in recurrent major depressive disorder: A systematic review and meta-analysis. *Clinical Psychology Review*, 31(6), 1032-1040. doi:10.1016/j.cpr.2011.05.002
- Ponton, L. (2015). *Building self-esteem*. Retrieved from <http://psychcentral.com/lib/building-self-esteem/>
- Pratt, L. A., & Brody, D. J. (2008). Depression in the United States household population, 2005-2006. *NCHS Data Brief*, 7, 1-8.

- Prukkanone, B., Vos, T., Bertram, M., & Lim, S. (2012). Cost-effectiveness analysis for antidepressants and cognitive behavioral therapy for major depression in Thailand. *Value Health*, 15(1), S3-S8.
- Renner, F., Lobbestael, J., Peeters, F., Arntz, A., & Huibers, M. (2012). Early maladaptive schemas in depressed patients: stability and relation with depressive symptoms over the course of treatment. *Journal of Affective Disorders*, 136(3), 581-590. doi:10.1016/j.jad.2001. 10.027136
- Richardson, T. H. (2010). Psychosocial interventions for bipolar disorder: A review of recent research. *Journal of Medical Sciences*, 10(6), 143-152.
- Ritterband, L. M., Thorndike, F. P., Cox, D. J., Kovatchev, B. P., & Gonder-Frederick, L. A. (2009). A behavior change model for Internet interventions. *Annals of Behavioral Medicine*, 38(1), 18-27. doi:10.1007/s12160-009-9133-4
- Rohde, P., Lewinsohn, P. M., Klein, D. N., Seeley, J. R., & Gau, J. M. (2013). Key characteristics of major depressive disorder occurring in childhood, adolescence, emerging adulthood, adulthood. *Clinical Psychological Science*, 1(1). doi:10.1177/2167702612457599
- Ruangkanchanasetr, S., Plitponkarnpim, A., Hetrakul, P., & Kongsakon, R. (2005). Youth risk behavior survey: Bangkok, Thailand. *Journal of Adolescent Health*, 36(3), 227-235.
- Rungreungkolkkit, S., Chutungkorn, P., & Wongtaki, W. (2006). *Developing model of Buddhist counseling for helping clients with emotional problems*. Retrieved from: http://ora.kku.ac.th/res_kku/Abstract/Abstractiew.asp?Qid=1191318975
- Sarkohi, A. (2011). *Future thinking and depression*. Linköping Studies in Arts, Behavioural Science Linköping University Department of Behavioural Sciences and Learning.

- Sawyer, M. G., Pfeiffer, S., Spence, S. H., Bond, L., Graetz, B., Kay, D., . . . Sheffield, J. (2010). School-based prevention of depression: A randomized controlled study of the beyond schools research initiative. *Journal of Child Psychology and Psychiatry*, 51(2), 199-209.
- Schimelpfening, N. (2012). *The chemistry of depression: The primary players*. Guide Health's Disease and Condition. Retrieved from http://depression.about.com/cs/brainchem101/a/brainchemistry_3.htm
- Schmied, V., & Tully, L. (2009). *Effective strategies and interventions for adolescents in a child protection context: Literature review*. Centre for Parenting & Research Service System Development Division NSW Department of Community Services.
- Smith, J. P., & Smith, G. C. (2010). Long-term economic costs of psychological problems during childhood. *Social Science & Medicine*, 71, 110-115.
- Songprakun, W. (2010). *Evaluation of cognitive behavioral bibliotherapy self-help intervention program on the promotion of resilience in individuals with depression* (Unpublished doctoral dissertation). Victoria University Melbourne, Australia.
- Sood, A.B. & Hudziak, J. (2016). *Prevention of mental health disorders: Principles and implementation* DOI: [http://dx.doi.org/10.1016/S1056-4993\(16\)30004-9](http://dx.doi.org/10.1016/S1056-4993(16)30004-9)
- Speziale, H. S. (2007). *Qualitative research in nursing: Advancing the humanistic imperative* (4th ed.). Philadelphia: Lippincott Williams & Wikins.
- Srivichit, T. (2007). *Thai rural family in Daoruang, P. Thailand life: Life of Thai teenager*. Online Magazine.
- Stallard, P. (2013). School-based interventions for depressions and anxiety in children and adolescents. *Evidence-Based Mental Health*, 16(3), 60-61. doi:10.1136/eb-2013-101242

- Starr, L. R., & Davila, J. (2009). Clarifying co-rumination: Associations with internalizing symptoms and romantic involvement among adolescent girls. *Journal of Adolescence*, 32(1), 19-37.
- Stice, E., Shaw, H., Bohon, C., Marti, C. N., & Rohde, P. (2007). The meta-analytic review summarizes the effects of depression prevention programs for children and adolescents: Factors that predict magnitude of Intervention effects. *Journal of Consulting and Clinical Psychology*, 77(3), 486-503. doi:10.1037/a0015168
- Substance Abuse and Mental Health Services Administration (SAMHSA). (2014). Behavioral health trends in the United States: Results from the 2014. National surveys on drug use and health for years 2005-2014. Available from <https://www.samhsa.gov/data/sites/default/files/NSDUH-FRR1-2014/NSDUH-FRR1-2014.pdf>.
- Tak, Y. R., Van Zundert, R., Kuijpers, R., Van Vlokhoven, B. S., Rensink, H., & Engels, R. (2012). A randomized controlled trial testing the effectiveness of a universal school-based depression prevention program 'Op Volle Kracht' in the Netherlands. *BMC Public Health*, 12, 21. doi:10.1186/1471-2458-12-21
- Thabane, L., Ma, J., Chu, R., Cheng, J., Ismaila, A., Rios, L. P., . . . Goldsmith, C. H. (2010). A tutorial on pilot studies: the what, why and how. *BMC Medical Research Methodology*, 10(1). doi:10.1186/1471-2288-10-1
- Thapar, A., Collishaw, S., Pine, D. S., & Thapar, A. K. (2012). Depression in adolescence. *Lancet*, 379(9820), 1056-1067. doi:10.1016/S0140-6736(11)60871-4
- Thiamkaew, K., Phuaphanprasert, U., Mahatnirunkul, S., & Pannarunothai, S. (2007). Depression care cost in Thai public service settings. *Journal of Mental Health of Thailand*, 15(1), 1-11.
- Thich Nhat Hanh. (2012). *A view on Buddhism*. "Twenty-four brand-new hours." Retrieved from <http://viewonbuddhism.org/depression.html>

- Trangkasombat, U., & Rujiradarporn, N. (2012). Gender differences in depressive symptoms in Thai adolescents. *Asian Biomedicine*, 6(5), 737-745.
doi:10.5372/1905-7415.0605.115
- United Nations Children's Fund (UNICEF). (2011). *The state of the world's children 2011: Adolescence an age opportunity*. New York: Hatteras Press.
- Van Voorhees, B. W., Ellis, J., Stuart, S., Fogel, J., & Ford, D. E. (2005). Pilot study of a primary care Internet-based depression prevention intervention for late adolescent. *The Canadian Child and Adolescent Psychiatry Review*, 14(2), 40-43.
- Van Voorhees, B. W., Fogel, J., Pomper, B. E., Marko, M., Reid, N., Watson, N., . . . Domanico, R. (2009). Adolescent dose and ratings of an internet-based depression prevention program: A randomized trial of primary care physician brief advice versus a motivational interview. *Journal of Cognitive and Behavioral Psychotherapies*, 9(1), 1-19.
- Van Voorhees, B.W., Mahoney, N., Mazo, R., Barrera, A.Z., Siemer, C.P., Gladstone, T., & Muñoz, R.F. (2011). Interne-based depression prevention over the life course: A call for behavioral vaccines. *Psychiatr Clin North Am .*, 34(1): 167–183. doi:10.1016/j.psc.2010.11.002.
- Van Voorhees, B. W., Vanderplough-Booth, K., Fogel, J., Gladstone, T., Bell, C., Stuart, S., . . . Reinecke, M. A. (2008). Integrative internet-based depression prevention for adolescents: A randomized clinical trial in primary care for vulnerability and protective factors. *Journal of the Canadian Academy of Child and Adolescent Psychiatry*, 17(4), 184-196.
- Vuthiarpa, S., Sethabouppha, H., Soivong, P., & Reg, W. (2013). Effective of a school-based cognitive behavioral therapy program for Thai adolescents with depressive symptoms. *Pacific Rim International Journal of Nursing Research*, 16(3), 206.

- Waingort, E. (2013). Liberatory ethnographic research – changing the lives of researchers and participants. *The Qualitative Report*, 19, Review 3, 1-3.
<http://www.nova.edu/ssss/QR/QR19/waingort3.pdf>
- Waldfogel, J., Craigie, T. & Brooks-Gunn, J. (2010). Fragile Families and Child Wellbeing. *Future Child.*, 20(2): 87–112. Available in PMC 2011 Apr 12.
- Wallace, B. A. (2012). *Popping pills for depression: A Buddhist view*. A Manifesto for the Mind Sciences and Contemplative.
- Weissman, M. M., Wickramaratne, P., Nomura, Y., Warner, V., Verdeli, H., Pilowsky, D. J., . . . Bruder, G. (2005). Family at high and low risk for depression: A 3-generation study. *Archives of General Psychiatry*, 62(1), 29-36.
- Wibulswasdi, C., Piboolsravut, P., & Kobsak Pootrakool, K. (2012). Sufficiency economy philosophy and development. Project to support the "sufficiency economy" drive in educational institutions and to young people the crown property bureau, Bangkok, Thailand. [cited 2017 October 18]. Available from <http://www.sufficiencyeconomy.org>.
- World Health Organization. (2008). *Depression*. Retrieved from http://www.who.int/mental_health/management/depression/definition/en/
- World Health Organization. (2013a). *Adolescents*. Retrieved from <http://www.who.int/topics/adolescent>
- World Health Organization. (2013b). *Maternal, child and adolescent mental health: Challenges and strategic directions for the Eastern Mediterranean Region*. WHO Regional Office for the Eastern Mediterranean, Cairo Document WHO-EM/MNH/190/E

Zisook, S., Rush, A. J., Lesser, I., Wisniewski, S. R., Trivedi, M., Husain, M. M., . . .
Fava, M. (2007). Pre-adult onset vs adult onset of major depressive disorder:
A replication study. *Acta Psychiatrica Scandinavica*, 115(3), 196-205.
doi:10.1111/j.1600-0447.2006.00868.x



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved