

REFERENCES

- Alberts B, Johnson A, Lewis J, Raff M, Roberts K, Walter P. Molecular biology of the cell. Garland Science, New York, 2002.
- Altschul SF, Madden TL, Schäffer AA, Zhang J, Zhang Z, Miller W et al. Gapped BLAST and PSI-BLAST: a new generation of protein database search programs. *Nucleic Acids Res* 1997; 25: 3389-402.
- Altschul SF, Gish W, Miller W, Myers W, Lipman DJ. Basic local alignment search tool. *J Mol Biol* 1990; 215: 403-10.
- Alves-Silva J, Ribeiro JM, Van Den Abbeele J, Attardo G, Hao Z, Haines LR et al. An insight into the sialome of *Glossina morsitans morsitans*. *BMC Genomics* 2010; 11: 213.
- Arca B, Lombardo F, de Lara Capurro M, della Torre A, Dimopoulos G, James AA et al. Trapping cDNAs encoding secreted proteins from the salivary glands of the malaria vector *Anopheles gambiae*. *PNAS* 1999; 96: 1516-21.
- Arca B, Lombardo F, Lanfrancotti A, Spanos L, Veneri M, Louis C et al. A cluster of four D7-related genes is expressed in the salivary glands of the African malaria vector *Anopheles gambiae*. *Insect Mol Biol* 2002; 11: 47-55.
- Arca B, Lombardo F, Valenzuela JG, Francischetti IMB, Marinotti O, Coluzzi M et al. An updated catalogue of salivary gland transcripts in the adult female mosquito, *Anopheles gambiae*. *J Exp Biol* 2005; 208: 3971-86.
- Arca B, Lombardo F, Francischetti IMB, Pham VM, Mestres-Simon M, Andersen JF et al. An insight into the sialome of the adult female mosquito *Aedes albopictus*. *Insect Biochem Mol Biol* 2007; 37: 107-27.

- Arensburger P, Meger K, Waterhouse RM, Abrudan J, Amedeo P, Antelo B et al. Sequencing of *Culex quinquefasciatus* establishes a platform for mosquito comparative genomics. *Science* 2010; 330: 86-8.
- Ameri M, Wang X, Wilkerson MJ, Kanost MR, Broce AB. An immunoglobulin binding protein (antigen 5) of the stable fly (Diptera:Muscidae) salivary gland stimulates bovine immune responses. *J Med Entomol* 2008; 45: 94-101.
- Andersen JF, Hinnebusch BJ, Lucas DA, Conrads TP, Veenstra TD, Pham VM et al. An insight into the sialome of the oriental rat flea, *Xenopsylla cheopis* (Rots). *BMC Genomics* 2007; 8: 102.
- Angermayr M, Bandlow W. The type of basal promoter determines the regulated or constitutive mode of transcription in the common control region of the yeast gene pair GCY1/RIO1. *J Biol Chem* 1997; 272: 31630-35.
- Anttonen AK, Mahjneh I, Hämäläinen RH, Lagier-Tourenne C, Kopra O, Waris L et al. The gene disrupted in Marinesco-Sjögren syndrome encodes SIL1, an HSPA5 cochaperone. *Nat Genet* 2005; 37: 1309-11.
- Ashburner M, Ball CA, Blake JA, Botstein D, Butler H, Cherry JM et al. Gene ontology: tool for the unification of biology. The Gene Ontology Consortium *Nat Genet* 2000; 25: 25-9.
- Barreau C, Conrad J, Fischer E, Lujan HD, Vernick KD. Identification of surface molecules on salivary glands of the mosquito, *Aedes aegypti*, by a panel of monoclonal antibodies. *Insect Biochem Mol Biol* 1999; 29: 515-26.
- Barreau C, Touray M, Pimenta PF, Miller LH, Vernick KD. *Plasmodium gallinaceum*: sporozoite invasion of *Aedes aegypti* salivary glands is inhibited by anti-gland antibodies and by lectins. *Exp Parasitol* 1995; 81: 332-43.
- Beerntsen BT, Champagne DE, Coleman JL, Campos YA, James AA. Characterization of the Sialokinin I gene encoding the salivary vasodilator of the yellow fever mosquito, *Aedes aegypti*. *Insect Mol Biol* 1999; 8: 459-68.

Beier JC. Malaria parasite development in mosquitoes. *Annu Rev Entomol* 1998; 43: 519–43.

Boisson B, Jacques JC, Choumet V, Martin E, Xu J, Vernick K et al. Gene silencing in mosquito salivary glands by RNAi. *FEBS Lett* 2006; 580: 1988–92.

Brennan JD, Kent M, Dhar R, Fujioka H, Kumar N. *Anopheles gambiae* salivary gland proteins as putative targets for blocking transmission of malaria parasites. *PNAS* 2000; 97: 13859-64.

Calvo E, Ribeiro JMC. A novel secreted endonuclease from *Culex quinquefasciatus* salivary glands. *J Exp Biol* 2006; 209: 2651-9.

Calvo E, Andersen J, Francischetti IM, deL Capurro M, deBianchi AG, James AA et al. The transcriptome of adult female *Anopheles darlingi* salivary glands. *Insect Mol Biol* 2004; 13: 73-88.

Calvo E, deBianchi AG, James AA, Marinotti O. The major acid soluble proteins of adult female *Anopheles darlingi* salivary glands include a member of the D7-related family of proteins. *Insect Biochem Mol Biol* 2002; 32: 1419-27.

Calvo E, Mans BJ, Andersen JF, Ribeiro JM. Function and evolution of a mosquito salivary protein family. *J Biol Chem* 2006a; 281: 1935-42.

Calvo E, Pham VM, Lombardo F, Arca B, Ribeiro JM. The sialotranscriptome of adult male *Anopheles gambiae* mosquitoes. *Insect Biochem Mol Biol* 2006b; 36: 570-5.

Calvo E, Dao A, Pham VM, Ribeiro JM. An insight into the sialome of *Anopheles funestus* reveals an emerging pattern in anopheline salivary protein families. *Insect Biochem Mol Biol* 2007; 37: 164-75.

Calvo E, Pham VM, Ribeiro JM. An insight into the sialotranscriptome of the non-blood feeding *Toxorhynchites amboinensis* mosquito. *Insect Biochem Mol Biol* 2008; 38: 499-507.

Calvo E, Pham VM, Marinotti O, Andersen JF, Ribeiro JM. The salivary gland transcriptome of the neotropical malaria vector *Anopheles darlingi* reveals accelerated evolution of genes relevant to hematophagy. BMC Genomics 2009; 10: 57.

Calvo E, Mans BJ, Ribeiro JMC, Andersen JF. Multifunctionality and mechanism of ligand binding in a mosquito antiinflammatory protein. PNAS 2009; 106: 3728-33.

Campbell CL, Vandyke KA, Letchworth OJ, Drolet BS, Hanekamp T, Wilson WC et al. Midgut and salivary gland transcriptomes of the arbovirus vector *Culicoides sonorensis* (Diptera: Ceratopogonidae). Insect Mol Biol 2005; 14: 121-36.

Cazares-Raga FE, González-Lázaro M, Montero-Solís C, González-Cerón L, Zamudio F, Martínez-Barnetche J et al. GP35 ANOAL, an abundant acidic glycoprotein of female *Anopheles albimanus* saliva. Insect Mol Biol 2007; 16: 187-98.

Cazares-Raga FE, Sanchez-Contreras ME, Rodriguez MH, Hernandez-Hernandez FC. Sex specific proteins and proteases present in the midguts of *Anopheles albimanus* (Diptera: Culicidae). J Med Entomol 1998; 35: 184-6.

Cerna P, Mikes L, Volf P. Salivary gland hyaluronidase in various species of Phlebotomine sand flies (Diptera: Psychodidae). Insect Biochem Mol Biol 2002; 32: 1691-7.

Champagne DE, Smartt CT, Ribeiro JMC, James AA. The salivary gland-specific apyrase of the mosquito *Aedes aegypti* is a member of the 50-nucleotidase family. PNAS 1995; 92: 694-8.

Charlab R, Valenzuela JG, Rowton ED, Ribeiro JMC. Toward an understanding of the biochemical and pharmacological complexity of the saliva of a hematophagous sand fly *Lutzomyia longipalpis*. Proc Natl Acad Sci 1999; 96: 15155-60.

Cheeseman MT. Characterization of apyrase activity from the salivary glands of the cat flea *Ctenocephalides felis*. Insect Biochem Mol Biol 1998; 28: 1025-30.

Chen HH, Zhang RL, Geng YJ, Cheng JQ, Zhang SX, Huang DN et al. Identification of differentially expressed genes in female *Culex pipiens pallens*. Parasitol Res 2007; 101: 511-5.

Choochote W, Sucharit S, Abeyewickreme W. Experiments in crossing two strains of *Anopheles barbirostris* van der Wulp 1884 (Diptera: Culicidae) in Thailand. Southeast Asian J Trop Med Public Health 1983; 14: 204-9.

Choumet V, Carmi-Leroy A, Laurent C, Lenormand P, Rousselle JC, Namane A et al. The salivary glands and saliva of *Anopheles gambiae* as an essential step in the *Plasmodium* life cycle: a global proteomic study. Proteomics 2007; 7: 3384-94.

Christophers SR. *Aedes aegypti* (L.) The yellow fever mosquito: Its life history, bionomics and structure. Cambridge University Press 1960; 260-8.

Combe A, Moreira C, Ackerman S, Thibierge S, Templeton TJ, Menard R. TREP, a novel protein necessary for gliding motility of the malaria sporozoites. Int J Parasitol 2009; 39: 489-96.

Cupp MS, Cupp EW, Ramberg FB. Salivary gland apyrase in black flies (*Simulium vittatum*). J Insect Physiol 1993; 39: 817-21.

Cupp MS, Cupp EW, Ochoa AI, Moulton JK. Salivary apyrase in New World black flies (Diptera: Simuliidae) and its relationship to onchocerciasis vector status. Med Vet Entomol 1995; 9: 325-30.

Dame JB, Williams JL, McCutchan TF, Weber JL, Wirtz RA, Hockmeyer WT et al. Structure of the gene encoding the immunodominant surface antigen on the sporozoites of the human malaria parasite, *Plasmodium falciparum*. Science 1984; 225: 593-9.

Das S, Radtke A, Choi YJ, Mendes AM, Valenzuela JG, Dimopoulos G. Transcriptomic and functional analysis of the *Anopheles gambiae* salivary gland in relation to blood feeding. BMC Genomics 2010; 11: 566.

Dillon RJ, el-Kordy E. Carbohydrate digestion in sandflies: alpha-glucosidase activity in the midgut of *Phlebotomus langeroni*. Comp Biochem Physiol B Biochem Mol Biol 1997; 116: 35-40.

Dimopoulos G, Richman A, Muller HM, Kafatos FC. Molecular immune responses of the mosquito *Anopheles gambiae* to bacteria and malaria parasites. PNAS 1997; 94: 11508-13.

Dong F, Fu Y, Li X, Jiang J, Sun J, Cheng X. Cloning, expression, and characterization of salivary apyrase from *Aedes albopictus*. Parasitol Res 2012; 110: 931-7.

Eddy EM. Regulation of gene expression during spermatogenesis. Semin Cell Dev Biol 1998; 9: 451-7.

Eliason DA. Feeding adult mosquitoes on solid sugars. Nature 1963; 200: 289.

Entzeroth R, Kerckhoff H, Konig A. Microneme secretion in Coccidia: confocal laser scanning and electron microscope study of *Sarcocystis muris* in cell culture. Eur J Cell Biol 1992; 59: 405-13.

Failer BU, Braun N, Zimmermann H. Cloning, expression, and functional characterization of a Ca²⁺-dependent endoplasmic reticulum nucleoside diphosphatase. J Biol Chem 2002; 277: 36978-86.

Faudry E, Lozzi SP, Santana JM, D'Souza-Ault M, Kieffer S, Felix CR et al. *Triatoma infestans* apyrases belong to the 5'-nucleotidase family. J Biol Chem 2004; 279: 19607-13.

Fontaine A, Fusai T, Briolant S, Buffet S, Villard C, Baudelet E et al. *Anopheles* salivary gland proteomes from major malaria vectors. BMC Genomics 2012; 13: 614.

Foster WA. Mosquito sugar feeding and reproductive energetics. Annu Rev Entomol 1995; 40: 443-74.

Francischetti IMB, Mather TN, Ribeiro JMC. Cloning of a salivary gland metalloprotease and characterization of gelatinase and fibrin (ogen) lytic activities in the saliva of the Lyme disease tick vector *Ixodes scapularis*. Biochem Biophys Res Commun 2003; 305: 869-75.

Francischetti IM, Valenzuela JG, Ribeiro JM. Anophelin: kinetics and mechanism of thrombin inhibition. Biochemistry 1999; 38: 16678-85.

Francischetti IMB, Valenzuela JG, Pham VM, Garfield MK, Ribeiro JMC. Toward a catalog for the transcripts and proteins (sialome) from the salivary gland of the malaria vector *Anopheles gambiae*. J Exp Biol 2002; 205: 2429-51.

Galat A. Variations of sequences and amino acid compositions of proteins that sustain their biological functions: an analysis of the cyclophilin family of proteins. Arch Biochem Biophys 1999; 371: 149-62.

Gantt S, Persson C, Rose K, Birkett AJ, Abagyan R, Nussenzweig V. Antibodies against thrombospondin-related anonymous protein do not inhibit *Plasmodium* sporozoite infectivity *in vivo*. Infect Immun 2000; 68: 3667-73.

Geng YJ, Gao ST, Huang DN, Zhao YR, Liu JP, Li XH et al. Differentially expressed genes between female and male adult *Anopheles anthropophagus*. Parasitol Res 2009; 105: 843-51.

Ghorbel MT, Murphy D. Suppression subtractive hybridization. Methods Mol Biol 2011; 789: 237-59.

Ghosh AK, Jacobs-Lorena M. *Plasmodium* sporozoite invasion of the mosquito salivary gland. Curr Opin Microbiol 2009; 12: 394-400.

Ghosh AK, Ribolla PEM, Jacobs-Lorena M. Targeting *Plasmodium* ligands on mosquito salivary glands and mid gut with a phage display peptide library. PNAS 2001; 98: 13278-81.

- Ghosh AK, Devenport M, Jethwaney D, Kalume DE, Pandey A, Anderson VE et al. Malaria parasite invasion of the mosquito salivary gland requires interaction between the *Plasmodium* TRAP and the anopheles saglin proteins. PLOS Pathog 2009; 5: e1000265.
- Ghosh A, Edwards MJ, Jacobs-Lorena M. The journey of the malaria parasite in the mosquito: hopes for the new century. Parasitol Today 2000; 16: 196-201.
- Golenda CF, Klein T, Coleman R, Burge R, Ward RA, Seeley DC. Depletion of total salivary gland protein in blood-fed *Anopheles* mosquitoes. J Med Entomol 1995; 32: 300-5.
- Golenda CF, Starkweather WH, Wirtz RA. The distribution of circumsporozoite protein (CS) in *Anopheles stephensi* mosquitoes infected with *Plasmodium falciparum* malaria. J Histochem. Cytochem 1990; 38: 475-81.
- Gontijo NF, Almeida-Silva S, Costa FF, Mares-Guia ML, Williams P Melo MN. *Lutzomyia longipalpis*: pH in the gut, digestive glycosidases, and some speculations upon *Leishmania* development. Exp Parasitol 1998; 90: 212-9.
- Gross TL, Myles KM, Adelman ZN. Identification and characterization of heat shock 70 genes in *Aedes aegypti* (Diptera: Culicidae). J Med Entomol 2009; 46: 496-504.
- Grossman GL, James AA. The salivary glands of the vector mosquito, *Aedes aegypti*, express a novel member of the amylase gene family. Insect Mol Biol 1993; 1: 223-32.
- Han H, Peng J, Hong Y, Fu Z, Xu J, Lin J et al. Molecular cloning and characterization of a cyclophilin A homologue from *Schistosoma japonicum*. Parasitol Res 2012; 111: 807-17.
- Hansen JE, Lund O, Tolstrup N, Gooley AA, Williams KL Brunak S. NetOglyc: prediction of mucin type O-glycosylation sites based on sequence context and surface accessibility. Glycoconj J 1998; 15: 115-30.

Hekmat-Scafe DS, Dorit RL, Carlson JR. Molecular evolution of odorant-binding protein genes OS-E and OS-F in *Drosophila*. Genetics 2000; 155: 117-27.

Henriksen A, King TP, Mirza O, Monsalve RI, Meno K, Ipsen H et al. Major venom allergen of yellow jackets, Ves v 5: structural characterization of a pathogenesis-related protein superfamily. Proteins 2001; 45: 438-48.

Holiday-Hanson ML, Yuval B, Washino RK. Energetics and sugar-feeding of field-collected Anopheline females. J Vector Ecol 1997; 22: 83-9.

Isawa H, Orito Y, Iwanaga S, Jingushi N, Morita A, Chinzei Y et al. Identification and characterization of a new kallikreinin system inhibitor from the salivary glands of the malaria vector mosquito *Anopheles stephensi*. Insect Biochem Mol Biol 2007; 37: 466-77.

Jacobson RL, Schlein Y. *Phlebotomus papatasi* and *Leishmania major* parasites express alpha-amylase and alpha-glucosidase. Acta Trop 2001; 78: 41-9.

James AA. Molecular and biochemical analyses of the salivary glands of vector mosquitoes. Bull Ins Pasteur 1994; 92: 113-50.

James AA. Blocking malaria parasite invasion of mosquito salivary glands. J Exp Biol 2003; 206: 3817-21.

James AA, Blackmer K, Marinotti O, Ghosn CR, Racioppi JV. Isolation and characterization of the gene expressing the major salivary gland protein of the female mosquito, *Aedes aegypti*. Mol Biochem Parasitol 1991; 44: 245-53.

James AA, Blackmer K, Racioppi JV. A salivary gland-specific, maltase-like gene of the vector mosquito, *Aedes aegypti*. Gene 1989; 75: 73-83.

Jaresitthikunchai J, Phaonakrop N, Kittisenachai S, Roytrakul S. "Rapid in-gel digestion protocol for protein identification by peptide mass fingerprint". In: Proceeding of the 2nd biochemistry and molecular biology conference:

biochemistry and molecular biology for regional sustainable development.
Khon Kaen, Thailand, May 7–8, 2009, p 29.

Jariyapan N, Choochote W, Jitpakdi A, Harnnoi T, Siriyasatein P, Wilkinson MC et al. A glycine- and glutamate-rich protein is female salivary gland-specific and abundant in the malaria vector *Anopheles dirus* B (Diptera: Culicidae). *J Med Entomol* 2006; 43: 867-74.

Jariyapan N, Choochote W, Jitpakdi A, Harnnoi T, Siriyasatein P, Wilkinson MC et al. Salivary gland proteins of the human malaria vector, *Anopheles dirus* B (Diptera: Culicidae). *Rev Inst Med trop S Paulo* 2007; 49: 5-10.

Jariyapan N, Baimai V, Poovorawan Y, Roytrakul S, Saeung A, Thongsahuan S et al. Analysis of female salivary gland proteins of the *Anopheles barbirostris* complex (Diptera: Culicidae) in Thailand. *Parasitol Res* 2010; 107: 509-16.

Jariyapan N, Roytrakul S, Paemanee A, Junkum A, Saeung A, Thongsahuan S et al. Proteomic analysis of salivary glands of female *Anopheles barbirostris* species A2 (Diptera: Culicidae) by two-dimensional gel electrophoresis and mass spectrometry. *Parasitol Res* 2012; 111: 1239-49.

Jensen LJ, Kuhn M, Stark M, Chaffron S, Creevey C, Muller J et al. STRING 8 - a global view on proteins and their functional interactions in 630 organisms. *Nucleic Acids Res* 2009; 37: D412-6.

Juhn J, Naeem-Ullah U, Maciel Guedes BA, Majid A, Coleman J et al. Spatial mapping of gene expression in the salivary glands of the dengue vector mosquito, *Aedes aegypti*. *Parasit Vectors* 2011; 4: 1.

Kaiser K, Matuschewski K, Camargo N, Ross J, Kappe SH. Differential transcriptome profiling identifies *Plasmodium* genes encoding pre-erythrocytic stage-specific proteins. *Mol Microbiol* 2004; 51: 1221-32.

Kalume DE, Okulate M, Zhong J, Reddy R, Suresh S, Deshpande N et al. A proteomic analysis of salivary glands of female *Anopheles gambiae* mosquito. *Proteomics* 2005; 5: 3765-77.

- Kappe SH, Gardner MJ, Brown SM, Ross J, Matuschewski K, Ribeiro JMC et al. Exploring the transcriptome of the malaria sporozoite stage. PNAS 2001; 98: 9895-900.
- Kappe S, Bruderer T, Gnatt S, Fujioka H, Nussenzweig V, Menard R. Conservation of a gliding motility and cell invasion machinery in Apicomplexan parasites. J Cell Biol 1999; 147: 937-44.
- Kariu T, Yuda M, Yano K, Chinzei Y. MAEBL is essential for malarial sporozoite infection of the mosquito salivary gland. J Exp Med 2002; 195: 1317-23.
- Kerlin RL, Hughes S. Enzymes in saliva from four parasitic arthropods. Med Vet Entomol 1992; 6: 121-6.
- Kim SJ, Choochote W, Jitpakdi A, Junkum A, Park SJ, Min GS. Establishment of a self-mating mosquito colony of *Anopheles sinensis* from Korea. Korean J Entomol 2003; 33: 267-71.
- King TP, Spangfort MD. Structure and biology of stinging insect venom allergens. Mt Arch Allergy Immunol 2000; 123:99-106.
- Korochkina S, Barreau C, Pradel G, Jeffery E, Li J, Natarajan R et al. A mosquito-specific protein family includes candidate receptors for malaria sporozoite invasion of salivary glands. Cell Microbiol 2006; 8: 163-75.
- Kovalick GE, Griffin, DL. Characterization of the SCPITAPS gene family in *Drosophila melanogaster*. Insect Biochem Mol Biol 2005; 35: 825-35.
- Kumar S, Tamura K, Nei M. MEGA3: Integrated software for Molecular Evolutionary Genetics Analysis and sequence alignment. Brief Bioinform 2004; 5: 150-63.
- Lanfrancotti A, Lombardo F, Santolamazza F, Veneri M, Castrignanò T, Coluzzi M et al. Novel cDNAs encoding salivary proteins from the malaria vector *Anopheles gambiae*. FEBS Lett 2002; 517: 67-71.

- Langner KF, Darpel KE, Denison E, Drolet BS, Leibold W, Mellor PS et al. Collection and analysis of salivary proteins from the biting midge *Culicoides nubeculosus* (Diptera: Ceratopogonidae). J Med Entomol 2007; 44: 238-48.
- Lal AA, de la Cruz VF, Welsh JA, Charoenvit Y, Maloy WL, McCutchan TF. Structure of the gene encoding the circumsporozoite protein of *Plasmodium yoelii*. A rodent model for examining antimalarial sporozoite vaccines. J Biol Chem 1987; 262: 2937-40.
- Lombardo F, Ronca R, Rizzo C, Mestres-Simon M, Lanfrancotti A, Curra C et al. The *Anopheles gambiae* salivary protein gSG6: an anopheline-specific protein with a blood-feeding role. Insect Biochem Mol Biol 2009; 39: 457-66.
- Mant MJ, Parker KR. Two platelet aggregation inhibitors in tsetse (*Glossina*) saliva with studies of roles of thrombin and citrate in in vitro platelet aggregation. Br J Haematol 1981; 48: 601-8.
- Mans BJ, Calvo E, Ribeiro JM, Andersen JF. The crystal structure of D7r4, a salivary biogenic amine-binding protein from the malaria mosquito *Anopheles gambiae*. J Biol Chem 2007; 282: 36626-33.
- Manning G, Whyte DB, Martinez R, Hunter T, Sudarsanam S. The protein kinase complement of the human genome. Science 2002; 298: 1912-34.
- Malandain H. IgE-reactive carbohydrate epitopes—classification, cross-reactivity, and clinical impact. Eur Ann Allergy Clin Immunol 2005; 37: 122-8.
- Marinotti O, James AA. An α -glucosidase in the salivary glands of the vector mosquito, *Aedes aegypti*. Insect Biochem 1990; 20: 619-23.
- Marinotti O, de Brito M, Moreira CK. Apyrase and alpha-glucosidase in the salivary glands of *Aedes albopictus*. Comp Biochem Physiol Ser B 1996; 113: 675-9.
- Marinotti O, James AA, Ribeiro JMC. Diet and salivation in female *Aedes aegypti* mosquitoes. J Insect Physiol 1990; 36: 545-8.

Matuschewski K, Nunes AC, Nussenzweig V, Menard R. *Plasmodium* sporozoite invasion into insect and mammalian cells is directed by the same dual binding system. EMBO J 2002; 21: 1597-1606.

McCutchan TF, Kissinger JC, Touray MG, Rogers MJ, Li J, Sullivan M, Braga EM, Krettli AU, Miller LH. Comparison of circumsporozoite proteins from avian and mammalian malarias: biological and phylogenetic implications. PNAS 1996; 93: 11889-94.

Megraw T, Kaufman TC, Kovalick GE. Sequence and expression of *Drosophila* antigen 5-related 2, a new member of the CAP gene family. Gene 1998; 222: 297-304.

Menard R, Sultan AA, Cortes C, Altszuler R, van Dijk MR, Janse CJ et al. Circumsporozoite protein is required for development of malaria sporozoites in mosquitoes. Nature 1997; 385: 336-40.

Mikolajczak SA, Silva-Rivera H, Peng X, Tarun AS, Camargo N, Jacobs-Lorena V et al. Distinct malaria parasite sporozoites reveal transcriptional changes that cause differential tissue infection competence in the mosquito vector and mammalian host. Mol Cell Biol 2008; 28: 6196-207.

Milne TJ, Abbenante G, Tyndall JD, Halliday J, Lewis RJ. Isolation and characterization of a cone snail protease with homology to CRISP proteins of the pathogenesis-related protein superfamily. J Biol Chem 2003; 278: 31105-10.

Moreira-Ferro CK, Daffre S, James AA, Marinotti O. A lysozyme in the salivary glands of the malaria vector *Anopheles darlingi*. Insect Mol Biol 1998; 7: 257-64.

Moreira-Ferro CK, Marinotti O, Bijovsky AT. Morphological and biochemical analyses of the salivary glands of the malaria vector, *Anopheles darlingi*. Tissue Cell 1999; 31: 264-73.

Mota MM, Thathy V, Nussenzweig RS, Nussenzweig V. Gene targeting in the rodent malaria parasite *Plasmodium yoelii*. Mol Biochem Parasitol 2001; 113: 271-8.

Myung JM, Marshall P, Sinnis P. The *Plasmodium* circumsporozoite protein is involved in mosquito salivary gland invasion by sporozoites. Mol Biochem Parasitol 2004; 133: 53-9.

Nabby-Hansen S, Waterfield MD, Cramer R. Proteomics-post-genomic cartography to understand gene function. Trends Pharmacol Sci 2001; 22: 376-84.

Nascimento EP, dos Santos MR, Marinotti O. Salivary gland proteins of the mosquito *Culex quinquefasciatus*. Arch Insect Biochem Physiol 2000; 43: 9-15.

Nielsen H, Engelbrecht J, Brunak S, von Heijne G. A neural network method for identification of prokaryotic and eukaryotic signal peptides and prediction of their cleavage sites. Int J Neural Syst 1997; 8: 581-99.

Okulate MA, Kalume DE, Reddy R, Kristiansen T, Bhattacharya M, Chaerkady R et al. Identification and molecular characterization of a novel protein Saglin as a target of monoclonal antibodies affecting salivary gland infectivity of *Plasmodium* sporozoites. Insect Mol Biol 2007; 16: 711-22.

Perkins DN, Pappin DJ, Creasy DM, Cottrell JS. Probability-based protein identification by searching sequence databases using mass spectrometry data. Electrophoresis 1999; 20: 3551-67.

Perrone JB, De Maio J, Spielman A. Regions of mosquito salivary glands distinguished by surface lectin-binding characteristics. Insect Biochem 1986; 16: 313-8.

Phumee A, Preativatanyou K, Kraivichain K, Thavara U, Tawatsin A, Phusup Y et al. Morphology and protein profiles of salivary glands of filarial vector mosquito *Mansonia uniformis*; possible relation to blood feeding process. Asian Biomed 2011; 5: 353-60.

Pimentel GE, Rossignol PA. Age dependence of salivary bacteriolytic activity in adult mosquitoes. *Comp Biochem Physiol* 1990; 96: 549-51.

Pimenta PF, Touray M, Miller L. The journey of malaria sporozoites in the mosquito salivary gland. *J Eukaryot Microbiol* 1994; 41: 608-24.

Poinsignon A, Cornelie S, Mestres-Simon M, Lanfrancotti A, Rossignol M, Boulanger D et al. Novel peptide marker corresponding to salivary protein gSG6 potentially identifies exposure to *Anopheles* bites. *PLoS One* 2008; 3: e2472.

Poinsignon A, Cornelie S, Ba F, Boulanger D, Sow C, Rossignol M et al. Human IgG response to a salivary peptide, gSG6-P1, as a new immuno-epidemiological tool for evaluating low-level exposure to *Anopheles* bites. *Malar J* 2009; 8: 198.

Poinsignon A, Samb B, Doucoure S, Drame PM, Sarr JB, Sow C et al. First attempt to validate the gSG6-P1 salivary peptide as an immuno-epidemiological tool for evaluating human exposure to *Anopheles funestus* bites. *Trop Med Int Health* 2010; 15: 1198-203.

Raghavendra K, Barik TK, Reddy BP, Sharma P, Dash AP. Malaria vector control: from past to future. *Parasitol Res* 2011; 108: 757-79.

Reddy VB, Kounga K, Mariano F, Lerner EA. Chrysotoxin is a potent glycoprotein Jib/lila fibrinogen receptor antagonist present in salivary gland extracts of the deerfly. *J Biol Chem* 2000; 275: 15861-7.

Ribeiro JMC. Blood-feeding in mosquitoes: probing time and salivary gland anti-haemostatic activities in representatives of three genera (*Aedes*, *Anopheles*, *Culex*). *Med Vet Entomol* 2000; 14: 142-8.

Ribeiro JMC, Garcia ES. The salivary and crop apyrase activity of *Rhodnius prolixus*. *J Insect Physiol* 1980; 26: 303-7.

Ribeiro JMC, Nussenzveig RH. The salivary catechol oxidase/peroxidase activities of the mosquito, *Anopheles albimanus*. *J Exp Biol* 1993; 179: 273-87.

Ribeiro JMC, Arca B, Lombardo F, Calvo E, Phan VM, Chandra PK et al. An annotated catalogue of salivary gland transcripts in the adult female mosquito, *Aedes aegypti*. *BMC Genomics* 2007; 8: 6.

Ribeiro JMC, Charlab R, Pham VM, Garfield M, Valenzuela JG. An insight into the salivary transcriptome and proteome of the adult female mosquito *Culex pipiens quinquefasciatus*. *Insect Biochem Mol Biol* 2004; 34: 543-63.

Ribeiro JMC, Charlab R, Rowton ED and Cupp EW. *Simulium vittatum* (Diptera: Simuliidae) and *Lutzomyia longipalpis* (Diptera: Psychodidae) salivary gland hyaluronidase activity. *J Med Entomol* 2000; 37: 743-7.

Ribeiro JMC, Endris TM, Endris R. Saliva of the soft tick, *Ornithodoros moubata*, contains anti-platelet and apyrase activities. *Comp Biochem Physiol A* 1991; 100:109-12.

Ribeiro JMC, Modi GB, Resh RB. Salivary apyrase activity of some old world phlebotomine sand flies. *Insect Biochem* 1989; 19: 409-12.

Ribeiro JMC, Rossignol PA, Spielman A. Salivary gland apyrase determines probing time in anopheline mosquitoes. *J Insect Physiol* 1985; 9: 551-60.

Ribeiro JMC, Rossignol PA, Spielman A. Blood finding strategy of a capillary feeding sandfly, *Lutzomyia longipaipis*. *Comp Biochem Physiol A* ; 83: 683-6.

Ribeiro JMC, Sarkis JJF, Rossignol P, Spielman A. Salivary apyrase of *Aedes aegypti*: characterization and secretory fate. *Comp Biochem Physiol B* ; 79: 81-6.

Ribeiro JMC, Vaughan JA, Azad AF. Characterization of the salivary apyrase activity of three rodent flea species. *Comp Biochem Physiol B* 1990; 95: 215-8.

Rodriguez MH, Hernández-Hernández Fde L. Insect-malaria parasites interactions: the salivary gland. *Insect Biochem Mol Biol* 2004; 34: 615-24.

Rogers WO, Malik A, Mellouk S, Nakamura K, Rogers MD et al. Characterization of *Plasmodium falciparum* sporozoite surface protein 2. PNAS 1992; 89: 9176-80.

Ribeiro JMC, Arca B. From sialomes to the sialoverse: an insight into the salivary potion of blood feeding insects. Adv Insect Physiol 2009; 37: 59-118.

Ribeiro JM. Blood-feeding arthropods: live syringes or invertebrate pharmacologists? Infect Agents Dis 1995; 4: 143-52.

Rizzo C, Ronca R, Fiorentino G, Verra F, Mangano V, Poinsignon A et al. Humoral response to the *Anopheles gambiae* salivary protein gSG6: a serological indicator of exposure to Afrotropical malaria vectors. PLoS One 2011; 6: e17980.

Ribeiro JMC, Francischetti IM. Role of arthropod saliva in blood feeding: sialome and post-sialome perspectives. Annu Rev Entomol 2003; 48: 73-88.

Ribeiro JM, Mans BJ, Arca B. An insight into the sialome of blood-feeding Nematocera. Insect Biochem Mol Biol 2010; 40: 767-84.

Roesch A, Vogt T, Stoltz W, Dugas M, Landthaler M, Becker B. Discrimination between gene expression patterns in the invasive margin and the tumour core of malignant melanomas. Melanoma Res 2003; 13: 503-9.

Rossignol PA, Lueders AM. Bacteriolytic factor in the salivary glands of *Aedes aegypti*. Comp Biochem Physiol B 1986; 83: 819-22.

Rossignol PA, Ribeiro JMC, Spielman A. Increased intradermal probing time in sporozoite-infected mosquitoes. Am J Trop Med Hyg 1984; 33: 17-20.

Russell CL, Heesom KJ, Arthur CJ, Helps CR, Mellor PS, Day MJ. Identification and isolation of cDNA clones encoding the abundant secreted proteins in the saliva proteome of *Culicoides nubeculosus*. Insect Mol Biol 2009; 18: 383-93.

Saeung A, Otsuka Y, Baimai V, Somboon P, Pitasawat B, Tuetun B et al. Cytogenetic and molecular evidence for two species in the *Anopheles barbirostris* complex (Diptera: Culicidae) in Thailand. Parasitol Res 2007; 101: 1337-44.

Schreiber MC, Karlo IC, Kovalick GE. A novel cDNA from *Drosophila* encoding a protein with similarity to mammalian cysteine-rich secretory proteins, wasp venom antigen 5, and plant group 1 pathogenesis-related proteins. Gene 1997; 191: 135-41.

Sidjanski S, Vanderberg JR. Delayed migration of *Plasmodium* sporozoites from the mosquito bite site to the blood. Am J Trop Med Hyg 1997; 57: 426-9.

Simons FE, Peng Z. Mosquito allergy: recombinant mosquito salivary antigens for new diagnostic tests. mt Arch Allergy Immunol 2001; 124: 403-5.

Smith JJB, Cornish RA, Wilkes J. Properties of a calcium-dependent apyrase in the saliva of the blood-feeding bug, *Rhodnius prolixus*. Experientia 1980; 36: 898-900.

Srinivasan P, Abraham EG, Ghosh AK, Valenzuela J, Ribeiro JM, Dimopoulos G et al. Analysis of the *Plasmodium* and *Anopheles* transcriptomes during oocyst differentiation. J Biol Chem 2004; 279: 5581-7.

Stark KR, James AA. "The salivary glands of disease vectors." in The biology of disease vectors. The University Press of Colorado, Colorado, 1996; pp.333-48.

Stark KR, James AA. Isolation and characterization of the gene encoding a novel factor X a directed anticoagulant from the yellow fever mosquito, *Aedes aegypti*. J Biol Chem 1998; 273: 20802-9.

Steinbuechel M, Matuschewski K. Role for the *Plasmodium* sporozoite-specific transmembrane protein S6 in parasite motility and efficient malaria transmission. Cell Microbiol 2009; 11: 279-88.

- Sterling CR, Aikawa M, Vanderberg JP. The passage of *Plasmodium berghei* sporozoites through the salivary glands of *Anopheles stephensi*: an electron microscope study. J Parasitol 1973; 59: 593-605.
- Satoh K, Shimokawa H, Berk BC. Cyclophilin A: promising new target in cardiovascular therapy. Circ J 2010; 74: 2249-56.
- Sidjanski SP, Vanderberg JP, Sinnis P. *Anopheles stephensi* salivary glands bear receptors for region I of the circumsporozoite protein of *Plasmodium falciparum*. Mol Biochem Parasitol 1997; 90: 33-41.
- Siriwasatien P, Tangthongchaiwirya K, Jariyapan N, Kaewsaitiam S, Poovorawan Y, Thavara U. Analysis of salivary gland proteins of the mosquito *Armigeres subalbatus*. Southeast Asian J Trop Med Public Health 2005; 36: 64-7.
- Souza-Neto JA, Machado FP, Lima JB, Valle D, Ribolla PE. Sugar digestion in mosquitoes: identification and characterization of three midgut alpha-glucosidases of the neo-tropical malaria vector *Anopheles aquasalis* (Diptera: Culicidae). Comp Biochem Physiol A Mol Integr Physiol 2007; 147: 993-1000.
- Sewan N, Wilkinson MC, Crampton JM, Bates PA. Expression of D7 and D7-related proteins in the salivary glands of the human malaria mosquito *Anopheles stephensi*. Insect Mol Biol 2002; 11: 223-32.
- Soliman MA, Abdel-Hamid ME, Mansour MM, Seif AI, Kamel KI, Hamshary EM. Total salivary gland proteins of female *Culex pipiens* and *Aedes caspius* (Diptera: Culicidae) and their fractionation during adult development and after blood sucking. J Egypt Soc Parasitol 1999; 29: 619-34.
- Sor-suwan S, Jariyapan N, Roytrakul S, Paemanee A, Saeung A, Thongsahuan S et al. Salivary gland proteome of the human malaria vector, *Anopheles campestris*-like (Diptera: Culicidae). Parasitol Res 2013; 112: 1065-75.

Szklarczyk D, Franceschini A, Kuhn M, Simonovic M, Roth A, Minquez P et al. The STRING database in 2011: functional interaction networks of proteins, globally integrated and scored. Nucleic Acids Res 2011; 39: D561-8.

Suwannamit S, Baimai V, Otsuka Y, Saeung A, Thongsahuan S, Tuetun B et al. Cytogenetic and molecular evidence for an additional new species within the taxon *Anopheles barbirostris* (Diptera: Culicidae) in Thailand. Parasitol Res 2009; 104: 905-18.

Sultan AA, Thathy V, Frevert U, Robson KJ, Crisanti A, Nussenzweig V et al. TRAP is necessary for gliding motility and infectivity of *Plasmodium* sporozoites. Cell 1997; 90: 511-22.

Sun D, McNicol A, James AA, Peng Z. Expression of functional recombinant mosquito salivary apyrase: a potential therapeutic platelet aggregation inhibitor. Platelets 2006; 17: 178-84.

Tamura K, Stecher G, Peterson D, Filipski A, Kumar S. MEGA6: Molecular Evolutionary Genetics Analysis Version 6.0. Mol. Biol. Evol 2013; 30: 2725-9.

Tewari R, Spaccapelo R, Bistoni F, Holder AA, Crisanti A. Function of region I and region II adhesive motifs of *Plasmodium falciparum* circumsporozoite protein in sporozoite motility and infectivity. J Biol Chem 2002; 277: 47613-8.

Thompson J, Fernandez-Reyes D, Sharling L, Moore SG, Eling WM, Kyes SA et al. *Plasmodium* cysteine repeat modular proteins 1-4: complex proteins with roles throughout the malaria parasite life cycle. Cell Microbiol 2007; 9: 1466-80.

Thangamani S, Wikle SK. Differential expression of *Aedes aegypti* salivary transcriptome upon blood feeding. Parasit Vectors 2009; 2: 34.

Thompson JD, Gibson TJ, Plewniak F, Jeanmougin F, Higgins DG. The CLUSTAL_X windows interface: flexible strategies for multiple sequence alignment aided by quality analysis tools. Nucleic Acids Res 1997; 25: 4876-82.

Thongsahuan S, Baimai V, Otsuka Y, Saeung A, Tuetun B, Jariyapan N et al. Karyotypic variation and geographic distribution of *Anopheles campestris*-like (Diptera: Culicidae) in Thailand. Mem Inst Oswaldo Cruz 2009; 104: 558-66.

Thongsahuan S, Baimai V, Junkum A, Saeung A, Min GS, Joshi D et al. Susceptibility of *Anopheles campestris*-like and *Anopheles barbirostris* species complexes to *Plasmodium falciparum* and *Plasmodium vivax* in Thailand. Mem Inst Oswaldo Cruz 2011; 106: 105-12.

Valenzuela JG, Belkaid Y, Rowton E, Ribeiro JMC. The salivary apyrase of the blood-sucking sand fly *Phiebotomus papatasi* belongs to the novel *Cimex* family of apyrases. J Exp Biol 2001; 204: 229-37.

Valenzuela JG, Charlab R, Galperin MY, Ribeiro JMC. Purification, cloning, and expression of an apyrase from the bed bug *Cimex lectularius* A new type of nucleotide-binding enzyme. J Biol Chem 1998; 273: 30583-90.

Valenzuela JG, Charlab R, Gonzalez EC, Miranda-Santos IKF, Marinotti O, Francischetti IM et al. The D7 family of salivary proteins in blood sucking Diptera. Insect Mol Biol 2002a; 11: 149-55.

Valenzuela JG, Pham VM, Garfield MK, Francischetti IM, Ribeiro JMC. Toward a description of the sialome of the adult female mosquito *Aedes aegypti*. Insect Biochem Mol Biol 2002b; 32: 1101-22.

Valenzuela JG, Chuffe OM, Ribeiro JMC. Apyrase and anti-platelet activities from the salivary glands of the bed bug *Cimex lectularius*. Insect Biochem Mol Biol 1996; 21: 557-62.

Valenzuela JG, Francischetti IM, Ribeiro JM. Purification, cloning, and synthesis of a novel salivary anti-thrombin from the mosquito *Anopheles albimanus*. Biochemistry 1999; 38: 11209-15.

Valenzuela JG, Francischetti IMB, Pham VM, Garfield MK, Ribeiro JMC. Exploring the salivary gland transcriptome and proteome of the *Anopheles stephensi* mosquito. Insect Biochem Mol Biol 2003; 33: 717-32.

Valenzuela JG, Garfield M, Rowton ED, Pham VM. Identification of the most abundant secreted proteins from the salivary glands of the sand fly *Lutzomyia longipalpis*, vector of *Leishmania chagasi*. J Exp Biol 2004; 207: 3717-29.

Volfova V, Hostomska J, Cerny M, Votypka J, Volf P. Hyaluronidase of bloodsucking insects and its enhancing effect on *Leishmania* infection in mice. PLoS Negl Trop Dis 2008; 2: e294.

Warburg A, Touray M, Krettli AU, Miller LH. *Plasmodium gallinaceum*: antibodies to circumsporozoite protein prevent sporozoites from invading the salivary glands of *Aedes aegypti*. Exp Parasitol 1992; 75: 303-7.

Wasinpiyamongkol L, Patramool S, Luplertlop N, Surasombatpattana P, Doucoure S, Mouchet F et al. Blood-feeding and immunogenic *Aedes aegypti* saliva proteins. Proteomics 2010; 10: 1906-16.

Wengelnik K, Spaccapelo R, Naitza S, Robson KJ, Janse CJ, Bistoni F et al. The A-domain and the thrombospondin-related motif of *Plasmodium falciparum* TRAP are implicated in the invasion process of mosquito salivary glands. EMBO J 1999; 18: 5195-204.

Wilson AD, Heesom KJ, Mawby WJ, Mellor PS, Russell CL. Identification of abundant proteins and potential allergens in *Culicoides nubeculosus* salivary glands. Vet Immunol Immunopathol 2008; 122: 94-103.

Wal JM. Structure and function of milk allergens. Allergy 2001; 56: 35-8.

Wright KA. The anatomy of salivary glands of *Anopheles stephensi* Liston. Can J Zool 1969; 47: 579-87.

Wu W, Chen J, Zeng S, Zhang Z, Gan W, Yu X, Hu X. Molecular cloning, expression, and characterization of cyclophilin A from *Clonorchis sinensis*. Parasitol Res 2011; 109: 345-51.

World Health Organization. World Malaria report 2014. WHO Global Malaria Programme 2014; 238 p.

Xiang F, Zhang J, Zhou Y, Li Z, Gong H, Zhou J. Proteomic analysis of proteins in the salivary glands of the fed and unfed female tick *Rhipicephalus haemaphysaloides*. Agricultural Sciences in China 2009; 8: 121-7.

Xu W, Peng Z, Simons FER. Isolation of a cDNA encoding Aed a 3, a 30 kDa IgE-binding protein of mosquito *Aedes aegypti* saliva. J Allergy Clin Immunol 1998; 101: S203.

Xu X, Yang H, Ma D, Wu J, Wang Y, Song Y et al. Toward an understanding of the molecular mechanism for successful blood feeding by coupling proteomics analysis with pharmacological testing of horsefly salivary glands. Mol Cell Proteomics 2008; 7: 582-90.

Yoshida S, Sudo T, Niimi M, Tao L, Sun B, Kambayashi J et al. Inhibition of collagen-induced platelet aggregation by anopheline antiplatelet protein, a saliva protein from a malaria vector mosquito. Blood 2008; 111: 2007-14.

Yamazaki Y, Morita T. Structure and function of snake venom cysteine-rich secretory proteins Toxicon 2004; 44: 227-31.

Yamazaki Y, Hyodo F, Morita T. Wide distribution of cysteine-rich secretory proteins in snake venoms: isolation and cloning of novel snake venom cysteine-rich secretory proteins. Arch Biochem Biophys 2003; 412: 133-41.

LIST OF PUBLICATIONS

- 1) **Sor-suwan S**, Jariyapan N, Roytrakul S, Paemanee A, Saeung A, Thongsahuan S, Phattanawiboon B, Bates PA, Poovorawan Y, Choochote W. Salivary gland proteome of the human malaria vector, *Anopheles campestris*-like (Diptera: Culicidae). Parasitology Research 2013; 112: 1065-75.
- 2) **Sor-suwan S**, Jariyapan N, Roytrakul S, Paemanee A, Phumee A, Phattanawiboon B, Intakhan N, Chanmol W, Bates PA, Saeung A, Choochote W. Identification of salivary gland proteins depleted after blood feeding in the malaria vector *Anopheles campestris*-like mosquitoes (Diptera: Culicidae). PLoS One 2014; 9: e90809.

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved