

References

1. Al Jassim RA, Andrews FM.,The bacterial community of the horse gastrointestinal tract and its relation to fermentative acidosis, laminitis, colic, and stomach ulcers. Vet Clin North Am Equine Pract. 2009 Aug; 25(2):199-215.
2. Anandharaj M, Sivasankari B, Rani RP. 2014. Effects of Probiotics, Prebiotics, and Synbiotics on Hypercholesterolemia: A Review. Chinese J. Biol. 2014. Article ID 572754, 7 pages <http://dx.doi.org/10.1155/2014/572754>
3. Awad, W.,K. Ghareeb and J.Bohm., 2008 .Intestinal Structure and Function of Broiler Chickens on Diets Supplemented with a Synbiotic Containing *Enterococcus faecium* and Oligosaccharides., Int.J.Mol.Sci. 9:2205-2216
4. Bacciarini LN, O. Pagan, J. Frey, A. Gröne , 2001. Clostridium perfringens beta2-toxin in an African elephant (*Loxodonta africana*) with ulcerative enteritis. Vet Rec. 17; 149(20):618-620.
5. Baharuddin,A.S.,M.N.A.Razak,L.S.Hock,M.N.Ahmed,S.Abd-Aziz, Nor.A.A.Rahman, U.K.MdShah,M.A.Hassan,K.Sakai and Y.Shirai,2010.Isolation and Characterization of Thermophilic Cellulase-Producing Bacteria from Empty Fruit Bunches-Palm Oil Mill Effluent Compost., American Journal of Applied Sciences 7(1):56-62
6. Bryant M.P., 1963.Symposium on Microbial Digestion in Ruminants:Identification of Groups of Anaerobic Bacteria Active in the Rumen. JAnim Sci.22:801-813
7. Chaucheyras-Durand F, Durand H. 2010. Probiotics in animal nutrition and health.Benef Microbes. 1(1):3-9. doi: 10.3920/BM2008.1002.
8. Chiquette,J.,2009.The role of Probiotics in Promoting Dairy Production.WCDS Advances in Dairy Technology., Volume 21:143-157
9. Chou, L.S. and B. Weimer,1999. Isolation and Characterization of Acid- and Bile- Tolerant Isolates from Strains of *Lactobacillus acidophilus*., J Dairy Sci 82:23-31
10. Clauss M, W. Loehlein , E. Kienzle , H. Wiesner , 2003.Studies on feed digestibilities in captive Asian elephants (*Elephas maximus*). J Anim PhysiolAnimNutr (Berl).87(3-4):160-73.

11. Conway, P.L., Corback, S.L. and Goldin. B.R. 1987. Survival of lactic acid bacteria in the human stomach and adhesion to intestinal cell .J. Dairy Sci. 70: 1-12.
12. Cox,R.,F.Burden,L.Gosden,ChristopherProudman,A.Trawford, 2009.Case control study to investigate risk factors for impaction colic in donkeys in the UK. Preventive Veterinary Medicine.
13. Duangchitchareon, Y. ,2006.,Selection of Probiotic Lactic Acid Bacteria from Pickles and Fermented Plant Products. A Thesis submitted to the Graduate School in Partial Fulfillment of The Requirements for The Degree of Master of Science in Pharmaceutical Sciences, Graduate School Chiang Mai University
14. Duangjitcharoen, Y.et.al. 2008. Selection of Probiotic Lactic Acid Bacteria Isolated from Fermented Plant Beverages.Pakistan., Journal of Biological Sciences 11(4):652-655.
15. Duangjitcharoen, Y.et.al., 2009,Potential use of probiotic Lactobacillus plantarum SS2 isolated from a fermented plant beverage:safety assessment and persistence in the murine gastrointestinal tract., World J Microbiol Biotechnol 25: 315-321
16. Evans,G.H., 1961.Elephant and Their Diseases. A treatise on elephants.323 page.
17. Grade,A.,G.Jonsson.,A.S.Schmidt and B.K.Ahring, 2002. Lactic acid production from wheat straw hemicellulose hydrolysate by Lactobacillus pentosus and Lactobacillus brevis., Bioresource Technology 81:217-223
18. Guillot, J.F., Consequences of probiotics release in the intestine of animals (net source).
19. Halm M. et al., 2004. Lactic acid tolerance determined by measurement of intracellular pH of single cells of Candida krusei and Saccharomyces cerevisiae isolated from fermented maize dough.International Journal of Food Microbiology., Volume 94, Issue 1, Pages 97-103
20. Hastings E.G.,The Significance of the Bacteria and the Protozoa of the Rumen of the Bovine. Department of Agricultural Bacteriology, University of Wisconsin,Madison,Wis.

21. Herich R., M.Levkut, 2002.Lactic acid bacteria,probiotic and immune system.,Vet.Med.-Czech,47(6):169-180
22. Hopkins,M.J. and G.T.Macfarlane, 2003.Nondigestible Oligosaccharides Enhance Bacterial Colonization Resistance against Clostridium difficile In Vitro. Applied and Environmental Microbiology., Vol.69, No.4, p.1920-1927
23. Janssens GP. 2002. Equine digestion. Belgium: Laboratory of Animal Nutritional. Ghent University.
24. Jouany, J.P., 2001. A new look at yeast cultures as probiotics for ruminants., FEED MIX volume 9 Number 6
25. Jullian,V.,A.DE Vaux.,L.Millet and G.Fonty, 1999. Identification of Ruminococcusflavefaciens as the Predominant Cellulolytic Bacteria Species of the Equine Cecum. Applied and Environmental Microbiology., Vol.65, No.8, p.3738-3741
26. Krairitthichai,S. and N.Thongwai,2009.Isolation and Screening for Cellulase Producing Bacteria., 34 th Congress on Science and Technology of Thailand
27. Langka K, editor. 2002. Manuals of elephant health care, Chiangmai: Subject of elephant and wildlife,Faculty of veterinary, Chiangmai University; 160 pages
28. Lee KW, Park JY, Jeong HR, Heo HJ, Han NS, Kim JH. 2011. Probiotic properties of Weissella strain isolated from human faeces.
29. Ljungh, A. and T. Wadstrom, Lactic acid Bacteria as Probiotics, Online journal at www.ciim.net, Curr. Issues Intestinal Microbiol. 7:73-90
30. Lo, Y.C.,G.D.Saratale,W.M.Chen,M.D. Bai and J.S. Chang, 2009. Isolation of cellulose-hydrolytic bacteria and applications of the cellulolytic enzymes for cellulosic biohydrogen production., Enzyme and Microbial Technology Journal,44: 417-425
31. MarciÁáková M., Lauková, A. 2004. Probiotic Properties of Enterococcus facium EF9296 Strain Isolate from Silage. Acta Vet. Brno, 73:513-519.
32. Mikota, S. K.,E. L. Sargent , G.S. Ranglack, 1994.Medical Management of The Elephant, Indira Publishing House,West Bloomfield,Michigan,222 page.
33. Miller,T.L. and M.J.Wolin,1995.Bioconversion of Cellulose to Acetate with Pure Cultures of Ruminococcusalbus and a Hydrogen-Using Acetogen. Applied and Environmental Microbiology., Vol.61, No.11, p.3832-3835

34. Muhonen, S., V. Julliand, J. E. Lindberg, J. Bertilsson and A. Jansson, 2009. Effects on the equine colon ecosystem of grass silage and haylage diets after and abrupt change from hay., *J Anim Sci.* 87:2291-2298
35. Musa, H. H., S. L. Wu, C. H. Zhu, H. I. Seri and G. Q. Zhu, 2009. The Potential Benefit of Probiotics in Animal Production and Health., *Journal of Animal and Veterinary Advances* 8(2):313-321
36. Nisbet, D. J. and Scott A. Martin, 1990. Effect of Dicarboxylic Acid and *Aspergillus oryzae* Fermentation Extract on Lactate Uptake by the Ruminal Bacterium *Selemonas ruminantium*. *Applied and Environmental Microbiology*. Vol. 56, No. 11 p. 3515-3518
37. Prasitpupracha C, Rungsivijitprapa W, Chaivasut C, 2007. Antimicrobial activity of biological fermented products from northeastern Thai indigenous vegetables, *Isan Journal of Pharmaceutical science*, Volume 3, Number 1, page 375-384
38. Ratanakorn, P., 2000. Reproduction Problems of Asian Elephants (*Elephas maximus*) in Thailand, Assessment and Management of Reproductive System in Asian Elephants, Proceedings of the workshop, Lectures and Survey in Reproduction Biology of Asian Elephants, May 3-16 2000, Thailand
39. Raweewan C., 2006. Determination of Vitamins in Fruits of *Morinda citrifolia* Linn. And *Phyllanthus emblica* Linn. And Their Fermented Juices. A Thesis submitted to the Graduate School in Partial Fulfillment of The Requirements for The Degree of Master of Science in Pharmaceutical Sciences, Graduate School Chiang Mai University
40. Reese RE, Andrews FM., 2009. Nutrition and dietary management of equine gastric ulcer syndrome. *Vet Clin North Am Equine Pract.* 25(1):79-92, vi-vii.
41. Ryan, S. M., G. F. Fitzgerald and D. van Sinderen, 2006. Screening for and Identification of Starch-, Amylopectin-, and Pullulan-Degrading Activities in Bifidobacterial Strains., *Applied and Environmental Microbiology*, p. 5289-5296, Vol. 72, No. 8

42. Sathitmatee N, Mahatnirunkul P, Keawmong P, Sirimalaisuwan A, Boontong P, Rojanasthien S, Boonmar S. 2011. Observation of *Ruminococcus* Strains in Captive Asian Elephant (*Elephas maximus*). *Thai J Vet Med.* 41(2): 267-272
43. Shirazi-Beechey SP. , 2008, Molecular insights into dietary induced colic in the horse. *Equine Vet J.* 40(4):414-21.
44. Simonova M., A. Laukova and I. Styriak , 2005. Enterococci from rabbits – potential feed additive., *Czech J. Anima. Sci.*, 50:416-421
45. Sirilun, S., Chaiyasut, C., Kantachote, D., Luxananil, P. 2010. Characterisation of non human origin probiotic *Lactobacillus plantarum* with cholesterol-lowering property. *Afr. J. Microbiol. Res.*, 4(10) : 994-1000.
46. Sirilun, S., 2005. Fermentation Kinetics of *Morinda citrifolia* Linn. And Antimicrobial Activity of Its Products, A Thesis submitted to the Graduate School in Partial Fulfillment of The Requirements for The Degree of Master of Science in Pharmaceutical Sciences, Graduate School, Chiang Mai University.
47. Stevens EC, Hume ID. 1998. Contributions of Microbes in Vertebrate Gastrointestinal Tract to Production and conservation of Nutrients. *Physiological Reviews.* 78 (2), 393-427.
48. Succi , M., P. Tremonte, A. Reale, E. Sorrentino, L. Grazia, S. Pacifico, R. Coppola , 2005. Bile salt and acid tolerance of *Lactobacillus rhamnosus* strains isolated from Parmigiano Reggiano cheese., *FEMS Microbiology Letters* 244:129-137
49. Teather, R.M. and P.J., Wood, 1982. Use of Congo Red-Polysaccharide Interactions in Enumeration and Characterization of Cellulolytic Bacteria from the Bovine Rumen. *Applied and Environmental Microbiology.*, Vol.43, No.4, p.777-780
50. Thamacharoensuk T, Thongchu N, Taweechotipatr M, Tolieng V, Kodama K, Tanasupawat S. 2013. Screening and Characterization of Lactic Acid Bacteria from Animal Faeces for Probiotic Properties. *Thai J Vet Med.* 43(4): 541-551.
51. Toit et al., 1998 Genetic modification of lactic acid bacteria, pp. 161-210. In von Wright, A. and Salminen, S., (eds.) *Lactic Acid bacteria* .2nd ed. Marcel Dekker, Inc., New York.

52. Ullrey, D. E., D. S. Crissey and H. F. Hintz., 1997. Elephants: Nutrition and Dietary Husbandry, Nutrition Advisory Group Handbook., <http://www.elephantcare.org>
53. Vester BM, Beloshapka AN, Middelbos IS, Burke SL, Dikeman CL, Simmons LG, Swanson KS., 2009. Evaluation of nutrient digestibility and fecal characteristics of exotic felids fed horse- or beef-based diets: use of the domestic cat as a model for exotic felids. *Zoo Biol.* Oct 14.
54. Veterinary Medicine and Science. "Probiotic in Animals", book edited by Everlon Cid Rigobelo, ISBN 978-953-51-0777-4, October 3, 2012
55. Walter J., 2008. Ecological Role of Lactobacilli in the Gastrointestinal Tract: Implications for Fundamental and Biomedical Research., *Applied and Environmental Microbiology*, Vol. 74, No. 16 p. 4985-4996
56. Warren K, Bolton J, Swan R, Gaynor W. and Pond L., 1996. Treatment of gastrointestinal tract impaction of a 2-year-old Asian elephant (*Elephas maximus*). *Aust Vet J.* 73(1):37-8.
57. Weese JS, Anderson ME, Lowe A, Penno R, da Costa TM, Button L, Goth KC. 2004. Screening of the equine intestinal microflora for potential probiotic organisms. *Equine Vet J.* May; 36(4):351-5.