

LIST OF CONTENTS

| | Page |
|---|-------------|
| ACKNOWLEDGEMENTS | c |
| ABSTRACT (IN ENGLISH) | d |
| ABSTRACT (IN THAI) | f |
| LIST OF CONTENTS | i |
| LIST OF TABLES | m |
| LIST OF FIGURES | n |
| LIST OF APPENDIXS | o |
| ABBREVIATIONS AND SYMBOLS | q |
| CHAPTER 1 Introduction | |
| 1.1 Overview and the importance of the research | 1 |
| 1.2 Objective | 3 |
| 1.3 Education/Application advantages | 3 |
| CHAPTER 2 Literature review | |
| 2.1 Goats production in Laos | 4 |
| 2.2 Nutritional management of goat production | 5 |
| 2.3 Nutrition requirement for goats | 6 |
| 2.3.1 Protein requirements | 6 |
| 2.3.2 Energy | 7 |
| 2.3.3 Fats | 7 |
| 2.4 Paper mulberry leaves | 9 |
| 2.4.1 Utilization of paper mulberry | 9 |
| 2.4.2 Nutritional of paper mulberry leaves | 10 |

LIST OF CONTENTS (Cont)

| | Page |
|--|-------------|
| 2.5 Concentrate supplementation | 10 |
| 2.6 Reproductive efficiency in goats | 11 |
| 2.6.1 Onset of puberty goats | 11 |
| 2.6.2 Seasonality of reproduction | 12 |
| 2.6.3 The ovarian cycle and related on endocrine event | 13 |
| 2.7 Nutritional influences on reproductive function | 15 |
| 2.8 Estrous synchronization in goats | 15 |
| 2.9 Effect of nutrient on ovarian follicular development | 16 |
| 2.10 Effect of nutrition on ovulation rate | 17 |
| CHAPTER 3 Materials and methods | |
| 3.1 Materials | 19 |
| 3.1.1 Instrument and equipment | 19 |
| 3.1.2 Chemical | 20 |
| 3.2 Methods | 21 |
| 3.2.1 Paper mulberry leaves | 21 |
| 3.2.2 Concentrate preparation | 21 |
| 3.2.3 Chemical analysis | 22 |
| Experiment I | 22 |
| 3.2.4 Animals and housing | 22 |
| 3.2.5 Experimental design | 22 |
| 3.2.6 Feeding | 23 |
| 3.2.7 Data collection | 23 |
| 3.2.8 Statistical analysis | 25 |

LIST OF CONTENTS (Cont)

| | Page |
|--|-------------|
| Experiment II | 26 |
| 3.2.9 Animals | 26 |
| 3.2.10 Experimental design | 26 |
| 3.2.11 Estrous synchronization protocol | 27 |
| 3.2.12 Measurement of growth performance | 28 |
| 3.2.13 Metabolizable energy calculation | 28 |
| 3.2.14 Estrous response | 29 |
| 3.2.15 Ovarian ultrasonography | 29 |
| 3.2.16 Measurement of reproductive performance | 30 |
| 3.2.17 Statistical analysis | 31 |
| 3.2.18 Experimental place and duration of the experiment | 31 |
| CHAPTER 4 Results | |
| Experiment I | 32 |
| 4.1 Chemical composition of feed | 32 |
| 4.2 Nutrient intake and growth performance | 33 |
| 4.3 <i>In vivo</i> apparent nutrient digestibility | 35 |
| Experiment II | 36 |
| 4.4 Live weight change and growth performance | 36 |
| 4.5 Spontaneous estrus during pre-synchronization period | 36 |
| 4.6 Response to synchronization of estrus | 38 |
| 4.7 Ovulation, diameter of largest preovulatory follicle, and time of Ovulation | 39 |
| 4.8 Reproductive performance | 40 |

LIST OF CONTENTS (Cont)

| | Page |
|--|-------------|
| CHAPTER 5 Discussion | |
| Experiment I | 42 |
| 5.1 The chemical composition of the feed | 42 |
| 5.2 Growth performance and feed nutrient intake | 42 |
| 5.3 <i>In vivo</i> apparent nutrient digestibility | 43 |
| Experiment II | 44 |
| CHAPTER 6 Conclusions | |
| 6.1 Effect of concentrate supplementation levels on growth performance of local female goats in Laos | 48 |
| 6.2 Effect of concentrate supplementation levels on response to estrous synchronization of local female goats in Laos | 48 |
| REFERENCES | 50 |
| APPENDIXS (I) | 64 |
| APPENDIXS (II) | 72 |
| APPENDIXS (III) | 84 |
| CURRICULUM VITAE | 86 |

LIST OF TABLES

| | Page |
|---|-------------|
| Table 2.1 Numbers of livestock (Thousand head) from 2005 – 2012 | 5 |
| Table 2.2 Nutrient requirement of meat indigenous breed and Boer goats of various production stages | 8 |
| Table 2.3 Chemical composition of paper mulberry leaves in (%) | 10 |
| Table 2.4 Duration characteristics events of estrous cycle in female goats | 14 |
| Table 4.1 Chemical composition of the diet (PML and CONc) on dry matter basis | 32 |
| Table 4.2 Total nutrient intake of local goats in Laos | 33 |
| Table 4.3 Growth performance of female goats fed different levels of CONc | 34 |
| Table 4.4 Nutrient digestibility of local female goats fed PML and CONc (%) | 35 |
| Table 4.5 Effects of supplementation PML and CONc to female goats in Laos | 37 |
| Table 4.6 Effects of supplementation of paper mulberry leaf-based diet with concentrate on response to estrous synchronization treatment, diameter of preovulatory follicle, and time of ovulation in synchronized local female goats in Laos | 40 |
| Table 4.7 Effect of supplementation of paper mulberry leaf-based diet with concentrate on reproductive performances in synchronized local female goats in Laos | 41 |

ลิขสิทธิ์ © by Chiang Mai University
All rights reserved

LIST OF FIGURES

| | | Page |
|-------------|--|-------------|
| Figure 2.1 | The estrus and reproductive cycles of the female goats | 14 |
| Figure 3.1 | Paper mulberry leaves collection | 21 |
| Figure 3.2 | Paper mulberry field | 21 |
| Figure 3.3 | Concentrate preparation | 21 |
| Figure 3.4 | Concentrate after mixed | 21 |
| Figure 3.5 | Experimental housing | 22 |
| Figure 3.6 | The local female goats in separate pens | 22 |
| Figure 3.7 | Weighed the paper mulberry leaves | 23 |
| Figure 3.8 | Concentrate feeding | 23 |
| Figure 3.9 | Technique for collection of the feces | 25 |
| Figure 3.10 | Technique for estrous synchronization in female goats | 27 |
| Figure 3.11 | A schematic representation of the experimental design. CIDR: Controlled intravaginal drug release devices, hCG: Human chorionic Gonadotropin, ED, estrous detection; US, ultrasonography | 28 |
| Figure 3.12 | Observation female goats after CIDR removal and ovaries scanning | 30 |
| Figure 3.13 | Kidding of female goat | 31 |
| Figure 4.1 | The body weight of female goats received the paper mulberry leaf-based diet (PML; dotted line) or the paper mulberry leaves and 400 g/head/day of the concentrate (PML + CONc; solid line) | 37 |
| Figure 4.2 | Proportion of female goats exhibiting spontaneous estrus during the pre-synchronization period (covering two estrous cycles) in the group of goats receiving the paper mulberry leaf-based diet (PML; open bars) or the paper mulberry leaves and 400 g/head/day of the concentrate (PML + CONc; solid bars) | 38 |
| Figure 4.3 | The cumulative proportion of female goats displaying estrous behavior in 12 h to 120 h after CIDR withdrawal | 39 |

LIST OF APPENDIXS

Page

LIST OF APPENDIX I

| | | |
|-----|-------------------------|----|
| 1. | Proximate analysis | 64 |
| 1.1 | Dry mater | 64 |
| 1.2 | Ash | 64 |
| 1.3 | Crude protein | 65 |
| 1.4 | Crude fiber | 66 |
| 1.5 | Ether extract | 68 |
| 1.6 | Nitrogen free extract | 68 |
| 2 | Detergent methods | 69 |
| 2.1 | Neutral detergent fiber | 69 |
| 2.2 | Acid detergent fiber | 70 |
| 2.3 | Acid detergent lignin | 71 |

LIST OF APPENDIX II

| | | |
|-----------|--|----|
| Table 2.1 | ANOVA: Effect of paper mulberry leaves as basal diet with concentrate supplementation on dry matter intake of local female goats in Laos | 72 |
| Table 2.2 | ANOVA: Effect of paper mulberry leaves as basal diet with concentrate supplementation on organic matter intake of local female goats in Laos | 72 |
| Table 2.3 | ANOVA: Effect of paper mulberry leaves as basal diet with concentrate supplementation on crude protein intake of local female goats in Laos | 73 |

LIST OF APPENDIXS (Cont)

| | Page |
|--|-------------|
| Table 2.4 ANOVA: Effect of paper mulberry leaves as basal diet with concentrate supplementation on ether extract intake of local female goats in Laos | 73 |
| Table 2.5 ANOVA: Effect of paper mulberry leaves as basal diet with concentrate supplementation on crude fiber intake of local female goats in Laos | 74 |
| Table 2.6 ANOVA: Effect of paper mulberry leaves as basal diet with concentrate supplementation on nitrogen free extract intake of local female goats in Laos | 74 |
| Table 2.7 ANOVA: Effect of paper mulberry leaves as basal diet with concentrate supplementation on neutral detergent fiber intake of local female goats in Laos | 75 |
| Table 2.8 ANOVA: Effect of paper mulberry leaves as basal diet with concentrate supplementation on acid detergent fiber intake of local female goats in Laos | 75 |
| Table 2.9 ANOVA: Effect of paper mulberry leaves as basal diet with concentrate supplementation on acid detergent lignin intake of local female goats in Laos | 76 |
| Table 2.10 ANOVA: Effect of paper mulberry leaves as basal diet with concentrate supplementation on initial weight of the experiment 1 of local female goats in Laos | 76 |
| Table 2.11 ANOVA: Effect of paper mulberry leaves as basal diet with concentrate supplementation on final weight of the experiment 1 of local female goats in Laos | 77 |

LIST OF APPENDIXS (Cont)

| | Page |
|---|-------------|
| Table 2.12 ANOVA: Effect of paper mulberry leaves as basal diet with concentrate supplementation on body weight change of the experiment 1 of local female goats in Laos | 77 |
| Table 2.13 ANOVA: Effect of paper mulberry leaves as basal diet with concentrate supplementation on average daily gain of the experiment 1 of local female goats in Laos | 78 |
| Table 2.14 ANOVA: Effect of paper mulberry leaves as basal diet with concentrate supplementation on percentage of DMI per body weight of local female goats in Laos | 78 |
| Table 2.15 ANOVA: Effect of paper mulberry leaves as basal diet with concentrate supplementation on feed conversion ratio of the experiment 1 of local female goats in Laos | 79 |
| Table 2.16 ANOVA: Effect of paper mulberry leaves as basal diet with concentrate supplementation on dry matter digestibility of local female goats in Laos | 79 |
| Table 2.17 ANOVA: Effect of paper mulberry leaves as basal diet with concentrate supplementation on organic matter digestibility of local female goats in Laos | 80 |
| Table 2.18 ANOVA: Effect of paper mulberry leaves as basal diet with concentrate supplementation on crude protein digestibility of local female goats in Laos | 80 |
| Table 2.19 ANOVA: Effect of paper mulberry leaves as basal diet with concentrate supplementation on ether extract digestibility of local female goats in Laos | 81 |

LIST OF APPENDIXS (Cont)

| | Page |
|---|-------------|
| Table 2.20 ANOVA: Effect of paper mulberry leaves as basal diet with concentrate supplementation on crude fiber digestibility of local female goats in Laos | 81 |
| Table 2.21 ANOVA: Effect of paper mulberry leaves as basal diet with concentrate supplementation on nitrogen free extract digestibility of local female goats in Laos | 82 |
| Table 2.22 ANOVA: Effect of paper mulberry leaves as basal diet with concentrate supplementation on neutral detergent fiber digestibility of local female goats in Laos | 82 |
| Table 2.23 ANOVA: Effect of paper mulberry leaves as basal diet with concentrate supplementation on acid detergent fiber digestibility of local female goats in Laos | 83 |
| Table 2.24 ANOVA: Effect of paper mulberry leaves as basal diet with concentrate supplementation on acid detergent lignin digestibility of local female goats in Laos | 83 |

LIST OF APPENDIX III

| | |
|--|----|
| Table 3.1 Initial weight of local female goats in Laos, experiment 2 | 84 |
| Table 3.2 Final weight of the experiment 2 | 84 |
| Table 3.3 Body weight change of the experiment 2 | 84 |
| Table 3.4 Total feed intake of the experiment 2 | 84 |
| Table 3.5 Average daily gain of the experiment 2 | 85 |
| Table 3.6 Feed conversion ratio of the experiment 2 | 85 |
| Table 3.7 Onset of estrus, pre-synchronization (1) | 85 |
| Table 3.8 Onset of estrus, pre-synchronization (2) | 85 |

ABBREVIATION AND SYMBOLS

| | | |
|----------------|---|--|
| ADF | = | Acid detergent fiber |
| ADG | = | Average daily gain |
| ADL | = | Acid detergent lignin |
| ANOVA | = | Analysis of variance |
| AOAC | = | Association of official and analytical chemistry |
| CF | = | Crude fiber |
| CFD | = | Crude fiber digestibility |
| CIDR | = | Control intravaginal drug release |
| CL | = | Corpus luteum |
| CP | = | Crude protein |
| CPD | = | Crude protein digestibility |
| DE | = | Digestible energy |
| DM | = | Dry matter |
| DMD | = | Dry matter digestibility |
| DMI | = | Dry matter intake |
| EE | = | Ether extract |
| EED | = | Ether extract digestibility |
| E ₂ | = | Estradiol |
| FCR | = | Feed conversion ratio |
| FSH | = | Follicle stimulating hormone |
| g | = | Gram |
| GnRH | = | Gonadotropin releasing hormone |
| h | = | Hour |
| hCG | = | Human chorionic gonadotropin |
| Kg | = | Kilogram |
| LH | = | Luteinizing hormone |
| m | = | Meter |
| mm | = | Millimeter |
| MJ | = | Mega joules |

ABBREVIATION AND SYMBOLS (Cont)

| | | |
|-------------------|---|-------------------------------|
| Mcal | = | Mega cal |
| ME | = | Metabelizable energy |
| ml | = | Milliliter |
| NDF | = | Neutral detergent fiber |
| NDS | = | Neutral detergent soluble |
| NE _L | = | Net energy for lactation |
| NFE | = | Nitrogen free extract |
| OM | = | Organic matter |
| OMD | = | Organic matter digestibility |
| P ₄ | = | Progesterone |
| PGF _{2α} | = | Prostaglandin F _{2α} |
| SEM | = | Standard error mean |
| TDN | = | Total digestible nutrient |

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved