

REFERENCES

- [1] X. Li, Z. Lv, H. Zhu, Carbon/Silicon Heterojunction Solar Cells: State of the Art and Prospects, *Advanced Materials*, 27 (2015) 6549-6574.
- [2] Y. Xing, P. Han, S. Wang, P. Liang, S. Lou, Y. Zhang, S. Hu, H. Zhu, C. Zhao, Y. Mi, A review of concentrator silicon solar cells, *Renewable and Sustainable Energy Reviews*, 51 (2015) 1697-1708.
- [3] M.K. Siddiki, J. Li, D. Galipeau, Q. Qiao, A review of polymer multijunction solar cells, *Energy and Environmental Science*, 3 (2010) 867-883.
- [4] H. Cotal, C. Fetzer, J. Boisvert, G. Kinsey, R. King, P. Hebert, H. Yoon, N. Karam, III-V multijunction solar cells for concentrating photovoltaics, *Energy and Environmental Science*, 2 (2009) 174-192.
- [5] B.J. Simonds, H.J. Meadows, S. Misra, C. Ferekides, P.J. Dale, M.A. Scarpulla, Laser processing for thin film chalcogenide photovoltaics: a review and prospectus, *Photoe*, 5 (2015) 050999-050999.
- [6] C.H. Lee, D.R. Kim, X. Zheng, Transfer Printing Methods for Flexible Thin Film Solar Cells: Basic Concepts and Working Principles, *ACS Nano*, 8 (2014) 8746-8756.
- [7] V. Sugathan, E. John, K. Sudhakar, Recent improvements in dye sensitized solar cells: A review, *Renewable and Sustainable Energy Reviews*, 52 (2015) 54-64.
- [8] N. Ali, A. Hussain, R. Ahmed, M.K. Wang, C. Zhao, B.U. Haq, Y.Q. Fu, Advances in nanostructured thin film materials for solar cell applications, *Renewable and Sustainable Energy Reviews*, 59 (2016) 726-737.

- [9] J. Lin, A. Nattestad, H. Yu, Y. Bai, L. Wang, S.X. Dou, J.H. Kim, Highly connected hierarchical textured TiO₂ spheres as photoanodes for dye-sensitized solar cells, *Journal of Materials Chemistry A*, 2 (2014) 8902-8909.
- [10] G. Hashmi, K. Miettunen, T. Peltola, J. Halme, I. Asghar, K. Aitola, M. Toivola, P. Lund, Review of materials and manufacturing options for large area flexible dye solar cells, *Renewable and Sustainable Energy Reviews*, 15 (2011) 3717-3732.
- [11] A. Hagfeldt, G. Boschloo, L. Sun, L. Kloo, H. Pettersson, Dye-sensitized solar cells, *Chemical Reviews*, 110 (2010) 6595-6663.
- [12] B. O'Regan, M. Gratzel, A low-cost, high-efficiency solar cell based on dye-sensitized colloidal TiO₂ films, *Nature*, 353 (1991) 737-740.
- [13] Q. Wali, A. Fakharuddin, R. Jose, Tin oxide as a photoanode for dye-sensitized solar cells: Current progress and future challenges, *Journal of Power Sources*, 293 (2015) 1039-1052.
- [14] J. Chang-Albero, P. Atienzar, A. Corma, H. Garcia, Efficiency Records in Mesoscopic Dye-Sensitized Solar Cells, *The Chemical Record*, 15 (2015) 803-828.
- [15] Q. Zhang, C.S. Dandeneau, X. Zhou, G. Cao, ZnO Nanostructures for Dye-Sensitized Solar Cells, *Advanced Materials*, 21 (2009) 4087-4108.
- [16] C. Martín, M. Ziólek, A. Douhal, Ultrafast and fast charge separation processes in real dye-sensitized solar cells, *Journal of Photochemistry and Photobiology C: Photochemistry Reviews*, 26 (2016) 1-30.
- [17] Y. Dou, F. Wu, C. Mao, L. Fang, S. Guo, M. Zhou, Enhanced photovoltaic performance of ZnO nanorod-based dye-sensitized solar cells by using Ga doped ZnO seed layer, *Journal of Alloys and Compounds*, 633 (2015) 408-414.
- [18] X. Fang, Y. Li, S. Zhang, L. Bai, N. Yuan, J. Ding, The dye adsorption optimization of ZnO nanorod-based dye-sensitized solar cells, *Solar Energy*, 105 (2014) 14-19.

- [19] A. Jana, P.P. Das, S.A. Agarkar, P. Sujatha Devi, A comparative study on the dye sensitized solar cell performance of solution processed ZnO, *Solar Energy*, 102 (2014) 143-151.
- [20] V.M. Guerin, C. Magne, T. Pauporté, T. Le Bahers, J. Rathousky, Electrodeposited Nanoporous versus Nanoparticulate ZnO Films of Similar Roughness for Dye-Sensitized Solar Cell Applications, *ACS Applied Materials and Interfaces*, 2 (2010) 3677-3685.
- [21] H. Guo, X. He, C. Hu, Y. Tian, Y. Xi, J. Chen, L. Tian, Effect of Particle Size in Aggregates of ZnO-Aggregate-Based Dye-Sensitized Solar Cells, *Electrochimica Acta*, 120 (2014) 23-29.
- [22] M. Hosni, Y. Kusumawati, S. Farhat, N. Jouini, T. Pauporté, Effects of Oxide Nanoparticle Size and Shape on Electronic Structure, Charge Transport, and Recombination in Dye-Sensitized Solar Cell Photoelectrodes, *The Journal of Physical Chemistry C*, 118 (2014) 16791-16798.
- [23] Y.-Z. Zheng, H. Ding, X. Tao, J.-F. Chen, Investigation of iodine dopant amount effects on dye-sensitized hierarchically structured ZnO solar cells, *Materials Research Bulletin*, 55 (2014) 182-189.
- [24] L. Song, P. Du, J. Xiong, F. Ko, C. Cui, Efficiency enhancement of dye-sensitized solar cells by optimization of electrospun ZnO nanowire/nanoparticle hybrid photoanode and combined modification, *Electrochimica Acta*, 163 (2015) 330-337.
- [25] L.-Y. Lin, M.-H. Yeh, C.-P. Lee, C.-Y. Chou, R. Vittal, K.-C. Ho, Enhanced performance of a flexible dye-sensitized solar cell with a composite semiconductor film of ZnO nanorods and ZnO nanoparticles, *Electrochimica Acta*, 62 (2012) 341-347.
- [26] A.K. Chandiran, M. Abdi-Jalebi, A. Yella, M.I. Dar, C. Yi, S.A. Shivashankar, M.K. Nazeeruddin, M. Grätzel, Quantum-Confined ZnO

Nanoshell Photoanodes for Mesoscopic Solar Cells, *Nano Letters*, 14 (2014) 1190-1195.

- [27] X. Xu, F. Qiao, L. Dang, Q. Lu, F. Gao, Porous Tin Oxide Nanosheets with Enhanced Conversion Efficiency as Dye-Sensitized Solar Cell Electrode, *The Journal of Physical Chemistry C*, 118 (2014) 16856-16862.
- [28] K. Hongstith, N. Hongstith, D. Wongratanaphisan, A. Gardchareon, S. Phadungdhithhada, P. Singjai, S. Choopun, Sparking deposited ZnO nanoparticles as double-layered photoelectrode in ZnO dye-sensitized solar cell, *Thin Solid Films*, 539 (2013) 260-266.
- [29] Y.-R. Huang, T.-W. Huang, T.-H. Wang, Y.-C. Tsai, Improved performance of dye-sensitized solar cells using gallium nitride–titanium dioxide composite photoelectrodes, *Journal of Colloid and Interface Science*, 428 (2014) 128-132.
- [30] T.G. Deepak, G.S. Anjusree, S. Thomas, T.A. Arun, S.V. Nair, A. Sreekumaran Nair, A review on materials for light scattering in dye-sensitized solar cells, *RSC Advances*, 4 (2014) 17615-17638.
- [31] S. Vibha, D.K. Aswal, Surface modifications of photoanodes in dye sensitized solar cells: enhanced light harvesting and reduced recombination, *Semiconductor Science and Technology*, 30 (2015) 064005.
- [32] J. Hüpkes, J.I. Owen, S.E. Pust, E. Bunte Chemical Etching of Zinc Oxide for Thin-Film Silicon Solar Cells, *ChemPhysChem*, 13 (2012) 66-73.
- [33] H. Zheng, X.L. Du, Q. Luo, J.F. Jia, C.Z. Gu, Q.K. Xue, Wet chemical etching of ZnO film using aqueous acidic salt, *Thin Solid Films*, 515 (2007) 3967-3970.
- [34] Y. Zhou, D. Li, Y. Huang, W.-h. He, B. Xiao, H. Li, Effect of KOH treatment on structural and photovoltaic properties of ZnO nanorod arrays, *Transactions of Nonferrous Metals Society of China*, 22 (2012) 2736-2741.

- [35] S. Pearton, W. Lim, F. Ren, D. Norton, Wet Chemical Etching of Wide Bandgap Semiconductors- GaN, ZnO and SiC, *ECS Transactions*, 6 (2007) 501-512.
- [36] J. Zhao, Z.G. Jin, T. Li, X.X. Liu, Preparation and characterization of ZnO nanorods from NaOH solutions with assisted electrical field, *Applied Surface Science*, 252 (2006) 8287-8294.
- [37] S. Fernández, O. de Abril, F.B. Naranjo, J.J. Gandía, Etching process optimization using NH₄Cl aqueous solution to texture ZnO:Al films for efficient light trapping in flexible thin film solar cells, *Thin Solid Films*, 520 (2012) 4144-4149.
- [38] W.L. Hoffeditz, M.J. Katz, P. Deria, A.B.F. Martinson, M.J. Pellin, O.K. Farha, J.T. Hupp, High-Surface-Area Architectures for Improved Charge Transfer Kinetics at the Dark Electrode in Dye-Sensitized Solar Cells, *ACS Applied Materials & Interfaces*, 6 (2014) 8646-8650.
- [39] W. Maiaugree, N. Kongprakaiwoot, A. Tangtrakarn, S. Saekow, S. Pimanpang, V. Amornkitbamrung, Efficiency enhancement for dye-sensitized solar cells with a porous NiO/Pt counter electrode, *Applied Surface Science*, 289 (2014) 72-76.
- [40] J. Wu, Z. Lan, J. Lin, M. Huang, Y. Huang, L. Fan, G. Luo, Electrolytes in Dye-Sensitized Solar Cells, *Chemical Reviews*, 115 (2015) 2136-2173.
- [41] N.C.D. Nath, H.J. Lee, W.-Y. Choi, J.-J. Lee, Electrochemical approach to enhance the open-circuit voltage (V_{oc}) of dye-sensitized solar cells (DSSCs), *Electrochimica Acta*, 109 (2013) 39-45.
- [42] M. Towannang, S. Pimanpang, A. Thiangkaew, P. Rutphonsan, W. Maiaugree, V. Harnchana, W. Jarernboon, V. Amornkitbamrung, Chemically deposited polypyrrole-nanoparticle counter electrode for inorganic I^-/I_3^- and organic T^-/T_2 dye-sensitized solar cells, *Synthetic Metals*, 162 (2012) 1954-1960.

- [43] M.-Y. Pu, J.-Z. Chen, I.C. Cheng, KrF excimer laser irradiated nanoporous TiO₂ layers for dye-sensitized solar cells: Influence of laser power density, *Ceramics International*, 39 (2013) 6183-6188.
- [44] N. Yao, J. Huang, K. Fu, X. Deng, M. Ding, M. Shao, X. Xu, Enhanced light harvesting of dye-sensitized solar cells with up/down conversion materials, *Electrochimica Acta*, 154 (2015) 273-277.
- [45] A. Al-Kahlout, Thermal treatment optimization of ZnO nanoparticles-photoelectrodes for high photovoltaic performance of dye-sensitized solar cells, *Journal of the Association of Arab Universities for Basic and Applied Sciences*, 17 (2015) 66-72.
- [46] C. Fei, J. Tian, Y. Wang, X. Liu, L. Lv, Z. Zhao, G. Cao, Improved charge generation and collection in dye-sensitized solar cells with modified photoanode surface, *Nano Energy*, 10 (2014) 353-362.
- [47] N. Sakai, T. Miyasaka, T.N. Murakami, Efficiency Enhancement of ZnO-Based Dye-Sensitized Solar Cells by Low-Temperature TiCl₄ Treatment and Dye Optimization, *The Journal of Physical Chemistry C*, 117 (2013) 10949-10956.
- [48] H. Chang, C.-M. Hsu, P.-K. Kao, Y.-J. Yang, C.-C. Hsu, I.C. Cheng, J.-Z. Chen, Dye-sensitized solar cells with nanoporous TiO₂ photoanodes sintered by N₂ and air atmospheric pressure plasma jets with/without air-quenching, *Journal of Power Sources*, 251 (2014) 215-221.
- [49] J. Kim, J.S. Suh, Size-Controllable and Low-Cost Fabrication of Graphene Quantum Dots Using Thermal Plasma Jet, *ACS Nano*, 8 (2014) 4190-4196.
- [50] S. Kazuo, K. Shogo, B. Marius, O. Kenta, K. Akinori, Surface modification of dye-sensitized solid-state solar cells by atmospheric-pressure plasma jet, *Japanese Journal of Applied Physics*, 53 (2014) 11RF02.
- [51] X. Yan, W. Li, A. Aberle, S. Venkataraj, Surface texturing studies of bilayer transparent conductive oxide (TCO) structures as front electrode for thin-

film silicon solar cells, *Journal of Materials Science: Materials in Electronics*, 26 (2015) 7049-7058.

- [52] J.T. Kim, D. Kim, H.-M. Kim, C.G. Hwang, Y. Kwon, Y.S. Han, Surface-Modified TiO₂ Photoelectrode for More Efficient Dye-Sensitized Solar Cells, *Molecular Crystals and Liquid Crystals*, 602 (2014) 111-117.
- [53] M. Aliaghaee, H. Ghafoori Fard, A. Zandi, A new method for improving the performance of dye sensitized solar cell using macro-porous silicon as photoanode, *J Porous Mater*, 22 (2015) 1617-1626.
- [54] M. Ju, M. Gunasekaran, K. Kim, K. Han, I. Moon, K. Lee, S. Han, T. Kwon, D. Kyung, J. Yi, A new vapor texturing method for multicrystalline silicon solar cell applications, *Materials Science and Engineering: B*, 153 (2008) 66-69.
- [55] C.G. Ching, P.K. Ooi, S.S. Ng, M.A. Ahmad, Z. Hassan, H. Abu Hassan, M.J. Abdullah, Fabrication of porous ZnO via electrochemical etching using 10 wt% potassium hydroxide solution, *Materials Science in Semiconductor Processing*, 16 (2013) 70-76.
- [56] J. Zhu, N.W. Emanetoglu, Y. Chen, B.V. Yakshinskiy, Y. Lu, Wet-chemical etching of ZnO films, *Journal of Elec Materi*, 33 (2004) 556-559.
- [57] H.-P. Kuo, C.-F. Yang, A.-N. Huang, C.-T. Wu, W.-C. Pan, Preparation of the working electrode of dye-sensitized solar cells: Effects of screen printing parameters, *Journal of the Taiwan Institute of Chemical Engineers*, 45 (2014) 2340-2345.
- [58] S.S. Ng, P.K. Ooi, S. Yaakob, M.J. Abdullah, H.A. Hassan, Z. Hassan, Fabrication of porous ZnO thin films via ammonium hydroxide: Effects of etching time and oxidizer on surface morphology and surface roughness, *Sains Malaysiana*, 43 (2014) 1077-1082.
- [59] N. Tellabati, Y. Waghadkar, A. Roy, M. Shinde, S. Gosavi, D. Amalnerkar, R. Chauhan, Optical and photovoltaic properties of temperature-dependent

synthesis of ZnO nanobelts, nanoplates, and nanorods, *J Solid State Electrochem*, (2015) 1-8.

- [60] C.G. Ching, L. Lu, C.I. Ang, P.K. Ooi, S.S. Ng, Z. Hassan, H. Abu Hassan, Effects of the nitric acid concentrations on the etching process, structural and optical properties of porous zinc oxide thin films, *Sains Malaysiana*, 42 (2013) 1327-1332.
- [61] P.G. Seybold, M. Gouterman, J. Callis, Calorimetric, photometric and lifetime determinations of fluorescence yields of fluorescein dyes, *Photochemistry and Photobiology*, 9 (1969) 229-242.
- [62] K. Fan, W. Zhang, T. Peng, J. Chen, F. Yang, Application of TiO₂ Fusiform Nanorods for Dye-Sensitized Solar Cells with Significantly Improved Efficiency, *The Journal of Physical Chemistry C*, 115 (2011) 17213-17219.
- [63] H. Wang, B. Wang, J. Yu, Y. Hu, C. Xia, J. Zhang, R. Liu, Significant enhancement of power conversion efficiency for dye sensitized solar cell using 1D/3D network nanostructures as photoanodes, *Scientific Reports*, 5 (2015).
- [64] S. Futemvong, N. Hongstith, D. Wongratanaphisan, A. Gardchareon, S. Choopun, Energy conversion efficiency improvement of ZnO dye-sensitized solar cells by dye re-adsorption and N-P junction technique, *Chiang Mai Journal of Science*, 40 (2013) 783-788.
- [65] T. Yoshida, M. Iwaya, H. Ando, T. Oekermann, K. Nonomura, D. Schlettwein, D. Wohrle, H. Minoura, Improved photoelectrochemical performance of electrodeposited ZnO/EosinY hybrid thin films by dye re-adsorption, *Chemical Communications*, (2004) 400-401.
- [66] R. Katoh, A. Furube, Electron injection efficiency in dye-sensitized solar cells, *Journal of Photochemistry and Photobiology C: Photochemistry Reviews*, 20 (2014) 1-16.
- [67] W. Li, J. Yang, Q. Jiang, Y. Luo, Y. Hou, S. Zhou, Z. Zhou, Bi-layer of nanorods and three-dimensional hierarchical structure of TiO₂ for high

efficiency dye-sensitized solar cells, *Journal of Power Sources*, 284 (2015) 428-434.

- [68] M. Marandi, M. Pirhadi, R. Davarnejad, Facile modified cyclic electrophoretic deposition of hydrothermally prepared TiO₂ nanocrystals and their application in dye sensitized solar cells, *Journal of Alloys and Compounds*, 646 (2015) 264-270.
- [69] Z. Lan, L. Que, W. Wu, J. Wu, Preparation of Pt–NiO/Co₃O₄ nanocompounds based counter electrodes from Pt–Ni/Co alloys for high efficient dye-sensitized solar cells, *Journal of Alloys and Compounds*, 646 (2015) 80-85.
- [70] J. Bisquert, F. Fabregat-Santiago, I. Mora-Seró, G. Garcia-Belmonte, S. Giménez, Electron Lifetime in Dye-Sensitized Solar Cells: Theory and Interpretation of Measurements, *The Journal of Physical Chemistry C*, 113 (2009) 17278-17290.
- [71] C.-H. Chang, H.-H. Lin, C.-C. Chen, F.C.N. Hong, Enhancing dye-sensitized solar cell efficiency by anode surface treatments, *Thin Solid Films*, 570, Part B (2014) 204-208.
- [72] N.A. Jadhav, P.K. Singh, H.W. Rhee, S.P. Pandey, B. Bhattacharya, Effect of structure texture and morphology modulation on efficiency of dye sensitized solar cells, *International Journal of Electrochemical Science*, 9 (2014) 5377-5388.
- [73] S. Sutthana, D. Wongratanaphisan, A. Gardchareon, S. Phadungdhitidhada, P. Ruankham, S. Choopun, Enhancement of ZnO Dye-Sensitized Solar Cell Performance by Modifying Photoelectrode Using Two-Steps Coating-Etching Process, *Energy Procedia*, 79 (2015) 1021-1026.
- [74] C. Amri, R. Ouertani, A. Hamdi, H. Ezzaouia, Effect of acid vapor etching on morphological and opto-electric properties of flat silicon and silicon nanowire arrays: A comparative study, *Superlattices and Microstructures*, 91 (2016) 278-289.

- [75] K.-M. Han, J.-S. Cho, J. Yoo, Enhanced performance of EFG silicon solar cells by using vapor texturing process, *Vacuum*, 115 (2015) 46-49.
- [76] A. Kumar, S. Siddhanta, H.C. Barshilia, Extraordinary high broadband specular transmittance of sodalime glass substrate by vapor phase etching, *Solar Energy*, 129 (2016) 147-155.
- [77] Y.-J. Lee, H. Park, M. Ju, Y. Kim, J. Park, D.V. Ai, S. Qamar Hussain, Y. Lee, S. Ahn, J. Yi, Improvement of haze ratio of DC (direct current)-sputtered ZnO:Al thin films through HF (hydrofluoric acid) vapor texturing, *Energy*, 66 (2014) 20-24.
- [78] S. Sutthana, D. Wongratanaphisan, A. Gardchareon, S. Phadungdhitidhada, P. Ruankham, S. Choopun, Enhancement of ZnO dye-sensitized solar cell performance by modifying photoelectrodes using an acid vapor texturing process, *Surface and Coatings Technology*, *In Press*.
- [79] T. Kuhnt, O. Friedrich, G. Schmiedl, Y. Milker, A. Mackensen, A. Lückge, Relationship between pore density in benthic foraminifera and bottom-water oxygen content, *Deep Sea Research Part I: Oceanographic Research Papers*, 76 (2013) 85-95.
- [80] Y. Yan, G.L. Nash, P. Nash, Effect of density and pore morphology on fatigue properties of sintered Ti-6Al-4V, *International Journal of Fatigue*, 55 (2013) 81-91.
- [81] H. Yu, S. Zhang, H. Zhao, G. Will, P. Liu, An efficient and low-cost TiO₂ compact layer for performance improvement of dye-sensitized solar cells, *Electrochimica Acta*, 54 (2009) 1319-1324.