

REFERENCES

- [1] Jain D, Cooper JP. Telomeric strategies: means to an end. *Annu Rev Genet.* 2010;44:243-69.
- [2] Wynford-Thomas D, Kipling D. The end-replication problem. *Nature.* 1997;389:551.
- [3] Neidle S, Parkinson GN. The structure of telomeric DNA. *Curr Opin Struct Biol.* 2003;13:275-83.
- [4] Kuilman T, Michaloglou C, Mooi WJ, Peeper DS. The essence of senescence. *Genes Dev.* 2010;24:2463-79.
- [5] Jiang H, Ju Z, Rudolph KL. Telomere shortening and ageing. *Z Gerontol Geriatr.* 2007;40:314-24.
- [6] Epel ES, Blackburn EH, Lin J, Dhabhar FS, Adler NE, Morrow JD, *et al.* Accelerated telomere shortening in response to life stress. *Proc Natl Acad Sci.* 2004;101:17312-5.
- [7] Ludlow AT, Witkowski S, Marshall MR, Wang J, Lima LC, Guth LM, *et al.* Chronic exercise modifies age-related telomere dynamics in a tissue-specific fashion. *J Gerontol A BiolSci Med Sci.* 2012;67:911-26.
- [8] Werner C, Furster T, Widmann T, Poss J, Roggia C, Hanhoun M, *et al.* Physical exercise prevents cellular senescence in circulating leukocytes and in the vessel wall. *Circulation.* 2009;120:2438-47.
- [9] Martin H, Uring-Lambert B, Adrian M, Lahlou A, Bonet A, Demougeot C, *et al.* Effects of long-term dietary intake of magnesium on oxidative stress, apoptosis and ageing in rat liver. *Magnes Res.* 2008;21:124-30.
- [10] Makino N, Maeda T, Oyama J, Sasaki M, Higuchi Y, Mimori K, *et al.* Antioxidant therapy attenuates myocardial telomerase activity reduction in superoxide dismutase-deficient mice. *J Mol Cell Cardiol.* 2011;50:670-7.

- [11] Cipriano C, Tesei S, Malavolta M, Giacconi R, Muti E, Costarelli L, *et al.* Accumulation of cells with short telomeres is associated with impaired zinc homeostasis and inflammation in old hypertensive participants. *J Gerontol A Biol Sci Med Sci.* 2009;64:745-51.
- [12] Farzaneh-Far R, Lin J, Epel ES, Harris WS, Blackburn EH, Whooley MA. Association of marine omega-3 fatty acid levels with telomeric aging in patients with coronary heart disease. *JAMA.* 2010;303:250-7.
- [13] Tarry-Adkins JL, Blackmore HL, Martin-Gronert MS, Fernandez-Twinn DS, McConnell JM, Hargreaves IP, *et al.* Coenzyme Q10 prevents accelerated cardiac aging in a rat model of poor maternal nutrition and accelerated postnatal growth. *Mol Metab.* 2013;2:480-90.
- [14] Paul L. Diet, nutrition and telomere length. *J Nutr Biochem.* 2011;22:895-901.
- [15] Bernardes de Jesus B, Schneeberger K, Vera E, Tejera A, Harley CB, Blasco MA. The telomerase activator TA-65 elongates short telomeres and increases health span of adult/old mice without increasing cancer incidence. *Aging Cell.* 2011;10:604-21.
- [16] Bernardes de Jesus B, Vera E, Schneeberger K, Tejera AM, Ayuso E, Bosch F, *et al.* Telomerase gene therapy in adult and old mice delays aging and increases longevity without increasing cancer. *EMBO Mol Med.* 2012;4:691-704.
- [17] T.A. Sciences. What is TA-65®? - T.A. Sciences [Internet]. 2016 [cited 3 March 2016]. Available from: <https://www.tasciences.com/what-is-ta-65/>
- [18] Amazon.com. Amazon.com: Customer Reviews: TA-65 (250 Units) 90 Capsules Telomerase Activation Technology T.A. SCIENCES Premium Packaging [Internet]. 2016 [cited 3 March 2016]. Available from: http://www.amazon.com/Telomerase-Activation-Technology-T-A-Packaging/product-reviews/B00811WE0E/ref=cm_cr_dp_see_all_btm/184-3099296-5983948?ie=UTF8&showViewpoints=1&sortBy=recent

- [19] Hemann MT, Strong MA, Hao LY, Greider CW. The shortest telomere, not average telomere length, is critical for cell viability and chromosome stability. *Cell*. 2001;107:67-77.
- [20] Rashid-Kolvear F, Pintilie M, Done SJ. Telomere length on chromosome 17q shortens more than global telomere length in the development of breast cancer. *Neoplasia*. 2007;9:265-70.
- [21] Martens UM, Zijlmans JM, Poon SS, Dragowska W, Yui J, Chavez EA, *et al*. Short telomeres on human chromosome 17p. *Nat Genet*. 1998;18:76-80.
- [22] Britt-Compton B, Rowson J, Locke M, Mackenzie I, Kipling D, Baird DM. Structural stability and chromosome-specific telomere length is governed by cis-acting determinants in humans. *Hum Mol Genet*. 2006;15:725-33.
- [23] McClintock B. The Behavior in Successive Nuclear Divisions of a Chromosome Broken at Meiosis. *Proc Natl Acad Sci*. 1939;25:405-16.
- [24] Wright WE, Tesmer VM, Huffman KE, Levene SD, Shay JW. Normal human chromosomes have long G-rich telomeric overhangs at one end. *Genes Dev*. 1997;11:2801-9.
- [25] McElligott R, Wellinger RJ. The terminal DNA structure of mammalian chromosomes. *EMBO J*. 1997;16:3705-14.
- [26] Makarov VL, Hirose Y, Langmore JP. Long G tails at both ends of human chromosomes suggest a C strand degradation mechanism for telomere shortening. *Cell*. 1997;88:657-66.
- [27] Griffith JD, Comeau L, Rosenfield S, Stansel RM, Bianchi A, Moss H, *et al*. Mammalian telomeres end in a large duplex loop. *Cell*. 1999;97:503-14.
- [28] Smogorzewska A, van Steensel B, Bianchi A, Oelmann S, Schaefer MR, Schnapp G, *et al*. Control of human telomere length by TRF1 and TRF2. *Mol Cell Biol*. 2000;20:1659-68.
- [29] Sen D, Gilbert W. Formation of parallel four-stranded complexes by guanine-rich motifs in DNA and its implications for meiosis. *Nature*. 1988;334:364-6.

- [30] Trelles-Sticken E, Dresser ME, Scherthan H. Meiotic telomere protein Ndj1p is required for meiosis-specific telomere distribution, bouquet formation and efficient homologue pairing. *J Cell Biol.* 2000;151:95-106.
- [31] Hayflick L. The Limited in Vitro Lifetime of Human Diploid Cell Strains. *Exp Cell Res.* 1965;37:614-36.
- [32] Campisi J. Cellular senescence as a tumor-suppressor mechanism. *Trends Cell Biol.* 2001;11:S27-31.
- [33] Harley CB. Telomere loss: mitotic clock or genetic time bomb? *Mutat Res.* 1991;256:271-82.
- [34] Harley CB, Futcher AB, Greider CW. Telomeres shorten during ageing of human fibroblasts. *Nature.* 1990;345:458-60.
- [35] Takai H, Smogorzewska A, de Lange T. DNA damage foci at dysfunctional telomeres. *Curr Biol.* 2003;13:1549-56.
- [36] Blackburn EH. Structure and function of telomeres. *Nature.* 1991;350:569-73.
- [37] Shay JW, Wright WE. Senescence and immortalization: role of telomeres and telomerase. *Carcinogenesis.* 2005;26:867-74.
- [38] Vaziri H, Benchimol S. Alternative pathways for the extension of cellular life span: inactivation of p53/pRb and expression of telomerase. *Oncogene.* 1999;18:7676-80.
- [39] Muntoni A, Reddel RR. The first molecular details of ALT in human tumor cells. *Hum Mol Genet.* 2005;14:R191-6.
- [40] Epel ES, Merkin SS, Cawthon R, Blackburn EH, Adler NE, Pletcher MJ, *et al.* The rate of leukocyte telomere shortening predicts mortality from cardiovascular disease in elderly men. *Aging.* 2009;1:81-8.
- [41] Huzen J, de Boer RA, van Veldhuisen DJ, van Gilst WH, van der Harst P. The emerging role of telomere biology in cardiovascular disease. *Front Biosci.* 2010;15:35-45.
- [42] De Meyer T, Rietzschel ER, De Buyzere ML, Van Criekinge W, Bekaert S. Telomere length and cardiovascular aging: the means to the ends? *Ageing Res Rev.* 2011;10:297-303.


- [43] Cawthon RM, Smith KR, O'Brien E, Sivatchenko A, Kerber RA. Association between telomere length in blood and mortality in people aged 60 years or older. *Lancet*. 2003;361:393-5.
- [44] Lin PY, Huang YC, Hung CF. Shortened telomere length in patients with depression: A meta-analytic study. *J Psychiatr Res*. 2016;76:84-93.
- [45] Willeit P, Willeit J, Kloss-Brandstatter A, Kronenberg F, Kiechl S. Fifteen-year follow-up of association between telomere length and incident cancer and cancer mortality. *JAMA*. 2011;306:42-4.
- [46] Ma H, Zhou Z, Wei S, Liu Z, Pooley KA, Dunning AM, *et al*. Shortened telomere length is associated with increased risk of cancer: a meta-analysis. *PLoS One*. 2011;6:e20466.
- [47] Martinez-Delgado B, Yanowsky K, Inglada-Perez L, de la Hoya M, Caldes T, Vega A, *et al*. Shorter telomere length is associated with increased ovarian cancer risk in both familial and sporadic cases. *J Med Genet*. 2012;49:341-4.
- [48] Loprinzi PD. Leisure-Time Screen-Based Sedentary Behavior and Leukocyte Telomere Length: Implications for a New Leisure-Time Screen-Based Sedentary Behavior Mechanism. *Mayo Clin Proc*. 2015;90:786-90.
- [49] Ludlow AT, Zimmerman JB, Witkowski S, Hearn JW, Hatfield BD, Roth SM. Relationship between physical activity level, telomere length, and telomerase activity. *Med Sci Sports Exerc*. 2008;40:1764-71.
- [50] Puterman E, Lin J, Krauss J, Blackburn EH, Epel ES. Determinants of telomere attrition over 1 year in healthy older women: stress and health behaviors matter. *Mol Psychiatry*. 2015;20:529-35.
- [51] Lavretsky H, Epel ES, Siddarth P, Nazarian N, Cyr NS, Khalsa DS, *et al*. A pilot study of yogic meditation for family dementia caregivers with depressive symptoms: effects on mental health, cognition, and telomerase activity. *Int J Geriatr Psychiatry*. 2013;28:57-65.
- [52] Xu Q, Parks CG, DeRoo LA, Cawthon RM, Sandler DP, Chen H. Multivitamin use and telomere length in women. *Am J Clin Nutr*. 2009;89:1857-63.

- [53] Franzke B, Neubauer O, Wagner KH. Super DNAgging-New insights into DNA integrity, genome stability and telomeres in the oldest old. *Mutat Res Rev Mutat Res*. 2015;766:48-57.
- [54] Thompson AM, Steel CM, Chetty U, Hawkins RA, Miller WR, Carter DC, *et al*. p53 gene mRNA expression and chromosome 17p allele loss in breast cancer. *Br J Cancer*. 1990;61:74-8.
- [55] Wagata T, Shibagaki I, Imamura M, Shimada Y, Toguchida J, Yandell DW, *et al*. Loss of 17p, mutation of the p53 gene, and overexpression of p53 protein in esophageal squamous cell carcinomas. *Cancer Res*. 1993;53:846-50.
- [56] Montpetit AJ, Alhareeri AA, Montpetit M, Starkweather AR, Elmore LW, Filler K, *et al*. Telomere length: a review of methods for measurement. *Nurs Res*. 2014;63:289-99.
- [57] Vera E, Blasco MA. Beyond average: potential for measurement of short telomeres. *Aging*. 2012;4:379-92.
- [58] Cawthon RM. Telomere measurement by quantitative PCR. *Nucleic Acids Res*. 2002;30:e47.
- [59] Cawthon RM. Telomere length measurement by a novel monochrome multiplex quantitative PCR method. *Nucleic Acids Res*. 2009;37:e21.
- [60] Baird DM, Rowson J, Wynford-Thomas D, Kipling D. Extensive allelic variation and ultrashort telomeres in senescent human cells. *Nat Genet*. 2003;33:203-7.
- [61] Sfeir AJ, Chai W, Shay JW, Wright WE. Telomere-end processing the terminal nucleotides of human chromosomes. *Mol Cell*. 2005;18:131-8.
- [62] Miller MA, Dykes DD, Polesky HF. A simple salting out procedure for extracting DNA from human nucleated cells. *Nucleic Acids Res*. 1988;16:1215.
- [63] Szatmari I, Aradi J. Telomeric repeat amplification, without shortening or lengthening of the telomerase products: a method to analyze the processivity of telomerase enzyme. *Nucleic Acids Res*. 2001;29:E3.

- [64] Xing J, Ajani JA, Chen M, Izzo J, Lin J, Chen Z, *et al.* Constitutive short telomere length of chromosome 17p and 12q but not 11q and 2p is associated with an increased risk for esophageal cancer. *Cancer Prev Res.* 2009;2:459-65.
- [65] End Point PCR Protocol for Long and Accurate DNA Amplification [Internet]. Sigma-Aldrich. 2016 [cited 19 April 2016]. Available from: <http://www.sigmaaldrich.com/technical-documents/protocols/biology/long-and-accurate-dna-amplification.html>
- [66] Tuntiwechapikul W, Salazar M. Mechanism of in vitro expansion of long DNA repeats: effect of temperature, repeat length, repeat sequence, and DNA polymerases. *Biochemistry.* 2002;41:854-60.
- [67] Kool ET. Hydrogen bonding, base stacking, and steric effects in dna replication. *Annu Rev Biophys Biomol Struct.* 2001;30:1-22.
- [68] Sarkar G, Kapelner S, Sommer SS. Formamide can dramatically improve the specificity of PCR. *Nucleic Acids Res.* 1990;18:7465.
- [69] Zhang Z, Yang X, Meng L, Liu F, Shen C, Yang W. Enhanced amplification of GC-rich DNA with two organic reagents. *BioTechniques.* 2009;47:775-9.
- [70] Bhagya CH, Wijesundera Sulochana WS, Hemamali NP. Polymerase chain reaction optimization for amplification of Guanine-Cytosine rich templates using buccal cell DNA. *Indian J Hum Genet.* 2013;19:78-83.
- [71] Don RH, Cox PT, Wainwright BJ, Baker K, Mattick JS. 'Touchdown' PCR to circumvent spurious priming during gene amplification. *Nucleic Acids Res.* 1991;19:4008.
- [72] Rowther FB, Kardooni H, Warr T. TOUCH-UP gradient amplification method. *J Biomol Tech.* 2012;23:1-3.
- [73] Doronina V. How to Amplify Difficult PCR Substrates - Bitesize Bio [Internet]. Bitesize Bio. 2012 [cited 19 April 2016]. Available from: <http://bitesizebio.com/9331/tips-for-amplifying-difficult-pcr-substrates/>

LIST OF PUBLICATIONS

- 1) Bupachat S and Tuntiwechapikul W. “Development of A Chromosome 17p-Specific Telomere Length Measurement Method,” International Graduate Research Conference 2015 Graduate School Chiang Mai University, The Empress Hotel, Chiang Mai, Thailand, December 11, 2015, HS202-6.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved